

(43) International Publication Date 1 August 2002 (01.08.2002)

PCT

(10) International Publication Number WO 02/059377 A2

(51) International Patent Classification7:

C12Q 1/68

(21) International Application Number: PCT/US02/02242

(22) International Filing Date: 24 January 2002 (24.01.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/263,965	24 January 2001 (24.01.2001)	US
60/265,928	2 February 2001 (02.02.2001)	US
09/829,472	9 April 2001 (09.04.2001)	US
60/282,698	9 April 2001 (09.04.2001)	US
60/288,590	4 May 2001 (04.05.2001)	US
60/294,443	29 May 2001 (29.05.2001)	US

- (71) Applicant: EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080-7019 (US).
- (72) Inventors: MACK, David, H.; 2076 Monterey Avenue, Menlo Park, CA 94025 (US). GISH, Kurt, C.; 40 Perego Terrace #2, San Francisco, CA 94131 (US). AFAR, Daniel; 435 Visitacion Avenue, Brisbane, CA 94005 (US).

- (74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, 8th Floor, San Francisco, CA 94111-3834 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX , MZ , NO , NZ , OM , PH , PL , PT , RO , RU , SD , SE , SG , SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

(57) Abstract: Described herein are genes whose expression are up-regulated or down-regulated in breast cancer. Related methods and compositions that can be used for diagnosis and treatment of breast cancer are disclosed. Also described herein are methods that can be used to identify modulators of breast cancer.



METHODS OF DIAGNOSIS OF BREAST CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF BREAST CANCER

5

10

CROSS-REFERENCES TO RELATED APPLICATIONS

This application claims priority to USSN 60/263,965, filed January 24, 2001; USSN 60/265,928, filed February 2, 2001; USSN 09/829,472 filed April 9, 2001; USSN 60/282,698, filed April 9, 2001; USSN 60/288,590, filed May 4, 2001; and USSN 60/294,443, filed May 29, 2001, all of which are incorporated herein by reference in their entirety.

FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein

expression profiles and nucleic acids, products, and antibodies thereto that are involved in breast cancer; and to the use of such expression profiles and compositions in the diagnosis, prognosis and therapy of breast cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit breast cancer.

20

25

BACKGROUND OF THE INVENTION

Breast cancer is one of the most frequently diagnosed cancers and the second leading cause of female cancer death in North America and northern Europe, with lung cancer being the leading cause. Lifetime incidence of the disease in the United States is one-in-eight, with a 1-in-29 lifetime risk of dying from breast cancer. Early detection of breast cancer, using mammography, clinical breast examination, and self breast examination, has dramatically improved the treatment of the disease, although sensitivity is still major concern, as mammographic sensitivity has been estimated at only 60%–90%. Treatment of breast cancer consists largely of surgical lumpectomy or mastectomy, radiation therapy, anti-

WO 02/059377

hormone therapy, and/or chemotherapy. Although many breast cancer patients are effectively treated, the current therapies can all induce serious side effects which diminish quality of life. Deciding on a particular course of treatment is typically based on a variety of prognostic parameters and markers (Fitzgibbons et al., 2000, Arch. Pathol. Lab. Med. 124:966-978; Hamilton and Piccart, 2000, Ann. Oncol. 11:647-663), including genetic predispostion markers BRCA-1 and BRCA-2 (Robson, 2000, J. Clin. Oncol. 18:113sup-118sup).

5

10

15

20

25

30

Imaging of breast cancer for diagnosis has been problematic and limited. In addition, dissemination of tumor cells (metastases) to locoregional lymph nodes is an important prognostic factor; five year survival rates drop from 80 percent in patients with no lymph node metastases to 45 to 50 percent in those patients who do have lymph node metastases. A recent report showed that micrometastases can be detected from lymph nodes using reverse transcriptase-PCR methods based on the presence of mRNA for carcinoembryonic antigen, which has previously been shown to be present in the vast majority of breast cancers but not in normal tissues. Liefers et al., New England J. of Med. 339(4):223 (1998).

The identification of novel therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Recent advances in molecular medicine have increased the interest in tumor-specific cell surface antigens that could serve as targets for various immunotherapeutic or small molecule strategies. Antigens suitable for immunotherapeutic strategies should be highly expressed in cancer tissues and ideally not expressed in normal adult tissues. Expression in tissues that are dispensable for life, however, may be tolerated. Examples of such antigens include Her2/neu and the B-cell antigen CD20. Humanized monclonal antibodies directed to Her2/neu (Herceptin®/trastuzumab) are currently in use for the treatment of metastatic breast cancer (Ross and Fletcher, 1998, Stem Cells 16:413-428). Similarly, anti-CD20 monoclonal antibodies (Rituxin®/rituximab) are used to effectively treat non-Hodgekin's lymphoma (Maloney et al., 1997, Blood 90:2188-2195; Leget and Czuczman, 1998, Curr. Opin. Oncol. 10:548-551).

Other potential immunotherapeutic targets have been identified for breast cancer. One such target is polymorphic epithelial mucin (MUC1). MUC1 is a transmembrane

protein, present at the apical surface of glandular epithelial cells. It is often overexpressed in breast cancer, and typically exhibits an altered glycosylation pattern, resulting in an antigenically distinct molecule, and is in early clinical trials as a vaccine target (Gilewski et al., 2000, Clin. Cancer Res. 6:1693-1701; Scholl et al., 2000, J. Immunother. 23:570-580). The tumor-expressed protein is often cleaved into the circulation, where it is detectable as the tumor marker, CA 15-3 (Bon et al., 1997, Clin. Chem. 43:585-593). However, many patients have tumors that express neither HER2 nor MUC-1; therefore, it is clear that other targets need to be identified to manage localized and metastatic disease. Many other genes have been reported to be overexpressed in breast cancer, such as EGFR (Sainsbury et al., 1987, Lancet 1(8547):1398-1402), c-erbB3 (Naidu et al., 1988, Br. J. Cancer 78:1385-1390), FGFR2 (Penault-Llorca et al., 1991, Int. J. Cancer 61:170-176), PKW (Preiherr et al., 2000, 10 Anticancer Res. 20:2255-2264), MTA1 (Nawa et al., 2000, J. Cell Biochem. 79:202-212), breast cancer associated gene 1 (Kurt et al., 2000, Breast Cancer Res. Treat. 59:41-48). Although monoclonal antibodies to the protein products of some of these overexpressed genes have been reported (for review, see Green et al., 2000, Cancer Treat. Rev. 26:269-286), 15 none are currently approved for breast cancer therapy in the US.

Disclosures of certain genes and ESTs described as being expressed in breast cancer are found in international patent applications WO-99/33869, WO-97/25426, WO-97/02280 and WO-00/55173, WO-98/45328 and WO-00/22130. Similarly, genes and ESTs described as being expressed in breast cancer are disclosed in US Patent Nos. 5,759,776 and 5,693,522. The utility of such genes is described in each of these publications, and their disclosures are incorporated herein in their entirety.

20

25

30

While industry and academia have identified novel sequences, there has not been an equal effort exerted to identify the function of these novel sequences. The elucidation of a role for novel proteins and compounds in disease states for identification of therapeutic targets and diagnostic markers is essential for improving the current treatment of breast cancer patients. Accordingly, provided herein are molecular targets for therapeutic intervention in breast and other cancers. Additionally, provided herein are methods that can be used in diagnosis and prognosis of breast cancer. Further provided are methods that can be used to screen candidate bioactive agents for the ability to modulate breast cancer.

WO 02/059377

5

10

15

20

25

cancer.

SUMMARY OF THE INVENTION

The present invention therefore provides nucleotide sequences of genes that are up- and down-regulated in breast cancer cells. Such genes are useful for diagnostic purposes, and also as targets for screening for therapeutic compounds that modulate breast cancer, such as hormones or antibodies. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the present invention provides a method of determining the level of a breast cancer associated transcript in a cell from a patient.

In one embodiment, the present invention provides a method of detecting a breast cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1-25.

In one embodiment, the biological sample is a tissue sample. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label.

In one embodiment, the polynucleotide is immobilized on a solid surface.

In one embodiment, the patient is undergoing a therapeutic regimen to treat breast cancer. In another embodiment, the patient is suspected of having metastatic breast

In one embodiment, the patient is a human.

In one embodiment, the breast cancer associated transcript is mRNA.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of breast cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a breast cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25, thereby monitoring the efficacy of the therapy. In a further embodiment, the patient has metastatic breast cancer. In a further embodiment, the patient has a drug resistant form of breast cancer.

5

10

15

20

25

In one embodiment, the method further comprises the step of: (iii) comparing the level of the breast cancer-associated transcript to a level of the breast cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

Additionally, provided herein is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile to an expression profile of a healthy individual. In a preferred embodiment, said expression profile includes a gene of Tables 1-25.

In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1-25.

In one embodiment, an expression vector or cell comprises the isolated nucleic acid.

In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1-25.

WO 02/059377 PCT/US02/02242

In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical.

In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is humanized.

5

10

15

20

25

30

In one aspect, the present invention provides a method of detecting a breast cancer cell in a biological sample from a patient, the method comprising contacting the biological sample with an antibody as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to breast cancer in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprising a sequence from Tables 1-25.

In another aspect, the present invention provides a method for identifying a compound that modulates a breast cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a breast cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25; and (ii) determining the functional effect of the compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect.

In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant.

In one embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation of a breast cancer-associated cell to treat breast cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein.

In one embodiment, the compound is an antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having breast cancer

or to a cell sample isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell sample or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of breast cancer.

In one embodiment, the control is a mammal with breast cancer or a cell sample therefrom that has not been treated with the test compound. In another embodiment, the control is a normal cell or mammal.

5

10

15

20

25

30

In one embodiment, the test compound is administered in varying amounts or concentrations. In another embodiment, the test compound is administered for varying time periods. In another embodiment, the comparison can occur after addition or removal of the drug candidate.

In one embodiment, the levels of a plurality of polynucleotides that selectively hybridize to a sequence at least 80% identical to a sequence as shown in Tables 1-25 are individually compared to their respective levels in a control cell sample or mammal. In a preferred embodiment the plurality of polynucleotides is from three to ten.

In another aspect, the present invention provides a method for treating a mammal having breast cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having breast cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

In one aspect, the present invention provides a method of screening drug candidates by providing a cell expressing a gene that is up- and down-regulated as in a breast cancer. In one embodiment, a gene is selected from Tables 1-25. The method further includes adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the expression profile gene.

In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of

WO 02/059377

5

10

15

20

25

expression in the presence of the drug candidate, wherein the concentration of the drug candidate can vary when present, and wherein the comparison can occur after addition or removal of the drug candidate. In a preferred embodiment, the cell expresses at least two expression profile genes. The profile genes may show an increase or decrease.

Also provided is a method of evaluating the effect of a candidate breast cancer drug comprising administering the drug to a transgenic animal expressing or over-expressing the breast cancer modulatory protein, or an animal lacking the breast cancer modulatory protein, for example as a result of a gene knockout.

Moreover, provided herein is a biochip comprising one or more nucleic acid segments of Tables 1-25, wherein the biochip comprises fewer than 1000 nucleic acid probes. Preferably, at least two nucleic acid segments are included. More preferably, at least three nucleic acid segments are included.

Furthermore, a method of diagnosing a disorder associated with breast cancer is provided. The method comprises determining the expression of a gene of Tables 1-25, preferably a gene of Table 25, in a first tissue type of a first individual, and comparing the distribution to the expression of the gene from a second normal tissue type from the first individual or a second unaffected individual. A difference in the expression indicates that the first individual has a disorder associated with breast cancer.

In a further embodiment, the biochip also includes a polynucleotide sequence of a gene that is not up- and down-regulated in breast cancer.

In one embodiment a method for screening for a bioactive agent capable of interfering with the binding of a breast cancer modulating protein (breast cancer modulatory protein) or a fragment thereof and an antibody which binds to said breast cancer modulatory protein or fragment thereof. In a preferred embodiment, the method comprises combining a breast cancer modulatory protein or fragment thereof, a candidate bioactive agent and an antibody which binds to said breast cancer modulatory protein or fragment thereof. The method further includes determining the binding of said breast cancer modulatory protein or fragment thereof and said antibody. Wherein there is a change in binding, an agent is identified as an interfering agent. The interfering agent can be an agonist or an antagonist.

Also provided herein are methods of eliciting an immune response in an individual. In one embodiment a method provided herein comprises administering to an individual a composition comprising a breast cancer modulating protein, or a fragment thereof. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

5

10

15

20

25

30

Further provided herein are compositions capable of eliciting an immune response in an individual. In one embodiment, a composition provided herein comprises a breast cancer modulating protein, preferably encoded by a nucleic acid of Tables 1-25, more preferably of Table 25, or a fragment thereof, and a pharmaceutically acceptable carrier. In another embodiment, said composition comprises a nucleic acid comprising a sequence encoding a breast cancer modulating protein, preferably selected from the nucleic acids of Tables 1-25, and a pharmaceutically acceptable carrier.

Also provided are methods of neutralizing the effect of a breast cancer protein, or a fragment thereof, comprising contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization. In another embodiment, the protein is encoded by a nucleic acid selected from those of Tables 1-25.

In another aspect of the invention, a method of treating an individual for breast cancer is provided. In one embodiment, the method comprises administering to said individual an inhibitor of a breast cancer modulating protein. In another embodiment, the method comprises administering to a patient having breast cancer an antibody to a breast cancer modulating protein conjugated to a therapeutic moiety. Such a therapeutic moiety can be a cytotoxic agent or a radioisotope.

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and prognosis evaluation for breast cancer (PC), including metastatic breast cancer, as well as methods for screening for compositions which modulate breast cancer. Also provided are methods for treating breast cancer.

Tables 1-24B provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in breast cancer

samples. Tables 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 19, 20, 21, and 22 list those genes that are up-regulated in breast cancer cells. Table 14 lists those genes that are highly upregulated in breast cancer cells. Table 1, 2, 3, 15, and 23 list genes that are down-regulated in breast cancer cells and Table 16, lists genes that are highly down-regulated in breast cancer genes. The Tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster.

Definitions

5

10

.15

20

25

The term "breast cancer protein" or "breast cancer polynucleotide" or "breast cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologues that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a gene of Tables 1-25; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1-25 and conservatively modified variants thereof or (4) have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98% or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence encoded by a nucleotide sequence of or associated with a gene of Tables 1-25. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "breast cancer polypeptide" and a "breast cancer polynucleotide," include both naturally occurring or recombinant forms.

WO 02/059377

5

10

15

20

25

30

A "full length" breast cancer protein or nucleic acid refers to a breast cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains all of the elements normally contained in one or more naturally occurring, wild type breast cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translation processing or splicing, including alternative splicing.

"Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a breast cancer protein, polynucleotide or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or a bird; reptile; or fish.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the methods of the invention *in vivo*. Archival tissues, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or nucleotides that are the same (i.e., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site http://www.ncbi.nlm.nih.gov/BLAST/ or the like). Such sequences are then said to

be "substantially identical." This definition also refers to, or may be applied to, the compliment of a test sequence. The definition also includes sequences that have deletions and/or additions, as well as those that have substitutions, as well as naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

5

10

15

20

25

30

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A "comparison window", as used herein, includes reference to a segment of one of the number of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, Proc. Nat'l. Acad. Sci. USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Current Protocols in Molecular Biology (Ausubel et al., eds. 1995 supplement)).

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms,

5

10

15

30

which are described in Altschul et al., Nuc. Acids Res. 25:3389-3402 (1977) and Altschul et al., J. Mol. Biol. 215:403-410 (1990). BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) 20 uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=-4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff & Henikoff, Proc. Natl. Acad. Sci. USA 89:10915 (1989)) alignments (B) of 50, expectation (E) of 10, M=5, N=-4, and a comparison of both strands. 25

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul, Proc. Nat'l. Acad. Sci. USA 90:5873-5787 (1993)). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a

nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be large negative numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

5

10

15

20

25

30

An indication that two nucleic acid sequences or polypeptides are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid, as described below. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions, as described below. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (*see, e.g.*, the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means

removing at least one contaminant from the composition to be purified. In this sense, purification does not require that the purified compound be homogenous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

5

10

20

25

30

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ-carboxyglutamate, and O-phosphoserine. Amino acid analogs refers to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain the same basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refers to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that functions similarly to a naturally occurring amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG and GCU all encode the amino

15

20

acid alanine. Thus, at every position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. One of skill will recognize that in certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally identical molecule. Accordingly, often silent variations of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid.

Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention typically conservative substitutions for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts et al., Molecular Biology of the Cell (3rd ed., 1994) and Cantor & Schimmel, Biophysical Chemistry Part I: The Conformation of Biological Macromolecules (1980). "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that

WO 02/059377 PCT/US02/02242

often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of β -sheet and α -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

5

30

"Nucleic acid" or "oligonucleotide" or "polynucleotide" or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and 10 polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have alternate backbones, comprising, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphophoroamidite linkages (see Eckstein, 15 Oligonucleotides and Analogues: A Practical Approach, Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, Carbohydrate Modifications in Antisense Research, Sanghui & 20 Cook, eds.. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g. to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid 25 analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

A variety of references disclose such nucleic acid analogs, including, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805

WO 02/059377 PCT/US02/02242

(1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 91986)), phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphophoroamidite linkages (see Eckstein, Oligonucleotides and Analogues: A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; 10 Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 15 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp 169-176). Several nucleic acid analogs 20 are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T_m) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4°C drop in T_m for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9°C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is

25

30

relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

5

10

15

20

25

30

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary strand; thus the sequences described herein also provide the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleoside analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g. the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, chemical, or other physical means. For example, useful labels include ³²P, fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the breast cancer nucleic acids, proteins and antibodies at any position. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., Nature, 144:945 (1962); David et al., Biochemistry, 13:1014 (1974); Pain et al., J. Immunol. Meth., 40:219 (1981); and Nygren, J. Histochem. and Cytochem., 30:407 (1982).

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody. The "effector" can be a variety of molecules including, e.g., detection moieties including

10

15

20

radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a "nucleic acid probe or oligonucleotide" is defined as a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, usually through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, so long as it does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. It will be understood by one of skill in the art that probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled as with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled such as with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term "recombinant" when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed

25

10

15

20

25

30

or not expressed at all. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered recombinant for the purposes of the invention. Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

The term "heterologous" when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A "promoter" is defined as an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A "constitutive" promoter is a promoter that is active under most environmental and developmental conditions. An "inducible" promoter is a promoter that is active under environmental or developmental regulation. The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a

10

15

20

25

30



promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An "expression vector" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed operably linked to a promoter.

The phrase "selectively (or specifically) hybridizes to" refers to the binding, duplexing, or hybridizing of a molecule only to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes, "Overview of principles of hybridization and the strategy of nucleic acid assays" (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is at least two times





background, preferably 10 times background hybridization. Exemplary stringent hybridization conditions can be as following: 50% formamide, 5x SSC, and 1% SDS, incubating at 42°C, or, 5x SSC, 1% SDS, incubating at 65°C, with wash in 0.2x SSC, and 0.1% SDS at 65°C. For PCR, a temperature of about 36°C is typical for low stringency amplification, although annealing temperatures may vary between about 32°C and 48°C depending on primer length. For high stringency PCR amplification, a temperature of about 62°C is typical, although high stringency annealing temperatures can range from about 50°C to about 65°C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90°C - 95°C for 30 sec - 2 min., an annealing phase lasting 30 sec. - 2 min., and an extension phase of about 72°C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis et al. (1990) PCR Protocols, A Guide to Methods and Applications, Academic Press, Inc. N.Y.).

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary "moderately stringent hybridization conditions" include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37°C, and a wash in 1X SSC at 45°C. A positive hybridization is at least twice background. Those of ordinary skill will readily recognize that alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., and Current Protocols in Molecular Biology, ed. Ausubel, et al.

The phrase "functional effects" in the context of assays for testing compounds that modulate activity of a breast cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the breast cancer protein or nucleic acid, e.g., a functional, physical, or chemical effect, such as the ability to decrease breast cancer. It includes ligand binding activity; cell growth on soft agar; anchorage dependence; contact

PCT/US02/02242

WO 02/059377

5

10

15

20

30

inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. "Functional effects" include in vitro, in vivo, and ex vivo activities.

By "determining the functional effect" is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a breast cancer protein sequence, e.g., functional, enzymatic, physical and chemical effects. Such functional effects can be measured by any means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance, refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the breast cancer protein; measuring binding activity or binding assays, e.g. binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on breast cancer can also be performed using breast cancer assays known to those of skill in the art such as an in vitro assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis in vivo; mRNA and protein expression in cells undergoing metastasis, and other characteristics of breast cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for breast cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β -gal, GFP and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, 25 inducible markers, and ligand binding assays.

"Inhibitors", "activators", and "modulators" of breast cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using in vitro and in vivo assays of breast cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block



activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of breast cancer proteins, e.g., antagonists. Antisense nucleic acids may seem to inhibit expression and subsequent function of the protein. "Activators" are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate breast cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of breast cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the breast cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of breast cancer can also be identified by incubating breast cancer cells with the test compound and determining increases or decreases in the expression of 1 or more breast cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more breast cancer proteins, such as breast cancer proteins encoded by the sequences set out in Tables 1-25.

Samples or assays comprising breast cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a breast cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase "changes in cell growth" refers to any change in cell growth and proliferation characteristics in vitro or in vivo, such as formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or

WO 02/059377

immortalization of the cell. See, e.g., Freshney, Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3rd ed. 1994).

"Tumor cell" refers to precancerous, cancerous, and normal cells in a tumor. "Cancer cells," "transformed" cells or "transformation" in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney, Culture of Animal Cells a Manual of Basic Technique (3rd ed. 1994)).

5

10

15

20

25

30

"Antibody" refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one "light" (about 25 kD) and one "heavy" chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible for antigen recognition. The terms variable light chain (V_L) and variable heavy chain (V_H) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce F(ab)'₂, a dimer of Fab which itself is a light chain joined to V_H-C_H1 by a disulfide bond. The F(ab)'₂



may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the F(ab)'₂ dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Fundamental Immunology (Paul ed., 3d ed. 1993). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized de novo either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized de novo using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty et al., Nature 348:552-554 (1990))

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler & Milstein, Nature 256:495-497 (1975); Kozbor et al., Immunology Today 4:72 (1983); Cole et al., pp. 77-96 in Monoclonal Antibodies and Cancer Therapy (1985); Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies, A Laboratory Manual (1988); and Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty et al., Nature 348:552-554 (1990); Marks et al., Biotechnology 10:779-783 (1992)).

A "chimeric antibody" is an antibody molecule in which (a) the constant region, or a portion thereof, is altered, replaced or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the variable region, or a portion thereof, is altered, replaced or exchanged with a variable region having a different or altered antigen specificity.

WO 02/059377

10

15

20

25

Identification of breast cancer-associated sequences

In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a "fingerprint" of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is characteristic of the state of the cell. That is, normal tissue (e.g., normal breast or other tissue) may be distinguished from cancerous or metastatic cancerous tissue of the breast, or breast cancer tissue or metastatic breast cancerous tissue can be compared with tissue samples of breast and other tissues from surviving cancer patients. By comparing expression profiles of tissue in known different breast cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.

The identification of sequences that are differentially expressed in breast cancer versus non-breast cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-regulate breast cancer, and thus tumor growth or recurrence, in a particular patient. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Metastatic tissue can also be analyzed to determine the stage of breast cancer in the tissue. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the breast cancer expression profile. This may be done by making biochips comprising sets of the important breast cancer genes, which can then be used in these screens. These methods can also be done on the protein basis; that is, protein expression levels of the breast cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the breast cancer nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the breast cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs.

WO 02/059377

Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in breast cancer, herein termed "breast cancer sequences." As outlined below, breast cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in breast cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the breast cancer sequences are from humans; however, as will be appreciated by those in the art, breast cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other breast cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, horses, etc.) and pets, e.g., (dogs, cats, etc.). Breast cancer sequences from other organisms may be obtained using the techniques outlined below.

5

10

15

20

25

30

Breast cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, breast cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the breast cancer sequences can be generated.

A breast cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the breast cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

For identifying breast cancer-associated sequences, the breast cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing breast cancer samples with metastatic cancer samples from other cancers, such as lung, breast, gastrointestinal cancers, ovarian, etc. Samples of different stages of breast cancer, e.g., survivor tissue, drug resistant states, and tissue undergoing metastasis, are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art

10

15

20



for the preparation of mRNA. Suitable biochips are commercially available, e.g. from Affymetrix. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal breast, but also including, and not limited to lung, heart, brain, liver, breast, kidney, muscle, colon, small intestine, large intestine, spleen, bone and placenta. In a preferred embodiment, those genes identified during the breast cancer screen that are expressed in any significant amount in other tissues are removed from the profile, although in some embodiments, this is not necessary. That is, when screening for drugs, it is usually preferable that the target be disease specific, to minimize possible side effects.

In a preferred embodiment, breast cancer sequences are those that are up-regulated in breast cancer; that is, the expression of these genes is higher in the breast cancer tissue as compared to non-cancerous tissue. "Up-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred. All unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al., Nucleic Acids Research 26:1-7 (1998) and

http://www.ncbi.nlm.nih.gov/. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). U.S. Patent Application N. 09/687,576, with the same assignee as the present application, further discloses related sequences, compositions, and methods of diagnosis and treatment of breast cancer is hereby expressly incorporated by reference.

In another preferred embodiment, breast cancer sequences are those that are down-regulated in the breast cancer; that is, the expression of these genes is lower in breast cancer tissue as compared to non-cancerous tissue (see, e.g., Tables 1,2, 3, 15, 16 etc...). "Down-regulation" as used herein often means at least about a two-fold change, preferably at least about a three fold change, with at least about five-fold or higher being preferred.

25

15

20

25

30

The ability to identify genes that are over or under expressed in breast cancer **Informatics** can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with breast cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson, Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in substantially any form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for any assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample undergoing breast cancer, i.e., the identification of breast cancer-associated sequences described herein, provide an abundance of information, which can be correlated with pathological conditions, predisposition to disease, drug testing, therapeutic monitoring,

gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, prior data processing using highspeed computers is utilized.

5

10

15

20

30

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multidimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures. 25

See also Mount et al., Bioinformatics (2001); Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids (Durbin et al., eds., 1999); Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins (Baxevanis & Oeullette eds., 1998)); Rashidi & Buehler, Bioinformatics: Basic Applications in Biological Science and Medicine (1999); Introduction to Computational Molecular Biology (Setubal et

10

15

20

25



al., eds 1997); Bioinformatics: Methods and Protocols (Misener & Krawetz, eds, 2000); Bioinformatics: Sequence, Structure, and Databanks: A Practical Approach (Higgins & Taylor, eds., 2000); Brown, Bioinformatics: A Biologist's Guide to Biocomputing and the Internet (2001); Han & Kamber, Data Mining: Concepts and Techniques (2000); and Waterman, Introduction to Computational Biology: Maps, Sequences, and Genomes (1995).

The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for breast cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

10

15

20

25

30

When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the

assay results. Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC, MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

Characteristics of breast cancer-associated proteins

5

10

15

20

25

30

Breast cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the breast cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Molecular

WO 02/059377

Biology of the Cell (Alberts, ed., 3rd ed., 1994). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

5

10

15

20

25

30

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman et al., Nuc. Acids Res. 28:263-266 (2000); Sonnhammer et al., Proteins 28:405-420 (1997); Bateman et al., Nuc. Acids Res. 27:260-262 (1999); and Sonnhammer et al., Nuc. Acids Res. 26:320-322-(1998)).

In another embodiment, the breast cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described

15

20

25

30

PCT/US02/02242

for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted (see, e.g. PSORT web site http://psort.nibb.ac.jp/). Important transmembrane protein receptors include, but are not limited to the insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, epidermal growth factor receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor,

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include

10

15

20

25

30

PCT/US02/02242

cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cellassociated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Breast cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins in situ. Alternatively, antibodies can also label intracellular proteins, in which case samples are typically permeablized to provide access to intracellular proteins.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the breast cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. Breast cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests.

Use of breast cancer nucleic acids

As described above, breast cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the breast cancer PCT/US02/02242 WO 02/059377

sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

5

10

15

20

25

30

The breast cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1-25, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the breast cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, et al., supra. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, http://www.ncbi.nlm.nih.gov/UniGene/).

Once the breast cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire breast cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant breast cancer nucleic acid can be further-used as a probe to identify and isolate other breast cancer nucleic acids, e.g., extended coding regions. It can also be used as a "precursor" nucleic acid to make modified or variant breast cancer nucleic acids and proteins.

The breast cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the breast cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, vaccine, and/or antisense applications.

Alternatively, the breast cancer nucleic acids that include coding regions of breast cancer proteins can be put into expression vectors for the expression of breast cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to breast cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are

WO 02/059377

made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the breast cancer nucleic acids, *i.e.* the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally whole genes are not used. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases.

20

5

10

15

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

25

30

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is meant one or more of electrostatic,

PCT/US0 WO 02/059377

PCT/US02/02242

hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

5

10

15

20

25

In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, TeflonJ, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silicabased materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in copending application entitled Reusable Low Fluorescent Plastic Biochip, U.S. Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize PCT/US02/02242 WO 02/059377

sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

5

10

15

20

25

30

In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g. using linkers as are known in the art; e.g., homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

In this embodiment, oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized in situ, using well known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of which are expressly incorporated by reference; these methods of attachment form the basis of the Affimetrix GeneChipTM technology.

Often, amplification-based assays are performed to measure the expression level of breast cancer-associated sequences. These assays are typically performed in conjunction with reverse transcription. In such assays, a breast cancer-associated nucleic acid

PCT/US02/02242 WO 02/059377

sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of breast cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis et al., PCR Protocols, A Guide to Methods and Applications (1990).

5

10

15

20

25

30

In some embodiments, a TaqMan based assay is used to measure expression. TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu & Wallace, Genomics 4:560 (1989), Landegren et al., Science 241:1077 (1988), and Barringer et al., Gene 89:117 (1990)), transcription amplification (Kwoh et al., Proc. Natl. Acad. Sci. USA 86:1173 (1989)), self-sustained sequence replication (Guatelli et al., Proc. Nat. Acad. Sci. USA 87:1874 (1990)), dot PCR, and linker adapter PCR, etc.

Expression of breast cancer proteins from nucleic acids

In a preferred embodiment, breast cancer nucleic acids, e.g., encoding breast cancer proteins are used to make a variety of expression vectors to express breast cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, supra, and Gene Expression Systems (Fernandez & Hoeffler, eds, 1999)) and are used to express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these

DOT/UGD2/02242

expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the breast cancer protein. The term "control sequences" refers to DNA sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

5

10

15

20

25

Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation.

Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the breast cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.



10

15

20

25

30



In addition, an expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g. in mammalian or insect cells for expression and in a procaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez & Hoeffler, supra).

In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The breast cancer proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a breast cancer protein, under the appropriate conditions to induce or cause expression of the breast cancer protein. Conditions appropriate for breast cancer protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaebacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces* cerevisiae and other yeasts, *E. coli, Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the breast cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include

PCT/US02/02242 WO 02/059377

retroviral and adenoviral systems. One expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez & Hoeffler, supra). Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenlyation signals include those derived form SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used.

Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

10

15

20

25

30

In a preferred embodiment, breast cancer proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the breast cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which

render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez & Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, breast cancer proteins are produced in insect cells.

Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, breast cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for Saccharomyces cerevisiae, Candida albicans and C. maltosa, Hansenula polymorpha, Kluyveromyces fragilis and K. lactis, Pichia guillerimondii and P. pastoris, Schizosaccharomyces pombe, and Yarrowia lipolytica.

15

20

25

30

The breast cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the breast cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the breast cancer protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the breast cancer protein is a breast cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the breast cancer protein is purified or isolated after expression. Breast cancer proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the breast cancer protein may be purified using a standard anti-breast cancer protein antibody column. Ultrafiltration

PCT/US02/02242 WO 02/059377

and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, Protein Purification (1982). The degree of purification necessary will vary depending on the use of the breast cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the breast cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, etc.

Variants of breast cancer proteins

5

10

15

20

25

30

In one embodiment, the breast cancer proteins are derivative or variant breast cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative breast cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the breast cancer peptide.

Also included within one embodiment of breast cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the breast cancer protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant breast cancer protein fragments having up to about 100-150 residues may be prepared by in vitro synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the breast cancer protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to


10

15

20

25

30



optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed breast cancer variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of the mutants is done using assays of breast cancer protein activities.

Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the breast cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution relationships provided in the definition section.

The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analog, although variants also are selected to modify the characteristics of the breast cancer proteins as needed. Alternatively, the variant may be designed such that the biological activity of the breast cancer protein is altered. For example, glycosylation sites may be altered or removed.

Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those described above. For example, substitutions may be made which more significantly affect: the structure of the polypeptide backbone in the area of the alteration, for example the alpha-helical or beta-sheet structure; the charge or hydrophobicity of the molecule at the target site; or the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue

25

having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

Covalent modifications of breast cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a breast cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a breast cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking breast cancer polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-breast cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimidate.

Other modifications include deamidation of glutaminyl and asparaginyl residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the amino groups of the lysine, arginine, and histidine side chains (Creighton, *Proteins: Structure and Molecular Properties*, pp. 79-86 (1983)), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the breast cancer polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence breast cancer polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence breast cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express breast cancer-associated sequences can result in different glycosylation patterns.

Addition of glycosylation sites to breast cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence breast cancer polypeptide (for O-linked glycosylation sites). The breast cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the breast cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

5

10

15

20

25

30

Another means of increasing the number of carbohydrate moieties on the breast cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin & Wriston, CRC Crit. Rev. Biochem., pp. 259-306 (1981).

Removal of carbohydrate moieties present on the breast cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., Arch. Biochem. Biophys., 259:52 (1987) and by Edge et al., Anal. Biochem., 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., Meth. Enzymol., 138:350 (1987).

Another type of covalent modification of breast cancer comprises linking the breast cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

Breast cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a breast cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a breast cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the breast cancer polypeptide. The presence of such epitope-tagged forms of a breast cancer polypeptide can be detected using

10

15

20

25

30

an antibody against the tag polypeptide. Also, provision of the epitope tag enables the breast cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a breast cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field et al., Mol. Cell. Biol. 8:2159-2165 (1988)); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto (Evan et al., Molecular and Cellular Biology 5:3610-3616 (1985)); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky et al., Protein Engineering 3(6):547-553 (1990)). Other tag polypeptides include the Flag-peptide (Hopp et al., BioTechnology 6:1204-1210 (1988)); the KT3 epitope peptide (Martin et al., Science 255:192-194 (1992)); tubulin epitope peptide (Skinner et al., J. Biol. Chem. 266:15163-15166 (1991)); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA 87:6393-6397 (1990)).

Also included are other breast cancer proteins of the breast cancer family, and breast cancer proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related breast cancer proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the breast cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. The conditions for the PCR reaction are well known in the art (e.g., Innis, PCR Protocols, *supra*).

Antibodies to breast cancer proteins

In a preferred embodiment, when the breast cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the breast cancer protein

PCT/US02/02242 WO 02/059377

should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller breast cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

5

10

15

20

25

30

Methods of preparing polyclonal antibodies are known to the skilled artisan (e.g., Coligan, supra; and Harlow & Lane, supra). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants which may be employed include Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler & Milstein, Nature 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized in vitro. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-25 or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene

PCT/US02/02242 WO 02/059377

glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, pp. 59-103 (1986)). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid Tables 1-25 or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

In a preferred embodiment, the antibodies to breast cancer protein are capable of reducing or eliminating a biological function of a breast cancer protein, as is described below. That is, the addition of anti-breast cancer protein antibodies (either polyclonal or preferably monoclonal) to breast cancer tissue (or cells containing breast cancer) may reduce or eliminate the breast cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the breast cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Mederex, Inc., Abgenix, Inc., Protein Design Labs,Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')2 or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include

25

5

10

15

20

WO 02/059377

25

30

human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a nonhuman species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise 10 at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-329 (1988); and Presta, Curr. Op. Struct. Biol. 2:593-596 (1992)). Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., Nature 321:522-525 (1986); Riechmann et al., Nature 332:323-327 (1988); Verhoeyen et al., 15 Science 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-20 human species.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom & Winter, J. Mol. Biol. 227:381 (1991); Marks et al., J. Mol. Biol. 222:581 (1991)). The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., Monoclonal Antibodies and Cancer Therapy, p. 77 (1985) and Boerner et al., J. Immunol. 147(1):86-95 (1991)). Similarly, human antibodies can be made by introducing of human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all

10

15

20

25

30

respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., Bio/Technology 10:779-783 (1992); Lonberg et al., Nature 368:856-859 (1994); Morrison, Nature 368:812-13 (1994); Fishwild et al., Nature Biotechnology 14:845-51 (1996); Neuberger, Nature Biotechnology 14:826 (1996); Lonberg & Huszar, Intern. Rev. Immunol. 13:65-93 (1995).

By immunotherapy is meant treatment of breast cancer with an antibody raised against breast cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the breast cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted breast cancer protein.

In another preferred embodiment, the breast cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the breast cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane breast cancer protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the breast cancer protein. The antibody is also an antagonist of the breast cancer protein. Further, the antibody prevents activation of the transmembrane breast cancer protein. In one aspect, when the antibody prevents the binding of other molecules to the breast cancer

10

15

20

25

30

protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF-α, TNF-β, IL-1, INF-γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, breast cancer is treated by administering to a patient antibodies directed against the transmembrane breast cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be any number of molecules, including labelling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the breast cancer protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the breast cancer protein. The therapeutic moiety may inhibit enzymatic activity such as protease or collagenase or protein kinase activity associated with breast cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to breast cancer tissue or cells, results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with breast cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against breast cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane breast cancer proteins not only serves to increase the local concentration of therapeutic moiety in the breast cancer afflicted area, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety.

In another preferred embodiment, the breast cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the breast cancer protein can be targeted within a cell, i.e., the nucleus, an antibody thereto contains a signal for that target localization, i.e., a nuclear localization signal.

5

10

15

20

25

30

The breast cancer antibodies of the invention specifically bind to breast cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a K_d of at least about 0.1 mM, more usually at least about 1 μ M, preferably at least about 0.1 μ M or better, and most preferably, 0.01 μ M or better. Selectivity of binding is also important.

Detection of breast cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the breast cancer phenotype. Expression levels of genes in normal tissue (i.e., not undergoing breast cancer) and in breast cancer tissue (and in some cases, for varying severities of breast cancer that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state. While two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can

15

20

25

qualitatively have its expression altered, including an activation or inactivation, in, e.g., normal versus breast cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart, Nature Biotechnology 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript, or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the breast cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to breast cancer genes, i.e., those identified as being important in a breast cancer phenotype, can be evaluated in a breast cancer diagnostic test.

In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in

15

20

25

30

a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity.

In a preferred embodiment nucleic acids encoding the breast cancer protein are detected. Although DNA or RNA encoding the breast cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a breast cancer protein is detected. Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed in situ. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxygenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a breast cancer protein is detected by binding the digoxygenin with an anti-digoxygenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, breast cancer proteins, including intracellular, transmembrane or secreted proteins, find use as markers of breast cancer.

Detection of these proteins in putative breast cancer tissue allows for detection or diagnosis

of breast cancer. In one embodiment, antibodies are used to detect breast cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the breast cancer protein is detected, e.g., by immunoblotting with antibodies raised against the breast cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

5

10

15

20

25

30

In another preferred method, antibodies to the breast cancer protein find use in in situ imaging techniques, e.g., in histology (e.g., Methods in Cell Biology: Antibodies in Cell Biology, volume 37 (Asai, ed. 1993)). In this method cells are contacted with from one to many antibodies to the breast cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the breast cancer protein(s) contains a detectable label, e.g. an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of breast cancer proteins. As will be appreciated by one of ordinary skill in the art, many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing breast cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of breast cancer proteins.

Antibodies can be used to detect a breast cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous breast cancer protein.

In a preferred embodiment, *in situ* hybridization of labeled breast cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including

breast cancer tissue and/or normal tissue, are made. In situ hybridization (see, e.g., Ausubel, supra) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to breast cancer, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, breast cancer probes may be attached to biochips for the detection and quantification of breast cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

Assays for therapeutic compounds

10

15

20

25

30

In a preferred embodiment members of the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing breast cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a "gene expression profile" or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al., Science 279:84-8 (1998); Heid, Genome Res 6:986-94, 1996).

In a preferred embodiment, the breast cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified breast cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the breast cancer phenotype or an identified physiological function of a breast cancer protein. As above, this can be done on an individual gene level or

by evaluating the effect of drug candidates on a "gene expression profile". In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

5

10

15

20

25

Having identified the differentially expressed genes herein, a variety of assays may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as up regulated in breast cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the breast cancer protein. "Modulation" thus includes both an increase and a decrease in gene expression. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tissue undergoing breast cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in breast cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in breast cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the breast cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene expression or protein monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein..

In this embodiment, the breast cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of breast cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more breast cancer-associated sequences, e.g., a polynucleotide sequence set out in Table 17. Generally, in a preferred embodiment, a test modulator is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate breast cancer, modulate breast cancer proteins, bind to a breast cancer protein, or interfere with the binding of a breast cancer protein and an antibody or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the breast cancer phenotype or the expression of a breast cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles, or expression profile nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a breast cancer phenotype, e.g. to a normal tissue fingerprint. In another embodiment, a modulator induced a breast cancer phenotype.

Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

10

15

20

25

30

Drug candidates encompass numerous chemical classes, though typically they are organic molecules, preferably small organic compounds having a molecular weight of more than 100 and less than about 2,500 daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

In one aspect, a modulator will neutralize the effect of a breast cancer protein. By "neutralize" is meant that activity of a protein is inhibited or blocked and the consequent effect on the cell.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a breast cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a "lead compound") with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

5

10

15

20

25

30

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such "combinatorial chemical libraries" are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional "lead compounds" or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical "building blocks" such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop *et al.*, *J. Med. Chem.* 37(9):1233-1251 (1994)).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (*see, e.g.*, U.S. Patent No. 5,010,175, Furka, *Pept. Prot. Res.* 37:487-493 (1991), Houghton *et al.*, *Nature*, 354:84-88 (1991)), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as

hydantoins, benzodiazepines and dipeptides (Hobbs et al., Proc. Nat. Acad. Sci. USA 90:6909-6913 (1993)), vinylogous polypeptides (Hagihara et al., J. Amer. Chem. Soc. 114:6568 (1992)), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann et al., J. Amer. Chem. Soc. 114:9217-9218 (1992)), analogous organic syntheses of small compound libraries (Chen et al., J. Amer. Chem. Soc. 116:2661 (1994)), oligocarbamates (Cho, et al., Science 261:1303 (1993)), and/or peptidyl phosphonates (Campbell et al., J. Org. Chem. 59:658 (1994)). See, generally, Gordon et al., J. Med. Chem. 37:1385 (1994), nucleic acid libraries (see, e.g., Strategene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn et al., Nature Biotechnology 14(3):309-314 (1996), and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al., Science 274:1520-1522 (1996), and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum, C&EN, Jan 18, page 33 (1993); isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

5

10

15

20

25

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. Any of the above devices are suitable for use with the present invention. The nature and implementation of modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis,

MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect enhancement or inhibition of breast cancer gene transcription, inhibition or enhancement of polypeptide expression, and inhibition or enhancement of polypeptide activity.

High throughput assays for the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins, U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

10

15

20

25

In addition, high throughput screening systems are commercially available (see, e.g., Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate entire procedures, including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially

preferred. Particularly useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

5

10

15

20

25

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

Modulators of breast cancer can also be nucleic acids, as defined above.

As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. For example, digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

After the candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence to be analyzed is added to the biochip. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

5

10

15

20

25

30

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allows formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to,

temperature, formamide concentration, salt concentration, chaotropic salt concentration pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

5

10

15

20

25

30

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the breast cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state, screens are performed to identify agents that bind and/or modulate the biological activity of the gene product.

In addition screens can be done for genes that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a breast cancer expression pattern leading to a normal expression pattern, or to modulate a single breast cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically

modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated breast cancer tissue reveals genes that are not expressed in normal tissue or breast cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for breast cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated breast cancer tissue sample.

5

10

15

20

25

30

Thus, in one embodiment, a test compound is administered to a population of breast cancer cells, that have an associated breast cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once the test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., breast cancer tissue may be screened for agents that modulate, e.g., induce or suppress the breast cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on breast cancer activity. By defining such a signature for the breast cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of

either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins" or a "breast cancer modulatory protein". The breast cancer modulatory protein may be a fragment, or alternatively, be the full length protein to the fragment encoded by the nucleic acids of the Tables. Preferably, the breast cancer modulatory protein is a fragment. In a preferred embodiment, the breast cancer amino acid sequence which is used to determine sequence identity or similarity is encoded by a nucleic acid of Table 25. In another embodiment, the sequences are naturally occurring allelic variants of a protein encoded by a nucleic acid of Table 25. In another embodiment, the sequences are sequence variants as further described herein.

Preferably, the breast cancer modulatory protein is a fragment of approximately 14 to 24 amino acids long. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, i.e., to cysteine.

10

15

20

25

In one embodiment the breast cancer proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the breast cancer protein is conjugated to BSA.

Measurements of breast cancer polypeptide activity, or of breast cancer or the breast cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the breast cancer polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of breast cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second

messengers such as cGMP. In the assays of the invention, mammalian breast cancer polypeptide is typically used, e.g., mouse, preferably human.

5

10

15

20

25

Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a breast cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the breast cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the breast cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNAse protection, dot blotting, are preferred. The level of protein or mRNA is detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using the breast cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or β -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as "breast cancer proteins." The breast cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate

differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the breast cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a breast cancer protein and a candidate compound, and determining the binding of the compound to the breast cancer protein. Preferred embodiments utilize the human breast cancer protein, although other mammalian proteins may also be used, e.g. for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative breast cancer proteins may be used.

10

15

20

25

30

Generally, in a preferred embodiment of the methods herein, the breast cancer protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble supports may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflonTM, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples. The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to "sticky" or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving

areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

In a preferred embodiment, the breast cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the breast cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled in vitro protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

The determination of the binding of the test modulating compound to the breast cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the breast cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

10

15

20

25

30

In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., ¹²⁵I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor is a binding moiety known to bind to the target molecule (i.e., a breast cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40°C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput

screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by the test compound. Displacement of the competitor is an indication that the test compound is binding to the breast cancer protein and thus is capable of binding to, and potentially modulating, the activity of the breast cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the label on the support indicates displacement.

5

10

15

20

25

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the breast cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the test compound is capable of binding to the breast cancer protein.

In a preferred embodiment, the methods comprise differential screening to identity agents that are capable of modulating the activity of the breast cancer proteins. In this embodiment, the methods comprise combining a breast cancer protein and a competitor in a first sample. A second sample comprises a test compound, a breast cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the breast cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the breast cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native breast cancer protein, but cannot bind to modified breast cancer proteins. The structure of the breast cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a

breast cancer protein are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

5

10

15

20

25

30

A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a breast cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising breast cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a breast cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g. hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

In this way, compounds that modulate breast cancer agents are identified.

Compounds with pharmacological activity are able to enhance or interfere with the activity of the breast cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting breast cancer cell division is provided. The method comprises administration of a breast cancer inhibitor. In another embodiment, a method of inhibiting breast cancer is provided. The method comprises administration of a breast cancer inhibitor. In a further embodiment, methods of treating cells or individuals with breast cancer are provided. The method comprises administration of a breast cancer inhibitor.

In one embodiment, a breast cancer inhibitor is an antibody as discussed above. In another embodiment, the breast cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

10

15

20

25

30

Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of breast cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

Techniques for soft agar growth or colony formation in suspension assays are described in Freshney, *Culture of Animal Cells a Manual of Basic Technique* (3rd ed., 1994), herein incorporated by reference. *See also*, the methods section of Garkavtsev *et al.* (1996), *supra*, herein incorporated by reference.

Contact inhibition and density limitation of growth

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a

higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (³H)-thymidine at saturation density can be used to measure density limitation of growth. *See* Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (³H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a breast cancer-associated sequence and are grown for 24 hours at saturation density in non-limiting medium conditions. The percentage of cells labeling with (³H)-thymidine is determined autoradiographically. *See*, Freshney (1994), *supra*.

Growth factor or serum dependence

Transformed cells have a lower serum dependence than their normal counterparts (see, e.g., Temin, J. Natl. Cancer Insti. 37:167-175 (1966); Eagle et al., J. Exp. Med. 131:836-879 (1970)); Freshney, supra. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

Tumor specific markers levels

5

10

15

20

25

30

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g., Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985)). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman, Angiogenesis and Cancer, Sem Cancer Biol. (1992)).

Various techniques which measure the release of these factors are described in Freshney (1994), supra. Also, see, Unkless et al., J. Biol. Chem. 249:4295-4305 (1974); Strickland & Beers, J. Biol. Chem. 251:5694-5702 (1976); Whur et al., Br. J. Cancer 42:305-

312 (1980); Gullino, Angiogenesis, tumor vascularization, and potential interference with tumor growth. in Biological Responses in Cancer, pp. 178-184 (Mihich (ed.) 1985); Freshney Anticancer Res. 5:111-130 (1985).

Invasiveness into Matrigel

5.

10

15

30

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate breast cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with ¹²⁵I and counting the radioactivity on the distal side of the filter or bottom of the dish. *See, e.g.*, Freshney (1984), *supra*.

Tumor growth in vivo

20 Effects of breast cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the breast cancer gene is disrupted or in which a breast cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous breast cancer gene site in the mouse genome via homologous recombination.

25 Such mice can also be made by substituting the endogenous breast cancer gene with a

Such mice can also be made by substituting the endogenous breast cancer gene with a mutated version of the breast cancer gene, or by mutating the endogenous breast cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice

that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi et al., Science 244:1288 (1989)). Chimeric targeted mice can be derived according to Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory (1988) and Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, Robertson, ed., IRL Press, Washington, D.C., (1987).

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella et al., J. Natl. Cancer Inst. 52:921 (1974)), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley et al., Br. J. Cancer 38:263 (1978); Selby et al., Br. J. Cancer 41:52 (1980)) can be used as a host. Transplantable tumor cells (typically about 10⁶ cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a breast cancer-associated sequences are injected subcutaneously. After a suitable length of time, preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

Polynucleotide modulators of breast cancer

10

15

20

25

30

of the mRNA.

Antisense Polynucleotides

In certain embodiments, the activity of a breast cancer-associated protein is down-regulated, or entirely inhibited, by the use of antisense polynucleotide, *i.e.*, a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a breast cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other

sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the breast cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for breast cancer molecules. A preferred antisense molecule is for a breast cancer sequences in Tables 1-25, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, e.g., Stein & Cohen (Cancer Res. 48:2659 (1988 and van der Krol et al. (BioTechniques 6:958 (1988)).

20 Ribozymes

5

10

15

25

30

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of breast cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto et al., Adv. in Pharmacology 25: 289-317 (1994) for a general review of the properties of different ribozymes).

The general features of hairpin ribozymes are described, e.g., in Hampel et al., Nucl. Acids Res. 18:299-304 (1990); European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (see, e.g.,

WO 94/26877; Ojwang et al., Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993); Yamada et al., Human Gene Therapy 1:39-45 (1994); Leavitt et al., Proc. Natl. Acad. Sci. USA 92:699-703 (1995); Leavitt et al., Human Gene Therapy 5:1151-120 (1994); and Yamada et al., Virology 205: 121-126 (1994)).

5

10

15

20

25

Polynucleotide modulators of breast cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of breast cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating breast cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-breast cancer antibody that reduces or eliminates the biological activity of an endogenous breast cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a breast cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g. when the breast cancer sequence is down-regulated in breast cancer, such state may be reversed by increasing the amount of breast cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous breast cancer gene or administering a gene encoding the breast cancer sequence, using known gene-therapy techniques, e.g.. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g. as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g. when the breast cancer

sequence is up-regulated in breast cancer, the activity of the endogenous breast cancer gene is decreased, e.g. by the administration of a breast cancer antisense nucleic acid.

In one embodiment, the breast cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to breast cancer proteins. Similarly, the breast cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify breast cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a breast cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The breast cancer antibodies may be coupled to standard affinity chromatography columns and used to purify breast cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the breast cancer protein.

Methods of identifying variant breast cancer-associated sequences

10

15

20

25

30

Without being bound by theory, expression of various breast cancer sequences is correlated with breast cancer. Accordingly, disorders based on mutant or variant breast cancer genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant breast cancer genes, e.g., determining all or part of the sequence of at least one endogenous breast cancer genes in a cell. This may be accomplished using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the breast cancer genotype of an individual, e.g., determining all or part of the sequence of at least one breast cancer gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced breast cancer gene to a known breast cancer gene, i.e., a wild-type gene.

The sequence of all or part of the breast cancer gene can then be compared to the sequence of a known breast cancer gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the breast cancer gene of

the patient and the known breast cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

In a preferred embodiment, the breast cancer genes are used as probes to determine the number of copies of the breast cancer gene in the genome.

In another preferred embodiment, the breast cancer genes are used as probes to determine the chromosomal localization of the breast cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in the breast cancer gene locus.

10

15

20

25

30

5.

Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a breast cancer protein or modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel et al., Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3, 1992), Dekker, ISBN 0824770846, 082476918X, 0824712692, 0824716981; Lloyd, The Art, Science and Technology of Pharmaceutical Compounding (1999); and Pickar, Dosage Calculations (1999)). As is known in the art, adjustments for breast cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration, drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art. U.S. Patent Application N. 09/687,576, further discloses the use of compositions and methods of diagnosis and treatment in breast cancer is hereby expressly incorporated by reference.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the breast cancer proteins and modulators thereof of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the breast cancer proteins and modulators may be directly applied as a solution or spray.

5

10

15

20

25

The pharmaceutical compositions of the present invention comprise a breast cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that breast cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a breast cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Goodman & Gillman, The Pharmacologial Basis of Therapeutics (Hardman et al., eds., 1996)).

Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gillman, The Pharmacologial Basis of Therapeutics. supra.

The compositions containing modulators of breast cancer proteins can be administered for the rapeutic or prophylactic treatments. In the rapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer.

5

10

15

20

25

30

It will be appreciated that the present breast cancer protein-modulating compounds can be administered alone or in combination with additional breast cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in Tables 1-25, such as antisense polynucleotides or ribozymes, will be introduced into cells, in vitro or in vivo. The present invention provides methods, reagents, vectors, and cells useful for expression of breast cancer-associated polypeptides and nucleic acids using in vitro (cell-free), ex vivo or in vivo (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use

of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and any of the other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g., Berger & Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology volume 152 (Berger), Ausubel et al., eds., Current Protocols (supplemented through 1999), and Sambrook et al., Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3, 1989.

5

10

15

20

25

30

In a preferred embodiment, breast cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, breast cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the breast cancer coding regions) can be administered in a gene therapy application. These breast cancer genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

Breast cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, A. et al., J. Clin. Invest. 95:341 (1995)), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al., Molec. Immunol. 28:287-294, (1991); Alonso et al., Vaccine 12:299-306 (1994); Jones et al., Vaccine 13:675-681 (1995)), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi et al., Nature 344:873-875 (1990); Hu et al., Clin Exp Immunol. 113:235-243 (1998)), multiple antigen peptide systems (MAPs) (see, e.g., Tam, Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413 (1988); Tam, J. Immunol. Methods 196:17-32 (1996)), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., In: Concepts in vaccine development (Kaufmann, ed., p. 379, 1996); Chakrabarti, et al., Nature 320:535 (1986); Hu et al., Nature 320:537 (1986); Kieny, et al., AIDS Bio/Technology 4:790 (1986); Top et al., J. Infect. Dis. 124:148 (1971); Chanda et al., Virology 175:535 (1990)), particles of viral or synthetic origin (see, e.g., Kofler et al., J. Immunol. Methods. 192:25 (1996); Eldridge et al., Sem. Hematol. 30:16 (1993); Falo et al., Nature Med. 7:649 (1995)), adjuvants (Warren et al., Annu. Rev. Immunol. 4:369 (1986);

Gupta et al., Vaccine 11:293 (1993)), liposomes (Reddy et al., J. Immunol. 148:1585 (1992); Rock, Immunol. Today 17:131 (1996)), or, naked or particle absorbed cDNA (Ulmer, et al., Science 259:1745 (1993); Robinson et al., Vaccine 11:957 (1993); Shiver et al., In: Concepts in vaccine development (Kaufmann, ed., p. 423, 1996); Cease & Berzofsky, Annu. Rev. Immunol. 12:923 (1994) and Eldridge et al., Sem. Hematol. 30:16 (1993)). Toxin-targeted delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bortadella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

10

15

20

25

30

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff et. al., Science 247:1465 (1990) as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivicaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of

vaccinia virus, e.g., as a vector to express nucleotide sequences that encode breast cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover et al., Nature 351:456-460 (1991). A wide variety of other vectors useful for therapeutic administration or immunization e.g. adeno and adeno-associated virus vectors, retroviral vectors, Salmonella typhi vectors, detoxified anthrax toxin vectors, and the like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata et al., Mol Med Today 6:66-71 (2000); Shedlock et al., J Leukoc Biol 68:793-806 (2000); Hipp et al., In Vivo 14:571-85 (2000)).

10

15

20

25

30

Methods for the use of genes as DNA vaccines are well known, and include placing a breast cancer gene or portion of a breast cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a breast cancer patient. The breast cancer gene used for DNA vaccines can encode full-length breast cancer proteins, but more preferably encodes portions of the breast cancer proteins including peptides derived from the breast cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a breast cancer gene. For example, breast cancer-associated genes or sequence encoding subfragments of a breast cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular epitopes.

In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the breast cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

In another preferred embodiment breast cancer genes find use in generating animal models of breast cancer. When the breast cancer gene identified is repressed or diminished in cancer tissue, gene therapy technology, e.g., wherein antisense RNA directed

to the breast cancer gene will also diminish or repress expression of the gene. Animal models of breast cancer find use in screening for modulators of a breast cancer-associated sequence or modulators of breast cancer. Similarly, transgenic animal technology including gene knockout technology, e.g. as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the breast cancer protein. When desired, tissue-specific expression or knockout of the breast cancer protein may be necessary.

It is also possible that the breast cancer protein is overexpressed in breast cancer. As such, transgenic animals can be generated that overexpress the breast cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of breast cancer and are additionally useful in screening for modulators to treat breast cancer.

15

20

25.

10

Kits for Use in Diagnostic and/or Prognostic Applications

For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In the diagnostic and research applications such kits may include any or all of the following: assay reagents, buffers, breast cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, dominant negative breast cancer polypeptides or polynucleotides, small molecules inhibitors of breast cancer-associated sequences *etc*. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

In addition, the kits may include instructional materials containing directions (i.e., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. Any medium capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the

like. Such media may include addresses to internet sites that provide such instructional materials.

The present invention also provides for kits for screening for modulators of breast cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a breast cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing breast cancer-associated activity. Optionally, the kit contains biologically active breast cancer protein. A wide variety of kits and components can be prepared according to the present invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

15 EXAMPLES

10

30

Example 1: Tissue Preparation, Labeling Chips, and Fingerprints

Purifying total RNA from tissue sample using TRIzol Reagent

The sample weight is first estimated. The tissue samples are homogenized in 1 ml of TRIzol per 50 mg of tissue using a homogenizer (e.g., Polytron 3100). The size of the generator/probe used depends upon the sample amount. A generator that is too large for the amount of tissue to be homogenized will cause a loss of sample and lower RNA yield. A larger generator (e.g., 20 mm) is suitable for tissue samples weighing more than 0.6 g. Fill tubes should not be overfilled. If the working volume is greater than 2 ml and no greater than 10 ml, a 15 ml polypropylene tube (Falcon 2059) is suitable for homogenization.

Tissues should be kept frozen until homogenized. The TRIzol is added directly to the frozen tissue before homogenization. Following homogenization, the insoluble material is removed from the homogenate by centrifugation at 7500 x g for 15 min. in a Sorvall superspeed or 12,000 x g for 10 min. in an Eppendorf centrifuge at 4°C. The cleared

homogenate is then transferred to a new tube(s). Samples may be frozen and stored at -60 to -70°C for at least one month or else continue with the purification.

The next process is phase separation. The homogenized samples are incubated for 5 minutes at room temperature. Then, 0.2 ml of chloroform per 1ml of TRIzol reagent is added to the homogenization mixture. The tubes are securely capped and shaken vigorously by hand (do not vortex) for 15 seconds. The samples are then incubated at room temp. for 2-3 minutes and next centrifuged at 6500 rpm in a Sorvall superspeed for 30 min. at 4oC.

The next process is RNA Precipitation. The aqueous phase is transferred to a fresh tube. The organic phase can be saved if isolation of DNA or protein is desired. Then 0.5 ml of isopropyl alcohol is added per 1ml of TRIzol reagent used in the original homogenization. Then, the tubes are securely capped and inverted to mix. The samples are then incubated at room temp. for 10 minutes an centrifuged at 6500 rpm in Sorvall for 20 min. at 4°C.

10

15

20

25

The RNA is then washed. The supernatant is poured off and the pellet washed with cold 75% ethanol. 1 ml of 75% ethanol is used per 1 ml of the TRIzol reagent used in the initial homogenization. The tubes are capped securely and inverted several times to loosen pellet without vortexing. They are next centrifuged at $<8000\,$ rpm ($<7500\,$ x g) for 5 minutes at 4° C.

The RNA wash is decanted. The pellet is carefully transferred to an Eppendorf tube (sliding down the tube into the new tube by use of a pipet tip to help guide it in if necessary). Tube(s) sizes for precipitating the RNA depending on the working volumes. Larger tubes may take too long to dry. Dry pellet. The RNA is then resuspended in an appropriate volume (e.g., 2 -5 ug/ul) of DEPC H₂0. The absorbance is then measured.

The poly A+ mRNA may next be purified from total RNA by other methods such as Qiagen's RNeasy kit. The poly A + mRNA is purified from total RNA by adding the oligotex suspension which has been heated to 37°C and mixing prior to adding to RNA.

The Elution Buffer is incubated at 70°C. If there is precipitate in the buffer, warm up the 2 x Binding Buffer at 65°C. The the total RNA is mixed with DEPC-treated water, 2 x Binding

Buffer, and Oligotex according to Table 2 on page 16 of the Oligotex Handbook and next incubated for 3 minutes at 65°C and 10 minutes at room temperature.

The preparation is centrifuged for 2 minutes at 14,000 to 18,000 g, preferably, at a "soft setting," The supernatant is removed without disturbing Oligotex pellet. A little bit of solution can be left behind to reduce the loss of Oligotex. The supernatant is saved until satisfactory binding and elution of poly A+ mRNA has been found.

Then, the preparation is gently resuspended in Wash Buffer OW2 and pipetted onto the spin column and centrifuged at full speed (soft setting if possible) for 1 minute.

Next, the spin column is transferred to a new collection tube and gently resuspended in Wash Buffer OW2 and centrifuged as described herein.

10

15

20

25

Then, the spin column is transferred to a new tube and eluted with 20 to 100 ul of preheated (70°C) Elution Buffer. The Oligotex resin is gently resuspended by pipetting up and down. The centrifugation is repeated as above and the elution repeated with fresh elution buffer or first eluate to keep the elution volume low.

The absorbance is next read to determine the yield, using diluted Elution Buffer as the blank.

Before proceeding with cDNA synthesis, the mRNA is precipitated before proceeding with cDNA synthesis, as components leftover or in the Elution Buffer from the Oligotex purification procedure will inhibit downstream enzymatic reactions of the mRNA. 0.4 vol. of 7.5 M NH4OAc + 2.5 vol. of cold 100% ethanol is added and the preparation precipitated at -20°C 1 hour to overnight (or 20-30 min. at -70°C), and centrifuged at 14,000-16,000 x g for 30 minutes at 4°C. Next, the pellet is washed with 0.5 ml of 80% ethanol (-20°C) and then centrifuged at 14,000-16,000 x g for 5 minutes at room temperature. The 80% ethanol wash is then repeated. The last bit of ethanol from the pellet is then dried without use of a speed vacuum and the pellet is then resuspended in DEPC H₂0 at 1 ug/ul concentration.

Alternatively the RNA may be purified using other methods (e.g., Qiagen's RNeasy kit).

No more than 100 ug is added to the RNeasy column. The sample volume is adjusted to 100 ul with RNase-free water. 350 ul Buffer RLT and then 250 ul ethanol (100%) are added to the sample. The preparation is then mixed by pipetting and applied to an RNeasy mini spin column for centrifugation (15 sec at >10,000 rpm). If yield is low, reapply the flowthrough to the column and centrifuge again.

Then, transfer column to a new 2 ml collection tube and add 500 ul Buffer RPE and centrifuge for 15 sec at >10,000 rpm. The flowthrough is discarded. 500 ul Buffer RPE and is then added and the preparation is centriuged for 15 sec at >10,000 rpm. The flowthrough is discarded. and the column membrane dried by centrifuging for 2 min at maximum speed. The column is transferred to a new 1.5-ml collection tube. 30-50 ul of RNase-free water is applied directly onto column membrane. The column is then centrifuged for 1 min at >10,000 rpm and the elution step repeated.

The absorbance is then read to determine yield. If necessary, the material may be ethanol precipitated with ammonium acetate and 2.5X volume 100% ethanol.

15

30

10

First Strand cDNA Synthesis

The first strand can be make using using Gibco's "SuperScript Choice System for cDNA Synthesis" kit. The starting material is 5 ug of total RNA or 1 ug of polyA+ mRNAl. For total RNA, 2 ul of SuperScript RT is used; for polyA+ mRNA, 1 ul of

SuperScript RT is used. The final volume of first strand synthesis mix is 20 ul. The RNA should be in a volume no greater than 10 ul. The RNA is incubated with 1 ul of 100 pmol

T7-T24 oligo for 10 min at 70°C followed by addition on ice of 7 ul of: 4ul 5X 1st Strand

Buffer, 2 ul of 0.1M DTT, and 1 ul of 10mM dNTP mix. The preparation is then incubated at 37°C for 2 min before addition of the SuperScript RT followed by incubation at 37°C for 1 hour.

Second Strand Synthesis

For the second strand synthesis, place 1st strand reactions on ice and add: 91 ul DEPC H₂0; 30 ul 5X 2nd Strand Buffer; 3 ul 10mM dNTP mix; 1 ul 10 U/ul E.coli DNA Ligase; 4 ul 10 U/ul E.coli DNA Polymerase; and 1 ul 2 U/ul RNase H. Mix and incubate 2

hours at 16°C. Add 2 ul T4 DNA Polymerase. Incubate 5 min at 16°C. Add 10 ul of 0.5M EDTA.

Cleaning up cDNA

The cDNA is purified using Phenol:Chloroform:Isoamyl Alcohol (25:24:1) and Phase-Lock gel tubes. The PLG tubes are centrifuged for 30 sec at maximum speed. The cDNA mix is then transferred to PLG tube. An equal volume of phenol:chloroform:isamyl alcohol is then added, the preparation shaken vigorously (no vortexing), and centrifuged for 5 minutes at maximum speed. The top aqueous solution is transferred to a new tube and ethanol precipitated by adding 7.5X 5M NH4OAc and 2.5X volume of 100% ethanol. Next, it is centrifuged immediately at room temperature for 20 min, maximum speed. The supernatant is removed, and the pellet washed with 2X with cold 80% ethanol. As much ethanol wash as possible should be removed before air drying the pellet; and resuspending it in 3 ul RNase-free water.

15

20

25

30

10

5

In vitro Transcription (IVT) and labeling with biotin

In vitro Transcription (IVT) and labeling with biotin is performed as follows: Pipet 1.5 ul of cDNA into a thin-wall PCR tube. Make NTP labeling mix by combining 2 ul T7 10xATP (75 mM) (Ambion); 2 ul T7 10xGTP (75 mM) (Ambion); 1.5 ul T7 10xCTP (75 mM) (Ambion); 1.5 ul T7 10xUTP (75 mM) (Ambion); 3.75 ul 10 mM Bio-11-UTP (Boehringer-Mannheim/Roche or Enzo); 3.75 ul 10 mM Bio-16-CTP (Enzo); 2 ul 10x T7 transcription buffer (Ambion); and 2 ul 10x T7 enzyme mix (Ambion). The final volume is 20 ul. Incubate 6 hours at 37°C in a PCR machine. The RNA can be furthered cleaned. Clean-up follows the previous instructions for RNeasy columns or Qiagen's RNeasy protocol handbook. The cRNA often needs to be ethanol precipitated by resuspension in a volume compatible with the fragmentation step.

Fragmentation is performed as follows. 15 ug of labeled RNA is usually fragmented. Try to minimize the fragmentation reaction volume; a 10 ul volume is recommended but 20 ul is all right. Do not go higher than 20 ul because the magnesium in the fragmentation buffer contributes to precipitation in the hybridization buffer. Fragment

RNA by incubation at 94 C for 35 minutes in 1 x Fragmentation buffer (5 x Fragmentation buffer is 200 mM Tris-acetate, pH 8.1; 500 mM KOAc; 150 mM MgOAc). The labeled RNA transcript can be analyzed before and after fragmentation. Samples can be heated to 65°C for 15 minutes and electrophoresed on 1% agarose/TBE gels to get an approximate idea of the transcript size range

For hybridization, 200 ul (10 ug cRNA) of a hybridization mix is put on the chip. If multiple hybridizations are to be done (such as cycling through a 5 chip set), then it is recommended that an initial hybridization mix of 300 ul or more be made. The hybridization mix is: fragment labeled RNA (50 ng/ul final conc.); 50 pM 948-b control oligo; 1.5 pM BioB; 5 pM BioC; 25 pM BioD; 100 pM CRE; 0.1 mg/ml herring sperm DNA; 0.5 mg/ml acetylated BSA; and 300 ul with 1xMES hyb buffer.

The hybridization reaction is conducted with non-biotinylated IVT (purified by RNeasy columns) (see example 1 for steps from tissue to IVT): The following mixture is prepared:

15 IVT antisense RNA; 4 μg: μl Random Hexamers (1 μg/μl): 4 μl H₂O: μl 14 μl

10

Incubate the above 14 µl mixture at 70°C for 10 min.; then put on ice.

The Reverse transcription procedure uses the following mixture:

0.1 M DTT: 3 μ l 50X dNTP mix: 0.6 μ l H₂O: 2.4 μ l Cy3 or Cy5 dUTP (1mM): 3 μ l

25 SS RT II (BRL): 1 μl

16 µl

The above solution is added to the hybridization reaction and incubated for 30 min., 42° C. Then, 1 μ l SSII is added and incubated for another hour before being placed on ice.

The 50X dNTP mix contains 25mM of cold dATP, dCTP, and dGTP, 10mM of dTTP and is made by adding 25 μl each of 100mM dATP, dCTP, and dGTP; 10 μl of 100mM dTTP to 15 μl H₂O.]

RNA degradation is performed as follows. Add 86 µl H₂O, 1.5 µl 1M NaOH/2 mM EDTA and incubate at 65°C, 10 min.. For U-Con 30, 500 µl TE/sample spin at 7000 g for 10 min, save flow through for purification. For Qiagen purification, suspend u-con recovered material in 500 µl buffer PB and proceed using Qiagen protocol. For DNAse digestion, add 1 ul of 1/100 dilution of DNAse/30 ul Rx and incubate at 37°C for 15 min. Incubate at 5 min 95°C to denature the DNAse.

10

15

Sample preparation

For sample preparation, add Cot-1 DNA, 10 μ l; 50X dNTPs, 1 μ l; 20X SSC, 2.3 μ l; Na pyro phosphate, 7.5 μ l; 10 mg/ml Herring sperm DNA; 1 ul of 1/10 dilution to 21.8 final vol. Dry in speed vac. Resuspend in 15 μ l H₂0. Add 0.38 μ l 10% SDS. Heat 95°C, 2 min and slow cool at room temp. for 20 min. Put on slide and hybridize overnight at 64°C. Washing after the hybridization: 3X SSC/0.03% SDS: 2 min., 37.5 ml 20X SSC+0.75ml 10% SDS in 250ml H₂O; 1X SSC: 5 min., 12.5 ml 20X SSC in 250ml H₂O; 0.2X SSC: 5 min., 2.5 ml 20X SSC in 250ml H₂O. Dry slides and scan at appropiate PMT's and channels.

TABLE 1: Figure 1 from BRCA 001 US

Table 1 shows genes, (incorporated in their entirety here and throughout the application where primekeys are provided), downregulated in tumor tissue compared to normal breast tissue.

10							
			Unique Eos probeset identifier number				
			Exemplar Accession number, Genbank accession number				
	Unigene	elD:	Unige	ne number			
4 -	Unigene	Title:	Unige	ne gene title	· ·		
15	R1:		Ratio	of normal bi	east tissue to tumor		
					:		
	Okas	C		11-1			
	Pkey	ExAccn		Ottigetieto	UnigeneTitle	R1	
20	100472	D90084		Hs.1023	pyruvate dehydrogenase (lipoamide) alpha	5	
	100499	T51986		Hs.283108	hemoglobin, gamma G	10	
	100545	M55405			gb:Homo sapiens mucin (MUC-3) mRNA, part	5	
		BE14201			Homo sapiens cDNA FLJ11572 fis, clone HE	10	
0.5		X52078			transcription factor 3 (E2A immunoglobul	5	
25		BE25903	-		Ewing sarcoma breakpoint region 1	5	
		X16841		Hs.167988	neural cell adhesion molecule 1	5	
		A03758			NM_000477*:Homo sapiens albumin (ALB), m	10	
		L27065			gb:Human neurofibromatosis 2 (NF2) mRNA,	5	
20		M60832			collagen, type VIII, alpha 2	5	
30		BE37972		Hs.83213	fatty acid binding protein 4, adipocyte	10	
		AJ25056		Hs.82749	transmembrane 4 superfamily member 2	5	
		M90424		Hs.2099	lipocalin 1 (protein migrating faster th	5	
		NM_001		Hs.460	activating transcription factor 3	10	
35		NM_006		Hs.75678	FBJ murine osteosarcoma viral oncogene h	10	
33		X03350		Hs.4	alcohol dehydrogenase 18 (class I), beta	10	
		M21305		U- 70400	gb:Human alpha satellite and satellite 3	10	
		N98569 M27826		Hs.76422	phospholipase A2, group IIA (platelets,	10	
		AV65026		Hs.75765	endogenous retroviral protease GRO2 oncogene	10	
40		M74447		Hs.502	transporter 2, ATP-binding cassette, sub	5 10	
70		U22961		113.302	gb:Human mRNA clone with similarity to L	10	
		NM_001	504	He 198252	G protein-coupled receptor 9	5	
		U48251		Hs.75871	protein kinase C binding protein 1	10	
		U89337			tenascin XB	10	
45		U60115			four and a half LIM domains 1	5	
		AA31353			gb:EST185419 Colon carcinoma (HCC) cell	. 10	
		NM_006		Hs.76461	retinol-binding protein 4, interstitial	10	
		AA82928			serum amyloid A1	10	
		X98085		Hs.54433	tenascin R (restrictin, janusin)	5	
50		AA08199			gb:zn26d06.r1 Stratagene neuroepithelium	10	
	103750	AA12612	29		gb:zm78c07.r1 Stratagene neuroepithelium	5	
	103812	AA13710)7	Hs.326391	Homo sapiens, clone MGC:16638, mRNA, com	10	
	103851	AA32621	16	Hs.8719	hypothetical protein MGC1136	5	
_	104080	AB04103	36	Hs.57771	kallikrein 11 (KLK11; TLSP; PRSS20; hipp	5	
55	104093	R50727		Hs.336970	ESTs	10	
	104106	AA42212			gb:zv26h12.r1 Soares_NhHMPu_S1 Homo sapi	5	
	104109	AL35395	7	Hs.284181	hypothetical protein DKFZp434P0531	10	
		F06638		Hs.12440	Homo saplens clone 24734 mRNA sequence	10	
		AA42618			gb:zw11e09.r1 Soares_NhHMPu_S1 Homo sapl	5	
60		N73185		Hs.94285	EST	10	
		N91071		Hs.109650		10	
		N99542		Hs.572	orosomucoid 1	5	
	104532	A149876	3	Hs.203013	hypothetical protein FLJ12748	10	

	404500	D04004	11-450404	11 1 0011 0011 101000 0 1 1000	_
		R24024	HS.158101	Homo sapiens cDNA FLJ14673 fis, clone NT	5
		Y11312	Hs.132463	phosphoinositide-3-kinase, class 2, beta	5
	104659	AW969769	Hs.105201		5
		AA009764	Hs.190380		1
5					
,		AA017245	Hs.32794		1
		AA019300	Hs.125070	ESTs, Moderately similar to I54374 gene	1
	104764	AI039243	Hs.278585	ESTs	5
		AI298208	Hs.28805		1
		AA130390			
10				hypothetical protein FLJ20898	1
10		R61532	Hs.87016	hypothetical protein FLJ22938	5
	105231	AW970043	Hs.238039	hypothetical protein FLJ11090	5
	105239	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	1
		AA421973	He 160110		
				ESTs, Weakly similar to T25731 hypotheti	5
1.0		BE242857		hypothetical protein FLJ11159	5
15	106052	N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
	106119	AL359624	Hs.11387	KIAA1453 protein	5
		AI803651	Hs.191608		10
		AW976171		hypothetical protein FLJ22233	5
	106283	A1085846	Hs.25522	KIAA1808 protein	10
20	106379	AL042069	Hs.119021	DKFZP434N061 protein	10
		AW235928	Hs.313182		10
		AA135688		Homo sapiens, clone IMAGE:4139786, mRNA,	10
	106700	AA906434	Hs.3776	zinc finger protein 216	5
	106782	AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
25		Al458623		gb:tk04g09.x1 NCI_CGAP_Lu24 Homo sapiens	
		Al983730	Hs.26530		5 5 5 5 5
				serum deprivation response (phosphatidyl	2
		AI347578		hypothetical protein MGC2605	5
	106954	AF128847	Hs.204038	indolethylamine N-methyltransferase	5
	106991	AJ223811		hypothetical protein	5
30		AJ446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	5
-		AB006532			3,
			Hs.31442		10
		Al005036	Hs.334305	GS1999full	10
	107214	AF127026	Hs.5394	myosin IA	10
	107242	AB020672	Hs 175411	KIAA0865 protein	10
35		Al905985	Hs.111805		
55					10
		U51704		ESTs, Moderately similar to ALU8_HUMAN A	5
	107423	W26652	Hs.6163	PTEN induced putative kinase 1	5
	107447	W28516	Hs.19210	hypothetical protein MGC11308	10
	107451	AL042425	He 283976	hypthetical protein PRO2389	10
40		AI092790	He 224702	hypaticada proteir FL 144500	
70			NS.334703	hypothetical protein FLJ14529	5
		W38002		Empirically selected from AFFX single pr	10
	107683	N53167	Hs.47623	ESTs	10
	107711	W96141	Hs.220687		10
		AA017462	Hs.269244		
45					10
40		BE621721		hypothetical protein FLJ12387 similar to	10
	107864	AA025060	Hs.61246	ESTs ·	10
	107872	BE271708	Hs.95110	ESTs, Weakly similar to A55943 1-phospha	10
	107888	AA025836	Hs.191637		5
		AL049176			
50			Hs.82223		10
50		AA043675	Hs.62633	ESTS .	10
	108081	AA093668	Hs.28578	muscleblind (Drosophila)-like	5
	108113	AA012881	Hs.72531	hypothetical protein FLJ11838	10
		AA059473	Hs.66783	EST	10
		AA677927	Hs.144269		5
55	108335	AA070500		gb:zm70h03.s1 Stratagene neuroepithelium	5
	108351	AA071193		gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10
		NM_006770	Hs 67726	macrophage receptor with collagenous str	_
		AA075124	110.07720	chiamocant of Chairman and an annua	5
				gb:zm86a01.s1 Stratagene ovarian cancer	10
~ 0		AA079079		gb:zm97c09.s1 Stratagene colon HT29 (937	10
60	108446	AA085383		gb:zn13g03.s1 Stratagene hNT neuron (937	10
	108497	AA074897		gb:zm85a05.r1 Stratagene ovarian cancer	10
		AA934589	Hs.49696	ESTs	5
		AF117646		Cas-Br-M (murine) ectropic retroviral tr	5
		AA121820	Hs.74569	KIAA0842 protein	10
65	108738	AA126583	Hs.158725	ESTs	10
		Al273692	Hs.110470		10
		AI028376	Hs.73232		10
	103123	, 445,001,0	. 10.1 0202	-013	10

	109389	AA101325	Hs.86154	hypothetical protein FLJ12457	10
		F01449	Hs.26954		5
	109919	R40604		ESTs, Weakly similar to MCAT_HUMAN MITOC	10
5		A1094674	Hs.30524		10
J		H46749 W22165	Hs.31540		10
		WZZ 100 AW294162	Hs.22586		5
		H51276	Hs.13526	UDP-N-acetyl-alpha-D-galactosamine:polyp hypothetical protein FLJ12688	10 10
		H52576	113.10020	gb:yt85e08.r1 Soares_pineal_gland_N3HPG	5
10		H72639	Hs.167608		5
		H60593	Hs.124990		10
		AL044174		patched (Drosophila) homolog	10
	110987	Al753316	Hs.26034	ESTs	5
		N66616	Hs.138629	H.sapiens mRNA for subtelomeric repeat s	5
15		AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
		AJ224864	Hs.9688	leukocyte membrane antigen	5
		AA641636	Hs.37477	,	5
		R00144	Hs.189771		10
20		Al168511	11-00400	gb:ow90h09.s1 Soares_fetal_liver_spleen_	10
20		R16733 R26065	Hs.20499		10
		AA593731	He 335933	gb:yh39d03.s1 Soares placenta Nb2HP Homo ESTs, Moderately similar to ALU5_HUMAN A	5
		R42333	Hs.302292		10 10
		AL117490		Ras-associated protein Rap1	10
25		NM_006668	Hs.25121	cytochrome P450, subfamily 46 (cholester	10
		R51889	Hs.24990		5
		R31094	Hs.24378		10
		R77302		gb:yi75h08.s1 Soares placenta Nb2HP Homo	10
	112654	BE618629	Hs.268809		5
30		T98628	Hs.191290	ESTs	5
		A1057205	Hs.14584		5
		AA581428	Hs.5021	EST	10
		T16837	Hs.4241	ESTs	5
35		T51588	11-004755	gb:yb27e06.s1 Stratagene fetal spleen (9	10
23		T54659 AA743563	Hs.10305	Homo sapiens cDNA FLJ11465 fis, clone HE	5
•		AW207424	Hs.332594		5 10
		N92359		ESTs, Moderately similar to A48752 B-cel	10
		R16763	Hs.268679		5
40		AA913635		Homo sapiens cONA FLJ20812 fis, clone AD	10
	113574			ESTs, Moderately similar to ALU1_HUMAN A	5
	113776	A1791905	Hs.95549	hypothetical protein	10
		Al244311	Hs.26912		10
4.5		W07586	Hs.8045	ESTs	3
45		W86195		gb:zh54e05.s1 Soares_fetal_liver_spleen_	· 10
	114211		Hs.27347	EST	10
		AB018263		tumor necrosis factor receptor superfami	5
		AA745978	Hs.28273	ESTs	5
50		AA020736	U- 007040	gb:ze63b11.s1 Soares retina N2b4HR Homo	5
20		AA034378 AA065096	MS.20/319	endogenous retroviral protease	5
		AA081507		gb:zm50a02.s1 Stratagene fibroblast (937 gb:zn05b10.r1 Stratagene hNT neuron (937	5 5
		AA234826	Hs.87386	EST Strategene net neuron (937	5
		AA234462	Hs.87350	ESTs	. 5
55		AK000725	Hs.50579	hypothetical protein FLJ20718	3
		AF173081		Vertebrate LIN7 homolog 1, Tax interacti	5
		AB020649	Hs.74569	KIAA0842 protein	5
	115889	AA398841	Hs.39850	hypothetical protein FLJ20517	10
~		AI478427	Hs.43125	esophageal cancer related gene 4 protein	10
60		AL133916		hypothetical protein FLJ20093	10
		AA463902	Hs.13522	ESTs, Weakly similar to 138022 hypotheti	5
		AW968703	Hs.30085	hypothetical protein FLJ23186	5
		AW410377 AW194253	Hs.41502	hypothetical protein FLJ21276	5
65		AW194253 BE314852	Hs.68607	ESTs Homo sapiens clone 23763 unknown mRNA, p	10
0 5	116708		Hs.70001	ESTs. Moderately similar to JC6169 nucle	5
		AW801806	1 13.7 000 1	gb:lL5-UM0070-110400-062-g07 UM0070 Homo	5 5
	111000			gones omosto i torou-oue-got ombot o tiolio	J

WO 02/059377

PCT/US02/02242

	117151	A1803656	Hs.42373	ESTs	6
		N20468	113.42313	gb:yx39b10.s1 Soares melanocyte 2NbHM Ho	5 10
		AI472863	Hs.43387	ESTs	5
_		N34417	Hs.44584		3
5		N26627	Hs.82364	ESTs, Weakly similar to JC4124 pregnancy	5
		N40551		Homo saplens Ets-1 binding protein (E1B)	10
		N49285	Hs.182391		10
		AW263476 BE222341	Hs.44268		10
10		N53145	Hs.279472	gb:yv55f09.s1 Soares fetal liver spleen	5 3
•		AW955696	Hs.90960		10
		Al078236	Hs.49688		5
		N70907	Hs.230619		· 10
	118858	AL122040		Homo sapiens mRNA; cDNA DKFZp434G1972 (f	3
15		AA993527	Hs.293907	hypothetical protein FLJ23403	5
		A1160570		pregnancy specific beta-1-glycoprotein 6	3 5
		AF142419		homolog of mouse quaking QKI (KH domain	5
		AA514422 AK002001	Hs.221849 Hs.51305		5 10
20		T77892	113.51505	gb:yd20f04.s1 Soares fetal liver spleen	5
		T81824	Hs.90949	EST	5
	119528	W38051		Empirically selected from AFFX single pr	10
		AL049798	Hs.80552	dermatopontin	3
25		AF086332	Hs.58314		10
25		AF088061	Hs.159690		5
		AF086429 AW803308	Hs.58429 - Hs.62954		5 5
		U34249		femilin, heavy polypeptide 1 Human putative zinc finger protein (ZNFB	5
		AL042725	110.001 101	gb:DKFZp434B1822_r1 434 (synonym: htes3)	10
30	120931	AW136934	Hs.97162		5
		AA907743	Hs.142373		5
		AA401695	Hs.97334		5
		AA405763 AA421452		Homo sapiens cDNA FLJ20470 fis, clone KA	5
35		AK000229	Hs.98017	ESTs, Weakly similar to KIAA0926 protein Homo sapiens cDNA FLJ20222 fis, clone CO	5 10
-		AA447555	Hs.99116		10
		AA458945	Hs.95898		10
		AW135093	Hs.97282	ESTs, Highly similar to G100_HUMAN 110 K	5
40		AA609122		Homo sapiens mRNA; cDNA DKFZp434D2472 (f	5
40		AI024595 AA621529	Hs.97508	a disintegrin and metalloproteinase doma	5
	124215			gb:af47a02.s1 Soares_total_fetus_Nb2HF8_ gb:yr44a01.r1 Soares fetal liver spleen	10 5
	124276			gb:ys91a11.s1 Soares retina N2b5HR Homo	5
		AK001527	Hs.163953	hypothetical protein FLJ10665	5
45		NM_014312		cortic al thymocyte receptor (X. laevis	10
	125121		Hs.48403	hypothetical protein FLJ 10847	10
		BE299567		ESTs, Moderately similar to ALU8_HUMAN A	5
		NM_002666	Hs.103253		10
50		BE256206 AA485421	Hs.17775	p75NTR-associated cell death executor; o ESTs, Weakly similar to ALU7_HUMAN ALU S	5
50		NM_002250	Hs.10082	potassium intermediate/small conductance	10 10
	128538		Hs.101189		5
	128606	C16161		hypothetical protein PRO2543	5
		AA193106		chromosome 11 open reading frame 23	10
55	128870		Hs.75309	eukaryotic translation elongation factor	10
		AW150717	HS.2961/6	STAT induced STAT inhibitor 3	10
	128931	AA443323		Homo sapiens cDNA FLJ12965 fls, clone NT BPOZ protein	10 5
		AA056483	Hs.301463	Human Chromosome 16 BAC clone CIT987SK-A	5
60		NM_013403	Hs.108665	zinedin	10
	129146	AL117472	Hs.108924	SH3-domain protein 5 (ponsin)	5
		A1146494	Hs.109525	ESTs, Weakly similar to IRX2_HUMAN IROQU	3
	129228		Hs.239307	tyrosyl-tRNA synthetase	5
65		AA530892	He 11006	dual specificity phosphatase 1 ESTs, Moderately similar to T17372 plasm	5
05		BE617015 AF110141		WAS protein family, member 2	10 10
		NM_003877		STAT induced STAT inhibitor-2	5

	129371	X06828	Hs.110802	von Willebrand factor	5
	129381	AW245805		claudin 5 (transmembrane protein deleted	10
	129440	W37944	Hs.4007	Sarcolemmal-associated protein	5
_		BE061069	Hs.301943	KIAA0467 protein	10
5	129516	AF020038	Hs.11223		10
		BE222078	Hs.113069	ESTs	10
		BE622468	Hs.11924	ESTs, Weakly similar to 138022 hypotheti	• 5
		Al304966	Hs.12035	ESTs, Weakly similar to I38022 hypotheti	5
10		AK001676	Hs.12457	hypothetical protein FLJ10814	10
10		AK000956	Hs.13209	hypothetical protein FLJ10094	5 5
		A1338993	Hs.134535		5
		AJ251760		guanine nucleotide binding protein (G pr	5 5
		NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	5
1.6		NM_001158		amine oxidase, copper containing 2 (reti	5
15		M62402		Insulin-like growth factor binding prote	10
		AA452006	Hs.333199	and the second s	5
		W80711		Homo saplens mRNA for KIAA1727 protein,	5
		D88435		cyclin G associated kinase	
20		A1241084	HS.154353	nonselective sodium potassium/proton exc	5
20		AA435746	11- 000400	gb:zt79e03.s1 Soares_testis_NHT Homo sap	5
		V00517		hemoglobin, gamma G	10
		NM_001928		D component of complement (adipsin)	10
		X72308		small inducible cytokine A7 (monocyte ch	5 · 10
25		BE222978	Hs.15760	MYG1 protein	
23		AW390834	Hs.75874	pregnancy-associated plasma protein A	5
		BE270472		HSPC015 protein	10 10
		AL110226	Hs.16441	DKFZP434H204 protein	5
		Al652143 Al769067		hypothetical protein FLJ13111 ESTs, Weakly similar to T28770 hypotheti	3
30		AA993269	Hs.17872	Homo sapiens, clone IMAGE:3875012, mRNA	10
50		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		AA232075	Hs.18259	XPA binding protein 1; putative ATP(GTP)	5
		AF263462	Hs.18376	KIAA1319 protein	10
		N41322	Hs.18441	ESTs	5
35		M81349	Hs.1955	serum amyloid A4, constitutive	10
-		BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10
		AB040935	Hs.23954	cerebral cell adhesion molecule	10
		AA360419		inositol(myo)-1(or 4)-monophosphatase 1	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
40		AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
		AK000393	Hs.25817	BTB (POZ) domain containing 2	5
		AF110908		TNF receptor-associated factor 3	5
	131406	H83294		Wnt inhibitory factor-1	5
	131489	BE394648	Hs.27414	hypothetical protein	5
45	131543	AW966881	Hs.41639	programmed cell death 2	10
	131692	BE559681	Hs.30736	KIAA0124 protein	5
	131753	AA829286	Hs.332053	serum amyloid A1	10
	131756	AA443966	Hs.31595	ESTs	10
	131785	H69342	Hs.26320	TRABID protein	10
50	131815	AA021258	Hs.32753	ESTs	5
		BE244961		FE65-LIKE 2	5
		AJ000263		keratin, hair, basic, 6 (monilethrix)	10
		AW294659	Hs.34054	Homo sapiens cDNA: FLJ22488 fis, clone H	5
		AJ003112	Hs.34780	doublecortex; lissencephaly, X-linked (d	5
55	131949	AK000010		hypothetical protein FLJ20003	10
	132115	H81604		KIAA0798 gene product	5
		X80818		glutamate receptor, metabotropic 4	5
		AA467752	Hs.195161		5
60		AW118072	Hs.89981	dlacylglycerol kinase, zeta (104kD)	10
60	132477	S68874		prostaglandin E receptor 3 (subtype EP3)	5
		Al291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,	10
	132/90	NM_006283		transforming, addic coiled-coil contain	10 10
		W28548 NM_004235	Hs.224829 Hs.7934	Kruppel-like factor 4 (gut)	10
65		BE175645		LBP protein 32	5
UJ.		BE563966	Hs.6529	ESTs, Weakly similar to I78885 serine/th	5
		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10
	100120		. 10.00727	to a mount producting of one in the contract of the contract o	10

	133139	AF052138	Hs.6580	Homo saplens cDNA: FLJ23227 fis, clone C	5
		AA668224	Hs.6634	Homo sapiens cDNA: FLJ22547 fis, clone H	5
		AW956781	Hs.293937		5
		NM_002776	Hs.69423	kallikrein 10 (KLK10) (PRSSL1) (nes1)	5
5		AA207059		gb:zq80h09.s1 Stratagene hNT neuron (937	5
		AF017987	Hs.7306	secreted trizzled-related protein 1	5
		H21497	Hs.7471	BBP-like protein 1	5
		L02321	Hs.75652	glutathione S-transferase M5	5 5
	133719	H26904	Hs.75736	apolipoprotein D	5
10	133731	N71725	Hs.272572	hemoglobin, alpha 2	10
	133789	T85626	Hs.76239	hypothetical protein FLJ20608	5
		AF072441	Hs.7840	calcineurin binding protein 1	10
		D86062	Hs.182423	ES1 (zebrafish) protein, human homolog o	10
1.5		Al372588	Hs.8022	TU3A protein	10
15		AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	10
		BE243319	Hs.79672	KIAA0652 gene product	5
		AW905827	Hs.81454	ketohexokinase (fructokinase)	10
		BE549343	Hs.82208	acyl-Coenzyme A dehydrogenase, very long	5
20		AF207664	Hs.8230	a disintegrin-like and metalloprotease (5
20		L34155	Hs.83450	taminin, alpha 3 (nicein (150kD), kalini	5
		AI190413	Hs.8373	ESTs	10
		M64936	11- 050070	gb:Homo sapiens retinoic acid-inducible	10
		NM_002757		mitogen-activated protein kinase kinase	10
25		M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	10
23		BE244323 U73394	Hs.85951		5
		AL008583	He 192505	killer cell immunoglobulin-like receptor dynein, axonemal, light polypeptide 4	5
•		D10216	Hs.89394		5 5
		NM_000078	Hs.89538	POU domain, class 1, transcription facto cholesteryl ester transfer protein, plas	10
30		T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	10
50		T87521	Hs.261457		5
		NM_003394	Hs.91985	wingless-type MMTV integration site fami	10
		H22570		hypothetical protein FLJ20093	5
		AA302517	Hs.92732		5
35		X04430	Hs.93913	Interleukin 6 (interferon, beta 2)	10
	135173	AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	10
		U76456		tissue inhibitor of metalloproteinase 4	5
	135219	AB002361	Hs.96633		5
	135250	U83171	Hs.97203	small inducible cytokine subfamily A (Cy	5
40	135304	AA416829	Hs.191597	ESTs	5
	135337	AA905406	Hs.9905	ESTs, Weakly similar to unnamed protein	3
	135417	X55019	Hs.99975	cholinergic receptor, nicotinic, delta p	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5
4.5		H39537	Hs.75309	eukaryotic translation elongation factor	5
45		AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	5
		M62402		insulin-like growth factor binding prote	5
		NM_006691	Hs.17917	extracellular link domain-containing 1	10
		NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	3
50		AF017987	Hs.7306	secreted frizzled-related protein 1	5
30		N71725		hemoglobin, alpha 2	5
		AF207664	Hs.8230	a disintegrin-like and metalloprotease (5
		X04430	Hs.93913	Interleukin 6 (Interferon, beta 2)	10
		AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5
55		AK001852	Hs.274151		5
55		AW580227 AW377752	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
		BE208364	Hs.83341 Hs.29283	AXL receptor tyrosine kinase	5
		AA563892		ESTs, Weakly similar to LKHU proteoglycan link	5
		U85642	Hs.138506	sotute carrier family 4 (anion exchanger), memb	10 5
60	173024	RC_H15814_s		Human apM1 mRNA for GS3109 (novel adipose specific coll	-
		YEL024w/RIP1		EST - YEL024w/RIP1	3
				· - · · · · · · ·	-

TABLE 1A

Table 1 A shows the accession numbers for those pkeys lacking unigeneID's for Table 1. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

15	CAT number: Gene of Accession: Genba		e Eos probeset identifier number duster number nk accession numbers					
•	Pkey	CAT Number	Accessions					
20	108446 108497	112224_1 110079_2	AA085383 AA126091 AA074174 AA075373 AA079120 AA070831 AA075978 AA075372 AA128503 AA074897 AA113914 AA064871 AA079329 AA071309 AA084710 AA129030 AA075042 AA074794 AA071453 AA078803 AA148628 AA122204 AA074159 AA126185 AA079117 AA127089 AA070912 AA079280 AA131372 AA078833 AA071087 AA076131 AA071047 AA079401 AA0883070 AA102076 AA115163 AA074198 AA134725 AA113889 AA121103 AA0750041 AA065148 AA071310 AA101144 AA079659 AA078931 AA079209 AA070928 AA068994 AA069817 AA076187 AA069053 AA131489 AA071308 AA063317 AA070156 AA071430 AA076056 AA075684 AA0705033 AA126283 AA126278 AA075895					
25			AA079208 AA074583 AA071086 AA079623 AA070627 AA078802 AA076622 AA065051 AA079143 AA071110 AA079434 AA148748 AA079230 AA085188 AA074485 AA070580 AA076151 AA083166 AA085118 AA079450 AA085044 AA120938 AA079200 AA100188 AA081472 AA122355 AA129031 AA085362 AA069220 AA070940 AA075968 AA074563 AA084027 AA115929					
30 .	124215 117058 110455 111168	1597154_1 1219924_1 46874_1 38585_1	H62570 H59063 AW801806 H90434 BE086530 H52576 AF085971 H52172 AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567					
35			AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H662215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570					
40	111498 104340 103747 134496 Al684569 A	411008_1 46289_10 117944_1 46501_1 W257011	Al168511 Al022712 AA700366 R07371 R07324 AA426189 F15201 AA081995 AA101099 M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311					
45	103750 105239	118365_1 34624_1	Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514 AA126129 AA126033 AA082561 AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859					
50	120379	34624_3	AL042725 BE063316 AW975610 AA457591 BE062092 Al655202 AA714296 Al267264 Al075321 AA223286 AA071122 AA227849 AA216700 Al696002 AA101867 AA099426 AA135997 AL041698 T02815 T51824 AA207189 T59230 T51868 AA663341 BE165757 AW818104 AW392886 AA584918 AA099408 AW856396 AW861859 AA053045					
55	114624 106851 108392 100545 100654	111686_1 322947_1 113549_1 22955_11 tigr_HT2969	AA081507 AA070071 AA070840 AA084362 Al458623 AA639708 AA485409 R22065 AA485570 AA075124 AA075208 M55405 AW752552 A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365					
60	100702 102208	tigr_HT3413 6735_9	U22961 AA203623 AA503337 AI174733 AI192802 C06092 AA035357 AI190619 AI199244 AI828450 AA602296 AI378195 AI209170 A186653 A1127795 AI183846 H77389 AI589465 AA629390 H94306 AI018388 R68584 AA027196 AI745413 AI685092 AI093426 AI623873 AI074570 N50096 AA047486 N25060 AA327614 AI042512 AI383957 AA156873 AI333101					

N70805 Al141254 Al383191 Al401237 Al080709 Al093400 W84549 T90806 R00012 W01413 AA630557 Al378348 Al559265

AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404 Al133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 AI110799 D17107 NM_000477 AF190168 R50724 AI248416 AI207432 AI133684 AI133345 AI174710 5 Al133290 Al133304 Al174948 Al207484 Al110717 AF074624 Al114515 AF063516 Al110642 Al114559 Al114498 Al114759 Al207568 Al064960 Al174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 10 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786 Al132926 R09237 Al064838 Al133660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 Al133040 Al133017 Al064857 Al110730 AF074637 Al207567 15 H71080 T73217 AA343950 AI174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 AI065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 AI064778 AA035710 W52763 AI114786 AA005016 T60361 T69176 173356 T58795 T61233 T39955 T60612 Al114676 Al064778 AA035710 W52763 Al114786 T83564 AA341859 T81684 T55769 Al114710 T51776 AA343213 Al114714 T58102 Al110809 R28984 Al174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 Al114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52667 T71984 T69118 W09884 Al114880 T52003 T63070 Al62323 T73329 H09881 T56048 T56141 T57203 Al326169 20 25 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 AI336158 T61821 T69457 T62900 T62912 T72917 T46885 AI702448 T57212 T57203 R94581 T71311 T61819 T89358 T67708 T70918 T59166 Al187111 T64308 T62071 T69427 Al114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290 Al312890 30 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412 T64300 T28321 T55864 123941 genbank_AA621529 AA621529 118049 genbank_N53145 N53145 102800 14782_20 AA313538 U88895 U88902 35 104106 AA422123_i_atAA422123_i 111738 genbank_R26065 R26065 genbank_T51588 113149 T51588 113958 genbank_W86195 W86195 genbank_AA070500 108335 AA070500 40 108351 genbank_AA071193 AA071193 108441 genbank_AA079079 AA079079 124276 genbank_H83465 H83465 101447 entrez_M21305 M21305 117226 genbank_N20468 N20468 45 133379 genbank_AA207059 AA207059,AA207241 119366 genbank_T77892 T77892 119528 NOT_FOUND_entrez_W38051 W38051 112588 genbank_R77302 R77302 114449 genbank_AA020736 AA020736 50 114576 genbank_AA065096 AA065096 107459 W38002_s_at W38002_s 130339 genbank_AA435746 AA435746

TABLE 2: Figure 2 from BRCA 001 US

Table 2 shows genes downregulated in tumor tissue compared to normal breast tissue. 5

Pkey: ExAccn: UnigeneID: Unigene Title: R1:

Unique Eos probeset idenlifier number Exemplar Accession number, Genbank accession number Unigene number 10

Unigene gene title Ratio of normal breast tissue to tumor

15	Pkey	ExAcon	UnigenelD	Unigene Tittle	R1
	100499	T51986	Hs.283108	hemoglobin, gamma G	10
		BE142019	Hs.222056	Homo sapiens cDNA FLJ11572 fis, clone HE	10
20 /		A03758		NM_000477*:Homo sapiens albumin (ALB), m	10
20 ´		BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	10
		NM_001674	Hs.460	activating transcription factor 3	10
		NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h	10
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
25		M21305		gb:Human alpha satellite and satellite 3	10
25		N98569	Hs.76422	phospholipase A2, group IIA (platelets,	10
		M27826	Hs.267319	endogenous retroviral protease	10
		M74447	Hs.502	transporter 2, ATP-binding cassette, sub-famil	10
		U22961	Ua 75074	gb:Human mRNA done with similarity to L	10
30		U48251 AA313538	Hs.75871	protein kinase C binding protein 1	10
30		NM_006744	Hs.76461	gb:EST185419 Colon carcinoma (HCC) cell	10
		AA829286	Hs.332053	refinol-binding protein 4, interstitial	10
		AA081995	115.552055	serum amyloid A1 gb:zn26d06.r1 Stratagene neuroepithelium	10 10
		AA137107	Hs.326391	Homo saplens, clone MGC:16638, mRNA, com	10
35		R50727	Hs.336970	ESTs	10
-		AL353957	Hs.284181	hypothetical protein DKFZp434P0531	10
		F06638	Hs.12440	Homo sapiens clone 24734 mRNA sequence	10
		N73185	Hs.94285	EST	10
		N91071	Hs.109650	ESTs	10
40		AI498763	Hs.203013	hypothetical protein FLJ12748	10
	104677	AA009764	Hs.190380	ESTs	10
	104711	AA017245	Hs.32794	ESTs	10
	104731	AA019300	Hs.125070	ESTs, Moderately similar to 154374 gene	10
	105005	AI298208	Hs.28805	ESTs	10
45	105036	AA130390	Hs.25549	hypothetical protein FLJ20898	10
	105239	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	10
	106052	N79885	Hs.6382	ESTs, Highly similar to T00391 hypotheti	10
	106181	A1803651	Hs.191608	ESTs	10
		A1085846	Hs.25522	KIAA1808 protein	10
50		AL042069	Hs.119021	DKFZP434N061 protein	10
		AW235928	Hs.313182	ESTs	10
		AA135688	Hs.10083	Homo sapiens, clone IMAGE:4139786, mRNA,	10
		AW054886	Hs.25682	Homo sapiens mRNA for KIAA1863 protein,	10
<i></i>		AB006532	Hs.31442	RecQ protein-like 4	10
55 _.		AI005036	Hs.334305	GS1999full	10
		AF127026	Hs.5394	myosin IA	10
		AB020672	Hs.175411	KIAA0865 protein	10
		AI905985 W28516	Hs.111805	ESTS	10
60		AL042425	Hs.19210	hypothetical protein MGC11308	10
00		BE271708	Hs.283976 Hs.95110	hypthetical protein PRO2389	10
		AA071193	10.33110	ESTs, Weakly similar to A55943 1-phospha gb:zf79b12.s1 Soares_pineal_gland_N3HPG	10 10
	109546		Hs.26954	Homo sapiens mRNA; cDNA DKFZp762G123 (fr	10
		AW294162	Hs.301062	UDP-N-acetyl-alpha-D-galactosamine:polyp	10
65		AL044174	Hs.159526	patched (Drosophila) homolog	5
	,,	; . • •		paterios (Stosophila) Horizolog	,

	111168 AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10
	111651 R16733	Hs.20499	ESTs	10
	111803 AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10
-	114484 AA034378	Hs.267319	endogenous retroviral protease	10
5	125284 NM_002666		perilipin	10
	128850 AA193106	Hs.180817	chromosome 11 open reading frame 23	5
	128903 AW150717	Hs.296176	STAT induced STAT inhibitor 3	10
	129346 AF110141	Hs.288908	WAS protein family, member 2	10
10	129381 AW245805	Hs.110903	daudin 5 (transmembrane protein deleted	10
10	129516 AF020038	Hs.11223	Isocitrate dehydrogenase 1 (NADP+), solu	10
	129554 BE222078	Hs.113069	ESTs	10
	130085 M62402	Hs.274313	Insulin-like growth factor binding prote	10
	130243 D88435	Hs.153227	cyclin G associated kinase	10
. ~	130400 V00517	Hs.283108	hemoglobin, gamma G	10
15	130436 NM_001928	Hs.155597	D component of complement (adipsin)	10
	130563 BE270472	Hs.279900	HSPC015 protein	10
	130589 AL110226	Hs.16441	DKFZP434H204 protein	10
	130683 AA993269	Hs.17872	Homo sapiens, done IMAGE:3875012, mRNA	10
••	130689 NM_006691	Hs.17917	extracellular link domain-containing 1	10
20	130689 AA046747	Hs.17917	extracellular link domain-containing 1	10
	130718 N70196	Hs.18376	KIAA1319 protein	10
	130798 M81349	Hs.1955	serum amyloid A4, constitutive	10
	130840 BE048821	Hs.20144	small inducible cytokine subfamily A (Cy	10
	131184 AB040935	Hs.23954	cerebral cell adhesion molecule	10
25	131282 X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	10
	131328 AW939251	Hs.25647	v-fos FBJ murine osteosarcoma viral onco	10
	131543 AW966881	Hs.41639	programmed cell death 2	10
	131753 AA829286	Hs.332053	serum amyloid A1	10
	131785 H69342	Hs.26320	TRABID protein	10
30	131828 AJ000263	Hs.278658	keratin, hair, basic, 6 (monilethrix)	10
	132426 AW118072	Hs.89981	diacylglycerol kinase, zeta (104kD)	10
	132675 Al291496	Hs.5476	Homo sapiens, clone IMAGE:3530123, mRNA,	10
	132898 W28548	Hs.224829	ESTs	10
	132905 NM_004235	Hs.7934	Kruppel-like factor 4 (gut)	10
35	133120 NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10
	133407 AF017987	Hs.7306	secreted frizzled-related protein 1	10
	133719 H26904	Hs.75736	apolipoprotein D	10
	134007 AF072441	Hs.7840	calcineurin binding protein 1	10
	134055 D86062	Hs.182423	ES1 (zebrafish) protein, human homolog o	10
40	134111 Al372588	Hs.8022	TU3A protein	5
	134117 AA081846	Hs.7921	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	5
	134177 BE243319	Hs.79672	KIAA0652 gene product	10
	134369 AF207664	Hs.8230	a disintegrin-like and metalloprotease (10
	134496 M64936		gb:Homo sapiens retinoic acid-inducible	10
45	134510 NM_002757	Hs.250870	mitogen-activated protein kinase kinase	10
	134550 M26315	Hs.85258	CD8 antigen, alpha polypeptide (p32)	5
	134758 NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	5
	134963 NM_003394	Hs.91985	wingless-type MMTV integration site fami	10
	135066 X04430	Hs.93913	Interleukin 6 (interferon, beta 2)	10
50	408790 AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor, type 2	10
	446674 AA563892	Hs.306000	solute carrier family 4 (anion exchanger), memb	10
			• ,	

TABLE 2A

Table 2A shows the accession numbers for those pkeys lacking unigeneID's for Table 2. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Unique Eos probeset identifier number

CAT number: Ge

Gene cluster number

Accession:

Genbank accession numbers

1	5	
	~	

13	Pkey	CAT number	Accessions
20	111168	·	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659 BE081531 H59570
25	103747 134496	117944_1 46501_1	AA081995 AA101099 M64936 Al025512 Al382987 BE061777 AA089966 BE169930 T41176 AW594624 BE502415 AA121893 Al269283 T40311 Al684569 AA257011 Al079277 Al241318 BE327710 AW975215 AW896268 AA884990 BE327514
30	105239	- · · · · ·	AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904
	100654	tigr_HT2969	C16859 A03758 A06977 A15293 D17029 D17107 D17171 L00132 L00133 M12523 M13075 M13076 M92816 U22961 V00494 V00495 X51363 X51364 X51365
35	102208	6735_9	V1303 \text{
40			Al133272 V00494 M12523 M12523 A135267 A135267 A135267 A135267 A105422 A1051675 A135347 A174032 A1051676 A105476 A10547
45			Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 Al110818 T40121 T57381 Al114468 AA332728 T51362 Al114589 R06691 Al110629 AF063503 Al140543 AA334661 AA332720 AA343262 T73513 T86549 Al114640 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 Al174786
50			A1132926 R09237 A1064838 A1133660 T60398 T88753 T55930 T92126 A144602 T60996 A1114792 H93911 A1133106 R10779 A1065020 T90925 T50889 D17029 A1133703 AA333805 A1133040 A1133017 A1064857 A1110730 AF074637 A1207567 H71080 T73217 AA343950 A1174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 A1065049 T84512 T55918 A1207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 A1114676 A1064778 AA035710 W52763 A1114786
55 .		·	T83564 AA341859 T81684 T55769 AI114710 T51776 AA343213 AI114714 T58102 AI110809 R28984 AI174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55955 T74857 R84226 T56552 T52231 T74946 T76976 R0576 T05666 AI203974 AI189471 AA005147 AI478102 AI207662 AI192792 AI768421 AI064737 AW051713 AA936693 AI133117 AI766232 AI913646 T83962 AI065112 AI207689 AI174684 AI207702 T81475 AI133325 AI032512 AA701169 AI936354 AI114720 AI433289
60			AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 Al823481 AA845518 AA719124 AA883454 T68850 T69115 Al935509 Al150977 T62890 T71374 T68294 Al174774 T67411 T68318 Al064689 T56624 T69010 T68982 T68302 Al332829 T72908 Al064819 Al205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 Al114860 T62093 T61797 Al522333 T73322 H92981 T56018 T61811 T57232 Al336158

102800 108351 101447

5

TABLE 3: Figure 3 from BRCA 001 US

Table 3 shows genes downregulated in tumor tissue compared to normal breast tissue.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of normal breast tissue to tumor

5

15					
	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	101336	NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h	10.0
	102208	U22961		gb:Human mRNA clone with similarity to L	10.0
20	102990	AA829286	Hs.332053	serum amyloid A1	10.0
	111168	AI798376		gb:tr34b07.x1 NCI_CGAP_Ov23 Homo sapiens	10.0
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	10.0
	130085	M62402	Hs.274313	insulin-like growth factor binding prote	10.0
	130840	BE048821	Hs.20144	small Inducible cytoldne subfamily A (Cy	10.0
25	131543	AW966881	Hs.41639	programmed cell death 2	10.0
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	10.0
	134758	NM_000078	Hs.89538	cholesteryl ester transfer protein, plas	10.0

TABLE 3A

Table 3A shows the accession numbers for those pkeys lacking unigeneID's for Table 3. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	Pkey: CAT number:	Unique Eos probeset identifier number
	Accession:	Gene cluster number Genbank accession numbers

20

	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J J	Admit discession numbers
15	Pkey	CAT number	Accessions
	111168	38585_1	AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567

AA055556 AW858231 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824 AI829309 AW991957 N66951 AA527374 H66215 AA045564 Al694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662 AW817705 AW817703 AW817659

BE081531 H59570 U22961 AA203623 AA503337 Al174733 Al192802 C06092 AA035357 Al190619 Al199244 Al828450 AA602296 Al378195 Al209170 Al186653 Al127795 Al183846 H77389 Al589465 AA629390 H94306 Al018388 R68584 AA027196 Al745413 Al685092 Al093426 Al623873 Al074570 N50096 AA047486 N25060 AA327614 Al042512 Al383957 AA156873 Al333101 N70806 Al141254 1022086735_9 25 AI383191 AI401237 AI080709 AI093400 W84549 T90806 R00012 W01413 AA630557 AI378348 AI559265 AA877103 W84464 AA625146 R68379 AI133207 AI132980 AI133214 AI064826 AI061615 AI133473 AI174852 AI133404 AI133272 V00494 M12523 M12523 Al207526 Al133120 Al064802 Al174993 Al114729 Al061645 Al064716 Al064959 H77388 T85706 AF075298 Al110799 D17107 NM_000477 AF190168 R50724 Al248416 Al207432 Al133684 Al133345 Al174710 Al133290 Al133304 Al174948 30 AI207484 AI110717 AF074624 AI114515 AF063516 AI110642 AI114559 AI114498 AI114759 AI207568 AI064960 AI174753 Al114666 R69184 R00011 Al064997 T60501 Al207701 T71735 AA385318 H73569 T60496 H94399 Al133158 T74675 AA484750 T73413 T55909 R50261 T72061 N80533 T51189 T74936 Al207490 Al132925 Al064701 Al174748 Al114663 Al133104 Al132999 Al133100 Al064925 Al064979 Al133063 AA343347 T69091 AA233989 T39772 Al444620 T52290 D16931 T40012 T48403 35 T58926 T69195 Al133061 T50850 Al400677 Al091136 AA334608 T57411 Z20979 N56507 T87485 Al133622 AA343370 T40075 T69671 T53849 T74820 AF075316 AI110818 T40121 T57381 AI114468 AA332728 T51362 AI114589 R06691 AI110629 AF063503 AI140543 AA334661 AA332720 AA343262 T73513 T86549 AI114840 T57284 T39981 T61407 T72757 T51749 T56630 AA343125 T72126 R94135 T83028 T39972 T39896 AH74786 AH32926 R09237 AH064838 AH33660 T60398 T88753 T55930 T92126 Al444602 T60996 Al114792 H93911 Al133106 R10779 Al065020 T90925 T50889 D17029 Al133703 AA333805 40 AI133040 AI133017 AI064857 AI110730 AF074637 AI207567 H71080 T73217 AA343950 AI174743 AA334224 AA334281 R06692 T64739 T40163 T60628 T81661 T73179 R01842 AA501730 T39931 T39662 T40136 AA334904 T71425 H77784 R00874 AI065049 T84512 T55918 AI207595 T39951 AA005016 T60361 T69176 T73356 T58795 T61233 T39955 T60612 AI114676 A1064778 AA035710 W52763 A1114786 T83564 AA341859 T81684 T55769 A1114710 T51776 AA343213 A1114714 T58102 Al110809 R28984 Al174854 AA305675 AA343592 T53836 T46869 T64721 T55508 W05241 T54019 T57945 T60513 T48364 45 AF075308 W86731 T82851 T48269 H54053 T73211 AI114590 T48317 T55965 T74857 R84226 T56552 T52231 T74946 T76976 R02576 T95666 Al203974 Al189471 AA005147 Al478102 Al207662 Al192792 Al768421 Al064737 AW051713 AA936693 Al133117 Al766232 Al913646 T83962 Al065112 Al207689 Al174684 Al207702 T81475 Al133325 Al032512 AA701169 Al936354 Al114720 Al433289 AA046980 Al823482 Al114536 AA860651 AW242644 R07469 AW300438 Al133416 AW271670 Al991363 T78943 A1823481 AA845518 AA719124 AA883454 T68850 T69115 A1935509 A1150977 T62890 T71374 T68294 A1174774 50 T67411 T68318 AI064689 T56624 T69010 T68982 T68302 AI332829 T72908 AI064819 AI205880 T62895 T69430 T95111 AA025050 T73330 W52657 T71984 T69118 W92684 AI114860 T62093 T61797 AI522333 T73322 H92981 T56018 T61811 T57232 Al336158 T61821 T69457 T62900 T62912 T72917 T46885 Al702448 T57212 T57203 R94581 T71311 T61819 T89358

T67708 T70918 T59166 AI187111 T64308 T62071 T69427 AI114750 T60430 R09734 T69033 T69141 T69453 T67908 R16809 T69394 Al207729 T55839 T90273 T73339 AW194909 T75486 T71850 T71305 T71287 T53877 T73452 T68852 N75290

55 Al312890 T67751 Al174983 T51679 T54851 H69880 N73734 AA443453 T73466 H69672 N53869 T68447 D11809 D12412

T64300 T28321 T55864

TABLE 4: Figure 4 from BRCA 001 US

Table 4 shows genes upregulated in tumor tissue compared to normal breast tissue.

Pkey: Unique Eos probeset identifier number
EXAccn: Exemplar Accession number, Genbank accession number
Unigene D: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of tumor to normal breast tissue

100113 NM_001269Hs.84746 chromosome condensation 1 2.3 100114 X02308 Hs.82962 thymitylates symbletase 1.9 1.0 1.9 1.0	15	Pkey	ExAcon	UnigeneiD	Uлigene Title	R1
100114 X00208 1s. 82966 thymidytate syntheses 2.9	•	100113	NM 00126	9Hs.84746	chromosome condensation 1	2.3
100131 D12455 Hs.11951 ectionucleotide pyrophosphalase/phosphodiesterase 1 1.9						2.9
100146 BE185499 Hs.2471 KIAA0020 gene product 1.9 100147 101366 Hs.13848 selbclast specific factor 2 (lasciclin Hike) (perfostin) 7.5 100154 H60720 Hs.81892 KIAA0101 gene product 9.2 10020 AW015534 Hs.1271493 amnexin A2 2.0 100220 AW015534 Hs.1271493 Awnexin A2 2.0 100221 BE160081 Hs.1262590 Silo Calcium-binding protein A11 (calgizzarin) 1.5 100275 BE242802 Hs.156290 Silo Calcium-binding protein A11 (calgizzarin) 1.5 100275 BE242802 Hs.156290 Silo Calcium-binding protein A11 (calgizzarin) 1.5 100275 BE242802 Hs.1564797 KIAA0090 protein 1.5 100335 AW0247529 Hs.6793 KIAA0077 protein 1.9 100335 AW0247529 Hs.6793 KIAA0090 protein 1.9 100335 AW0247529 Hs.6793 KIAA010 gene product 1.9 100335 AW0247529 Hs.6793 KIAA010 gene product 1.9 100335 AW0247529 Hs.154686 Aw10400 AW954024 Hs.75790 1004180 Be878 Hs.84799 KIAA0175 gene product 2.6 100335 AW0247529 Hs.84799 KIAA0175 gene product 2.6 100335 AW02445 Hs.75979 100480 AW954024 Hs.75790 100686 L05424 Hs.169610 CM44 Aw1040 AW954024 Hs.75979 100686 L05424 Hs.169610 CM44 Aw1040 Aw104		100131	D12485	Hs.11951		1.9
101147 D13666 Is.s 136348 csleobilast specific factor 2 (Isacckin Hike) (perfostin) 7.5	20					1.9
100154 160720 14.5 17872 10015720 14.5 17872 100200 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 14.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 17873 100205 12.5 18.5 18.5 18.5 18.5 18.5 18.5 18.5 18						7.5
100163 W44671 Hs.124 gene predicted from cDNA with a complete coding sequence 1.6		100154	H60720			9.2
100275 100265 100265 100271 1816/10027 1816/1		100163	W44671			1.6
100271 BE160081 Hs.256290 S100 calcium-binding protein A11 (calgizzarin) 13.5 100275 BE242802 Hs.154797 KIAA0090 protein 1.9 100335 AW247529 Hs.57830 100335 AW247529 Hs.57830 100335 AW247529 Hs.57830 100370 NM_00431Hs.154868 Carbamyt-)-phosphate syntheses 2, asparlate transcarbamylase, and dihydroorotase 2.0 100372 NM_014791Hs.184339 KIAA0175 gene product 2.6 100333 D84145 Hs.39913 Novel RGD-containing protein 3.2 100400 AW954324 Hs.75790 100418 D86978 Hs.84790 Hs.84790 Hs.84790 100665 L05424 Hs.169610 CO44 antigen (homing function and Indian blood group system) 1.9 100665 L05424 Hs.169610 CO44 antigen (homing function and Indian blood group system) 9.0 100665 A323229 Hs.163610 CO44 antigen (homing function and Indian blood group system) 9.0 100665 A323229 Hs.163610 CO44 antigen (homing function and Indian blood group system) 9.0 100665 A323229 Hs.163610 CO44 antigen (homing function and Indian blood group system) 7.6 100783 A7078847 Hs.191366 General transcription factor IIH, polypeptide 2 (44kD subunit) 5.9 100858 A3232229 Hs.163610 CO44 antigen (homing function and Indian blood group system) 7.6 100898 A767634 Hs.191366 General transcription factor IIH, polypeptide 2 (44kD subunit) 5.9 100858 A76002225 Hs.160870 S164 protein 1.7 100898 A7600225 Hs.160870 S164 protein 1.7 100898 A7600225 Hs.180870 Hs.150870		100220	AW015534	Hs.217493	annexin A2	2.0
100275 BE242802 Hs.154797 KIAA0090 protein 1.9	25	100265	D38521	Hs.112396	KIAA0077 protein	
100323 D50920		100271	BE160081	Hs.256290	S100 calcium-binding protein A11 (calgizzarin)	
100335 AW247529 Hs.6793 platelet-activating factor acetylhydrolase, isoform lb, gamma subunit (29kD) 2.7 10034 NM, 0.04341 Hs. 154868 carbamoyl-phosphate synthetase 2, asparlate transcarbamylase, and dihydroorotase 2.0 100330 D84145 Hs.39931 novel RGD-containing protein 3.2 100400 AV954324 Hs.75790 novel RGD-containing protein 1.5 100418 D86978 Hs.84790 Hs.84790 Hs.84790 Novel RGD-containing protein 2.0 NML 004415Hs.74316 desmoplakin (DPL, DPI) 100666 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 5.7 100667 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 5.7 100668 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 5.7 100668 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 9.0 100668 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 9.0 100666 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 9.0 100666 0.05424 Hs.169610 C044 antigen (horning function and Indian blood group system) 9.0 1.6 100783 A7078847 Hs.191356 Hs.269730						
100364 NM_00434 Hs. 154868 Carbamoyl-phosphate synthelase 2, aspartate transcarbamytase, and dihydroorotase 2.0 100372 NM_01479* Hs. 1484339 KIAA0175 gene product 2.6 100400 AV0554324 Hs. 75790 phosphatidyfinositol glycan, class C 1.5 100418 D66978 Hs. 84790 KIAA0225 protein 2.0 100581 NM_004415Hs. 74316 desmoplakin (DPI, DPI) 1.9 100666 L05424 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 9.0 100667 L05424 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 9.0 100668 L05424 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 7.6 100680 AA332259 Hs. 184592 ribosomal protein L24 estrogen receptor 1 1.6 100783 AF078847 Hs. 191356 general transcription factor IIH, polypeptide 2 (44kD subunit) 5.9 100850 AA383256 Hs. 1657 esthesis B 1.7 100945 AF002252 Hs. 180789 S164 protein 1.7 100945 AF002252 Hs. 180789 S164 protein 1.7 100945 AF002252 Hs. 180789 S164 protein 1.6 100998 AV157634 Hs. 79172 solute carrier family 25 (mitochondrial carrier, adenine nucleotide translocator), member 5 6.3 101031 J05070 Hs. 75093 Hs. 75093 protein 1.6 101032 L06419 Hs. 75093 protein 1.6 101033 L06419 Hs. 75093 protein 1.6 101034 L06419 Hs. 75093 protein 1.6 101035 L06419 Hs. 75093 protein 1.6 101036 AA333387 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101031 L06419 Hs. 75093 protein 1.6 101032 L08418 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101032 L08418 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101032 L08418 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101032 L08418 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101032 L08418 Hs. 82916 disphorase (NADHNADPH) (cytochrome b-5 reductase) 1.6 101032 L04						
100372 NM_014791Hs.184339 KIAA0175 gene product 2.6						
100393 D84145	30					
100400 AW95324 Hs.75790 hosphatidyfinositol glycan, class C 1.5 100400 AW95324 Hs.75790 hosphatidyfinositol glycan, class C 2.0 100400 AW95324 Hs.84790 hs.84790 hs.84790 100518 NM_004415Hs.74316 desmoplakin (DPI, DPII) 1.9 100666 L05424 Hs.169610 CD44 antigen (homing function and Indian blood group system) 9.0 100688 L05424 Hs.169610 CD44 antigen (homing function and Indian blood group system) 7.6 100687 AW502935 Hs.740 PTK2 protein tyrosine kinase 2 100693 AA382256 Hs.1657 ribosomal protein L24 1.8 100783 AF078847 Hs.191356						
100418 1086978 Hs. 84790 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 5.7 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 9.0 100668 L05424 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 9.0 100678 AW502935 Hs. 740 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 9.0 100678 AW502935 Hs. 740 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 7.6 100678 AW302293 Hs. 184582 Hs. 1						
100462 M65028 Hs.81361 heterogeneous nuclear ribonucleoprotein A/B 2.9						
100518 NM_004415Hs.74316 desmoplakin (DPI, DPII) 1.9 1.9 1.00666 L05424 Hs.169510 CD44 antigen (horning function and Indian blood group system) 5.7 1.00667 L05424 Hs.169510 CD44 antigen (horning function and Indian blood group system) 7.6 1.00668 L05424 Hs.169510 CD44 antigen (horning function and Indian blood group system) 7.6 1.00678 AW302935 Hs.740 CD44 antigen (horning function and Indian blood group system) 7.6 1.00678 AW302935 Hs.740 CD44 antigen (horning function and Indian blood group system) 7.6 1.00678 AW302935 Hs.740 CD44 antigen (horning function and Indian blood group system) 7.6 1.8 1.00690 AA338256 Hs.1657 Hs.169510 CD44 antigen (horning function and Indian blood group system) 7.6 1.8 1	2.5					
100666 105424 Hs. 169610 CD44 antigen (homing function and Indian blood group system) 5.7	33					
100667 L05424 Hs.169610 CD44 antigen (homing function and Indian blood group system) 9.0						
100668 L05424 Hs.169610 CD44 antigen (homing function and Indian blood group system) 7.6						
100685 A328229 Hs. 184582 Hs. 191356 H						
100685	40					
100890 AA383256 Hs.1657 estrogen receptor 1 1.6	40					
100783 AF078847 Hs.191356 general transcription factor IIH, polypeptide 2 (44kD subunit) 5.9						
100850 AA836472 Hs. 297939 Cathepsin B 1.7						
10882 BE245294 Hs.180789 S164 protein 1.7 100945 AF002225 Hs.180686 100969 AA157634 Hs.79172 100988 AK000405 Hs.76480 11.4 100999 Hs.7652 Hs.80706 Hs.151738 101045 J05614 101077 N99592 Hs.75227 101045 J05614 101077 N99592 Hs.75227 101045 AA224166 Hs.75093 101146 AA228166 Hs.80706 Hs.179881 101247 AA132666 Hs.80916 101247 AA132666 Hs.80916 101247 AA132666 Hs.156346 101323 J04088 Hs.156346 101323 J04088 Hs.156346 101332 J04088 Hs.156346 101332 J04088 Hs.156346 101332 J04088 Hs.156346 Hs.156346 101332 J04088 Hs.156346 Hs.156346 101332 J04088 Hs.156346 Hs.156346 Hs.16346						
100945 AF002225 Hs.180686 Identify Hs.79172 100986 AA157634 Hs.79172 100988 AK000405 Hs.79172 100989 Hs.7685 Hs.80706 11.4 100999 H38765 Hs.80706 1010013 J05070 Hs.151738 101045 J05614 101077 N99892 Hs.75227 101093 L06419 Hs.75227 101045 AA284166 Hs.80706 101161 NM_006262Hs.37044 101161 AA284166 Hs.84113 101228 AA333387 Hs.82916 101247 AA132666 Hs.84113 101248 AA32666 Hs.156346 101332 J04088 Hs.156346 101332 J04088 Hs.156346 101352 Al494299 101362 Al494299 101363 Al494299 101363 Al494299 Hs.78950 101468 Al492499 Al492499 Hs.78950 101468 Al492	15					
100969 AA157634 Hs.79172 100988 AK000405 Hs.76480 Hs.76480 11.4 11.5	43					
100988 AK000405 Hs.76480 biquitin-like 4 diaphorase (NADH/NADPH) (cytochrome b-5 reductase) 1.6 diaphorase (NASH) gene, promoter region. 5.0 cytolhorase (Inchar Inchar I					ubiquitin protein ligase ESA (numan papilionia virus co-associated protein, Angelinan syndrone)	
100999 H38765 Hs. 80706 diaphorase (NADH/NADPH) (cytochrome b-5 reductase) 1.6						
101031 J05070 Hs.151738 matrix metalloproteinase 9 (gelatinase B, 92kD gelatinase, 92kD type IV collagenase) 8.2 gb:Human proliferating cell nuclear antigen (PCNA) gene, promoter region. 5.0 Empirically selected from AFFX single probeset 101093 L06419 Hs.75093 Hs.79881 Hs.84113 101228 AA333387 Hs.82916 Hs.84113 101228 AA333387 Hs.82916 Hs.78095 Hs.78095 Hs.78095 Hs.78095 Hs.78095 Hs.156346 Hs.16393 Hs.78095 Hs.7		100988	HANDUU4UO			
101045 J05614 Hs.75227 J01093 L06419 Hs.75297 Hs.75093 Hs.75095 Hs.75093 Hs.75095 Hs.750	50				metrix metalleamtelease 9 (relatinance B. 92kD gelatinance 92kD type IV collagenance)	
101077 N99692	20			ns. 131730	ability in example makes a general and as a strong (PCMA) against a strong and a st	
101093 L06419 Hs.75093 procollagen-lysine, 2-oxoglutarate 5-dioxygenase (lysine hydroxylase, Ehlers-Danlos syndrome type VI)1.4 peripherin 16.9		101040	M00603	He 75227		
101161 NM_006262Hs.37044 peripherin 16.9 101186 AA020956 Hs.178881 core-binding factor, beta subunit 2.0 101216 AA284166 Hs.84113 ths.82916 portion dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase) 1.8 101228 AA333387 Hs.82916 ths.78802 protein kinase inhibitor 3 (CDK2-associated dual specificity phosphatase) 1.8 101247 AA132666 Hs.78802 protein kinase 3 beta 1.7 101249 L18964 Hs.1904 protein kinase C, lota 1.5 101332 J04088 Hs.156346 topoisomerase (DNA) II alpha (170kD) 5.2 101332 J04088 Hs.156346 topoisomerase (DNA) II alpha (170kD) 3.4 101352 AI494299 Hs.16297 ths.78996 protein dear antigen 4.2 101445 M21259 protein in ergion 5' to the small nuclear rib 1.9		1010//	106410		procediagon hurino 2 eventutarata 5 diovunanasa (lucina hudrovulasa, Ehlers-Danlos sundroma tu	
55 101186 AA020956 Hs.179881 101216 AA284166 Hs.84113 101228 AA333387 Hs.82916 101247 AA132666 Hs.7802 101249 L18964 Hs.1904 101322 J04088 Hs.156346 101332 J04088 Hs.156346 101352 AI494299 Hs.156346 101352 AI494299 Hs.7805 101345 AI494299 Hs.7805 101345 AI494299 Hs.7805 101346 AI49429 Hs.7805 101346 AI49429 Hs.7805 101346 AI494299 Hs.7805 101346 AI		101093	NIM DOESE			169
101216 AA284166 Hs.84113 cyclin-dependent kinase inhibitor 3 (CDK2-associated dual specificity phosphatase) 1.8 chaperonin containing TCP1, subunit 6A (zeta 1) 1.7 plycogen synthase kinase 3 beta 1.9 protein kinase C, lota 1.5 protein kinase C, lota 1.5 topoisomerase (DNA) II alpha (170kD) 5.2 hs.156346 topoisomerase (DNA) II alpha (170kD) 3.4 hs.16297 lb.78996 proliferating cell nuclear antigen 4.2 proliferating cell nuclear antigen 1.9	55					
101228 AA333387 Hs. 82916 chaperonin containing TCP1, subunit 6A (zeta 1) 1.7 101247 AA132666 Hs. 78802 chaperonin containing TCP1, subunit 6A (zeta 1) 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9	55					
101247 AA132666 Hs.78802 glycogen synthase kinase 3 beta 1.9 101249 L18964 Hs.1904 protein kinase C, lota 1.5 101332 J04088 Hs.156346 lopoisomerase (DNA) II alpha (170kD) 5.2 101352 AI494299 Hs.16297 COX17 (yeast) homolog, cytochrome c oxidase assembly protein 3.4 10136 BE267931 Hs.78996 protificating cell nuclear antigen 4.2 10145 M21259 glycogen synthase kinase 3 beta 1.9 1.5 1.6 1.7 1.8 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9 1.9		401230	AA333387	He 82916		
101249 L18964 Hs.1904 protein kinase C, lota 1.5 60 101332 J04088 Hs.156346 topoisomerase (DNA) II alpha (170kD) 5.2 101332 J04088 Hs.156346 topoisomerase (DNA) II alpha (170kD) 3.4 101352 Al494299 Hs.156346 topoisomerase (DNA) II alpha (170kD) 3.4 101365 BE267931 Hs.78996 proliferating cell nuclear antigen 4.2 101445 M21259 gb-human Alu repeats in the region 5' to the small nuclear rib 1.9		101220	A 4132666	Hs 78802		
60 101332 J04088 Hs.156346 lopoisomerase (DNA) II alpha (170kD) 5.2 101332 J04088 Hs.156346 lopoisomerase (DNA) II alpha (170kD) 3.4 101352 Al494299 Hs.156346 lopoisomerase (DNA) II alpha (170kD) 3.4 logostal formula for the state of the s		101247	1 18964			
101332 J04088 Hs.156346 topoisomerase (DNA) II alpha (170kD) 3.4 101352 Al494299 Hs.16297 COX17 (yeast) homolog, cytochrome c oxidase assembly protein 6.3 101396 BE267931 Hs.78996 proliferating cell nuclear antigen 4.2 101445 M21259 gb:Human Alu repeats in the region 5' to the small nuclear rib 1.9	60					
101352 Al494299 Hs.16297 COX17 (yeast) homolog, cytochrome c oxidase assembly protein 6.3 101396 BE267931 Hs.78996 prolliferating cell nuclear antigen 4.2 101445 M21259 gb:Human Alu repeats in the region 5' to the small nuclear rib 1.9	50	101332	.104088			
101396 BE267931 Hs.78996 proliferating cell nuclear antigen 4.2 101445 M21259 gb:Human Alu repeats in the region 5' to the small nuclear rib 1.9					COX17 (yeast) homolog, cytochrome c oxidase assembly protein	
101445 M21259 gb:Human Alu repeats in the region 5' to the small nuclear rib 1.9		101396	BE267931	Hs.78996		
65 101470 NM_000546Hs.1846 tumor protein p53 (LI-Fraumeni syndrome) 1.6		101445	M21259			
	65	101470	NM_00054	6Hs.1846		

	101/78	NM_002890	14c 75g	RAS p21 protein activator (GTPase activating protein) 1	2.5
		M24486		procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide I	5.5
			Hs.76768	procolagen-proune, z-oxogiutarate 4-dioxygenase (profine 4-trydroxylase), alpha polypepade i	
		J04977	Hs.84981	X-ray repair complementing defective repair in Chinese hamster cells 5 (double-strand-break rejoir	
5				proteasome (prosome, macropain) 26S subunit, ATPase, 3	1.6
J			1Hs.83363		5.7
		AF064853		guanine nucleotide blnding protein (G protein), beta polypeptide 2	1.8
		AF064853		guanine nucleotide binding protein (G pr	5.6
			Hs.62661		2.4
10				protein phosphatase 2 (formerly 2A), regulatory subunit B (PR 52), alpha isoform	1.3
10		M74099		cut (Drosophila)-like 1 (CCAAT displacement protein)	2.1
		M80244	Hs.184601	solute carrier family 7 (cationic amino acid transporter, y+system), member 5	5.0
		M81057		carboxypeptidase B1 (tissue)	14.4
	101782	AA306495	Hs.1869	phosphoglucomutase 1	5.2
	101805	AW409747	Hs.75612	stress-induced-phosphoprotein 1 (Hsp70/Hsp90-organizing protein)	8.6
15	101806	AA586894	Hs.112408	S100 calcium-binding protein A7 (psoriasin 1)	8.9
	101810	NM_000318	3Hs.180612	peroxisomal membrane protein 3 (35kD, Zellweger syndrome)	3.2
				nuclear autoantigenic sperm protein (histone-binding)	1.6
				glycoprotein hormones, alpha polypeptide	31.3
		AF182645		IK cytokine, down-regulator of HLA II	1.8
20		U41514	Hs.80120		1) 2.4
			Hs.75323		8.4
				protein tyrosine kinase 9	1.3
				CDC20 (cell division cycle 20, S. cerevisiae, homolog)	2.0
		T35901		interleukin enhancer binding factor 2, 45kD	1.6
25		T35901		interleukin enhancer binding factor 2, 4	1.3
				heat shock protein 75	1.4
		NM_00180		centromere protein A (17kD)	1.8
				death associated protein 3	4.6
			Hs.74598		4.3
30			Hs.301613	TV4 core	6.7
50		U24389	Hs.65436		4.3
				heterochromatin-like protein 1	1.9
					4.4
				karyopherin alpha 2 (RAG cohort 1, importin alpha 1)	
35				protein kinase C-like 2	2.7
23			Hs.77254		1.5
				cyclin-dependent klnase 4	2.3
		U37519	Hs.87539		2.0
				baculoviral IAP repeat-containing 2	3.2
40		U39840		hepatocyte nuclear factor 3, alpha	2.0
40		U33635		PTK7 protein tyrosine kinase 7	6.2
			Hs.77494		1.5
	102455	U48705	Hs.75562	discoidin domain receptor family, member 1	6.9
			9Hs.81548		1.8
45		U50939	Hs.61828	amyloid beta precursor protein-binding protein 1, 59kD	1.5
45			Hs.74420		3.3
			Hs.75193		2.1
			Hs.74562		3.2
				solute carrier family 1 (neutral amino acid transporter), member 5	2.8
**			Hs.70186		5.7
50		U59423	Hs.79067		2.3
		W81489		RAB31, member RAS oncogene family	5.3
		U60808		CDP-diacylglycerol synthase (phosphatidate cytidylyltransferase) 1	2.1
			Hs.77256	enhancer of zeste (Drosophila) homolog 2	1.6
		U61232	Hs.32675		2.1
55	102617	AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Arabidopsis, homolog) subunit 5	1.8
	102618	AL037672	Hs.81071	extracellular matrix protein 1	5.8
	102627	AL021918	Hs.158174	zinc finger protein 184 (Kruppel-like)	1.3
	102663	NM_002270	DHs.168075	karyopherin (importin) beta 2	1.8
					2.3
60				ubiquitin carrier protein E2-C	4.3
		U96132		hydroxyacyl-Coenzyme A dehydrogenase, type II	6.0
	102696	BE540274	Hs.239	forkhead box M1	4.2
	102704	AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9
		T97490	Hs.50002	small inducible cytokine subfamily A (Cys-Cys), member 19	2.3
65			Hs.66196	nth (E.coli endonuclease III)-like 1	1.2
			Hs.38041	pyridoxal (pyridoxine, vitamin B6) kinase	6.4
		U90549		high-mobility group (nonhistone chromosomal) protein 17-like 3	1.6

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (beta)	5.6
			Hs.80917	adaptor-related protein complex 3, sigma 1 subunit	2.0
				WW domain-containing protein 1	1.3
	102868	X02419	Hs.77274	plasminogen activator, urokinase	4.4
5		BE440142		signal recognition particle 19kD	1.9
-			Hs.80506	small nuclear ribonucleoprotein polypeptide A'	2.4
				methylene tetrahydrofolate dehydrogenase (NAD+ dependent), methenyltetrahydrofolate cyc	lohydrolase27
	102983	BE387202	Hs 118638	non-metastatic cells 1, protein (NM23A) expressed in	3.1
		U95742	Hs.2707	G1 to S phase transition 1	5.2
10			Hs 117950	multifunctional polypeptide similar to SAICAR synthetase and AIR carboxylase	1.6
	103038	AA926960	Hs 334883	CDC28 protein kinase 1	2.5
				matrix metalloproteinase 11 (MMP11; stromelysin 3)	4.5
			Hs.82932		3.1
		D31152		collagen, type X, alpha 1 (Schmid metaphyseal chondrodysplasia)	2.4
15		BE244377		famesyl-diphosphate famesyltransferase 1	3.5 ·
				ribosomal protein S18	9.9
			7Hs.82685		1.3
		X69636		Homo sapiens, clone IMAGE:3448306, mRNA, partial cds	2.0
		NM_00682		transmembrane protein (63kD), endoplasmic reticulum/Golgi intermediate compartment	1.6
20		AA401039		protein phosphalase 4 (formerly X), catalytic subunit	2.5
20		NM_00476		coatomer protein complex, subunit beta 2 (beta prime)	2.2
		NM_00493		DEAD/H (Asp-Glu-Ata-Asp/His) box polypeptide 1	6.3
		X72755	Hs.77367	monokine Induced by gamma interferon	8.8
		BE275607			3.0
25		X75962		chaperonin containing TCP1, subunit 3 (gamma)	
23		Al369285		tumor necrosis factor receptor superfamily, member 4 death-associated protein	1.8
		NM_00154			5.6 1.9
		AI803447		Immature colon carcinoma transcript 1 small nuclear ribonucleoprotein polypeptide G	2.5
		X89059	115.77430	gb:H.sapiens mRNA for unknown protein expressed in macrophage	1.6
30			Un 202278	coated vesicle membrane protein	1.8
50		X94453		pyrroline-5-carboxylate synthetase (glutamate gamma-semialdehyde synthetase)	2.3
		X94563	113.114300		. 4.0
			Hs.20716	gb:H.sapiens dbi/acbp gene exon 1 & 2. translocase of inner mitochondrial membrane 17 (yeast) homolog A	1.3
				myeloid/lymphoid or mixed-lineage teukemia 3	
35		AL031224			5.6
33				transcription factor AP-2 beta (activating enhancer-binding protein 2 beta)	5.1
				proteasome (prosome, macropain) subunit, beta type, 8 (large multifunctional protease 7)	9.7
		NM_00621		phospholnositide-3-kinase, catalytic, alpha polypeptide	_ 2.0
		NM_00034		SRY (sex determining region Y)-box 9 (campomelic dysplasia, autosomal sex-reversal)	1.3
40	103021	V V CUUCOS	Hs. 130073	polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	2.0
-1 0				membrane component, chromosome 11, surface marker 1	2.3
				growth factor receptor-bound protein 2	1.3
		AL135301		hypothetical protein FLJ10849	1.8
				Homo sapiens mRNA; cDNA DKFZp586l2022 (from clone DKFZp586l2022)	1.3
45				hypothetical 43.2 Kd protein	7.5
4)		H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) mRNA, partial cds	1.2
		AA080912	Un 404074	gb:zn04d03.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone 5' similar	1.5
				CGI-120 protein	1.5
		W02363		hypothetical protein FLJ10330	1.5
50				hypothetical protein FLJ10416 similar to constitutive photomorphogenic protein 1	6.5
50			7Hs.97644	mammaglobin 2	2.9
			Hs.103238		1.4
		AA478984		PRO0659 protein	5.6
			Hs.98938		1.6
55				GCN5 (general control of amino-acid synthesis, yeast, homolog)-like 2	5.4
23				polymerase (RNA) II (DNA directed) polypeptide K (7.0kD)	6.3
			Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	1.6
		R83113	Hs.1432	protein kinase C substrate 80K-H	5.2
		AB037762		myelin gene expression factor 2	1.2
6 0				hypothetical protein FLJ12748	2.1
60				DKFZP434F1735 protein	1.2
			Hs.30098		1.3
	104757	A1694413	HS.332649	offactory receptor, family 2, subfamily 1, member 6	2.3
		AI858702		ESTs, Weakly similar to N-WASP [H.sapiens]	1.3
<i>C</i>		AB023175		KIAA0958 protein	2.3
65	104827	AW052006	MS.8001	PRP4/STK/WD splicing factor	10.9
	104846	A1250789	Hs.32478	ESIS	5.6
	104854	AAU412/6	rts.154/29	3-phosphoinositide dependent protein kinase-1	12.3

	104867	AA278898	Hs.225979	hypothetical protein similar to small G proteins, especially RAP-2A	2.0
	104871	T78044	Hs.28893	Homo saplens mRNA; cDNA DKFZp564O2364 (from clone DKFZp564O2364)	1.3
	104896	AW015318	Hs.23165	ESTs	17.7
_	104909	AW408164	Hs.249184	transcription factor 19 (SC1)	5.0
5	104916	AW958157	Hs.155489	NS1-associated protein 1	1.7
	104919	AA026880	Hs.25252	prolactin receptor	1.4
	104930	AF043467	Hs.32893	neurexophilin 2	2.2
	104973	NM_01531	0Hs.6763	KIAA0942 protein	5.0
		Y12059		bromodomain-containing 4	1.4
10		AL136877		SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	2.4
		AL136877		SMC4 (structural maintenance of chromoso	2.3
	104978	Al199268	Hs 19322	Homo sapiens, Similar to RIKEN cDNA 2010317E24 gene, clone IMAGE:3502019, mRNA, partial	4.0 oda 7.3
	104979	AA937934	Hs 321062	ESTs	
		AI499930	Hs 334885	mitochondrial GTP binding protein	1.3
15		BE379584	Hs 34789	dolichyl-diphosphooligosaccharide-protein glycosyltransferase	3.5 5.5
		AF098158		chromosome 20 open reading frame 1	
		AI050715		E2F transcription factor 5, p130-binding	3.3
		AA127818	110.2.001	gb:zl12a02.s1 Soares_pregnant_uterus_NbHPU Homo sapiens cDNA clone IMAGE:501674 3'	2.2
	105039	AA907305	He 36476	ESTs COMES_INEGRALIC_CREATS_INDITED HOLD SAPIERS CONA GODE (MAGE:501674 3:	6.8
20		AB037716		KIAA1295 protein	2.5
	105045	RE242800	He 120051	speckle-type POZ protein	2.2
	105070	AA151342	Un 12677	CGI 147 protein	3.8
		AA147884			9.5
		H58589		Homo sapiens cDNA FLJ14388 fis, clone HEMBA1002716	5.6
25		Z78407	Hs.35156	Homo sapiens cDNA FLJ11027 fis, done PLACE1004114	2.2
23		BE387350	Hs.27023	vesicle transport-related protein	2.2
		AW975433		KIAA1160 protein	1.6
				ESTs	6.3
	105127	AA164697	He 177576	nudix (nucleoside diphosphate linked moiety X)-type motif 5	2.1
30	105158	AMA78357	H- 224545	mannosyl (alpha-1,3-)-glycoprotein beta-1,4-N-acetylglucosaminyltransferase, isoenzyme A hypothetical protein NUF2R	2.7
50	105160	RE2/520/	He 190790	S164 protein	1.9
	105186	AA191512	He 20005		1.7
		AA071276		Homo sapiens cDNA FLJ11309 fis, clone PLACE1010076 KIAA0859 protein	4.8
		AA263143			1.9
35		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ domain-containing protein MCJ [H.sapiens]	2.8
<i>-</i>		AA700122		Sentrin-specific protease	1.9
				KIAA0779 protein	8.0
		NM_016015		CGI-68 protein	1.8
	105366	BE264645	He 282093	hypothetical protein FLJ21918	8.2
40	105373	AW887701	Hs 32356	hypothetical protein FLJ20628	5.0
	105374	BE242803	Hs 262823	hypothetical protein FLJ 10326	2.5
	105387	AW592146	Hs 108636	membrane protein CH1	2.2
	105393	AF167570	Hs 256583	interleukin enhancer binding factor 3, 90kD	2.3 5.4
	105399	RF386877	Hs 334811	Npw38-binding protein NpwBP	1.6
45	105400	AF198620	Hs 65648	RNA binding motif protein 8A	1.6
		AA252395	. 10.000 10	gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:685026 3', mRNA sequence	1.0
			Hs.226318	CCR4-NOT transcription complex, subunit 7	1.6
	105529	AA113449	Hs.32471	hypothetical protein FLJ20364	1.3
		AB023179		KIAA0962 protein	3.4
50		AA262640		unknown	9.3
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	1.4
	105596	AA579535	Hs.18490	hypothetical protein FLJ20452	10.9
	105597	AF054284	Hs.334826	splicing factor 3b, subunit 1, 155kD	2.9
	105608	AI808201	Hs.287863	hypothetical protein FLJ12475	1.7
55	105610	AA280072		fetal Alzheimer antigen	1.4
_		AK000892		glucocorticoid modulatory element binding protein 1	1.7
	105620	AW302245	Hs.181390	caseln kinase 1, gamma 2	
	105658	AA985190	Hs.246875		5.5 9.4
	105697	AW499988	Hs.27801		2.0
50	105708			Homo sapiens mRNA; cDNA DKFZp564M0264 (from clone DKFZp564M0264)	1.7
-		BE246502	Hs.9598		2.6
		AW151952			1.5
		AI123118		chemokine-like factor, alternatively spilced	1.3
	105771	Al267720	Hs.153221		1.6
55	105820	AA741336 :	Hs.152108	transcriptional unit N143	2.2
	105826	AA478756	Hs.194477		1.3
	105856	A1262106			2.4

	105858	AF151066	Hs.281428	hypothetical protein	2.9
	105875	AK001708	Hs.32271	hypothetical protein FLJ10846	1.4
		AF016371		peptidyl prolyl isomerase H (cyclophilin H)	5.2
~	106000	AW194426	Hs.20726		1.7
5		AW081202			2.8
		AA477956			1.4
		AL157441			1.4
		AA130158		ESTS, Moderately similar to ALU8_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	
10		AA533491			6.8 1.6
10				Homo sapiens, Similar to RIKEN cDNA 5430429M05 gene, clone MGC:13155, mRNA, complete cd	
					1.3
			Hs.19114		3.6
		AL043114			5.4
15		AK001404			5.7
		AW390282			6.3
	106381	AB040916	Hs.24106	KIAA1483 protein	6.5
		AW748420			2.2
20		AF119256		······································	2.7
20					2.3
		AA454036			1.6
		AA243837			1.6 2.4
		AK000933 AA458882			2.4 7.9
25		NM_003595			7.7
		AL049951			1.8
					1.3
					4.5
					1.3
30	106723	BE388094	Hs.21857	ESTs	1.6
					5.7
		AW959893		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	16.2
		BE564871			1.5
25		AB037744			2.2
35				•••	1.3 16.8
					1.5
			Hs.9567		2.2
					3.3
40		AK000511			6.8
		BE156256			6.6
		AL043152			4.8
	106978	AW631480	Hs.8688		6.0
				// · · · · · · · · · · · · · · · · · ·	1.3
45					1.8
		AW385224			1,7
		AK000733			2.5
		AK000512			1.7 4.6
50		AV661958 AV661958			4.0 3.3
50		AK001455			3.3 2.0
		AW378065			6.3
		AW391927			33.5
		BE122762			5.2
55			Hs.64639	glioma pathogenesis-related protein	6.1
		AW888411		leukemia-associated phosphoprotein p18 (stathmin)	17.4
		BE219716			7.4
		AW263124			1.8
<i>c</i> 0		D60341	Hs.21198		6.6
60		BE379594		ESTS, Moderately similar to ALUZ_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION:	
		N95657	Hs.6820		2.5
		N95657 BE277457	Hs.6820		1.7 3.2
		T63174		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.2 2.0
65		NM 006299			5.0
70					1.2
					1.6

	107529	BE515065	Hs.296585		3.0	
	107554	AA001386	Hs.59844		1.3	
	107681	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION 2	2.2	
_	107772	AA018587	Hs.303055	ESTS, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	2.1	
5				potassium voltage-gated channel, delayed-rectifier, subfamily S, member 3	3.4	
	107901	L42612	Hs.335952	keratin 6B	2.5	
	107901	L42612	Hs.335952	keratin 6B	1.6	
	107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	2.2	
	107974	AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme 1	5.7	
10	108040	AL121031	Hs.159971	SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily b, member 1	1.5	
			Hs.59847		1.3	
					7.1	
	108296		Hs.161623		2.5	
			Hs.339659		3.5	
15					3.4	
			Hs.182685		1.6	
					1.7	
		BE546947			9.8	
					1.2	
20					1.3	
		AI089575			2.7	
					1.8	
			Hs.178904	and an overland process.	1.5	
					2.1	
25			Hs.48480	The state of the s	5.3	
23		AK001431			1.0	
	100004	AA440754	Ho 105155		5.6	
	100500	AA1E1709	Hs. 153 133	homeo box (expressed in ES cells) 1	1.6	
				many and feet and a series of the series of	5.2	
30			Hs,23467		1.7	
50		AB028987	Hs.72127	The state of the s	1.4	
			115.1 Z 1 Z 1	gb:zo35d07.s1 Stratagene colon (937204) Homo sapiens cDNA clone 3' similar to contains Alu repe		5.3
		AA157811 AA164293	Un 705/6	ESTs	2.9	0.0
			Hs.52184		1.6	
35					3.2	
33					1.7	
				The state of the s	2.6	
			Hs.59757	and modern production of the control	2.9	
			Hs.73625		2.0	
40		BE566742		mgm, only only on the control of the	5.3	
40		NM_016603		Processing Processing Control of the State o	5.7	
			Hs.189998	20.7	5.3	
		N99673	Hs.3585		1.4	
45			Hs.82719		2.9	
45				4	1.3	
	109341	AA213506	Hs.115099		2.9	
				,	1.5	
		H83603	Hs.40408		2.2	
CO		N30531	Hs.42215	history brooks and a second and a second	3.0	
50			Hs.61438	==:-	1.9	
			Hs.189915		1.8	
				· · · · · · · · · · · · · · · · · · ·	3.7	
		NM_01531			3.2	
			Hs.87134	TT TO THE PARTY OF	2.0	
55		L40027			2.1	
		F02614	Hs.27319		1.4	
		R71264	Hs.16798	2010	1.3	
	110039	H11938	Hs.21907		2.0	
					2.5	
60		AA603840	Hs.29956	KIAA0460 protein	1.7	
		T07353	Hs.7948		2.9	
		R51853	Hs.226429		1.7	
			1Hs.17667	SH3-domain binding protein 4	4.2	
		AI668594	Hs.176588		4.2	
65	110242	N41744	Hs.19978	CGI-30 protein	1.3	
	110259	H28428	Hs.32406	ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]	2.2	
	110312	BE256986	Hs.11896	hypothetical protein FLJ12089	2.1	

	110330	AI288666	Hs.16621	DKFZP434I116 protein	6.2
	110501	H55748		gb:yq94a01.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:203400 3'	6.1
	110504	H55915	Hs.210859	hypothetical protein FLJ11016	6.1
_	110525	H57330	Hs.37430	EST	6.3
5	110568	AK001160	Hs.5999	hypothetical protein FLJ10298	1.3
	110699	T97586	Hs.18090	ESTs	1.8
	110705	AB007902	Hs.32168	KIAA0442 protein	1.6
		AW190338		hypothetical protein MGC11256	7.6
	110761	AL138077	Hs. 16157		2.5
10		BE044245		hypothetical protein MGC2963	9.3
	110765	AK000322	Hs.18457	hypothetical protein FLJ20315	5.5
		BE000831		Homo sapiens cDNA FLJ11812 fis, clone HEMBA1006364	2.1
	110799	Al089660	Hs.323401	dpy-30-like protein	1.5
	110805	T25829	Hs.24048		6.6
15	110813	AA767373	Hs.35669	ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	5.7
	110820	R33261	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 precursor, intestinal [H.sapiens]	3.4
	110840	N31598	Hs.12727	hypothetical protein FLJ21610	1.7
	110844	AI740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2 (beta)	1.7
	110854	BE612992	Hs.27931	hypothetical protein FLJ10607 similar to glucosamine-phosphate N-acetyltransferase	4.7
20		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo saplens cDNA clone 3' similar to contains element	2.3
	110885	BE384447	Hs.16034	hypothetical protein MGC13186	3.5
		AL117430		DKFZP434D156 protein	2.2
		BE092285		hypothetical protein FLJ13187	2.6
		H04360	Hs.24283	ESTs, Moderately similar to reduced expression in cancer [H.sapiens]	1.9
25		NM_005864		signal transduction protein (SH3 containing)	6.7
		AK002180		DKFZP564O123 protein	2.0
	110981	AK001980	Hs.24284	ADP-ribosyltransferase (NAD+; poly(ADP-ribose) polymerase)-like 2	1.3
	110984	AW613287	Hs 80120	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T	11. 1
		N63823		ESTs, Moderately similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	3.6
30		AB037807	Hs 83293	hypothetical protein	2.1
		N46180		Homo sapiens cDNA FLJ13289 fis, clone OVARC1001170	2.3
		R67419	Hs.21851		3.7
	111174	AL050166	Hs.26295	Homo sapiens mRNA; cDNA DKFZp586D1122 (from clone DKFZp586D1122)	7.5
	111179	AK000136	Hs.10760	asporin (LRR class 1)	7.1
35				Homo sapiens cDNA FLJ20738 fis, clone HEP08257	6.7
	111184	AI815486	Hs 243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.3
	111189	N67603	Hs.272130	ESTs, Weakly similar to S65824 reverse transcriptase homolog [H.sapiens]	3.6
		AW139408			1.5
	111221	AB037782	Hs.15119	KIAA1361 protein	2.6
40	111223	AA852773	Hs.334838	KIAA1866 protein	4.6
		N90956	Hs.17230	hypothetical protein FLJ22087	7.9
		AA778711	Hs.4310	eukaryotic translation initiation factor 1A	6.9
				KIAA1265 protein	5.0
	111312	Al523913	Hs 34504	FSTs	3.8
45		T99755	Hs.334728		1.2
	111337	AA837396	Hs 263925	LIS1-interacting protein NUDE1, rat homolog	5.1
	111352	H58589	Hs 35156	Homo sapiens cDNA FLJ11027 fis, clone PLACE1004114	2.2
		AI478658	Hs 94631	brefeldin A-inhibited guanine nucleotide-exchange protein 1	2.8
		N94606		HSCARG protein	2.2
50				oxidation resistance 1	2.1
• •	111391	NM 003896	Hs 225939	sialyltransferase 9 (CMP-NeuAc:lactosylceramide alpha-2,3-sialyltransferase; GM3 synthase)	5.1
	111392	W46342	Hs.325081	Homo sapiens, done IMAGE:3659680, mRNA, partial cds	8.4
		R02354	Hs.15999		2.7
			Hs.227978		6.5
55		W90638		ESTs, Moderately similar to ZRF1_HUMAN ZUOTIN RELATED FACTOR-1 (M-PHASE	1.4
		R10720	Hs.20670	EST	1.6
		R52656	Hs.21691	ESTs	
		AB037834		Homo sapiens mRNA for KIAA1413 protein, partial cds	1.6
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016 (from clone DKFZp564D016)	2.4
60		AW083791		suppressor of potassium transport defect 3	10.6
		NM_015310		Suppressor or potassium transport defect 3 ΚΙΑΑ0942 protein	6.6
	112134		Hs.7413	ESTs; calsyntenin-2	5.1
		AB029000			2.8
		R46071	He 301602	Homo sapiens, done IMAGE:3638994, mRNA, partial cds	14.6
65	112456	NM 016248	15.001033 Hs 232076	A kinase (PRKA) anchor protein 11	9.0
05	112464	AW007287	Hs 28538	Homo sapiens cDNA: FLJ21086 fis, clone CAS03272	1.4
		AI742756		ESTs CONVA. PLUZ 1000 IIS, GOITE CASU32/2	1.4 3.2
				-	J.L

		R68425	Hs.13809	hypothetical protein FLJ10648	2.0	
	112752	AK001635	Hs.14838		1.8	
	112884	AK000004	Hs.5013	Homo sapiens mRNA for FLJ00004 protein, partial cds	6.6	
_		T10258	Hs.5037	EST	1.5	
5	112936	AW970826	Hs.6185	KIAA1557 protein	3.2	
		R61388	Hs.6724		6.0	
	112966	Z44718	Hs.102548	glucocorticoid receptor DNA binding factor 1	6.4	
	112978	AK000272	Hs.7099	hypothetical protein FLJ20265	1.2	
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYKI protein [M.musculus]	5.6	
10	112996	BE276112	Hs.7165	zinc finger protein 259	2.0	
	113047	Al571940	Hs.7549	ESTs	1.9	
	113049	AW965190	Hs.7560	Homo sapiens mRNA for KIAA1729 protein, partial cds	2.4	
	113089	T40707	Hs.270862	ESTs	1.3	
	113196	T57317		gb:yb51a03.s1 Stratagene fetal spleen (937205) Homo sapiens cDNA clone IMAGE:74668 3',	1.7	
15	113248	T63857			2.8	
	113254	AK002180	Hs.11449		1.3	
		AW971049			3.2	
			Hs.179808		1.2	
	113499	Al467908	Hs.8882	ESTs	5.9	
20		H59588	Hs.15233		2.0	
			Hs.142442		3.6	
					1.3	
		T97307			4.4	
			Hs.184411		1.3	
25		AW499665		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily a, member		
		BE266947			13.4	
		AL359588			1.7	
					1.3	
		W44735	Hs.9286		3.3	
30		BE207480			3.1	
50		H13325			3.2	
		AW378212			2.3	
		T26483	Hs.6059		11.3	
		W57902	Hs.90744		2.7	
35		AL079314			6.1	
JJ		AW959486			6.6	
		AW953484			1.9	
		W87544	Hs.268828		1.2	
					5.4	
40					9.4	
1 0		AB029551			1.8	
					1.5	
				The state of the s	1.8	
		AB028968	HS.1 303			2.3
45					1.4	2.0
43		AL117518		and the second processing the second process		
				and the same of th	15.8	
					1.9	
					2.4	
50					1.8	
50				· · · · · · · · · · · · · · · · · · ·	1.2	
		H37908		• • • • • • • • • • • • • • • • • • • •	5.5	
					5.2	
				Homo sapiens, Similar to RIKEN cDNA 1110012M11 gene, clone IMAGE:3688605, mRNA, partial		
	114471	AA028074	Hs.104613	RP42 homolog	1.8	
55	114480	BE066778	Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 6 (GalNAc-Ti	5) 13.4	
	114671	AA766268	Hs.266273	hypothetical protein FLJ13346	1.9	
	114698	AA476966	Hs.110857		3.5	
				Intermediate filament protein syncoilin	3.8	
					1.6	
60					3.1	
		AA159181			3.5	
		AL157545			4.3	
		AA236177		KIAA0887 protein	7.1	
	114896	BE539101		hypothetical protein	1.3	
65		AA236672		gb:zt29f02.s1 Soares ovary tumor NbHOT Homo sapiens cDNA done IMAGE:723771 3', mRNA se		1.5
	114930	AA237022	Hs.188717	ESTs	2.0	
	114938	AA242834	Hs.58384	ESTs	2.9	

	114965	Al733881	Hs.72472	BMP-R18	2.3
			Hs.63931		1.3
			Hs.87968		1.6
				Homo sapiens mRNA full length insert cDNA clone EUROIMAGE 1913076	11.8
5				LIM protein (similar to rat protein kina	1.5
,					
		AI670847		hypothetical protein	1.5
			Hs.88155		2.8
			Hs.186572		2.5
10				hypothetical protein FLJ10116	1.5
10	115239	BE251328	Hs.73291	hypothetical protein FLJ10881	1.3
				ESTs, Moderately similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	1.4
				hypothetical protein FLJ11301	1.5
			Hs.293736		2.4
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461	6.2
15			Hs.89113		6.6
		AA314349		tumor antigen SLP-8p	7.4
			Hs.59346		1.4
				ESTs, Moderately similar to 154374 gene NF2 protein [H.sapiens]	4.0
				eukaryotic translation initiation factor 4E binding protein 1	16.3
20		Y14443	Hs.88219		5.0
				transcription factor (SMIF gene)	2.5
			Hs.61082		6.1
				HSPC039 protein	2.9
					5.3
25		N36110		7-60 protein solute carrier family 2 (facilitated quoose transporter), member 10	4.7
23					
			Hs.38178		10.6
				Homo sapiens, clone MGC:16063, mRNA, complete cds	12.7
			Hs.40507		2.0
20			Hs.88143		3.0
30		AA625132		hypothetical protein FLJ21615	1.7
		AF231023		cadherin, EGF LAG seven-pass G-type receptor 3, flamingo (Drosophila) homolog	6.8
	115715	BE395161	Hs.1390	proteasome (prosome, macropain) subunit, beta type, 2	1.7
	115734	Al950339	Hs.40782	ESTs	2.6
		NM_01543		DKFZP434B168 protein	2.1
35	115823	A1732742	Hs.87440	ESTs .	2.1
	115837	Al675217	Hs.42761	ESTs	1.3
	115844	Al373062	Hs.332938	hypothetical protein MGC5370	4.4
	115866	AW062629	Hs.52081	KIAA0867 protein	7.2
	115875	N55669	Hs.333823	mitochondrial ribosomal protein L13	1.2
40			Hs.46679		5.5
. •			Hs.62767		9.8
		BE275469		Down syndrome critical region gene 5	1.4
		AL359053		Homo sapiens mRNA full length Insert cDNA clone EUROIMAGE 2005735	2.4
		AA770688		H2A histone family, member L	1.8
45		BE243834		CGI-04 protein	1.4
7.7		N35719	Hs.44749		1.2
				ESTs, Moderately similar to T00358 hypothetical protein KIAA0684 [H.sapiens]	2.1
			Hs.72402		1.7
			Hs.47144		
50				baculoviral IAP repeat-containing 6	1.7
50		A1936442		hypothetical protein FLJ10808	1.7
		AI955411		Homo saplens cDNA FLJ13634 fis, clone PLACE1011133	1.9
		AF097645		deleted in cancer 1; RNA helicase HDB/DICE1	4.9
			Hs.49303		1.4
		AL133033		KIAA1025 protein	1.9
55			Hs.44033		1.5
	116350	AA497129	Hs.184771	nuclear factor VC (CCAAT-binding transcription factor)	1.9
	116358	AI149586	Hs.38125	interferon-induced protein 75, 52kD	1.9
		N50174	Hs.46765	ESTs	6.1
	116368	N90466	Hs.71109	KIAA1229 protein	1.6
60	116417	AW499664	Hs.12484	Human clone 23826 mRNA sequence	7.4
	116436	AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1
	116462	AF218313	Hs.236828	putative helicase RUVBL	1.5
	116470	AI272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1
	116470	Al272141	Hs.83484	SRY (sex determining region Y)-box 4	1.2
65	116575	AA312572	Hs.6241	phosphoinositide-3-kinase, regulatory subunit, polypeptide 1 (p85 alpha)	1.5
		AK001043		Integrin-linked kinase-associated serine/threonine phosphatase 2C	2.7
				B-cell CLL //vmnhoma 7A	2.3

	116700	A1800202	Hs.317589		1.4	
	116705	AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	
	116732	AW152225	Hs.165909	ESTs. Weakly similar to 138022 hypothetical protein [H.sapiens]	2.9	
	116921	AW068115	Hs.821	biolycan	3.3	
5	116926		Hs.290830	FSTs 1	1.7	
•		U72209		YY1-associated factor 2	3.4	
	117132	A1393666		o10-hinding protein	5.2	_
		N21032		nb:vx46f06.s1 Soares melanocyte 2NbHM Homo sapiens cDNA clone IMAGE:264803 31 mRNA set	quence.	5.
	117276	N711R3	Hs.121806	Homo saciens cDNA FLJ11971 fis. clone HEMBB1001208	1.3	
10	117284	AK001701	Hs 183779	Homo saniens cDNA FL110590 fis. clone NT2RP2004392, weakly similar to MNN4 PROTEIN	2.0	
10	117367	ΔΙΩ41793	Hs.42502	FSTs	2.0	
	117368	Δ1878942	Hs 90336	ATPase, H+ transporting, lysosomal (vacuolar proton pump), member J	2.1	
	117382	AE150275	Hs.40173	FSTs	2.7	
		N32536	Hs.42645	solute carrier family 16 (monocarboxylic acid transporters), member 6	1.4	
15			Hs.44532		3.4	
13		N34895	Hs.44648		3.4	
				CGI-12 protein	3.0	
			Hs.59757		1.9	
		N54706		chromosome 11 open reading frame 24	1.8	
20	117073	1434700 AE464470	He 260622	huberto Induced transcript 1	5.7	
20	117001	DEE/0676	He 333038	hypothetical protein MGC5370	5.9	
	117504	AL 497970	115.JJ2JJQ	hypothetical protein FLJ13912	1.7	
				hypothetical protein FLJ20048	1.7	
	447000	Y10518			5.4	
25				KIAA 1700 piotesii	5.2	
25	118078	N54321	Hs.47790	601	2.6	
	118301	AA453902	Hs.293264	C019	2.5	
				Cytochidine C oxidase subtrict vic	4.1	
	118472	AL15/343	Hs.42179	bioinoconian and Frib inger containing, o	1.2	
20			MS.00102	1204-2 (laua uciic)	1.5	
30	118509	N22617	11- 40207	FOTA	7.4	
	118528	ALACOOOL	Hs.49397	ECTA	2.5	
	118656	A1400020	Hs.293287	ESTs, Moderately similar to ZN91_HUMAN ZINC FINGER PROTEIN 91 [H.sapiens]	1.2	
	118670	AA332043	115, 102010	KIAA1287 protein	2.1	
25				gb:zq75g09.r1 Stratagene hNT neuron (937233) Homo sapiens cDNA clone IMAGE:647488 5'	5.2	
35		AA199686	11- 000000	ESTS, Moderately similar to ALUS_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	1.4	
	118925	N92293	HS.200032	ESTS, Moderately similar to ALUS_HUMAN ALU SUBFAMILY SX SEQUENCE CONTAMINATION	3.6	
	118984	A1668709	HS.240722	ESTS, MODERALEY SHIRING TO ALOU THOMAN ALO SOOT AMILET ON OLGOLITOR SOTTEMBLE TO STATE OF THE ST	4.8	
			HS.125830	bladder cancer overexpressed protein	1.7	
40		W24781		KIAA1710 protein	2.2	
40		AW45306		activity-dependent neuroprotective protein	1.6	
		AW45306		activity-dependent neuroprotective prote	1.4	
			Hs.285363		25.1	
	119279	N57568	Hs.48028		1.6	
	119298	NM_0012	11Hs.155478	3 Cyclin 12	1.3	
45			Hs.32083	ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	8.4	
		T65004	Hs.163561		6.7	
				3 nudeolar protein NOP5/NOP58	2.4	
			Hs.170042		2.1	
÷ o			Hs.55513	ESIS	1.9	
50	119513	W37933		Empirically selected from AFFX single probeset	3.7	
	119601	AK00015	Hs.91684	Homo sapiens mRNA; cDNA DKFZp6671103 (from clone DKFZp6671103)	3.0	
	119602	2 AW67529	8 Hs.23369	4 hypothetical protein FLJ11350	1.4	
			7 Hs.57787		1.2	
	119682	W61019	Hs.57811		1.8	
55		AB03297		KIAA1151 protein		
	119780) NM_0166	25Hs.19138	1 hypothetical protein	3.1	
	119789	BE39394	3 Hs.50915	kallikrein 5 (KLK5; KLK-L2; stratum comeum tryptic enzyme)	9.2	
	11980	5 AJ223810) Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANSFORMATION-SENSITIVE PROTEIN IEF 33P	3.6	
	11981	3 AA13097	D Hs.58382	hypothetical protein FLJ11101	2.5	
60	440861	3 AA08121	R He SAANA	Homo saciens cDNA FL 114206 fis clone NT2RP3003157	2.7	
	11990	5 AW44906	4 Hs.11957	1 collagen, type III, alpha 1 (Ehlers-Danlos syndrome type IV, autosomal dominant)	2.6	
	11996	6 AA70312	9 Hs.58963	ESTs	2.7	
	12013	2 W57554	Hs.12501	9 lymphold nuclear protein (LAF-4) mRNA	1.2	
	12020	6 H26735	Hs.91668	Homo sapiens done PP1498 unknown mRNA	45.7	
65	12024	8 AI924294	Hs.17325	9 uncharacterized bone marrow protein BM033	1.2	
	12025	3 AA13137	6 Hs.32640	11 fibroblast growth factor 12B	38.9	
	12026	9 AW1319	10 Hs.10403	O ESTS	9.6	

	120274	AA177051		gb:nc02a02.s1 NCI_CGAP_Pr3 Homo saplens cDNA clone IMAGE:194 similar to contains Alu	4.6
		AA190577		gb:zp52g02.s1 Stratagene HeLa cell s3 937216 Homo saplens cDNA clone 3', mRNA sequence	2.0
			Hs.299883	hypothetical protein FLJ23399	1.8
				ESTs, Weakly similar to Z195_HUMAN ZINC FINGER PROTEIN 195 [H.sapiens]	15.2
5		AA195517			5.5
•		AA195651			6.4
	120323	VKUUU303	He 278732	hypothetical protein FLJ20285	16.1
	120327	N85785			2.9
				eukaryotic translation elongation factor 1 alpha 1	
10	420042	AVV400009	ns.40000	hypothetical protein DKFZp434I143	5.7
IU		AA210722			4.5
				hypothetical protein	16.8
		R06859		ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]	5.0
				putative purinergic receptor	28.1
'		AA219305			12.4
15	120382	AA228026	Hs.38774	ESTs	4.0
	120383	AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolog 1	9.7
				hypothetical protein DKFZp434D0127	32.6
	120388	AA232874	Hs.104245	ESTs	3.1
	120389	AW967985	Hs.325572	ESTs, Moderately similar to ALU7_HUMAN ALU SUBFAMILY SQ SEQUENCE CONTAMINATION	121.7
20				eukaryotic translation initiation factor 4E	12.5
				KIAA1013 protein	7.2
				Homo sapiens mRNA; cDNA DKFZp586F1323 (from clone DKFZp586F1323)	11.4
				Homo sapiens cDNA: FLJ22822 fis, clone KAIA3968	1.9
		AI950087	113.10070	gb:wq05c02.x1 NCI_CGAP_Kid12 Homo saplens cDNA clone 3', mRNA sequence	19.4
25		AA251973	H= 260088		5.4
23		AA253170			10.4
			NS.30473	gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapiens cDNA clone IMAGE:682387 3', mRNA sequen	
		AA256837	II- OCE 4E		
		BE047718			9.4
20		AA258601			2.4
30		BE350244			2.5
				Homo sapiens, done IMAGE:3613029, mRNA, partial cds	5.2
				ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	14.4
				ZNF135-like protein	10.2
~ =				leucine-rich repeat-containing 2	2.1
35				N-acetylglucosamine-phosphale mutase	7.5
	120619	AW965339	Hs.111471	ESTs	2.5
	120624	AW407987	Hs.173518	M-phase phosphoprotein homolog	52.0
	120639	AA286942		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens cDNA clone IMAGE:701505 3' similar to contains	Alu2.4
	120648	AA287095	Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA, partial cds	5.0
40		AW063659			2.2
				6.2 kd protein	2.2
		BE536739			1.9
		AA976503	110.100000	gb:oq30a04.s1 NCt_CGAP_GC4 Homo sapiens cDNA clone 3' similar to contains PTR7.t1 PTR7	
		Al821539	He 07240		2,5
45		AW449855		Homo sapiens cDNA FLJ12727 fis, done NT2RP2000027	5.9
72		AA292747			2.9
					7.0
				ESTs, Moderately similar to 2109260A B cell growth factor [H.sapiens]	7.8
		AI608909			
50			HS.30002	SH3-containing protein SH3GLB2; KIAA1848 protein	6.8
50		AA346495		gb:EST52657 Fetal heart II Homo sapiens cDNA 3' end similar to EST containing O family repeat,	
		AA386260			4.4
		AA398155			4.4
		BE262951			5.6
		A1219896			1.2
55	121011	AA398360	Hs.97608	EST	3.1
	121026	Al439713	Hs.165295	ESTs	3.5
•	121081	AA398721	Hs.186749	ESTs, Highly similar to 137550 mismatch repair protein MSH2 [H.sapiens]	5.4
	121133	AA363307	Hs.97032	ESTs	3.7
	121176	AL121523	Hs.97774	ESTs .	1.7
60	121223	AJ002110	Hs.97169	ESTs, Weakly similar to dJ667H12.2.1 [H.sapiens]	2.9
		AA403008			1.9
	121340	AW956981	Hs.97910	Homo sapiens cDNA FLJ13383 fis, clone PLACE1001024	3.5
		AA406137			6.0
				ESTs, Weakly similar to A47582 B-cell growth factor precursor [H.sapiens]	7.4
65				Homo sapiens, clone MGC:18257, mRNA, complete cds	6.9
55		AW971063			1.8
				retinoic acid induced 14	10.5

				and the state of the second	2.4
	121457	W07404	Hs.144502	hypothetical protein FLJ22055	3.4
	121496	AA442224	Hs.97900	ESTs	14.4
	121505	AA494172	Hs.194417	ESTs	13.1
			Hs.97887		28.0
5			Hs.181510		6.2
,			113.101319	gb:zt69b02.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:727563 3', mRNA sequence	
		AA412112			7.4
			Hs.98142	ESI	
		AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:730150 3' similar to contain	SZ.0
	121577	AA411970	Hs.98096		3.5
10 -	121581	AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sapiens cDNA done 3', mRNA sequence	6.1
			Hs.89718	spermine synthase	3.9
			Hs.98247		2.2
			Hs.126065		4.2
	121022	AA410931	TS. 120000	E018	7.8
1.5	121655	AA421537	HS.1/80/2	Homo sapiens mRNA; cDNA DKFZp434B1023 (from clone DKFZp434B1023)	2.0
15				Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	
	121690	AV660305	Hs.110286	ESTs	4.7
	121706	U55184	Hs.154145	hypothetical protein FLJ11585	12.7
	121714	AA419225	Hs.98269	Homo sapiens cDNA FLJ11953 fis, done HEMBB1000883	8.1
			Hs.98325		1.8
20			Hs.180744		4.0
20			Hs.97514		7.1
					19.5
				hypothetical protein NUF2R	7.9
				KIAA1196 protein	
	121775	AA421773	Hs.161008	ESTs	1.7
25	121776	AA292579	Hs.125133	hypothetical protein FLJ22501	6.6
	121786	AI810774	Hs.98376	ESTs	10.5
			Hs.98434		5.8
			Hs.218289		3.8
				ESTs, Highly similar to KIAA1048 protein [H.sapiens]	5.0
20					2.7
30				serine/threonine kinase 23	2.3
		AA446628		cartilage linking protein 1	2.9
			Hs.293044		
	121882	AA426376	Hs.98459	ESTs	5.0
	121911	AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_9w Homo sapiens cDNA clone IMAGE:773499 3'	7.2
35	121915	AA428179	Hs.223405	ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	2.5
			Hs.98611		2.3
				hypothetical protein FLJ14904	3.4
	404005	AIGCOSTO	Un 20024	Homo sapiens, cione IMAGE:2822295, mRNA, partial cds	11.4
					3.8
40		AA210863		nemo-like kinase	
40			Hs.98668		6.4
	122009	AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone ADKA01804	2.2
	122013	AA431085	Hs.98706	ESTs	6.5
	122036	W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU SUBFAMILY SC SEQUENCE CONTAMINATION	13.1
			Hs 166109	ELAV (embryonic lethal, abnormal vision, Drosophila)-like 2	9.1
45			Hs.98750		13.1
40					1.5
			Hs.104921	COIS	3.3
		AA398838		gb:zt80d01.r1 Soares_testis_NHT Homo sapiens cDNA clone 5', mRNA sequence	5.6
			Hs.98842		
			Hs.29417		5.1
50	122257	AA436819	Hs.98899	ESTs	5.6
	122302	AA441801	Hs.104947	ESTs	5.8
			Hs.99010		2.0
			Hs.98390	FSTs	7.3
	122220	AAAA3085	Hs.303222	ESTs	12.2
55	122303	AAGCGEEE	Un 470222	L ECT.	5.0
55			Hs.178222		7.6
	122372	AA446UU8	Hs.336677	E01	
	122378	AB032948	HS.21356	hypothetical protein DKFZp762K2015	2.5
	122405	AA446572	Hs.303223	EST	2.8
	122412	AA446869	Hs.119316	i ESTs	7.3
60	122415	AA446918	Hs.99088	EST	1.9
55	122418	AA446966	Hs.99090	ESTs, Moderately similar to similar to KIAA0766 [H.sapiens]	6.8
	422440	AWENE120	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (from clone DKFZp547C244)	2.6
	400440	ANATERS	Hs.99123		1.8
	122440	MM4410U3	Un 00407	ECT CO	3.5
<i></i>	122448	AA44/626	Hs.99127	E01	1.5
65	122458	AI266159	Hs.104980	/ EQ15	
				ESTs, Weakly similar to S43569 R01H10.6 protein - Caenorhabditis elegans [C.elegans]	9.7
	122464	AA448158	Hs.99152	EST	4.8

	122490	AA448349	Hs.238151		6.1	
	122492	AA448417	Hs.104990		5.4	
	122502	AA204969	Hs 234863	Homo sapiens cDNA FLJ12082 fis, clone HEMBB1002492	1.3	
	122510	AA449232	He 99195	FSTs	11.2	
5					10.1	
,				darker terring brotest position of editor - and and	2.5	
		AA779725		2010	1.9	
		AA194055		2010		
		AA452578		2010	9.5	
		AA452601		LOI	11.0	
10	122586	AK001910	Hs.99303		3.4	
		AB040893		KIAA1460 protein	2.0	
		AI028173			1.7	
				hypothetical protein FLJ23588	4.4	
					4.6	
15		AA411925			61.5	
15		AA453518		2010	10.7	
		AA453630				
	122616	AA453638	Hs.161873	2010	107.3	
	122617	AI681535	Hs.148135		121.4	
	122618	AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	31.1	
20	122622	AA453987	Hs.144802		5.6	
		AA456859			8.5	
		Al376875			10.4	
					81.8	
	122029	AW204530	HS.99500	LICENS - DAIA EL MACCO E1 MECODOCCEO	3.6	
0.5	122834	AA461492	H\$.99545	Homo sapiens cDNA FLJ10658 fis, clone NT2RP2006052		
25		AA460581			4.5	
				ESTs, Weakly similar to putative p150 [H.sapiens]	2.7	
	122838	AA460584	Hs.334386	ESTs	75.3	
				NIMA (never in mitosis gene a)-related kinase 6	7.7	
				Src-like-adapter	5.8	
30		AA335721			1.3	
50		BE539656			4.1	
				Janus kinase 2 (a protein tyrosine kinase)	5.3	
	122000	AF000210	DS. 110041	Home perions a DNA . CL 194766 for along COL E7170	9.9	
				Homo sapiens cDNA: FLJ21766 fis, clone COLF7179	5.3	
2.5		AW081394			13.9	
35		AA769410				
	122907	AA470074	Hs.169896	ESTs	11.5	
	122916	AA470140	Hs.229170	EST	1.7	
	122981	AA478951	Hs.105629	ESTs	5.0	
		AW968324			15.4	
40	123016	AW/338067	He 323231	Homo sapiens cDNA FLJ11946 fis, clone HEMBB1000709	2.8	
40	123010	AL 250571	He 44054	ninein (GSK3B Interacting protein)	8.7	
	123034	ALGOSOF I	11- 404200	ESTs, Weakly similar to KIAA1395 protein [H.sapiens]	8.8	
					3.9	
		AA485360			3.8	
		Al343652				
45	123110	AA486256	Hs.193510	EST	7.4	
	123114	BE304942	Hs.265848	myomegalin	2.8	
	123131	T52027	Hs.271795	ESTs, Weakly similar to I38022 hypothetical protein [H.sapiens]	2.4	
	123132	AI061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MAMMA1002434	15.6	
		AW451999			5.1	
50		Al734179			23.8	
30		AW601773			5.2	
,	123102	A 400000	11- 405074	ESTS, Weakly similar to RMS1_HUMAN REGULATOR OF MITOTIC SPINDLE ASSEMBLY 1 [H.s.		9.3
	123250	AA490929	MS. 1002/4	ESTS, Weakly Similar to RMS1_HOWAIN REGULATOR OF MITOTIO SI MIDEE ACCEPTAGE 7 [1.5]	04 1	
		AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT Homo sapiens cDNA clone IMAGE:755827 3' similar t	C O	
٠		AA504757			6.9	
55		AA731404			3.6	
	123433	AW450922	Hs.112478	ESTs	3.7	
	123466	AA599042	Hs.112503	EST	7.4	
	123470	AW303285	Hs 303632	Human DNA sequence from clone RP11-110H4 on chromosome 5 Contains a pseudogene similar	rto 3.5	
	123471	AB021644	He 197210	zinc finger protein 14 (KOX 6)	5.2	
60				Homo sapiens, clone IMAGE:4098694, mRNA, partial cds	1.7	
UU					1.6	
	123402	N95059	Hs.55098	LUIS LUIS corione DALA CLIMACON So elong ALTODOMANAO weakly similar to	2.4	
	123480	DEU 190/2	TIS.334602	Homo sapiens cDNA FLJ14680 fis, clone NT2RP2004242, weakly similar to	2.2	
	123508	AVVJBUJB	ns.155546	KIAA1080 protein; Golgi-associated, gamma-adaptin ear containing, ARF-binding protein 2		
15		AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sapiens cDNA clone 3', mRNA sequence	7.8	
65		AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens cDNA clone, mRNA sequence	2.8	4 7
		AA609364		gb:zu71d09.s1 Soares_testis_NHT Homo sapiens cDNA clone IMAGE:743441 3' similar to contail	ns Alu.	1.7
	123674	A1269609	Hs.105187	kinesin protein 9 gene	5.7	

	123735	NM_013241	Hs.95231	FH1/FH2 domain-containing protein	10.0
	123738	AA609891	Hs.112777	EST	5.2
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6
_	123804	AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-adrenergic receptor splice form 2 [H.sapiens]	2.1
5		AA620586		garacter and an arrangement of the state of	2.7
				metastasis-associated 1-like 1	6.2
				choline dehydrogenase .	4.4
				ralA binding protein 1	7.0
1.0		AI147155			8.1
10				HIV-1 rev binding protein 2	3.7
				topolsomerase-related function protein 4-2	1.2
	124178	BE463721	HS.97101	putative G protein-coupled receptor	3.1 5.7
				ESTs, Weakly similar to AF161356 1 HSPC093 [H.sapiens]	3.1
15		AA640891			3.5
13			MS. 192900	KIAA0265 protein gb:aq49a10.x1 Stanley Frontal NB pool 2 Homo sapiens cDNA clone similar to contains	57.1
		A1267847	Ua 7525		2.8
		AA317338			7.1
		N34059	N\$.2/9/00	NY-REN-18 antigen gb:yv28h09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3' similar to contains Al	
20			ലം മാവര	ribosomal protein L17	2.9
20	124420	H13540	He 120043	Human DNA sequence from done 989H11 on chromosome 22q13.1-13.2. Contains part of a	7.8
				kinesin heavy chain member 2	2.6
		N53935	113.113313	gb:yv59d09.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone 3', mRNA sequence	7.9
			Hs.268997		7.8
25		AA669097			3.3
23		N71076	Hs. 102800	ESTs, Weakly similar to neuronal thread protein AD7c-NTP [H.sapiens]	4.5
				FLVCR protein	3.2
				Homo sapiens cDNA FLJ13533 fis, clone PLACE1006371	5.8
				hypothetical protein	9.3
30				sorting nexin 17	3.5
			Hs.313054		6.1
		AW297702			8.3
	124661	R48170	Hs.78436	EphB1	5.6
	124683	AA381661	Hs.119878	ESTs, Weakly similar to M3K9_HUMAN MITOGEN-ACTIVATED PROTEIN KINASE KINASE	7.9
35		R09166			5.7
		R22952			11.3
	124761	AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein, partial cds	9.0
		AW368528			8.1
40	124775	R41772	Hs.100878	ESTs	4.9
40	124777	R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE	2.8
	124788	R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone HSI15005	5.1
				Homo sapiens EST from done 35214, full insert	4.2 14.2
				hypothetical protein FLJ22604	7.9
15	124812	R47948	Hs.188732	Library and a DAIA EL 112559 for along DI ACE1007743	6.6
45				Homo sapiens cDNA FLJ13558 fis, clone PLACE1007743	2.3
		AA501669 AW975868			2.7
	124000	R63652	Hs.137190		2.3
	124007	R65763	Hs.101477		23.9
50				bromodomain-containing 1	2.0
50				GDP-mannose pyrophosphorylase A	4.4
				hypothetical protein FLJ22242	2.7
		H37941	Hs.101883		5.7
	124903	AW296713	Hs.221441	ESTs	32.4
55	124930	AI076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!! ALU CLASS B WARNING ENTRY !!! [H.sapiens]	22.8
		R99978	Hs.268892	ESTs, Moderately similar to B34087 hypothetical protein [H.sapiens]	6.1
		A1078645	Hs.431	murine leukemia viral (bmi-1) oncogene homolog	1.9
		T40841	Hs.98681	ESTs	4.5
	125002	T59338	Hs.269463	ESTs, Weakly similar to ALU1_HUMAN ALU SUBFAMILY J SEQUENCE CONTAMINATION	4.9
60	125047	T79815	Hs.279793		5.0
		T79956	Hs.100588		135.3
		T81310	Hs.100592		5.4
		A1472068	Hs.286236	KIAA1856 protein	5.6
~ =		T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN IIII ALU CLASS F WARNING ENTRY III [H.sapiens]	1.8
65		T97341		gb:ye57e05.s1 Soares fetal liver spleen 1NFLS Homo sapiens cDNA clone IMAGE:121856 3' sim	llar to 9.
		A1222382	Hs.240767	Human DNA sequence from clone RP1-12G14 on chromosome 6q24.1-25.2. Contains the 5' end	
	125147	W38150		Empirically selected from AFFX single probeset	1.7

		W44657	Hs.144232		10.7
	125249	AA630863	Hs.131375	ESTs, Moderately similar to ALUB_HUMAN IIII ALU CLASS B WARNING ENTRY III [H.sapiens]	1.3
				timeless (Drosophila) homolog	9.4
e.		AW401809		KIAA1150 protein	1.5
5	125280	AI123705	Hs.106932	ESTS	8.0
	125298	AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone HEP01068	1.5
			Hs.23978		5.9
			3HS.97496	YY1 transcription factor	1.2
10		U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.4
10	120000	AW409701	MS.15/8	baculoviral IAP repeat-containing 5 (survivin)	14.3
	120202	AA15/632	MS.272630	vacuolar proton pump delta polypeptide	2.4
	120093	AAD43322	HS.172028	a disintegrin and metalloproteinase domain 10	9.1
	127030	AW411066	MS.2/4351	CGI-89 protein	17.0
15	12/2/4	AVV900100	MS.38382	Homo sapiens cDNA FLJ12789 fis, done NT2RP2001947	12.8
13			Hs.161623		7.3
		D87466		KIAA0276 protein	3.1
		D87466		KIAA0276 protein putative nucleolar RNA helicase	1.3
					9.4
20				transcription factor 3 (E2A immunoglobulin enhancer binding factors E12/E47) ESTs, Weakly similar to IDN4-GGTR14 [H.sapiens]	1.5 2.8
20		U31875		short-chain alcohol dehydrogenase family member	12.1
				Rho GTPase activating protein 8	2.3
				GIOT-3 for gonadotropin inducible transcription repressor-3	1.3
				zinc finger protein	7.1
25				hypothetical protein ASH1	1.3
				DKFZP434A043 protein	3.2
				CGI-47 protein	2.0
				coatomer protein complex, subunit epsilon	1.4
				coatomer protein complex, subunit epsilo	1.3
30				diptheria toxin resistance protein required for diphthamide biosynthesis (Saccharomyces)-like 2	2.4
	128670	AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700010L19 gene, clone MGC:16214, mRNA, complete of	
				hypothetical protein MGC5576	7.7
	128696	BE081143	Hs.225977	nuclear receptor coactivator 3	3.8
		Y15221		small Inducible cytokine subfamily B (Cys-X-Cys), member 11	1.6
35		T85231	Hs.179661	tubulin, beta 5	7.6
	128717	AK001564	Hs.104222	hypothetical protein FLJ10702	5.5
	128733	BE147740	Hs.104558	ESTs, Moderately similar to 138022 hypothetical protein [H.sapiens]	2.7
	128737	AF292100	Hs.104613	RP42 homolog	2.8
4.0	128742	AA307211	Hs.251531	proteasome (prosome, macropaln) subunit, alpha type, 4	4.4
40				actin related protein 2/3 complex, subunit 4 (20 kD)	2.2
	128747	AB027249	Hs.104741	PDZ-binding kinase; T-cell originated protein kinase	2.8
	128772	BE302796	Hs.105097	thymidine kinase 1, soluble	5.3
		N71826	Hs.105465	small nuclear ribonucleoprotein polypeptide F	53.9
15				stem cell growth factor; lymphocyte secreted C-type lectin	13.3
45				RD RNA-binding protein	2.6
				nuclear prelamin A recognition factor	2.2
	128830	BE281170	MS.10635/	valosin-containing protein	5.9
	128835	AKUU1/31	HS.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (from clone DKFZp586H0924)	1.6
50				hypothetical protein FLJ13855	2.2
50				hypothetical protein FLJ13855 chromosome 22 open reading frame 3	1.9
	120000	AA440000	Ha 100730	chromosome 22 open reading frame 3	3.0 2.2
	120000	AE100722	He 106779	ATPase, Ca++ transporting, type 2C, member 1	
		F34856			1.5 13.3
55		R57988	Hs.10706	Homo sapiens, clone MGC:16362, mRNA, complete cds epithelial protein lost in neoplasm beta	4.7
55				programmed cell death 5	1.4
		R67419	Hs 21851	Homo sapiens cDNA FLJ12900 fis, clone NT2RP2004321	1.9
		Y13153	Hs 107318	kynureninė 3-monooxygenase (kynureninė 3-hydroxylase)	7.2
		AA009647	Hs.8850	a disintegrin and metalloproteinase domain 12 (meltrin alpha) (ADAM-12)	2.4
60				hypothetical protein DKFZp434N035	1.3
				hypothetical protein FLJ11200	10.9
			Hs.107418		1.4
			Hs.165028		1.3
	128975	BE560779	Hs.284233	NICE-5 protein	14.0
65	128979	AW271217	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HEMBA1003838	1.6
	128995	AI816224	Hs.107747	DKFZP566C243 protein	1.9
	129019	A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapiens cDNA clone 3', mRNA sequence	2.9

				KIAA0530 protein KIAA0530 protein	3.8 2.5
	129032	R80088 H	ls.108104	ubiquitin-conjugating enzyme E2L 3	3.4
_	129076	AW296806 H	ls.326234	ESTs. Highly similar to T46422 hypothetical protein DKFZp434M2023.1 [H.sapiens]	5.0
5	129078	Al351010 H	ls.102267	lysosomal	2.1
	129088	AA744610 H			17.1
	129095	L12350 H	ls.108623	thrombospondin 2	2.7
	129096	AA463189 H	18.288906	WW Domain-Containing Gene	20.9
10	120001	DE243933 FI	18.108042	zinc finger protein 22 (KOX 15)	3.0
10	120000	W93048 H	6 250723	ATP-binding cassette, sub-family C (CFTR/MRP), member 5 hypothetical protein MGC2747	5.8 5.9
	129149	AA356620 H	ls 108947	KIAA0050 gene product	6.3
	129172	AW162916 H	ls.241576	hypothetical protein PRO2577	1.8
		AA286914 H			2.1
15		AA150797 H			3.2
	129198	N57532 H	ls.109315	KIAA1415 protein	5.8
	129207	Al934365 H	ls.109439	osteoglycin (osteoinductive factor, mimecan)	8.0
		U40714 H	ls.239307	tyrosyl-tRNA synthetase	2.9
20	129229	AF013758 H		polyadenylate binding protein-interacting protein 1	3.2
20	129254	AA252468 H	IS.1098	DKFZp434J1813 protein	2.6
	120200			H1 histone family, member X	7.3 9.6
		AI051967 H		ESTs, Weakly similar to S13495 pregnancy zone protein [H.sapiens]	1.2
		AA287239 H		Homo sapiens cDNA FLJ11311 fis, clone PLACE1010102	5.1
25				F-box only protein 9	4.6
			s.279869	melanoma-associated antigen recognised by cytotoxic T lymphocytes	7.6
	129362	U30246 H	ls.110736	solute carrier family 12 (sodium/potassium/chloride transporters), member 2	6.7
	129366	BE220806 H	ls.184697	Homo sapiens done 23785 mRNA sequence	8.6
20		Al686379 H			1.4
30				CGI-99 protein	2.0
				pituitary turnor-transforming 1 interacting protein	7.4
		AI267700 H			5.0
		AI267700 H:		hypothetical protein FLJ20647	2.5 10.2
35				ADP-ribosylation factor-like 7	8.0
-		AW974265 H			3.2
		AA188185 H			6.7
		AA188185 H			3.6
	129513	AW843633 H	s.306163	hypothetical protein AL110115	7.1
40				membrane-associated nucleic acid binding protein	2.5
		AA769221 H			3.2
		W01296 H	s.11360	hypothetical protein FLJ14784	7.5
	129560	AA31/841 H	s.7845 .	hypothetical protein MGC2752	6.8
45	129570			chromosome 1 open reading frame 8	2.0 1.6
73		H14718 H	5.270420 b 11506	progestin Induced protein Human done 23589 mRNA sequence	6.8
		RE408300 H	s 301862	postmeiotic segregation increased 2-like 9	1.4
	129591	N57423 H	s.179898	HSPC055 protein	7.3
			s.36989	coagulation factor VII (serum prothrombin conversion accelerator)	9.0
50·	129596	AF035537 Hs	s.115521	REV3 (yeast homolog)-like, catalytic subunit of DNA polymerase zeta	1.6
				cyclin-dependent kinase inhibitor 2A (melanoma, p16, inhibits COK4)	2.2
				cyclin-dependent kinase inhibitor 2A (me	1.4
		AK000398 1H		hypothetical protein FLJ20391	3.8
55		AD000092 H:		catreficulin	3.3
))		U03749		KIAA0440 protein gb:Human chromogranin A (CHGA) gene, promoter an	13.4 14.1
		AW748482 H		B7 homolog 3	2.6
		A1304966 H		ESTs, Weakly similar to 138022 hypothetical protein [H.sapiens]	7.4
		AA156214 H		APMCF1 protein	2.0
60	129721	NM_001415H	s.211539	eukaryotic translation initiation factor 2, subunit 3 (gamma, 52kD)	1.7
	129726	H15474 H	s.132898	fatty acid desaturase 1	8.3
		AK001676 H		hypothetical protein FLJ10814	1.8
		AA394090 H		Homo sapiens clone 23870 mRNA sequence	5.4
<i>C</i> 5		AF052112 H		lysosomal	1.7
65		BE565817 H:		KIAA0931 protein	1.2
		NM_006590H		hypothetical protein FLJ21657 SnRNP assembly defective 1 homolog	3.1 1.8
	,,,,,,,,			and a management delicented I instituted	1.0

	129861	AL049999	Hs 85963	DKFZP564M182 protein	2.2
				runt-related transcription factor 1 (acute myeloid leukemia 1; aml1 oncogene)	1.7
	129860	AI222069	He 13015	hypothetical protein similar to mouse Dnail1	2.7
		AF042379			
5	120045	DEE44278	HS. 13300	gamma-tubulin complex protein 2	4.5
,				PAI-1 mRNA-binding protein	1.8
	129903	AA412195	HS.13/40	ESTs	2.5
				dynamin 1-like	1.8
		U09848	Hs.132390	zinc finger protein 36 (KOX 18)	1.3
10	129989	AB015856	Hs.247433	activating transcription factor 6	4.0
10	130010	AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6
	130081	AA287325	Hs.14713	ESTs	4.0
	130082	S73265	Hs.1473	gastrin-releasing peptide	1.8
	130097	AL046962	Hs.14845	forkhead box Q3A	2.8
		AL135561			2.3
15		X53002			2.3
			Hs 180610	splicing factor proline/glutamine rich (polypyrimidine tract-binding protein-associated)	3.0
	130112	AA916785	He 180610		2.1
		L76937			1.8
		AA311426			6.1
20					
20		NM_003358			
		D80001		KIAA0179 protein	1.3
		R85367	Hs.51957		2.0
				MyoD family inhibitor	3.2
مخ		X79201			5.4
25	130249	D81983	Hs.322852	GAS2-related on chromosome 22	4.8
	130263	NM_002497	7Hs.153704	NIMA (never in mitosis gene a)-related kinase 2	1.4
	130287	AA479005	Hs.154036	tumor suppressing subtransferable candidate 3	2.6
	130310	AB011121	Hs.154248	amyotrophic lateral scierosis 2 (Juvenile) chromosome region, candidate 3	6.3
	130353	Z19084	Hs.172210	MUF1 protein	6.2
30	130356	AF127577	Hs.155017	nuclear receptor interacting protein 1	2.4
					3.4
					8.5
		AL135301			1.4
		AI077464			3.3
35		N89487		KIAA0005 gene product	1.8
-					3.4
					2.3
					2.7
40				NS1-associated protein 1	1.8
40		U63630	MS.155637		2.3
					3.9
		D90041		N-acetyltransferase 1 (arylamine N-acetyltransferase)	33.6
		D90041		N-acetyltransferase 1 (arylamine N-acety	4.6
45				adducin 1 (alpha)	2.7
45					5.0
	130487	U49844	Hs.77613	ataxia telangiectasia and Rad3 related	4.3
	130498	L38951	Hs.180446	karyopherin (importin) beta 1	1.6
	130503	BE208491	Hs.295112	KIAA0618 gene product	16.1
	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pseudoachondroplasia, epiphyseal dysplasia 1, multiple)	6.1
50	130511	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	5.3
	130526	AW876523	Hs.15929	hypothetical protein FLJ12910	2.1
					7.8
		AA321238			1.5
					14.4
55					4.7
33		AA383092			7.9
		AA232119		putative G-protein coupled receptor	
					3.3
		AF083208			1.2
6 0		AB007891			5.6
60		AL042210			1.4
		AA609738			1.5
		AI354355		down-regulator of transcription 1, TBP-binding (negative cofactor 2)	1.3
			Hs.1674		12.1
	130617		Hs.1674		2.4
65		AA383439		Spir-1 protein	15.9
		BE246961		Homo saplens ubiquitin protein ligase (UBE3B) mRNA, partial cds	13.9
	130674	A1 048842	Hs 194019	attractin	15

	130500	AACEDE01	Un 17501	hypothetical protein to 12032	5.
	130092	AA0323U1	HS. 13361	hypothetical protein MGC4692	5.
		R68537	Hs.17962		2.
_	130712	AJ271881	Hs.279762	bromodomain-containing 7	1.
5	130714	Al348274	Hs.18212	DNA segment on chromosome X (unique) 9879 expressed sequence	2.
	130730	AB007920	Hs 18586	KIAA0451 gene product	
	130744	H59696	He 18747	POPT (proceeding of procures C. enquisites) have to	3.
			113.10747	POP7 (processing of precursor, S. cerevisiae) homolog	3.
		AF052105		chromosome 12 open reading frame	1.4
10	130/5/	ALU36067	Hs.18925	protein x 0001	5.3
10	130768	AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1), member 1	5.
	130789	AK000355	Hs.8899	sirtuin (silent mating type information regulation 2, S.cerevisiae, homolog) 5	5.3
			Hs.19822	SEC24 (S. cerevisiae) related gene family, member D	
		J05068	Hs.2012		1.5
	130934	A1 4574C0	Un 22012	transcobalamin I (vitamin B12 binding protein, R binder family)	15
15	420041	AL 13/400	NS.323023	Homo sapiens cDNA FLJ20848 fis, clone ADKA01732	2.8
13			Hs.20183		1.5
		U76248	Hs.20191	seven in absentia (Drosophila) homolog 2	3.4
	130855	AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7
	130861	NM 01657	8Hs.20509	HBV pX associated protein-8	
	130879	NM_00341	6Hs 2076		1.9
20				zinc finger protein 7 (KOX 4, clone HF.16)	1.4
20			Hs.20830		2.1
	130892	AL120837	Hs.20993	high-glucose-regulated protein 8	2.4
	130898	AB033078	Hs.186613	sphingosine-1-phosphate lyase 1	1.7
	130911	BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, member 2	1.8
	130919	N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture antigen) binding protein	
25			Hs.21486	signal transducer and activator of transcription 1, 91kD	2.3
		N39842		KIAA1673	5.4
					2.2
			HS.74316	desmoplakin (DPI, DPII)	1.8
		T97401	Hs.21929	ESTs	1.6
	131005	AV658308	Hs.2210	thyroid hormone receptor interactor 3	1.6
30	131028	AI879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP), gamma	1.2
		AI826288		hypothetical protein MGC2628	
		AA321649		small inducible cytokine subfamily B (Cys-X-Cys), member 10	1.6
		AA321649			7.4
				small inducible cytokine subfamily B (Cy	3.0
2 5		H23230	HS.22481	ESTs, Moderately similar to A46010 X-linked retinopathy protein [H.sapiens]	1.7
35	131060	AA194422	Hs.22564	myosin VI	5.1
	131060	AA194422	Hs.22564	myosin VI	2.5
	131070		Hs.22607	ESTs	
		AA749230		dolichyl-phosphate (UDP-N-acetylglucosamine) N-acetylglucosaminephosphotransferase 1 (7.1
		AA749230		deliabil abasabate (USD 41 sast tales same) in-acetyigiucusaininephosphotransierase 1 (2.0
40	1310/0	AL 422250	11- 200504	dolichyl-phosphate (UDP-N-acetylglucosam	1.9
+0	131099	AL133353	MS.226581	COX15 (yeast) homolog, cytochrome c oxidase assembly protein	7.0
	131174	NM_006540)Hs.29131	nuclear receptor coactivator 2	1.9
	131185	BE280074	Hs.23960	cyclin B1	5.8
	131206	AW138839	Hs.24210		2.0
			Hs.24332		
45	131225		Hs.31659		7.0
13				thyroid hormone receptor-associated protein, 95-kD subunit	7.5
	131231		Hs.59757		2.9
	131233	1189053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain 3	3.5
	131243	AW383256	Hs.24752	spectrin SH3 domain binding protein 1	2.8
	131245	AL080080	Hs.24766	thioredoxin domain-containing	2.8
50	131247	A1 043100	Hs 326190	fatty acid amide hydrolase	
	131281	AA251716	Hs.25227	ECTe	5.6
		V00000	Un 220742	Manager I and a Strong (DO P. or.)	5.7
	131283	A60030	HS.3397 13	Homo saplens clone F19374 APO E-C2 gene cluster	1.3
	131305	AV656017	HS.184325	CGI-76 protein	5.0
	131320	AA505691	Hs.145696	splicing factor (CC1.3)	1,8
55 .	131339	AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6
	131339	AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	
	131375	AW293165	Hs.143134	FSTe	2.6
	121200	DE360388	He 10200	militaria del alla accesa de contacta de CO	5.4
	424440	DE050440	Un 070000	mitochondrial ribosomal protein L20	5.3
-0	131410	BE259110	HS.2/9836	HSPC166 protein	2.2
50	131412	NM_012247	Hs.124027	SELENOPHOSPHATE SYNTHETASE; Human selenium donor protein	2.0
	131429	AL046302	Hs.26750	hypothetical protein FLJ21908	1.4
		BE297567		hypothetical protein FLJ20392	
		AA992841		KIAA1458 protein	1.7
		AV661958			2.0
55		AV661958		GK001 protein	2.6
,,			:	GK001 protein	1.6
		AA732153		Homo sapiens cDNA: FLJ21333 fis, clone COL02535	2.0
	131528	AU076408	Hs.28309	UDP-glucose dehydrogenase	16

	424 500	DE000070	11. 00000	The state of the s	7 4
		BE268278		hypothetical protein MGC2592	7.4
	131543	AW966881	Hs.41639	programmed cell death 2	2.2
	131544	AL355715	Hs.28555	programmed cell death 9 (PDCD9)	2.1
		NM_003512		H2A histone family, member L	1.7
5					
J		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PLACE1004405	5.1
	131564	T93500	Hs.28792	Homo saplens cDNA FLJ11041 fis, clone PL	1.8
	131569	AL389951		nucleoporin 50kD	5.0
		BE393822		Homo saplens mRNA; cDNA DKFZp761C029 (from clone DKFZp761C029); partial cds	1.8
10		R78195	Hs.29692	Homo saplens cDNA FLJ11436 fis, clone HEMBA1001213	1.3
10	131623	AB037791	Hs.29716	hypothetical protein FLJ10980	2.2
	131623	AB037791	Hs 29716	hypothetical protein FLJ10980	1.9
		AW410601		HSPC182 protein	2.9
		AW960597		ESTs	1.3
	131656	Al218918	Hs.30209	KIAA0854 protein	2.8
15	131669	X52486	Hs.3041	uracil-DNA glycosylase 2	2.8
		BE559681		KIAA0124 protein	5.6
		AA642831		putative DNA binding protein	2.9
	131722	D13757	Hs.311	phosphoribosyl pyrophosphate amidotransferase	3.4
	131737	AK001641	Hs.31323	inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein	3.8
20		X76732	Hs.3164	nucleobindin 2	2.9
20					
		X76732	Hs.3164	nudeobindin 2	2.8
	131763	A1878932	Hs.317	topoisomerase (DNA) I	3.4
	131772	AA382590	Hs.170980	KIAA0948 protein	25.5
				DKFZP586J0119 protein	5.5
25		D87077			2.4
2,5				KIAA0240 protein	
				Homo sapiens cDNA FLJ14656 fis, clone NT2RP2002439	7.9
	131795	BE501849	Hs.32317	high-mobility group 208	1.4
	131798	X86098	Hs.301449	adenovirus 5 E1A binding protein	4.1
		U20536	Hs.3280	caspase 6, apoptosis-related cysteine protease	4.2
30					
30		U28838	Hs.32935	TATA box binding protein (TBP)-associated factor, RNA polymerase III, GTF3B subunit 2	3.5
	131850	Al251317	Hs.33184	ESTs	5.1
	131878	AA083764	Hs.6101	hypothetical protein MGC3178	5.8
		BE502341		ESTs	13.7
				ESTs .	2.4
25		BE502341	HS.3402		
35		W17064		SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member	1 3.2
	131900	AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, complete cds	8.7
				Homo sapiens, clone MGC:15961, mRNA, com	2.0
				Homo sapiens cDNA: FLJ22993 fis, done KAT11914	
	43400/	A ENTRREE			55
					5.5
40	131905	AA179298	Hs.3439	stomatin-like 2	11.3
40	131905	AA179298	Hs.3439		
40	131905 131913	AA179298 AW207440	Hs.3439 Hs.185973	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase)	11.3
40	131905 131913 131916	AA179298 AW207440 AA025976	Hs.3439 Hs.185973 Hs.34569	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase) ESTs .	11.3 1.7 5.2
40	131905 131913 131916 131925	AA179298 AW207440 AA025976 AF151048	Hs.3439 Hs.185973 Hs.34569 Hs.183180	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog)	11.3 1.7 5.2 2.7
40	131905 131913 131916 131925 131929	AA179298 AW207440 AA025976 AF151048 BE541211	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711	11.3 1.7 5.2 2.7 5.3
	131905 131913 131916 131925 131929 131941	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog)	11.3 1.7 5.2 2.7 5.3 2.3
	131905 131913 131916 131925 131929 131941	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1	11.3 1.7 5.2 2.7 5.3
40 45	131905 131913 131916 131925 131929 131941 131950	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086 Hs.35380	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein	11.3 1.7 5.2 2.7 5.3 2.3 1.5
	131905 131913 131916 131925 131929 131941 131950 131962	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086 Hs.35380 Hs.267448	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3
	131905 131913 131916 131925 131929 131941 131950 131962 131965	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35380 Hs.267448 Hs.35962	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4
	131905 131913 131916 131925 131929 131941 131950 131962 131965 131971	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086 Hs.35380 Hs.267448 Hs.35962 Hs.154938	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5
	131905 131913 131916 131925 131929 131941 131950 131962 131965 131971	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35380 Hs.267448 Hs.35962	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4
45	131905 131913 131916 131925 131929 131941 131950 131962 131965 131971 131977	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35086 Hs.35380 Hs.267448 Hs.35962 Hs.154938 Hs.3622	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5
	131905 131913 131916 131925 131929 131941 131950 131962 131965 131971 131977 131985	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA3555113 AK000046 W79283 BE567100 U90441 AA503020	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35086 Hs.267448 Hs.35962 Hs.154938 Hs.3622 Hs.36563	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II hypothetical protein FLJ22418	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4
45	131905 131913 131916 131925 131929 131941 131950 131965 131971 131977 131985 131991	AA179298 AW207440 AA025976 F151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35086 Hs.35380 Hs.267448 Hs.35962 Hs.154938 Hs.3622 Hs.36563 Hs.36708	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1
45	131905 131913 131916 131925 131929 131941 131950 131965 131965 131977 131985 131991 132019	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306 H56995	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35380 Hs.267448 Hs.35962 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.37372	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2
45	131905 131913 131916 131925 131929 131941 131950 131965 131965 131977 131985 131991 132019	AA179298 AW207440 AA025976 F151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.35086 Hs.35380 Hs.267448 Hs.35962 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.37372	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1
45	131905 131913 131916 131925 131925 131941 131950 131965 131977 131987 131991 132019	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306 H56995 AF193844	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.34804 Hs.35380 Hs.267448 Hs.35962 Hs.154938 Hs.36563 Hs.36563 Hs.3758	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unlnhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8
45	131905 131913 131916 131925 131924 131941 131965 131965 131977 131985 131991 132013 132031 132062	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000048 W79283 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155	Hs.3439 Hs.185973 Hs.34569 Hs.183180 Hs.3686 Hs.35380 Hs.267462 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.3772 Hs.3775 Hs.3775 Hs.3758	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II hypothetical protein FLJ22418 budding unInhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47	11.3 1.7 5.2 2.7 5.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5
45	131905 131913 131916 131925 131929 131941 131950 131962 131967 131977 131985 131991 132019 132031 132062 132084	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306 H56995 AF19384 BE266155 NM_002267	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.257448 Hs.35962 Hs.154938 Hs.36263 Hs.36708 Hs.37372 Hs.3758 Hs.37372 Hs.3758 Hs.38386	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4)	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5 3.7
45	131905 131913 131916 131925 131929 131941 131965 131965 131977 131987 131991 132019 132031 132064 132084 132103	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155 NM_002267 BE171921	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.3622 Hs.154938 Hs.3622 Hs.36708 Hs.37372 Hs.3758 Hs.382758 Hs.382758	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5
45	131905 131913 131916 131925 131929 131941 131965 131965 131977 131987 131991 132019 132031 132064 132084 132103	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306 H56995 AF19384 BE266155 NM_002267	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.3622 Hs.154938 Hs.3622 Hs.36708 Hs.37372 Hs.3758 Hs.382758 Hs.382758	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4)	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5 3.7
45	131905 131913 131916 131925 131929 131941 131950 131965 131977 131985 131991 132019 132031 132062 132084 132103 132103	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 H56995 AF193844 BE2661256 MM_00226 BE171921 AV646076	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.35952 Hs.154938 Hs.3622 Hs.36563 Hs.36758 Hs.36708 Hs.3778 Hs.38708 Hs.3758 Hs.3832 7Hs.3866 Hs.3991 Hs.39959	stomatin-like 2 degenerative spermatocyte (hornolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 hornolog) Horno saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unhhibited by benzimidazoles 1 (yeast hornolog), beta Horno saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5 5.8
45	131905 131913 131915 131925 131929 131941 131950 131965 131971 131977 131985 131991 132031 132062 132084 132105 132116	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053036 AF193844 BE266155 NM_00226; BE1711921 AV646076 AW960474	Hs.3439 Hs.185973 Hs.185979 Hs.34569 Hs.345086 Hs.35086 Hs.35086 Hs.35962 Hs.154938 Hs.3622 Hs.36563 Hs.36722 Hs.3758 Hs.3772 Hs.3758 Hs.3832 77Hs.3886 Hs.39959 Hs.40289	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unInhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin slpha 3 (importin alpha 4) ESTs ESTs ESTs	11.3 1.7 5.2 2.7 5.3 1.5 2.3 1.4 3.5 6.5 2.4 2.1 3.2 5.8 1.5 3.7 1.4 5.8
45 50 55	131905 131913 131916 131929 131941 131950 131962 131962 131967 131977 131985 131991 132013 132062 132084 132103 132103 132106 132116 132116	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000048 W79283 BE567100 U90441 AA503020 AF05395 AF193844 BE266155 NM_00226; BE171921 AV646076 AW960474 AA857025	Hs.3439 Hs.185973 Hs.34569 Hs.34569 Hs.35086 Hs.35086 Hs.357462 Hs.357462 Hs.36563 Hs.36708 Hs.36708 Hs.37772 Hs.37578 Hs.3832 7Hs.3886 Hs.3995 Hs.39959 Hs.39959 Hs.40289	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unIntibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyophenn alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs kinesin-like 1	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 5.8 1.5 3.7 1.4 5.8 1.7 3.3
45 50 55	131905 131913 131916 131925 131929 131941 131952 131965 131965 131977 131977 131977 132019 132031 132062 132084 132105 132105 132116 132176 132176	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AA355113 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155 NM_002267 BE171921 AV646076 AW960474 AA857025 NM_004461	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.3652 Hs.3652 Hs.36523 Hs.36708 Hs.37372 Hs.3758 Hs.3854 Hs.3891 Hs.3891 Hs.3991 Hs.40289	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 5.5 3.7 1.4 5.8 1.7 3.3 1.4
45 50 55	131905 131913 131916 131925 131929 131941 131950 131965 131971 131977 131985 131991 132031 132062 132084 132103 13216 13216 132176 132180 132180	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 H56995 AF193844 BE266155 BE171921 AV646076 AW857025 MM_00246 AA857025 MM_00466 AA206153	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.35380 Hs.3622 Hs.154938 Hs.3622 Hs.36763 Hs.36768 Hs.3778 Hs.38798 Hs.3891 Hs.39919 Hs.40289 Hs.40289 Hs.40289 Hs.418	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxylase), alpha polypeptide II hypothetical protein FLJ22418 budding unhihibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs ESTs ESTs Iniportinal fibroblast activation protein, alpha millochondrial ribosomal protein L37	11.3 1.7 5.2 2.7 5.3 2.3 1.5 6.5 2.4 3.5 6.5 2.4 3.7 5.8 1.7 3.3 1.7 5.8 1.7
45 50 55	131905 131913 131915 131925 131929 131941 131950 131965 131971 131977 131985 131991 132031 132062 132084 132105 132116 132176 132176 132180 132192	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA3555113 AK000046 W79283 BE567100 U90441 AA503020 AF053036 AF193844 BE266155 NM_00226; BE171921 AV646076 AW960474 AA57025 NM_004461 AA268153 R42432	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35086 Hs.35380 Hs.36563 Hs.36563 Hs.36563 Hs.3672 Hs.3772 Hs.3772 Hs.3758 Hs.3873 Hs.3878 Hs.3878 Hs.38959 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unInhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs kinesin-like 1 fibroblast activation protein, alpha millochondrial ribosomal protein L37 ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 5.5 3.7 1.4 5.8 1.7 3.3 1.4
45 50 55	131905 131913 131915 131925 131929 131941 131950 131965 131971 131977 131985 131991 132031 132062 132084 132105 132116 132176 132176 132180 132192	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA3555113 AK000046 W79283 BE567100 U90441 AA503020 AF053036 AF193844 BE266155 NM_00226; BE171921 AV646076 AW960474 AA57025 NM_004461 AA268153 R42432	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35086 Hs.35380 Hs.36563 Hs.36563 Hs.36563 Hs.3672 Hs.3772 Hs.3772 Hs.3758 Hs.3873 Hs.3878 Hs.3878 Hs.38959 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-profine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unInhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs kinesin-like 1 fibroblast activation protein, alpha millochondrial ribosomal protein L37 ESTs	11.3 1.7 5.2 2.7 5.3 1.5 2.3 1.5 6.5 2.4 2.1 3.5 5.8 1.5 3.7 1.4 5.8 1.7 3.3 1.7 3.4
45 50 55	131905 131913 131916 131925 131929 131941 131965 131965 131967 131971 132019 132031 132062 132084 132103 132105 132116 132116 132116 132116 132116 132116 1321214 1321214 1321214 132122 132194 132203	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AK000046 W79283 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155 NM_002267 BE1761921 AV46075 NM_004461 AA206153 NM_004784 NM_004784	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.257448 Hs.35962 Hs.154938 Hs.36563 Hs.36708 Hs.36708 Hs.37372 Hs.3758 Hs.38758 Hs.3891 Hs.3891 Hs.3895 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40289 Hs.40212 2Hs.194714	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo saplens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding unInhibited by benzimidazoles 1 (yeast homolog), beta Homo saplens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs inesin-like 1 fibrotiast activation protein, alpha millochondrial ribosomal protein L37 ESTs synaptosomal-associated protein, 29kD	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 6.5 2.4 2.1 3.7 1.4 5.8 1.7 3.3 14.7 5.4 4.2 2.7
45 50 55 60	131905 131913 131916 131925 131929 131941 131955 131965 131965 131977 131977 131985 132019 132031 132062 132105 132105 132116 132176 132180 132192 132194 132203 132192 132203	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AA355113 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155 NM_00226' BE171921 AV646076 AW960474 AA857025 NM_004461 AA208153 R42432 NM_00478' BE206939	Hs.3439 Hs.185973 Hs.185979 Hs.183180 Hs.34804 Hs.35380 Hs.35380 Hs.35962 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.37372 Hs.3758 Hs.38578 Hs.3891 Hs.38959 Hs.40289 Hs.40289 Hs.40289 Hs.418 Hs.4209 Hs.4114 Hs.4212	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; lipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-proline, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 5.8 1.5 3.7 1.4 5.8 1.7 3.3 14.7 5.5 4.4 2.2 2.2
45 50 55	131905 131913 131916 131925 131929 131941 131950 131965 131977 131985 131991 132019 132031 132062 132084 132103 132160 132180 132180 132180 132192 132194 132203 132207 132207	AA179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266153 RM_00226; BE171921 AV646076 AW960474 AA857025 AW9646153 R42432 NM_00446 AA208153 R42432 NM_00458 AF19394 AV658411	Hs.3439 Hs.185973 Hs.185979 Hs.183480 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.3622 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.37372 Hs.3758 Hs.38768 Hs.3891 Hs.3991 Hs.40289 Hs.40289 Hs.4122 Hs.4128 Hs.4294 Hs.4212 Hs.4209 Hs.4212 Hs.4209 Hs.4212 Hs.4209 Hs.4212 Hs.42656	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs	11.3 1.7 5.2 5.3 2.3 1.5 6.5 2.4 3.5 5.8 1.5 3.4 5.8 1.7 5.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1.8 1
45 50 55 60	131905 131913 131916 131925 131929 131941 131950 131965 131977 131985 131991 132019 132031 132062 132084 132103 132160 132180 132180 132180 132192 132194 132203 132207 132207	A4179298 AW207440 AA025976 AF151048 BE541211 BE252983 AA355113 AA355113 BE567100 U90441 AA503020 AF053306 H56995 AF193844 BE266155 NM_00226' BE171921 AV646076 AW960474 AA857025 NM_004461 AA208153 R42432 NM_00478' BE206939	Hs.3439 Hs.185973 Hs.185979 Hs.183480 Hs.34804 Hs.35380 Hs.35380 Hs.35380 Hs.3622 Hs.154938 Hs.3622 Hs.36563 Hs.36708 Hs.37372 Hs.3758 Hs.38768 Hs.3891 Hs.3991 Hs.40289 Hs.40289 Hs.4122 Hs.4128 Hs.4294 Hs.4212 Hs.4209 Hs.4212 Hs.4209 Hs.4212 Hs.4209 Hs.4212 Hs.42656	stomatin-like 2 degenerative spermatocyte (homolog Drosophila; tipid desaturase) ESTs anaphase promoting complex subunit 11 (yeast APC11 homolog) Homo sapiens cDNA FLJ11472 fis, clone HEMBA1001711 ubiquitin specific protease 1 x 001 protein hypothetical protein FLJ20039 ESTs hypothetical protein MDS025 procollagen-protine, 2-oxoglutarate 4-dioxygenase (proline 4-hydroxytase), alpha polypeptide II hypothetical protein FLJ22418 budding uninhibited by benzimidazoles 1 (yeast homolog), beta Homo sapiens DNA binding peptide mRNA, partial cds COP9 complex subunit 7a clathrin-associated protein AP47 karyopherin alpha 3 (importin alpha 4) ESTs ESTs ESTs ESTs ESTs ESTs ESTs ESTs	11.3 1.7 5.2 2.7 5.3 2.3 1.5 2.3 1.5 2.4 2.1 3.5 5.8 1.5 3.7 1.4 5.8 1.7 3.3 14.7 5.5 4.4 2.2 2.2

	132266	AA301228	Hs.43299	hypothetical protein FLJ12890	5.7
				DKFZP586L151 protein	4.2
				hypothetical protein FLJ13089	2.1
		N36110		solute carrier family 2 (facilitated glucose transporter), member 10	1.5
5	132294	AB023191	He ///131	KIAA0974 protein	10.0
•	132298	NM_015986	FHe 7120	cytokine receptor-like molecule 9	
		AW405882		cortistatin	1.9
	132233	N37065			9.2
			Hs.44856	hypothetical protein FLJ12116	2.0
10	422270	ANVEZOOOE	IIS.170311	heterogeneous nuclear ribonucleoprotein D-like	6.5
10		AW572805		ESTs	3.8
		AF155582			1.5
		AI279892			12.5
		AA312135			28.3
1.0		AL135094		21	1.9
15		AA100012			1.9
				mitochondrial ribosomal protein S14	6.1
		AB011084			1.7
	132465	AW169847	Hs.49169	KIAA1634 protein	8.6
	132470	Al224456	Hs.4934	H.sapiens polyA site DNA	5.2
20	132484	X16660	Hs.119007	RAB4, member RAS oncogene family	1.4
	132518	AW885606	Hs.5064	ESTs	6.1
	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromosomes 4, yeast)-like 1	3.3
	132530	AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. cerevisiae)-like 1	2.0
		AA454132		mitochondrial ribosomal protein L16	2.9
25		BE388673		hypothetical protein MGC10433	2.2
		BE568452		protein regulator of cytokinesis 1	7.3
		AW674699		suppressor of G2 allele of SKP1, S. cerevisiae, homolog of	1.7
		AW631437		TH1 drosophila homolog	7.1
		AK001484		CGI-45 protein	2.2
30		AA345547			2.2
50		H12751		hypothetical protein FLJ13287	
			Hs.5327	PRO1914 protein	6.8
				hypothetical protein PRO1855	14.0
		A1796870			11.4
35		U51127	Hs.54434	hypothetical protein MGC1715	1.9
33	132008	AB018319	HS.5460	KIAA0776 protein	2.6
				collagen, type VIII, alpha 2	2.0
		F11875	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT2RP2005645	1.5
		NM_004600		Sjogren syndrome antigen A2 (60kD, ribonucleoprotein autoantigen SS-A/Ro)	3.0
40		Al142265			2.4
40				hypothetical protein MGC4840	12.4
				glutamyl-prolyl-tRNA synthetase	14.6
		AA125985			2.7
		Y10275	Hs.56407		3.0
	132773	AA459713	Hs.295901	KIAA0493 protein	2.3
45	132784	Al142133	Hs.56845	GDP dissociation inhibitor 2	1.8
	132798	AI026701	Hs.5716	KIAA0310 gene product	3.7
	132807	U07418	Hs.57301	muti. (E. coli) homolog 1 (colon cancer, nonpolyposis type 2)	1.8
	132810	AB007944		KIAA0475 gene product	5.9
	132813	BE313625	Hs.57435	solute carrier family 11 (proton-coupled divalent metal ion transporters), member 2	8.7
50		AI815189			6.4
		N27852	Hs.57553		3.6
	132821	AJ251595	Hs.169610	CD44 antigen (homing function and Indian blood group system)	2.8
			Hs.57783		14.6
				Homo sapiens clone PP1596 unknown mRNA	1.6
55		F12200	Hs.5811	chromosome 21 open reading frame 59	2.5
-		U09716		lectin, mannose-binding, 1	1.4
				RAB10, member RAS oncogene family	4.2
				ESTs, Moderately similar to AF116721 89 PRO2168 [H.sapiens]	2.8
		AW007683		KIAA1266 protein	
60		NM_004850		Rho-associated, coiled-coil containing protein kinase 2	2.0
JU		BE267143		U2(RNU2) small nuclear RNA auxillary factor 1 (non-standard symbol)	1.6
				ring finger protein 15	1.4
		AW503667			5.4
		AI936442		hypothetical protein FLJ10808	6.1
65				Homo sapiens cDNA FLJ11095 fis, clone PLACE1005374	7.1
UJ			Hs.60257	Homo sapiens cDNA FLJ13598 ffs, clone PLACE1009921	2.8
				Homo sapiens mRNA for KIAA1724 protein, partial cds	6.1
	132341	C017100	115.01ZU	hypothetical protein FLJ13222	10.3

				KIAA0666 protein	1.8
				Homo sapiens mesenchymal stem cell protein DSC96 mRNA, partial cds	2.2
		AA576635		CGI-48 protein	4.9
_	132972	AA034365	Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HEMBA1000575	2.7
5	132973	AA035446	Hs.323277	ESTs	5.3
	132977	AA093322	Hs.301404	RNA binding motif protein 3	3.2
			Hs.62016		1.3
				clone HQ0310 PRO0310p1	3.0
	133012	AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	10.3
10	133015	AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 7 (GalNAc-1	7) 2
		AI439688		hypothetical protein FLJ20886	1.3
	133053	AI065016	Hs.6390	Homo sapiens done FLB3344 PRO0845 mRNA, complete cds	6.0
	133062	AW500374	Hs.64056	PRO0149 protein	5.3
	133069	BE247441	Hs.6430	protein with polyglutamine repeat; calcium (ca2+) homeostasis endoplasmic reticulum protein	4.9
15	133091	AK001628	Hs.64691	KIAA0483 protein	3.5
	133110	AA808177	Hs.65228	ESTs	13.1
		AF198620		RNA blnding motif protein 8A	1.3
		H94227	Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA, partial cds	2.2
		Z11695		mitogen-activated protein kinase 1	1.3
20				hypothetical protein MGC2745	17.1
			Hs.66665		1.8
		X97795	Hs.66718		4.9
				hypothetical protein FLJ20671	3.1
		AI801777		ESTs	4.4
25				Homo saplens, Similar to bromodomain-containing 4, clone IMAGE:3542455, mRNA, partial cds	1.7
		Al492924		golgi phosphoprotein 1	6.0
				ADP-ribosylation factor-like 1	1.5
				Homo sapiens, clone IMAGE:3544662, mRNA, partial cds	1.4
			Hs.69233		5.6
30				ESTs, Weakly similar to FXD2_HUMAN FORKHEAD BOX PROTEIN D2 [H.sapiens]	1.9
50		M76477		GM2 ganglioside activator protein	4.7
				NRAS-related gene	5.0
		AA102670		gamma-aminobutyric acid (GABA) A receptor, pi	2.7
		T79526		integral type I protein	9.3
35		AL390127		Kruppel-like factor 13	4.4
55		BE257758		acid cluster protein 33	1.8
		Al016521			5.5
				v-akt murine thymoma viral oncogene homolog 1 non-metastatic cells 5, protein expressed in (nucleoside-diphosphate klnase)	2.7
		AA292811			1.7
40	133301	AF231919	Hs. 10/09	KIAA0539 gene product	
40		AF245505		DKFZP564l1922 protein	1.8
		BE313555		KIAA1224 protein	1.7
		AI950382		phosphatidylserine receptor	1.3
		AW103364		inhibin, beta A (activin A, activin AB alpha polypeptide)	16.1
45				hypothetical protein HT023	12.2
43		AL031591		phosphotidylinositol transfer protein, beta	10.4
				protein kinase, Interferon-inducible double stranded RNA dependent	1.2
		AI659306		protein tyrosine phosphatase, non-receptor type 4 (megakaryocyte)	1.7
		AW964804		hypothetical protein FLJ22237	11.1
50		W45623	Hs.74571	ADP-ribosylation factor 1	2.8
50		AL037159		proteasome (prosome, macropain) 26S subunit, non-ATPase, 2	2.9
				damage-specific DNA binding protein 1 (127kD)	2.5
		AU077050		translin	1.5
		X75346	Hs.75074	milogen-activated protein kinase-activated protein kinase 2	2.1
		BE391579		Fas-activated serine/threonine kinase	1.3
55				nuclear phosphoprotein similar to S. cerevislae PWP1	2.2
		AA393273		transcription factor 6-like 1 (mitochondrial transcription factor 1-like)	1.5
	133599	NM_00288	5Hs.75151	RAP1, GTPase activating protein 1	5.7
		NM_00489		H2A histone family, member Y	25.5
		NM_00204		glycyl-tRNA synthetase	15.8
60		NM_00040		exostoses (multiple) 2	3.3
		U25849	Hs.75393	acid phosphatase 1, soluble	1.6
		AV661185		mitochondrial ribosomal protein L19	4.1
		L27841	Hs.75737	pericentriolar material 1	1.5
				matrix Gla protein	6.3
65				Homo sapiens, Similar to likely ortholog of yeast ARV1, clone IMAGE:3506392, mRNA	3.9
	133757	T52946	Hs.196209	RAE1 (RNA export 1, S.pombe) homolog	1.7
	133760	BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal protein SA)	1.8

	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteoblast)	1.5
			Hs.76152	decorin	3.5
			Hs.301064		6.8
5		M34338	Hs.76244		2.6
3			Hs.76272		1.4
		D50525	Hs.699	peptidylprolyl Isomerase B (cyclophilin B)	8.0
	133846	AVV/9/400	Hs.265013 Hs.76704	putative human HLA class II associated protein I ESTs	13.5
		W29092	Hs.7678	cellular retinoic acid-binding prolein 1	2.2
10		U86782		26S proteasome-associated pad1 homolog	1.8
			Hs 170290	discs, large (Drosophila) homolog 5	2.0 2.8
	133867	AW340125	Hs.76989	KIAA0097 gene product	6.7
	133868	AB012193	Hs.183874	cullin 4A	2.5
		U30872		centromere protein F (350/400kD, mitosin)	3.0
15	133922	U30825	Hs.77608		1.4
		D86326	Hs.325948	vesicle docking protein p115	5.4
	133929	NM_00630	6Hs.211602	SMC1 (structural maintenance of chromosomes 1, yeast)-like 1	4.9
	133936	L17128	Hs.77719	gamma-glutamyl carboxylase	3.7
20	133941	BE244332		adaptor-related protein complex 3, mu 2 subunit	12.1
20		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	9.7
	1339/6	A1908165	Hs.169946	GATA-binding protein 3 (T-ceil receptor gene activator)	3.1
	133989	ALU40328	MS.78202	SWI/SNF related, matrix associated, actin dependent regulator of chromatin	1.3
			Hs.78281		9.7
25	134015	D31764		RNA binding protein; AT-rich element binding factor sorting nexin 17	2.4
			0Hs.78946		2.5
		U41060	Hs.79136		1.3 4.2
			2Hs.79305		2.2
		H86504		protein phosphatase 2, regulatory subunit B (B56), epsilon isoform	5.0
30	134200	BE559598	Hs.197803	KIAA0160 protein	3.2
			Hs.79968	splicing factor 30, survival of motor neuron-related	2.5
	134208	NM_00028	3Hs.79993	peroxisomal biogenesis factor 7	2.1
		NM_000403		glucose-6-phosphate dehydrogenase	9.1
25		BE300078		Homo sapiens, clone IMAGE:3535294, mRNA, partial cds	2.8
35		AI878910		cisplatin resistance-associated overexpressed protein	1.8
		AI906291		Immunoglobulin superfamily, member 3	2.0
		AW502505		Homo saplens cDNA: FLJ21927 fis, done HEP04178, highly similar to HSU90909	2.5
	134303	U61397	Hs.81424	ubiquitin-like 1 (sentrin) KIAA1100 protein	2.8
40		AW903838			10.4
-10		N92036	Hs.81848	chondroitin sulfate proteoglycan 2 (versican) RAD21 (S. pombe) homolog	1.9 2.6
		NM_004922		SEC24 (S. cerevisiae) related gene family, member C	2.3
		AW291946		interleukin 6 signal transducer (gp130, oncostatin M receptor)	13.0
		AA339449		phosphoribosylglycinamide formyltransferase, phosphoribosylglycinamide synthetase,	8.8
45	134376	X06560	Hs.82396	2',5'-oligoadenylate synthetase 1 (40-46 kD)	1.5
	134379	AW362124	Hs.323193	hypothetical protein MGC3222	8.1
			Hs.8254	Homo saplens, Similar to tumor differentially expressed 1, clone IMAGE:3639252, mRNA, partia	cds 2.6
		AA417383		integrin, beta-like 1 (with EGF-like repeat domains)	4.1
50		AA456539		lysosomal	1.7
50		AA334551		sparm specific antigen 2	2.6
		AW067903		collagen, type XI, alpha 1	1.3
	134411	BE2/2095	HS.76//97	reticulocalbin 1, EF-hand calcium binding domain	3.2
		AI750762 AU077196		protein tyrosine phosphatase type IVA, member 2	1.9
55	134424		Hs.83023	collagen, type V, alpha 2	10.3
55		AA112036		peroxisomal biogenesis factor 11B KIAA0252 protein	2.4
	134447			nuclear factor of kappa light polypeptide gene enhancer in B-cells 1 (p105)	1.2 1.6
	134470			CDC28 protein kinase 2	2.1
		NM_005000		Empirically selected from AFFX single probeset	5.3
60	134485			cathepsin K (pycnodysostosis)	2.5
-		AW246273		threonyl-tRNA synthetase	2.1
	134513	AA425473	Hs.84429	KIAA0971 protein	3.8
	134516	AK001571	Hs.273357	hypothetical protein FLJ10709	2.4
		BE091005		activated RNA polymerase II transcription cofactor 4	6.7
65		AW411479		FK506-binding protein 4 (59kD)	2.3
		BE244323		exportin, tRNA (nuclear export receptor for tRNAs)	5.5
	134582	AA927177	rs.86041	CGG triplet repeat binding protein 1	5.8

	134612	AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.2
	134624	AF035119	Hs.8700	deleted in liver cancer 1	2.0
	134632	X78520	Hs.174139	chloride channel 3	2.3
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	1.4
5	134664	AA256106	Hs.87507	ESTs	72.9
	134666	BE391929	Hs.8752	transmembrane protein 4	8.5
	134687	U62317	Hs.88251	arylsulfatase A	6.0
	134692	NM_003474	Hs.8850	a disintegrin and metalloproteinase domain 12 (meltrin alpha)	4.3
		BE161887		anaphase-promoting complex subunit 10	2.3
10		Y14768	Hs.890	lysosomal	6.7
	134719	AA852985	Hs.89232	chromobox homolog 5 (Drosophila HP1 alpha)	2.3
	134722	AF129536	Hs.284226	F-box only protein 6	2.9
	134724	AF045239	Hs.321576	ring finger protein 22	6.6
	134746	X07871	Hs.89476	CD2 antigen (p50), sheep red blood cell receptor	· 2.3
15	134751	AW630803	Hs.89497	lamin B1	6.2
	134790	BE002798	Hs.287850	integral membrane protein 1	1.9
	134806	AD001528	Hs.89718	spermine synthase	1.8
	134834	AW451370	Hs.8991	adaptor-related protein complex 1, gamma 2 subunit	1.4
	134850	AI701162	Hs.90207	hypothetical protein MGC11138	1.4
20	134853	BE268326	Hs.90280	5-aminoimidazole-4-carboxamide ribonucleotide formyltransferase/IMP cyclohydrolase	5.6
	134859	D26488	Hs.90315	KIAA0007 protein	2.8
	134880	Al879195	Hs.90606	15 kDa selenoprotein	1.7
	134910	AA532963	Hs.9100	Homo sapiens cDNA FLJ13100 fis, clone NT2RP3002255	1.7
	134925	AW885909	Hs.6975	PRO1073 protein	2.1
25	134955	AW401361	Hs.91773	protein phosphalase 2 (formerly 2A), catalytic subunit, alpha isoform	1.3
	134971	A1097346	Hs.286049	phosphoserine aminotransferase	2.1
	134975	R50333	Hs.92186	Leman colled-coll protein	2.3
	135011	AB037835	Hs.92991	KIAA1414 protein	1.6
	135022	NM_000408	8Hs.93201	glycerol-3-phosphate dehydrogenase 2 (mitochondrial)	3.9
30	135032	AW301984	Hs.173685	hypothetical protein FLJ12619	6.2
	135077	AW503733	Hs.9414	KIAA1488 protein	2.0
	135083	AB036063	Hs.94262	p53-inducible ribonucleotide reductase small subunit 2 homolog	1.3
•	135095	AF027219	Hs.9443	zinc finger protein 202	7.1
	135096	AA081258	Hs.132390	zinc finger protein 36 (KOX 18)	3.2
35	135153	Al093155	Hs.95420	JM27 protein	2.5
	135181	BE250865	Hs.279529	px19-like protein	1.4
	135199	AA477514	Hs.96247	translin-associated factor X	5.0
	135207	N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATIVE C10 PROTEIN [H.sapiens]	6.1
	135214	T78802	Hs.96560	hypothetical protein FLJ11656	4.6
40	135243	BE463721	Hs.97101	putative G protein-coupled receptor	5.6
	135245	Al028767	Hs.262603		3.5
	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked retinopathy protein [H.sapiens]	1.2
		Al088775		geranylgeranyl diphosphate synthase 1	2.6
	135274	AA448460	Hs.112017	GE36 gene	5.3
45	135294	AA150320	Hs.9800	protein kinase Nimu-R1	9.1
	135295	A1090838	Hs.98006	ESTs	2.4
		A1743770			13.3
		AI652069			2.6
				cell division cycle 2-like 1 (PITSLRE proteins)	8.3
50				Homo saplens cDNA FLJ10174 fis, clone HEMBA1003959	1.5
		U05237		fetat Alzheimer antigen	4.9
		X78592	Hs.99915		2.0
		R50333	Hs.92186		2.6
		AB037835		KIAA1414 protein	1.4
55				glycerol-3-phosphate dehydrogenase 2 (mi	1.6
	135032	AW301984	Hs.173685	hypothetical protein FLJ12619	1.4
		AW503733		KIAA1488 protein	1.8
		AB036063		p53-inducible ribonucleotide reductase s	2.5
		AF027219		zinc finger protein 202	1.5
60				zinc finger protein 36 (KOX 18)	2.1
		Al093155		JM27 protein	4.4
		BE250865			14.9
		AA477514		translin-associated factor X	1.3
~		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7
65		T78802	Hs.96560	hypothetical protein FLJ11656	6.1
		BE463721		putative G protein-coupled receptor	2.7
	135245	AI028767	Hs.262603	ESIS	12.3

		AW291023		ESTs, Weakly similar to A46010 X-linked	7.6
		Al088775			1.8
	135274	AA448460	Hs.112017	GE36 gene	4.1
	135294	AA150320	Hs.9800	protein kinase Njmu-R1	1.2
5		A1090838		ESTs	4.8
		AI743770		ESTs, Weakly similar to KIAA0822 protein	5.8
		Al652069		ribosome binding protein 1 (dog 180kD ho	12.3
	135354	A A 456454	He 183/18	cell division cycle 2-like 1 (PITSLRE pr	
	135361	A A 272 / E2	Ha 167700	Homo sapiens cDNA FLJ10174 fis, clone HE	5.7
10	135300	LINCOTT	13.10/700	fronto Sapienis CONA FLUTO 174 ilis, Cione ne	7.9
10		U05237		fetal Alzheimer antigen	1.9
		X78592	HS.99915	androgen receptor (dihydrotestosterone r	13.9
	302230	AA85/131	MS.1/1595	HIV TAT specific factor 1	5.3
				HER2 receptor tyrosine kinase (c-erb-b2,	2.2
1 €				HSPC070 protein	1.4
15	303686	AK000714	Hs.109441	MSTP033 protein	5.2
		R43191		Homo sapiens clone IMAGE:32553, mRNA seq	2.3
	315518	AA808229	Hs.167771	ESTs	2.8
	317781	NM_007057	7Hs.42650	ZW10 interactor	2.0
	320836	AI268997	Hs.197289		5.5
20					1.4
	322221	N24236	Hs.179662		1.3
		AF118083	Hs.29494		2.9
					1.6
					1.8
25					1.6
	408196	AL 034548	Hs 43627		6.1
					5.6
		R73727			
					2.6
30		Al267592			2.4
J					1.5
					4.2
		AA381133			23.6
			Hs.82037		5.8
25			Hs.83942		1.3
35		NM_006910			1.6
			Hs.96264		2.3
			Hs.1334		1.6
	421225	AA463798	Hs.102696	MCT-1 protein	3.5
					4.9
40	421828	AW891965	Hs.279789	histone deacetylase 3	3.1
	421983	AI252640	Hs.110364		1.9
		AA302744		121 **	2.4
					4.1
	423750	AF165883	Hs 298229		7.0
45				· • • • • • • • • • • • • • • • • • • •	4.9
					3.4
				The Table 1 and 1	2.1
				manufacture and the control of	7.5
50				m 	1.7
,,					2.4
		AB001636			3.8
		AK001333			5.6
	441560		Hs.7888		2.0
		AF167572			7.5
55					2.2
		AI017574			2.8
					1.7
	448873			density-regulated protein	5.9
	449687			intermediate filament protein syncoilin	5.6
50	450701	H39960	Hs.288467	Homo saplens cDNA FLJ12280 fis, clone MA	1.4
	450703	AA011202	Hs.184771		4.7
	452461				2.9
	452511	BE408178	Hs.285165		12.1
				T1/570 F000 (1900) 1	4.7
55				17 1 1 1 1400 0100 0111	1.3
				As it is a second of the secon	3.2
	102481			a sa a a a a a a a a a a a a a a a a a	6.2
				A	٠.٤

	102827	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	7.9
	103549	BE270465	Hs.78793	protein klnase C, zeta	2.0
	104331	AB040450	Hs.279862	cdk inhibitor p21 binding protein	5.3
	110018	AW579842	Hs.104557	hypothetical protein FLJ10697	2,0
5	115008	AK001827	Hs.87889	helicase-moi	5.7
	119075	M10905	Hs.287820	fibronectin 1	. 1,3
	119615	AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	2.9
	125006	BE065136	Hs.145696	splicing factor (CC1.3)	1.7
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture	2.4
10	129209	R62676	Hs.17820	Rho-associated, coiled-coil containing p	5.2
	129917	M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	4.5
	130182	BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo	11.5
	130365	W56119	Hs.155103	eukaryotic translation initiation factor	3.3
	131135	NM_016569	9Hs.267182	TBX3-iso protein	1.3
15	131853	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	3.2
	131881	AW361018	Hs.3383	upstream regulatory element binding prot	14.
	132726	N52298	Hs.55608	hypothetical protein MGC955	3.0
	135193	X95525	Hs.96103	TATA box binding protein (TBP)-associate	2.7
	409487	H19886		gb:yn57a05.r1 Soares adult brain N2b5H	2.3
20	416040	AW819158	Hs 289044	Homo sapiens cDNA FLJ12048 fis. clone HE	7,4

TABLE 4A

10

Table 4A shows the accession numbers for those pkeys lacking unigeneID's for Table 4. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10	. •		1 Mary and Control and Mary an
	Pkey: U		nique Eos probeset idenlifier number
			ene cluster number
	Access		enbank accession numbers
15			
	Pkey	CAT numb	er Accessions
	123615	3068615	AA609170
		371681 1	AA602964 AA609200
20	101445	16505	M21259
		656394_1	AI267847 N27351
	124417	1642364_1	
	124482	1657509_1	N53935 N53950
	102481	3128128	U50360
25	103349	110522	X89059
	110856	19346_14	. AA992380 N33063 N21418 H79958 R21911 H79957
			103797 109699_1 AA080912 AA075318 AA083403 AA076594 AA078992 AA084926 AA081881 AA113913 AA113892
			AA083821 AA134801 AA082953 AA070343 AA062835 AA075419 AA063293 AA071252 AA078900 AA062836 AW974305
20		160212_1	AA190577 AA181657
30		328626_1	T63857 AW971220 AA493469 T63699
	120472	44573_2	Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671
			AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517
			Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964
35			AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al653832
33			Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512 Al961530 AW629970
			BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874
			Al819225 AW205862 Al683338 Al858509 AW276905 Al633006 AA972584 AA908741 AW072629 AW513996 AA293273
			AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269
40	120010	44573_2	F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
40	123013	443/3_2	AJ950087 N70208 R97040 N36809 AJ308119 AW967677 N35320 AJ251473 H59397 AW971573 R97278 W01059 AW967671
			AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517
			Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al653832
			AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970
45			BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874
			AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273
			AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269
			F00531 H83488 W37181 W78802 R66056 Al002839 R67840 AA300207 AW959581 T63226 F04005
	120695	9683.3	AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210
50			AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468
	122188	275673_1	AA398838 AA435847
	121581	283769_1	AA416568 AA442889 AA417233 AA442223
	122618	305217_1	AA453641 AA454061
	109026	150431_1	AA157811 AA836869
55		genbank_A	
	123811	genbank_A/	A620586 AA620586
		genbank_TS	
			D_entrez_W38150 W38150
60		382979_1	AA199686 N73861
60		genbank_A/	
		genbank_T5	
		genbank_A/	
	120039	genbank_A/	286942 AA286942

120809 genbank_AA346495 113702 genbank_T97307 129680 23162_1 U0374 AA346495 T97307 307 T97307
U03749 NM_001275 J03483 J03915 Al214509 AW245744 AL046455 AA318960 Al741505 AA843875 Al829382 Al560122
Al858999 D55958 Al684005 D53170 AA854091 Al025609 D53119 D54729 D55504 D55377 D55313 AW512244 AA846441
AW043898 Al969102 AA405741 Al091983 AA788784 AA706586 AA854361 AW470949 AA843095 AA772028 Al148432
Al038109 AA782478 AA910064 Al220384 AA781296 AA843881 AA854064 AA843125 AA843419 AA319036 AA319054
Al273831 W32275 Al584185 C05724 AA789023 Al686818 D54392 Al022485 AA431410 AA854232 W39212 W15214 AA894441
Al803081 Al167381 AW245389 AA319430 AA335156 Al042646 AA327030 AA725170 T27943 AA889304 AA976699 Al687001
Al621107 Al865540 AA772107 C06286 AA319661 AA405992
4.105614 5 10 101045 entrez_J05614 J05614 117247 genbank N21032 110501 genbank H55748 103392 entrez_X94563X94563 105032 genbank AA1270 119513 NOT_FOUND_entrez AA127818 15 W37933 105445 genbank AA252395 121514 genbank AA412112 121558 genbank AA412497 121911 genbank AA427950 20 123315 714071_1 AA496369 AA496646 114911 genbank AA236672 409487 1134778_1 - H19886 AW402806 T10231

TABLE 5: Figure 5 from BRCA 001 US

Table 5 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

Pkey: ExAccn:

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number

UnigeneID: Unigene Title: 10

Unigene number

Unigene gene title Ratio of turnor to normal breast tissue

15	Pkey	ExAccn	UnigeneID	UnigeneTitle	R1
	100114	X02308	Hs.82962	thymidylate synthetase	2.9
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5
	100154	H60720	Hs.81892	KIAA0101 gene product	9.2
	100335	AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.7
20	100666	L05424	Hs.169610	CD44 antigen (homing function and Indian	5.7
	100667	L05424	Hs.169610	CD44 antigen (homing function and Indian	9
	100668	L05424	Hs.169610	CD44 antigen (homing function and Indian	7.6
	100678	AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2
	100988	AK000405	Hs.76480	ubiquifin-like 4	11.4
25	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.2
	101045	J05614		gb:Human proliferating cell nuclear anti	5
	101332	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	3.4
	101352	A1494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	6.3
	101580	NM_012151	1Hs.83363	coagulation factor VIII-associated (intr	5.7
30		AF064853	Hs.91299	guanine nucleotide binding protein (5.6
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	14.4
		AA586894		S100 calcium-binding protein A7 (psorias	8.9
		NM_000318	3Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.2
2.5		AI904232	Hs.75323	prohibitin	8.4
35		BE258602		heat shock protein 75	1.4
		BE313280		death associated protein 3	4.6
		AW950852		polymerase (DNA directed), delta 2, regu	4.3
		AA829978		JTV1 gene	6.7
40		U24389	Hs.65436	lysosomal	4.3
40		AA306342		protein kinase C-like 2	2.7
		U37519 U33635	Hs.87539	aldehyde dehydrogenase 3 family, member	2
•		U48705	Hs.90572	PTK7 protein tyrosine kinase 7	6.2
	-	W81489	Hs.75562 Hs.223025	discoldin domain receptor family, member	6.9
45		AL037672		RAB31, member RAS oncogene family extracellular matrix protein 1	5.3 5.8
40		NM_007019			3.0 4.3
		U96132	Hs.171280	ubiquitin carrier protein E2-C hydroxyacyl-Coenzyme A dehydrogenase, ty	
		AU077058		BRCA1 associated RING domain 1	6 1.9
	102705		Hs.50002	small inducible cytokine subfamily A (Cy	2.3
50		BE252241		pyridoxal (pyridoxine, vitamin B6) kinas	6.4
50		BE244588		chaperonin containing TCP1, subunit 2 (b	5.6
		NM 005940		matrix metalloproteinase 11 (MMP11; stro	4.5
		AU077231		cyclin D1 (PRAD1: parathyroid adenomatos	3.1
		AA205475		ribosomal protein S18	9.9
55	103206		Hs.77367	monokine induced by gamma interferon	8.8
		Al369285	Hs.75189	death-associated protein	5.6
		AI376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7
	103549	BE270465	Hs.78793	protein kinase C, zeta	7.9
	103886	AK001278	Hs.105737	hypothetical protein FLJ10416 similar to	6.5
60		BE379766		polymerase (RNA) II (DNA directed) polyp	6.3
	104827	AW052006	Hs.8551	PRP4/STK/WD splicing factor	10.9
	104846	A1250789	Hs.32478	ESTs	5.6
		AA041276		3-phospholnositide dependent protein kin	12.3
	104867	AA278898	Hs.225979	hypothetical protein similar to small G	2

	104896	AW015318	Hs.23165	ESTs	17.7
		AW408164		transcription factor 19 (SC1)	5
	104916	AW958157	Hs.155489	NS1-associated protein 1	1.7
	104919	AA026880	Hs.25252	prolactin receptor	1.4
5	104974	Y12059	Hs.278675	bromodomain-containing 4	1.4
	104978	Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	7.2
	105012	AF098158	Hs.9329	chromosome 20 open reading frame 1	3.3
	105039	AA907305	Hs.36475	ESTs	2.5
	105079	AA151342	Hs.12677	CGI-147 protein	9.5
10	105088	H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2
	105393	AF167570	Hs.256583	interleukin enhancer binding factor 3, 9	5.4
	105547	AA262640	Hs.27445	unknown	9.3
	105564	BE616694	Hs.288042	hypothetical protein FLJ14299	1.4
_	105658	AA985190	Hs.246875	hypothetical protein FLJ20059	9.4
15	105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5
	105858	AF151066	Hs.281428	hypothetical protein	2.9
	105930	AF016371	Hs.9880	peptidyl prolyl isomerase H (cyclophilin	5.2
	106094	AA533491	Hs.23317	hypothetical protein FLJ14681	6.8
	106350	AK001404	Hs.194698	cyclin B2	5.7
20	106359	AW390282	Hs.31130	transmembrane 7 superfamily member 2	6.3
	106610	AA458882	Hs.79732	fibulin 1	7.9
	106624	NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.7
	106713	BE614802	Hs.184352	hypothetical protein FLJ12549	4.5
	106829	AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2
25	106846	AB037744	Hs.34892	KIAA1323 protein	2.2
	106873	N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA	, 16.8
	106973	BE156256	Hs.11923	hypothetical protein	6.6
	107029	AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	1.8
	107197	W15477	Hs.64639	glioma pathogenesis-related protein	6.1
30	107859	AW732573	Hs.47584	potassium voltage-galed channel, delayed	8.4
	107901	L42612	Hs.335952	keratin 6B	2.5
	107922	BE153855	Hs.61460	lg superfamily receptor LNIR	2.2
	107974	AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme	6.7
	108274	AF129535	Hs.272027	F-box only protein 5	7.1
35	108647	BE546947	Hs.44276	homeo box C10	9.8
	108695	AB029000	Hs.70823	KIAA1077 protein	7.2
	108894	AK001431	Hs.5105	hypothetical protein FLJ10569	4
	109011	AA156542	Hs.72127	ESTs	1.4
4.0		AA164293		ESTs	2.9
40		AA375752		Homo sapiens mRNA; cDNA DKFZp586F182	
		NM_015310		KIAA0942 protein	3.2
		Al668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTO	OC 4.2
		AI288666	Hs.16621	DKFZP4341116 protein	6.2
4.5		H55748		gb:yq94a01.s1 Soares fetal liver spleen	6.1
45		AW190338		hypothetical protein MGC11256	7.6
		BE044245	Hs.30011	hypothetical protein MGC2963	9.3
		AA992380		gb:ot37g06.s1 Soares_testis_NHT Homo sap	
		NM_00586		signal transduction protein (SH3 contain	6.7
5 0		N63823	Hs.269115	ESTs, Moderately similar to Z195_HUMAN Z	
50		AK000136		asporin (LRR class 1)	7.1
		N90956	Hs.17230	hypothetical protein FLJ22087	7.9
		AA778711		eukaryotic translation initiation factor	6.9
		W46342	Hs.325081	Homo saplens, clone IMAGE:3659680, mRNA	N, 8.4
		BE298665		Homo sapiens mRNA; cDNA DKFZp564D016	(11 10.6
55	112244	AB029000	Hs.70823	KIAA1077 protein	14.6
	112995	AA737033	Hs.7155	ESTs, Moderately similar to 2115357A TYK	5.6
		BE266947		zinc finger protein 313	13.4
		Al269096	Hs.135578	chitobiase, di-N-acetyl-	1.3
		BE207480	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, done H	3.1
60		T26483	Hs.6059	EGF-containing fibulin-like extracellula	11.3
	113868	W57902	Hs.90744	proteasome (prosome, macropain) 26S subu	2.7
	113870	AL079314	Hs.16537	hypothetical protein, similar to (U06944	6.1
	113923	AW953484	HS.3849	hypothetical protein FLJ22041 similar to	1.9
~=	114275	AW515443	HS.30611/	KIAA0306 protein	15.8
65	114895	AA236177		KIAA0887 protein	7.1
	114965	AI733881	Hs.72472	BMP-R1B	2.3 11.8
	115061	AI751438	Hs.41271	Homo sapiens mRNA full length insert cDN	11.0

	115278	AK002163	Hs.301724	hypothetical protein FLJ11301	1.5
		BE545072		hypothetical protein FLJ10461	6.2
					10.6
		BE093589		hypothetical protein FLJ23468	
_		AF231023		cadherin, EGF LAG seven-pass G-type rece	6.8
5	115941	Al867451	Hs.46679	hypothetical protein FLJ20739	5.5
	115968	AB037753	Hs.62767	KIAA1332 protein	9.8
	116011	AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4
		AW499664		Human done 23826 mRNA sequence	7.4
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	2.1
10					2.7
10		AK001043		Integrin-linked kinase-associated serine	
		Al393666	Hs.42315	p10-binding protein	5.2
	117881	AF161470	Hs.260622	butyrate-Induced transcript 1	5.7
	118528	AI949952	Hs.49397	ESTs	7.4
	119075	M10905	Hs.287820	fibronectin 1	5.7
15		BE539706		ESTs	1.4
13	119349		Hs.163561	ESTs	8.4
					6.7
		AL117554	Hs.119908	nudeolar protein NOP5/NOP58	
		BE393948		kallikreln 5 (KLK5; KLK-L2; stratum com	9.2
	120206	H26735	Hs.91668	Homo sapiens done PP1498 unknown mRNA	
20	120253	AA131376	Hs.326401	fibroblast growth factor 12B	38.9
		AA191384		ESTs, Weakly similar to Z195_HUMAN ZINC	15.2
		AA195651		ESTs	6.4
		AK000292		hypothetical protein FLJ20285	16.1
					16.8
05		AW969481		hypothetical protein	
25		AF000545		putative purinergic receptor	28.1
		AA219305		EST	12.4
	120383	AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolo	9.7
	120386	AW969665	Hs.154848	hypothetical protein DKFZp434D0127	32.6
	120389	AW967985	Hs 325572	ESTs, Moderately similar to ALU7_HUMAN A	21.7
30		AA134006		eukaryotic translation initiation factor	12.5
50		AW966893		Homo sapiens mRNA; cDNA DKFZp586F132	
			113.20013		
		A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapi	
		AA253170		EST	10.4
	120570	AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU :	
35	120582	BE244830	Hs.284228	ZNF135-like protein	10.2
	120596	AA282074	Hs.237323	N-acetylglucosamine-phosphate mutase	7.5
		AW407987		M-phase phosphoprotein homolog	52
		AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapie	ns 46.8
		AW449855	He 06557	Homo sapiens cDNA FLJ12727 fis, done NT	
40					7
40		Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	
		A1608909	Hs.193985	ESTs	7.8
		AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	
	120809	AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.4
	120984	BE262951	Hs.99052	ESTs	5.6
45		AA398721		ESTs, Highly similar to 137550 mismatch	5.4
		AA406137		EST	6
		AA494172		ESTs	13.1
		AA402515		ESTs	28
		AA416653		ESTs	6.2
50		AA412477	Hs.98142	EST	7.4
	121558	AA412497		gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8
		AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B102	
		AA398784		ESTs	7.1
		BE536911	Hs.234545	hypothetical protein NUF2R	19.5
55		AB033022			7.9
33				KIAA1196 protein	
		AW340797		ESTs	5.8
	121839	AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein	5
		AA426376	Hs.98459	ESTs	5
		AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	7.2
60		AA430211	Hs.98668	EST	6.4
55		AA431085	Hs.98706	ESTs	6.5
				ESTs, Weakly similar to ALU5_HUMAN ALU	
		W92142	Hs.271963		
		AA443794		ESTs	7.3
		AA868555	Hs.178222	ESTs	5
65		AA446008		EST	7.6
	122460	AW418788	Hs.99148	ESTs, Weakly similar to S43569 R01H10.6	9.7
	122490	AA448349	Hs.238151	EST	6.1

		AA448417 Hs.1049		ESTs	5.4
		AA449232 Hs.9919		ESTs	11.2
		AW959741 Hs.4036		adaptor-related protein complex 1, sigma	10.1
_		AA452601 Hs.9928		EST	11
5		AA453518 Hs.9802		ESTs	61.5
	_	AA453630 Hs.9933		EST	10.7
		AA453638 Hs.1618	73	ESTs	107.3
		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	
10		AA453987 Hs.1448		ESTs	5.6
10	122717	AA456859 Hs.1783	58	ESTs	8.5
	122829	AW204530 Hs.9950	0	ESTs	81.8
	122838	AA460584 Hs.3343	86	ESTs	75.3
	122856	Al929374 Hs.7536	7	Src-like-adapter	5.8
	122868	AF005216 Hs.1155	41	Janus kinase 2 (a protein tyrosine kinas	5.3
15		AA470074 Hs.1698		ESTs	11.5
		AW338067 Hs.3232		Homo sapiens cDNA FLJ11946 fis, done HE	
		AL359571 Hs.4405		ninein (GSK3B interacting protein)	8.7
		AW451999 Hs.1940		ESTs	5.1
		AW601773 Hs.2702		ESTs	5.2
20		AA731404 Hs.1055		ESTs	3.6
20		AA599042 Hs.1125		EST	7.4
				Homo sapiens cDNA FLJ14680 fis, clone NT	
			UZ		
		AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sap	
25		NM_013241Hs.9523		FH1/FH2 domain-containing protein	10
25		AA609955 Hs.2349		Huntingtin Interacting protein E	30.6
		Al147155 Hs.2700	116	ESTs	8.1
		Al267847		gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
		AA532519 Hs.1290		Human DNA sequence from clone 989H11 on	
30		AW297702 Hs.1029		ESTs	8.3
30	124683	AA381661 Hs.1198		ESTs, Weakly similar to M3K9_HUMAN MITO	
		R22952 Hs.2686		ESTs	11.3
		AA374756 Hs.9356		Homo sapiens mRNA for KIAA1771 protein,	9
	124768	AW368528 Hs.1008	55	ESTs	8.1
	124788	R43543 Hs.1009	112	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1
35	124811	R46068 Hs.2889	112	hypothetical protein FLJ22604	14.2
	124812	R47948 Hs.1887	32	ESTs	7.9
	124822	AA418160 Hs.8604	3	Homo sapiens cDNA FLJ13558 fis, clone PL	6.6
	124860	R65763 Hs.1014	77	EST	23.9
	124903	AW296713 Hs.2214	41	ESTs	32.4
40	124930	AI076343 Hs.1739	39	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
		R99978 Hs.2688		ESTs, Moderately similar to B34087 hypot	6.1
		T79956 Hs.1005		EST	135.3
		T81310 Hs.1005		ESTs	5.4
		Al472068 Hs.2862		KIAA1856 protein	5.6
45	125115			gb:ye57e05.s1 Soares fetal liver spleen	9.6
15		Al123705 Hs.1069	132.	ESTs	8
		AW966158 Hs.5858		Homo sapiens cDNA FLJ12789 fis, done NT	12.8
		R39234 Hs.2516		ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8
		AA975486 Hs.1034		Homo sapiens, Similar to RIKEN cDNA 1700	7.1
50				hypothetical protein MGC5576	7.7
50		W27939 Hs.1038			
		BE302796 Hs.1050		thymidine kinase 1, soluble small nuclear ribonucleoprotein polypept	5.3
		N71826 Hs.1054			53.9
	128797			stem cell growth factor; lymphocyte secr	13.3
e e	128868			chromosome 22 open reading frame 3	3
55		F34856 Hs.2924		Homo sapiens, done MGC:16362, mRNA, co	
		Y13153 Hs.1073		kynurenine 3-monooxygenase (kynurenine 3	
		BE560779 Hs.2842		NICE-5 protein	14
		Al816224 Hs.1077	47	DKFZP566C243 protein	1.9
		Al950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapi	en 2.9
60	129076	AW296806 Hs.3262	234	ESTs, Highly similar to T46422 hypotheti	5
		AA744610 Hs.1944		palladin	17.1
		AA463189 Hs.2889		WW Domain-Containing Gene	20.9
	129198	N57532 Hs.1093	315	KIAA1415 protein	5.8
	129347	BE614192 Hs.2798		melanoma-associated antigen recognised b	7.6
65		U30246 Hs.1107		solute carrier family 12 (sodium/polassi	6.7
		NM_016039Hs.1108	303	CGI-99 protein	2
		Al267700 Hs.3175		ESTs	5

ŧ

	129482	AA188185	Hs.289043		6.7
	129559	W01296	Hs.11360		7.5
	129587	H14718	Hs.11506		6.8
_		AK000398			3.8
5		AD000092	Hs.16488		3.3
		U03749		gb:Human chromogranin A (CHGA) gene, pro	
		AW748482			2.6
		Al304966			7.4
10		AA156214			2 1.6
10		AA301116		transport breaking transport	2.8
		AL046962			6.1
		AA311426 NM_003356		ESTs, Moderately similar to CEGT_HUMAN C	
		X79201	Hs.153221		5.4
15		NM_013449		Cyttotica Carecotta, Cattorica and Cattorica	8.5
		W56119	Hs.155103	eukaryotic translation initiation factor	11
		BE513202			3.9
	130455	D90041	Hs.155956	11 00003100101010101011	33.6
	130471	AL121438	Hs.183706		2.7
20	130503	BE208491	Hs.295112	KIAA0618 gene product	16.1
		L32137	Hs.1584		6.1
		U64675	Hs.179825	RAN binding protein 2-like 1	7.8
		AF062649		pituitary tumor-transforming 1	14.4
25		AI907018		Empirically selected from AFFX single pr	4.7 7.9
25		AA383092		replication protein A3 (14kD)	1.9
		AF083208	Hs.1674	apoptosis antagonizing transcription fac glutamine-fructose-6-phosphate transamin	12.1
		M90516 BE246961		Homo sapiens ubiquitin protein ligase (U	13.9
		R68537	Hs.17962	ESTs	2
30		H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	3.1
50		AL036067		protein x 0001	5.7
		BE514434		kinesin-like 2	2.1
		BE382657		signal transducer and activator of trans	5.4
	131046	AA321649	Hs.2248	small Inducible cytokine subfamily B (Cy	7.4
35	131060	AA194422	Hs.22564	myosin VI	5.1
		AL133353		COX15 (yeast) homolog, cytochrome c oxid	7
			9Hs.267182	TBX3-Iso protein	3.3
		BE280074		cyclin B1	5.8 7.5
40		H62087	Hs.31659	thyroid hormone receptor-associated prot	7.5 2.8
40		AL080080		thloredoxin domain-containing Homo saplens clone F19374 APO E-C2 gene	
		X80038	Hs.339713 Hs.271623	nucleoporin 50kD	5
		AL369951 AW410601		HSPC182 protein	2.9
		AA642831		putative DNA binding protein	2.9
45		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4
15		X76732	Hs.3164	nudeobindin 2	2.9
		AW966127		Homo sapiens cDNA FLJ14656 fis, clone NT	
		BE502341		ESTs	13.7
			Hs.231029	Homo sapiens, clone MGC:15961, mRNA, co	
50		AA179298		stomatin-like 2	11.3
		BE252983		ubiquitin specific protease 1	2.3
			Hs.154938	hypothetical protein MDS025	3.5
		NM_00446		fibroblast activation protein, alpha	14.7
			82Hs.194714	synaptosomal-associated protein, 29kD	7.8
55		AA227710		DKFZP586L151 protein	10
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2
		4 AB023191		KIAA0974 protein	2
			8 Hs.170311	heterogeneous nuclear ribonucleoprotein	12.5
60	,	AW57280		ESTs	28.3 6.1
60		4 AA312135		HSPCO34 protein	8.6
) aa100012 5 aw16984		hypothetical protein FLJ12085 KIAA1634 protein	6.1
		2 AA454132		mitochondrial ribosomal protein L16	7.1
		4 AW63143		TH1 drosophila homolog	14
65		8 A1796870		DNA segment on chromosome X (unique) 99	
05		8 NM_0046		Sjogren syndrome antigen A2 (60kD, ribon	3.7
			He 55608	hundhaliad amtain MCC066	143

'	132731	AI189075	Hs.301872	hypothetical protein MGC4840	5.9
		AA010233			6.4
				J , t , ,	
			Hs.295901	KIAA0493 protein	14.6
_		Al026701	Hs.5716	KIAA0310 gene product	2.5
5	132810	AB007944	Hs.5737	KIAA0475 gene product	4.2
	132833	U78525	Hs.57783	eukaryotic translation initiation factor	6.1
	132842	NM_016154	Hs.279771	Homo sapiens clone PP1596 unknown mRNA	7.1
		U09716	Hs.287912		6.1
		BE267143			2.7
10		Al817165			2.1
10			Hs.6120	hypothetical protein FLJ13222	
		AA034365		Homo sapiens cDNA FLJ11392 fis, clone HE	
			Hs.62016	ESTs	1.3
	132994	AA112748	Hs.279905	done HQ0310 PRO0310p1	17.1
	133016	AJ439688	Hs.6289	hypothetical protein FLJ20886	4.4
15		X97795	Hs.66718	RAD54 (S.cerevisiae)-like	4.4
		AI801777	Hs.6774	ESTs	5.5
		Al567421			
			Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA	
		Al160873	Hs.69233	zinc finger protein	16.1
		AW956781		ESTs, Weakly similar to FXD2_HUMAN FORM	
20	133285	M76477	Hs.289082	GM2 ganglioside activator protein	10.4
	133390	Al950382	Hs.72660	phosphatidylserine receptor	5.7
	133391	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5
		AL037159			1.7
		AW160781		nuclear phosphoprotein similar to S. cer	2.6
25					13.5
23		NM_004893		H2A histone family, member Y	
	133720		Hs.75737		6.7
		BE271766		laminin receptor 1 (67kD, ribosomal prot	5.4
	133784	BE622743	Hs.301064	arfaptin 1	12.1
	133791	M34338	Hs.76244	spermidine synthase	9.7
30	133797	AL133921	Hs.76272	retinoblastoma-binding protein 2	1.3
		D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	4.2
		AB011155		discs, large (Drosophila) homolog 5	5
2.5		U30872	Hs.77204	centromere protein F (350/400kD, mitosin	9.1
35		D86326	Hs.325948	vesicle docking protein p115	1.8
	133959	X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	10.4
	133989	AL040328	Hs.78202	SWI/SNF related, matrix associated, acti	2.6
	133997	A1824113	Hs.78281	regulator of G-protein signalling 12	13
		BE300078		Homo sapiens, clone IMAGE:3535294, mRNA	
40		AW291946		Interleukin 6 signal transducer (gp130,	6.7
-10		X06560	Hs.82396		5.5
				2,5-oligoadenylate synthetase 1 (40-46	
		AW362124		hypothetical protein MGC3222	5.8
		AW067903		collagen, type XI, alpha 1	72.9
	134421	AU077196	Hs.82985	collagen, type V, alpha 2	6.7
45	134480	NM_005000)Hs.83916	Empirically selected from AFFX single pr	6.2
	134516	AK001571	Hs.273357	hypothetical protein FLJ10709	1.4
		AW411479		FK506-binding protein 4 (59kD)	2.8
		AW630803		lamin 81	6.1
		BE002798		integral membrane protein 1	1.2
50				•	
50		AD001528		spermine synthase	2.6
		Al701162	Hs.90207	hypothetical protein MGC11138	9.1
	134859	D26488	Hs.90315	KIAA0007 protein	13.3
	134971	A1097346	Hs.286049	phosphoserine aminotransferase	2
	135181	BE250865	Hs.279529	px19-like protein	14.9
55		N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTATI	1.7
-		AI028767	Hs.262603	ESTs	12.2
		AW291023		ESTs, Weakly similar to A46010 X-linked	7.6
			Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.8
		AI743770			
CO	135321		Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3
60				cell division cycle 2-like 1 (PITSLRE pr	5.7
	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9
	302276	AW057736	Hs.323910	HER2 receptor tyrosine kinase (c	5.3
		NM_007057		ZW10 Interactor	2.8
		AA902256		Golgi apparatus protein 1	5.5
65		BE041451		hypothetical protein	2.9
65			Hs.1334		2.3
		U22376		v-myb avian myeloblastosis viral oncogen	
	474(II)1	W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7

	425182	AF041259	. Hs.155040	zinc finger protein 217	2.3
	446999	AA151520	Hs.334822	hypothetical protein MGC4485	7.5
	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.6
	452461	N78223	Hs.108106	transcription factor	4.7
5	453157	AF077036	Hs.31989	DKFZP586G1722 protein	12

TABLE 5A

Unique Eos probeset identifier number

5

10

Pkey:

Table 5A shows the accession numbers for those pkeys lacking unigeneID's for Table 5. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

	CAT number Accession:	er: Gene di	uster number k accession numbers
15	Pkey	CAT number	Accessions
	123615 124385 110856	3068615 656394_1 19346_14	AA609170 Al267847 N27351 AA992380 N33063 N21418 H79958 R21911 H79957
20	120472	44573_2	Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA88444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al653832 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512
25			AJ961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005
30	129019	44573_2	Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 AA908598 AA251875 Al820501 Al820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 Al219788 AA884444 N92578 F13493 AA927794 Al560251 AW874068 AL134043 AW235363 AA663345 AW008282 AA488964 AA283144 Al890387 Al950344 Al741346 Al689062 AA282915 AW102898 Al872193 Al763273 AW173586 AW150329 Al658382 Al762688 AA988777 AA488892 Al356394 AW103813 Al539642 AA642789 AA856975 AW505512
35	•		AW103530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180009 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI683338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005
40	122618	305217 1	704005 120695 9683_3 AA976503 AI917802 AA953664 AA404613 AA428771 BE280542 AW194691 AI927301 AI740458 AI796100 AI935603 AW052210 AA970201 AI633384 AA425910 AI017004 AI241295 AA402816 AA291468 AA453641 AA454061
45	125115 120809 129680	genbank_T973 genbank_AA3 23162 1	341 T97341
42	125000	23102_1	003745 NNC_001273 03043 030515 AI214093 AW245744 ALC40435 AAC16580 AI741505 AAC5505 AI62505 AI
50	101045	entrez J05614	AA894441 Al803081 Al167381 AW245389 AA319430 AA335156 Al042646 AA327030 AA725170 T27943 AA869304 AA976699 Al687001 Al621107 Al865540 AA772107 C06286 AA319661 AA405992
55	110501 121558 121911	genbank_H55 genbank_AA4 genbank_AA4	748 H55748 12497 AA412497

PCT/US02/02242 WO 02/059377

TABLE 6: Figure 6 from BRCA 001 US

Table 6 shows genes upregulated in tumor tissue compared to normal breast tissue.

5

Pkey:	Unique Eos probeset identifier number
ExAccn:	Exemplar Accession number, Genbank accession number
	44.4

UnigeneID: Unigene Title: R1: 10

Unigene number Unigene gene title Ratio of tumor to normal breast tissue

15	Pkey	ExAccn	UnigeneiD	UnigeneTitle	R1
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.5
	100678	AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2
	101806	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	8.9
	102455	U48705	Hs.75562	discoidin domain receptor family, member	6.9
20	103206	X72755	Hs.77367	monokine induced by gamma interferon	8.8
		BE246502	Hs.9598	sema domain, immunoglobulin domain (lg),	2.6
		AW151952		hypothetical protein FLJ20739	1.5
		AW503807	Hs 21907	histone acetyltransferase	1.8
		A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.2
25	119260	AK001724	Hs.102950	coat protein gamma-cop	3.2
	120206	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7
	120253	AA131376	Hs.326401	fibroblast growth factor 12B	38.9
	120297	AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC	15.2
			Hs.173518	M-phase phosphoprotein homolog	52
30	120695	AA976503		gb:og30a04.s1 NCI_CGAP_GC4 Homo sapiens	46.8
	120807	AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	6.8
		AA402515		ESTs	28
	122607	AA453518	Hs.98023	ESTs	61.5
			Hs.161873	ESTs	107.3
35		AA453641		gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1
	122829	AW204530	Hs.99500	ESTs	81.8
	122838	AA460584	Hs.334386	ESTs	75.3
	123753	AA609955	Hs.234961	Huntingtin interacting protein E	30.6
		A1267847		gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1
40		R65763	Hs.101477	EST	23.9
	124930	A1076343	Hs.173939	ESTs, Weakly similar to ALUB_HUMAN !!!!	22.8
	125051	T79956	Hs.100588		135.3
	128781	N71826	Hs.105465	small nuclear ribonucleoprotein polypept	53.9
	129096	AA463189	Hs.288906	WW Domain-Containing Gene	20.9
45	129347	BE614192	Hs.279869	metanoma-associated antigen recognised b	7.6
	129689	AW748482	Hs.77873	B7 homolog 3	2.6
	130503	BE208491	Hs.295112	KIAA0618 gene product	16.1
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1
		AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	7.4
50	131643	AW410601	Hs.30026	HSPC182 protein	2.9
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.7
•	132180	NM_00446	0Hs.418	fibroblast activation protein, alpha	14.7
	132370	AW572805	Hs.46645	ESTs	28.3
	132994	AA112748	Hs.279905	5 clone HQ0310 PRO0310p1	17.1
55	133016	AJ439688	Hs.6289	hypothetical protein FLJ20886	4.4
		Al160873		zinc finger protein	16.1
	133391	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	25.5
		A1690916	Hs.178137		1.2
	134219	NM_00040	02Hs.80206	glucose-6-phosphate dehydrogenase	1.9
60	134405	AW06790	3 Hs.82772	collagen, type XI, alpha 1	72.9
		AW41147		FK506-binding protein 4 (59kD)	2.8
		R50333	Hs.92186	Leman colled-coil protein	2.6
			Hs.27952		14.9
	322556	BE041451	Hs.17750	7 hypothetical protein	2.9

TABLE 6A

Table 6A shows the accession numbers for those pkeys lacking unigeneID's for Table 6. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	$\boldsymbol{\Lambda}$	
ı	()	
T	v	

Pkey: Unique Eos probeset identifier number CAT number: Gene cluster number Accession: Genbank accession numbers

15

20

Pkey	CAT number	Accessions
124385	656394_1	Al267847 N27351
120695	9683_3	AA976503 Al917802 AA953664 AA404613 AA428771 BE280542 AW194691 Al927301 Al740458 Al796100 Al935603 AW052210 AA970201 Al633384 AA425910 Al017004 Al241295 AA402816 AA291468
122618	305217 1	AA453641 AA454061

TABLE 7: Figure 7 from BRCA 001-1 US

Table 7 shows genes upregulated in tumor tissue compared to normal breast tissue. Open reading frames in the sequences have been characterized as having a signal sequence (SS), a transmembrane domain (TM) or other.

10	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
	UnigeneiD:	Unigene number
	Unigene Title:	Unigene gene title

R1: Ratio of tumor to normal breast tissue

15 ORF struct info: Structural characterization of open reading frame for the sequence of the gene

15	ORF str	uct info: Stru	ctural characte	rization of open reading frame for the sequence of t	he gene	
	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1	ORF struct info
	100113	NM_001269	Hs.84746	chromosome condensation 1	2.3	TM
20	100114	X02308	Hs.82962	thymidylate synthetase	2.9	other
	100131	D12485	Hs.11951	ectonucleotide pyrophosphatase/phosphodi	1.9	other
	100146	BE185499	Hs.2471	KIAA0020 gene product	1.9	TM
	100147	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	7.6	other
	100154	H60720	Hs.81892	KIAA0101 gene product	9.2	other
25	100163	W44671	Hs.124	gene predicted from cDNA with a complete	1.6	other
	100220	AW015534	Hs.217493	annexin A2	2	other
	100265	D38521	Hs.112396	KIAA0077 protein	1.5	other
	100271	BE160081	Hs.256290	S100 calcium-binding protein A11 (calgiz	13.5	other
	100275	BE242802	Hs.154797	KIAA0090 protein	5.1	other
30	100323	D50920	Hs.23106	KIAA0130 gene product	1.9	TM
	100335	AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.7	other
	100364	NM_004341	Hs.154868	carbamoyl-phosphate synthetase 2, aspart	2	other
		NM_014791	Hs.184339	KIAA0175 gene product	2.6	other
		D84145	Hs.39913	novel RGD-containing protein	3.2	other
35		AW954324	Hs.75790	phosphatidylinositol glycan, class C	1.5	other
		D86978	Hs.84790	KIAA0225 protein	2	other
		M65028	Hs.81361	heterogeneous nuclear ribonucleoprotein	2.9	other
		NM_004415	Hs.74316	desmoplakin (DPI, DPII)	1.9	other
		L05424	Hs.169610	CD44 antigen (homing function and Indian	5.7	other
40		L05424	Hs.169610	CD44 antigen (homing function and Indian	9	?
	100668	L05424	Hs.169610	CD44 antigen (homing function and Indian	7.7	other
	100678	AW502935	Hs.740	PTK2 protein tyrosine kinase 2	53.2	other
	100783	AF078847	Hs.191356	general transcription factor IIH, polype	6	other
	100892	BE245294	Hs.180789	S164 protein	1.7	?
45	100945	AF002225	Hs.180686	ublgultin protein ligase E3A (human papi	1.5	other
	100969	AA157634	Hs.79172	solute carrier family 25 (mitochondrial	6.3	other
	100988	AK000405	Hs.76480	ubiquitin-like 4	11.4	?
		H38765	Hs.80706	diaphorase (NADH/NADPH) (cytochrome b-5	1.6	other
	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	8.4	other
50	101045	J05614		gb:Human proliferating cell nuclear anti	5	?
	101077	N99692	Hs.75227	Empirically selected from AFFX single pr	2.6	other
	101093	L06419	Hs.75093	procollagen-lysine, 2-oxoglutarate 5-dlo	1.4	?
	101186	AA020956	Hs.179881	core-binding factor, beta subunit	2	TM
	101216	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	1.8	other
55	101228	AA333387	Hs.82916	chaperonin containing TCP1, subunit 6A (1.7	TM
	101247	AA132666	Hs.78802	glycogen synthase kinase 3 beta	1.9	other
		L18964	Hs.1904	protein kinase C, iota	1.5	other
		J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5.3	other
		AI494299	Hs.16297	COX17 (yeast) homolog, cytochrome c oxid	4.2	other
60		BE267931	Hs.78996	proliferating cell nuclear antigen	1.9	TM
		M21259		gb:Human Alu repeats in the region 5' to	1.6	TM
		NM_000546	Hs.1846	tumor protein p53 (Li-Fraumeni syndrome)	2.5	other
	101478	NM_002890	Hs.758	RAS p21 protein activator (GTPase activa	5.5	other
				* *		

	101483	M24486	Hs.76768	procollagen-proline, 2-oxoglutarate 4-di	2.1	other
	101540	J04977 .	Hs.84981	X-ray repair complementing defective rep	1.6	other
	101573	AW248421	Hs.250758	proteasome (prosome, macropain) 26S subu	5.7	other
		NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.8	other
5		AF064853	Hs.91299	guanine nucleotide binding protein (G pr	5.6	?
•		BE391804	Hs.62661	guanylate binding protein 1, Interferon-	2.4	other
		AW504089	Hs.179574	protein phosphatase 2 (formerly 2A), reg	1.3	other
		M74099	Hs.147049	cut (Drosophila)-like 1 (CCAAT displacem	2.1	?
		M80244	Hs.184601	solute carrier family 7 (cationic amino	5	TM
10		M81057	Hs.180884		14.4	SS,
10				carboxypeptidase B1 (tissue)		
		AA306495	Hs.1869	phosphoglucomutase 1	5.2	other
		AW409747	Hs.75612	stress-induced-phosphoprotein 1 (Hsp70/H	8.6	other
		AA586894	Hs.112408	S100 calcium-binding protein A7 (psortas	8.9	SS,TM
1.5		NM_000318	Hs.180612	peroxisomal membrane protein 3 (35kD, Ze	3.2	TM
15		AA176374	Hs.243886	nuclear autoantigenic sperm protein (his	1.6	other
		AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	31.3	?
	101920	AF182645	Hs.8024	IK cytokine, down-regulator of HLA II	1.8	other
	101973	U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	2.4	other
_	102009	BE245149	Hs.82643	protein tyrosine klnase 9	1.3	other
20	102036	BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	2	7
	102083	T35901	Hs.75117	Interleukin enhancer binding factor 2, 4	1.6	other
		BE258602	Hs.182366	heat shock protein 75	1.4	other
		NM_001809	Hs.1594	centromere protein A (17kD)	1.8	other
		BE313280	Hs.159627	death associated protein 3	4.6	7
25		AW950852	Hs.74598	polymerase (DNA directed), delta 2, regu	4.4	ż
23		AA829978	Hs.301613	JTV1 gene	6.7	other
		U24389	Hs.65436	lysosomal	4.4	TM
		AW163390		•	1.9	TM
			Hs.278554	heterochromatin-like protein 1		
20		AL039104	Hs.159557	karyopherin alpha 2 (RAG cohort 1, impor	4.4	other
30		AA306342	Hs.69171	protein kinase C-like 2	2.7	?
		BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.5	other
		BE378432	Hs.95577	cyclin-dependent kinase 4	2.3	TM
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	2	TM ·
2.5		AU077055	Hs.289107	baculoviral IAP repeat-containing 2	3.2	other
35	102369	U39840	Hs.299867	hepatocyte nuclear factor 3, alpha	2	other
	102374	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	6.2	other
	102391	AA296874	Hs.77494	deoxyguanosine kinase	1.5	TM
	102455	U48705	Hs.75562	discoldin domain receptor family, member	7	other
	102465	NM_001359	Hs.81548	2,4-dienoyl CoA reductase 1, mitochondri	1.8	SS,
40	102488	U50939	Hs.61828	amyloid beta precursor protein-binding p	1.5	?
	102489	AL080116	Hs.74420	origin recognition complex, subunit 3 (y	3.3	other
		AI188137	Hs.75193	COP9 homolog	2.1	other
		AF217197	Hs.74562	siah binding protein 1; FBP interacting	3.2	other
		BE250944	Hs.183556	solute carrier family 1 (neutral amino a	2.8	?
45		AF040253	Hs.70186	suppressor of Ty (S.cerevisiae) 5 homolo	5.7	ż
73		U59423	Hs.79067	MAD (mothers against decapentaplegic, Dr	2.3	other
		W81489	Hs.223025	RAB31, member RAS oncogene family	5.3	other
		U60808	Hs.152981	CDP-diacylglycerol synthase (phosphatida	2.1	other
					1.6	?
50		AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2		
50		U61232	Hs.32675	tubulin-specific chaperone e	2.1	other
		AW161453	Hs.198767	COP9 (constitutive photomorphogenic, Ara	1.8	other
		AL037672	Hs.81071	extracellular matrix protein 1	5.8	other
		AL021918	Hs.158174	zinc finger protein 184 (Kruppel-like)	1.3	- other
		NM_002270	Hs.168075	karyopherin (importin) beta 2	1.8	TM
55	102676	BE262989	Hs.12045	putative protein	2.3	other
	102687	NM_007019	Hs.93002	ubiquitin carrier protein E2-C	4.4	?
	102689	U96132	Hs.171280	hydroxyacyl-Coenzyme A dehydrogenase, ty	6	?
	102696	BE540274	Hs.239	forkhead box M1	4.2	other
	102704	AU077058	Hs.54089	BRCA1 associated RING domain 1	1.9	other
60	102705	T97490	Hs.50002	small inducible cytokine subfamily A (Cy	2.3	SS,TM
		AB014460	Hs.66196	nth (E.coli endonuclease III)-like 1	1.2	TM
		BE252241	Hs.38041	pyrldoxal (pyrldoxine, vitamin B6) kinas	6.5	other
		U90549	Hs.236774	high-mobility group (nonhistone chromoso	1.6	other
		BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b	5.6	TM
65		AV653790	Hs.324275	WW domain-containing protein 1	1.3	TM
J.J		X02419	Hs.77274	plasminogen activator, urokinase	4.4	other
		BE440142	Hs.2943	signal recognition particle 19kD	1.9	other
	105050	JC770174	113.2370	engries recognition possess rome	1.0	Juici

		BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	2.4	?
	102968	AU076611	Hs.154672	methylene tetrahydrofolate dehydrogenase	2.7	other
		BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)	3.1	other
		U95742	Hs.2707	G1 to S phase transition 1	5.2	?
5		AW500470	Hs.117950	multifunctional polypeptide similar to S	1.6	other
,						
		AA926960	Hs.334883	CDC28 protein kinase 1	2.5	TM
		NM_005940	Hs.155324	matrix metalloproteinase 11 (MMP11; stro	4.5	other
	103080	AU077231	Hs.82932	cyclin D1 (PRAD1: parathyroid adenomatos	3.1	other
	103089	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	2.4	other
10	103177	BE244377	Hs.48876	famesyl-diphosphate famesyltransferase	3.5	other
	103178	AA205475	Hs.275865	ribosomal protein S18	9.9	?
		NM_001777	Hs.82685	CD47 antigen (Rh-related antigen, integr	1.3	other
		X69636	Hs.334731			
				Homo saplens, done IMAGE:3448306, mRNA,	2	other
1.5		NM_006825	Hs.74368	transmembrane protein (63kD), endoplasmi	1.6	other
15	103191	AA401039	Hs.2903	protein phosphatase 4 (formerly X), cata	2.5	other
	103193	NM_004766	Hs.75724	coatomer protein complex, subunit beta 2	2.2	TM
	103194	NM_004939	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	6.3	TM
		X72755	Hs.77367	monokine induced by gamma interferon	8.8	TM
		BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g	3	other
20		X75962				other
20			Hs.129780	tumor necrosis factor receptor superfami	1.8	
		Al369285	Hs.75189	death-associated protein	5.6	TM
		NM_001545	Hs.9078	immature colon carcinoma transcript 1	1.9	?
	103330	AI803447	Hs.77496	small nuclear ribonucleoprotein polypept	2.5	other
	103349	X89059		gb:H.sapiens mRNA for unknown protein ex	1.6	other
25		AL036166	Hs.323378	coated vesicle membrane protein	1.8	other
		X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	2.3	other
		X94563	110.111000	gb:H.sapiens dbi/acbp gene exon 1 & 2.	4	TM
			Un 20746			
		BE564090	Hs.20716	translocase of inner mitochondrial membr	1.3	other
20		AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	5.7	?
30		AL031224	Hs.33102	transcription factor AP-2 beta (activati	5.1	other
	103547	Al376722	Hs.180062	proteasome (prosome, macropain) subunit,	9.7	?
	103588	NM_006218	Hs.85701	phosphoinositide-3-kinase, catalytic, al	2	other
	103613	NM_000346	Hs.2316	SRY (sex determining region Y)-box 9 (ca	1.3	?
		BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	2	other
35		AA609685	Hs.278672	membrane component, chromosome 11, surfa	2.3	TM
55						
		AI878883	Hs.296381	growth factor receptor-bound protein 2	1.3	other
		Al015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586i2022 (f	1.3	other
	103780	AA094752	Hs.169992	hypothetical 43.2 Kd protein	7.6	?
	103795	H26531	Hs.7367	Homo sapiens BTB domain protein (BDPL) m	1.3	SS,TM
40	103797	AA080912		gb:zn04d03.r1 Stratagene hNT neuron (937	1.6	other
		A1042582	Hs.181271	CGI-120 protein	1.6	other
		W02363	Hs.302267	hypothetical protein FLJ10330	1.6	other
		AK001278				TM
			Hs.105737	hypothetical protein FLJ10416 similar to	6.6	
45		NM_002407	Hs.97644	mammaglobin 2	2.9	other
45		AA251242	Hs.103238	ESTs	1.4	other
	104174	AA478984	Hs.6451	PRO0659 protein	5.6	TM
	104227	AB002343	Hs.98938	protocadherin alpha 9	1.6	other
	104275	AI751970	Hs.101067	GCN5 (general control of amino-acid synt	5.4	other
		BE379766	Hs.150675	polymerase (RNA) II (DNA directed) polyp	6.4	other
50		AA324597	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	1.6	other
20		R83113				
			Hs.1432	protein kinase C substrate 80K-H	5.2	other
		AB037762	Hs.44268	myelin gene expression factor 2	1.2	other
		A1239923	Hs.30098	ESTs	1.4	other
	104757	Al694413	Hs.332649	olfactory receptor, family 2, subfamily	2.4	other
55	104804	AI858702	Hs.31803	ESTs, Weakly similar to N-WASP [H.sapien	1.4	other
	104806	AB023175	Hs.22982	KIAA0958 protein	2.4	other
		AW052006	Hs.8551	PRP4/STK/WD splicing factor	10.9	other
		Al250789	Hs.32478	ESTs	5.7	other
				3-phosphoinositide dependent protein kin		7
60		AA041276	Hs.154729		12.3	-
60		AA278898	Hs.225979	hypothetical protein similar to small G	2.1	other
		178044	Hs.28893	Homo sapiens mRNA; cDNA DKFZp564O2364 (f	1.4	other
	104896	AW015318	Hs.23165	ESTs	17.7	other
		AW408164	Hs.249184	transcription factor 19 (SC1)	5.1	TM
		AW958157	Hs.155489	NS1-associated protein 1	1.8	other
65		AA026880	Hs.25252	prolactin receptor	1.5	other
		AF043467	Hs.32893	neurexophilin 2	2.3	other
		NM_015310	Hs.6763	KIAA0942 protein	5.1	other
	10-13/3	015010	, 13.01.00	THE TOTAL PROCESS	U. 1	Guiça

	104974	Y12059	Hs.278675	bromodomain-containing 4	1.5	other
		AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	2.4	other
	104978	AI199268	Hs.19322	Homo saplens, Similar to RIKEN cDNA 2010	7.3	other
_	104979	AA937934	Hs.321062	ESTs	1.3	other
5		A1499930	Hs.334885	mitochondrial GTP binding protein	3.6	?
		BE379584	Hs.34789	dolichyt-diphosphooligosaccharide-protei	5.6	other
		AF098158	Hs.9329	chromosome 20 open reading frame 1	3.4	other
		AI050715	Hs.2331	E2F transcription factor 5, p130-binding	2.2	other
10		AB037716	Hs.26204	KIAA1295 protein	2.2	other
10		BE242899	Hs.129951	speckle-type POZ protein	3.9	?
		AA151342	Hs.12677	CGI-147 protein	9.5	TM
		AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	5.7	other
		H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
15		Z78407	Hs.27023	vesicle transport-related protein	2.2	other
15		BE387350	Hs.33122	KIAA1160 protein	1.6	other
		AW975433 AA045648	Hs.36288 Hs.301957	ESTS	6.4 2.2	? other
		AA164687	Hs.177576	nudix (nucleoside diphosphate linked moi	2.8	other
		AW976357	Hs.234545	mannosyl (alpha-1,3-)-glycoprotein beta- hypothetical protein NUF2R	2.0	other
20		BE245294	Hs.180789	S164 protein	1.7	other
20		AA191512	Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	4.9	SS,TM
		AA071276	Hs.19469	KIAA0859 protein	2	TM
		AA263143	Hs.24596	RAD51-interacting protein	2.9	7
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.9	TM
25		AA700122	Hs.3355	sentrin-specific protease	8.2	7
		AW270037	Hs.179507	KIAA0779 protein	1.8	SS,
	105359	NM_016015	Hs.8054	CGI-68 protein	8.4	other
		BE264645	Hs.282093	hypothetical protein FLJ21918	5.1	other
	105373	AW887701	Hs.32356	hypothetical protein FLJ20628	2.6	other
30	105374	BE242803	Hs.262823	hypothetical protein FLJ10326	2.2	TM
	105387	AW592146	Hs.108636	membrane protein CH1	2.3	SS,TM
	105393	AF167570	Hs.256583	interleukin enhancer binding factor 3, 9	5.5	SS,
		BE386877	Hs.334811	Npw38-blnding protein NpwBP	1.6	other
25		AF198620	Hs.65648	RNA binding motif protein 8A	1.6	other
35		AA252395		gb:zs12g10.s1 NCI_CGAP_GCB1 Homo sapiens	5.1	?
		BE268348	Hs.226318	CCR4-NOT transcription complex, subunit	1.6	other
		AA113449	Hs.32471	hypothetical protein FLJ20364	1.3	other
		AB023179	Hs.9059	KIAA0962 protein	3.5	other other
40		AA262640 BE616694	Hs.27445	unknown	9.3 1.4	other
40		AA579535	Hs.288042 Hs.18490	hypothetical protein FLJ14299 hypothetical protein FLJ20452	10.9	TM
		AF054284	Hs.334826	splicing factor 3b, subunit 1, 155kD	2.9	TM
		AI808201	Hs.287863	hypothetical protein FLJ12475	1.7	?
		AA280072	Hs.99872	fetal Alzheimer antigen	1.4	other
45		AK000892	Hs.4069	glucocorticold modulatory element bindin	1.7	TM
		AW302245	Hs.181390	casein kinase 1, gamma 2	5.6	other
		AA985190	Hs.246875	hypothetical protein FLJ20059	9.4	other
		AW499988	Hs.27801	zinc finger protein 278	2	TM
	105708	R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (f	1.7	other
50	105743	BE246502	Hs.9598	sema domain, immunoglobulin domain (lg),	2.7	other
	105746	AW151952	Hs.46679	hypothetical protein FLJ20739	1.5	?
	105759	Al123118	Hs.15159	chemokine-like factor, alternatively spl	1.3	other
	105771	A1267720	Hs.153221	synovial sarcoma, translocated to X chro	1.6	other
		AA741336	Hs.152108	transcriptional unit N143	2.2	other
55		AA478756	Hs.194477	E3 ubiquitin ligase SMURF2	1.3	other
		Al262106	Hs.12653	ESTs	2.4	other
		AF151066	Hs.281428	hypothetical protein	2.9	other
		AK001708	Hs.32271	hypothetical protein FLJ10846	1.4	other
C 0		AF016371	Hs.9880	peptidyl prolyl isomerase H (cyclophilin	5.3	other
60		AW194426	Hs.20726	ESTS	1.7	other
		AW081202	Hs.12284	Homo sapiens, clone IMAGE:2989556, mRNA,	2.8	other
		AA477956	Hs.26268	ESTs downstream neighbor of SON	1.4 1.4	other other
		AL157441 AA130158	Hs.17834 Hs.19977	ESTs, Moderately similar to ALU8_HUMAN A	1.6	?
65		AA533491	Hs.23317	hypothetical protein FLJ14681	6.9	other
0.5		AB006624	Hs.14912	KIAA0286 protein	1.6	other
		AA251393	Hs.289052	Homo sapiens, Similar to RIKEN cDNA 5430	10.8	?
				•	•	

		AB037742	Hs.24336	KIAA1321 protein	1.3	other
		Y10043	Hs.19114	high-mobility group (nonhistone chromoso	3.7	other
		AL043114	Hs.22410	ESTs, Weakly similar to A54849 collagen	5.5	SS,
5		AK001404	Hs.194698	cyclin B2	5.8	other
,		AW390282 AB040916	Hs.31130	transmembrane 7 superfamily member 2	6.4	other
		AW748420	Hs.24106 Hs.6236	KIAA1483 protein	6.6	other
		AF119256	Hs.27801	Homo sapiens cDNA: FLJ21487 fis, clone C zinc finger protein 278	2.2 2.7	TM other
		D63078	Hs.186180	Homo saplens cDNA: FLJ23038 fis, clone L	2.3	other
10		AA243837	Hs.57787	ESTs	1.6	other
		AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, clone HE	2.4	?
		AA458882	Hs.79732	fibulin 1	8	SS,
		NM_003595	Hs.26350	tyrosylprotein sulfotransferase 2	7.8	other
1.5		AL049951	Hs.22370	Homo sapiens mRNA; cDNA DKFZp56400122 (f	1.8	other
15		AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha	1.3	TM
		BE614802 AA600357	Hs.184352	hypothetical protein FLJ12549	4.6	other
		BE388094	Hs.239489 Hs.21857	TIA1 cytotoxic granule-associated RNA-bi ESTs	1.3	other
		AF174487	Hs.293753	Bcl-2-related ovarian killer protein-lik	1.6 5.7	SS, other
20		AW959893	Hs.27099	hypothetical protein FLJ23293 similar to	16.2	TM
		BE564871	Hs.29463	centrin, EF-hand protein, 3 (CDC31 yeast	1.5	other
		AB037744	Hs.34892	KIAA1323 protein	2.2	other
	106852	AF151031	Hs.300631	hypothetical protein	1.3	other
0.5		N49809	Hs.11197	Homo sapiens, clone IMAGE:3343149, mRNA,	16.8	other
25		W79171	Hs.9567	GL002 protein	1.5	TM
		AA861271	Hs.222024	transcription factor BMAL2	2.2	other
		AK001838	Hs.296323	serum/glucocorticold regulated kinase	3.4	other
		AK000511 BE156256	Hs.6294 Hs.11923	hypothetical protein DKFZp434L1435 simil	6.8	?
30		AW631480	Hs.8688	hypothetical protein ESTs	6.7 6.1	other
50		AA146872	Hs.300700	hypothetical protein FLJ20727	1.3	SS, other
	_	AF264750	Hs.288971	myeloid/lymphold or mixed-lineage leukem	1.8	other
		AW385224	Hs.35198	ectonucleotide pyrophosphatase/phosphodi	1.7	other
		AK000733	Hs.23900	GTPase activating protein	2.5	other
35		AK000512	Hs.69388	hypothetical protein FLJ20505	1.7	other
		AV661958	Hs.8207	GK001 protein	4.7	other
		AK001455	Hs.5198	Down syndrome critical region gene 2	2	other
		AW378065	Hs.8687	ESTS	6.4	TM
40		AW391927 BE122762	Hs.7946 Hs.25338	KIAA1288 protein ESTs	33.5	other
		W15477	Hs.64639	glioma pathogenesis-related protein	5.2 6.1	? other
		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (17.4	other
		BE219716	Hs.34727	ESTs, Moderately similar to 138759 zinc	7.4	?
		AW263124	Hs.315111	nuclear receptor co-repressor/HDAC3 comp	1.8	other
45	107263	D60341	Hs.21198	translocase of outer mitochondrial membr	6.7	other
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.5	other
		BE277457	Hs.30661	hypothetical protein MGC4606	3.2	TM
	107316		Hs.193700	Homo sapiens mRNA; cDNA DKFZp586I0324 (f	2	TM
50		NM_006299	Hs.96448	zinc finger protein 193	5	?
50		AW299900 AA307703	Hs.267632 Hs.279766	TATA element modulatory factor 1 kinesin family member 4A	1.2	other
		BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	1.6 3	other TM
		AA001386	Hs.59844	ESTs	1.4	other
		BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	2.3	SS,TM
55	107772	AA018587	Hs.303055	ESTs, Weakly similar to ALU1 HUMAN ALU S	2.2	?
		AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.4	TM
	107901		Hs.335952	keratin 6B	2.5	other
		BE153855	Hs.61460	ig superfamily receptor LNIR	2.3	other
60		AW956103	Hs.61712	pyruvate dehydrogenase kinase, isoenzyme	6.8	other
60		AL121031 AA054224	Hs.159971	SWI/SNF related, matrix associated, acti	1.6	other
		AF129535	Hs.59847 Hs.272027	ESTs F-box only protein 5	1.3	other
	108296		Hs.161623	ESTs	7.2 2.6	? Other
		AA083069	Hs.339659	ESTs	3.6	other
65		BE300380	Hs.69476	Homo sapiens cDNA FLJ12758 fis, clone NT	3.5	other
		AA101809	Hs.182685	ESTs	1.7	other
	108634	AW022410	Hs.69507	ESTs	1.8	SS,TM

				,		
	108647	BE546947	Hs.44276	homeo box C10	9.8	other
	108695	AB029000	Hs.70823	KIAA1077 protein	7.3	other
	108740	AI089575	Hs.9071	progesterone membrane binding protein	2.8	7
_	108828	AK001693	Hs.273344	DKFZP564O0463 protein	1.9	other
5	108859	AL121500	Hs.178904	ESTs	1.6	TM
	108872	H06720	Hs.111680	endosulfine alpha	2.2	other
	108891	AI801235	Hs.48480	ESTs	5.4	other
	108894	AK001431	Hs.5105	hypothetical protein FLJ10569	4.1	TM
	108955	AA149754	Hs.195155	Homo sapiens amino acid transport system	5.7	?
10		AA151708	Hs.171980	homeo box (expressed in ES cells) 1	1.7	other
		AA152178	Hs.23467	hypothetical protein FLJ10633	6.3	other
		AB028987	Hs.72134	KIAA1064 protein	1.7	other
		AA156542	Hs.72127	ESTs	1.5	other
		AA157811	110.1 2121	gb:zo35d07.s1 Stratagene colon (937204)	5.4	other
15		AA164293	Hs.72545	ESTs	3	other
1.5		AW608930	Hs.52184	hypothetical protein FLJ20618	1.6	SS.
		AW419196	Hs.257924	hypothetical protein FLJ13782	3.3	TM
		AK000684	Hs.183887		1.7	other
		AJ132592	Hs.59757	hypothetical protein FLJ22104	2.7	
20		AA219691	Hs.73625	zinc finger protein 281	3 .	other TM
20				RAB6 interacting, kinesin-like (rabkines		
		BE566742	Hs.58169	highly expressed in cancer, rich in leuc	2.1	other
		NM_016603	Hs.82035	potential nuclear protein C5ORF5; GAP-II	5.4	other
		AW958181	Hs.189998	ESTs	5.8	other
25		AU077281	Hs.170285	nucleoporin 214kD (CAIN)	5.3	other
25		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	1.4	other
		AA375752	Hs.82719	Homo sapiens mRNA; cDNA DKFZp586F1822 (f	3	other
		AF153201	Hs.86276	C2H2 (Kruppel-type) zinc finger protein	1.3	other
		AA213506	Hs.115099	EST	3	?
••		AL096858	Hs.184245	KIAA0929 protein Msx2 interacting nuclea	1.5	other
30		H83603	Hs.40408	homeo box C9	2.2	SS,
	109426	N30531	Hs.42215	protein phosphatase 1, regulatory subuni	3.1	TM
	109429	AI160029	Hs.61438	ESTs	2	?
	109445	AA232103	Hs.189915	ESTs	1.8	other
	109450	AB032969	Hs.173042	KIAA1143 protein	3.8	other
35	109468	NM_015310	Hs.6763	KIAA0942 protein	3.3	other
	109478	AW074143	Hs.87134	ESTs	2	TM
	109570	L40027	Hs.118890	glycogen synthase kinase 3 alpha	2.1	other
	109662	F02614	Hs.27319	ESTs	1.4	other
	109825	R71264	Hs.16798	ESTs	1.3	other
40	110039	H11938	Hs.21907	histone acetyttransferase	2	other
	110056	AA503041	Hs.279009	matrix Gla protein	2.5	other
	110085	AA603840	Hs.29956	KIAA0460 protein	1.7	other
	110110	T07353	Hs.7948	ESTs	2.9	other
		R51853	Hs.226429	ESTs, Wealdy similar to ALU1_HUMAN ALU S	1.7	SS,
45		NM_014521	Hs.17667	SH3-domain binding protein 4	4.3	other
		AI668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.3	?
		N41744	Hs.19978	CGI-30 protein	1.3	other
		H28428	Hs.32406	ESTs, Weakly similar to 138022 hypotheti	2.2	other
		BE256986	Hs.11896	hypothetical protein FLJ12089	2.1	other
50		H55748	110.11.000	gb:yq94a01.s1 Soares fetal liver spleen	6.1	7
-		H55915	Hs.210859	hypothetical prolein FLJ11016	6.1	TM
		H57330	Hs.37430	EST	6.4	other
		AK001160	Hs.5999	hypothetical protein FLJ10298	1.3	?
		T97586	Hs.18090	ESTs	1.8	other
55		AB007902	Hs.32168	KIAA0442 protein	1.6	TM
55		AW190338	Hs.28029	hypothetical protein MGC11256	7.8	other
		AL138077	Hs.16157	hypothetical protein FLJ12707	2.5	other
				hypothetical protein MGC2963	9.3	?
		BE044245 AK000322	Hs.30011 Hs.18457	hypothetical protein FLJ20315	5.5	SS,
60		BE000831	Hs.23837	Homo saplens cDNA FLJ11812 fis, clone HE	2.1	TM
00		A1089660		dpy-30-like protein	1.5	TM
			Hs.323401	FK506 binding protein precursor		TM
		T25829	Hs.24048	ESTs, Moderately similar to ALU1_HUMAN A	6.7 5.7	other
		AA767373	Hs.35669 Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	3.4	other
65		R33261	Hs.12727	hypothetical protein FLJ21610	1.7	TM
UJ		N31598	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	1.7	other
		AI740792	Hs.27931	hypothetical protein FLJ10607 similar to	4.7	other
	110004	BE612992	113.61 33 1	nypositional protein rus 10001 Similar to	4.1	Outel

	110856 AA992380		phiot27c0C of Copyre Leaffe MUTILIANS		41
	110885 BE384447	Hs.16034	gb:ot37g06.s1 Soares_testis_NHT Homo sap hypothetical protein MGC13186	2.3 3.5	other ?
	110897 AL117430	Hs.6880	DKFZP434D156 protein	2.2	?
_	110915 BE092285	Hs.29724	hypothetical protein FLJ13187	2.6	SS,
5	110918 H04360	Hs.24283	ESTs, Moderately similar to reduced expr	1.9	TM
	110958 NM_005864	Hs.24587	signal transduction protein (SH3 contain	6.7	other
	110963 AK002180	Hs.11449	DKFZP564O123 protein	2	other
	110981 AK001980 110984 AW613287	Hs.24284	ADP-ribosyltransferase (NAD+; poly(ADP-r	1.3	other
10	111125 N63823	Hs.80120 Hs.269115	UDP-N-acetyl-alpha-D-galactosamine:polyp ESTs, Moderately similar to Z195_HUMAN Z	1.8	? athas
	111132 AB037807	Hs.83293	hypothetical protein	3.7 2.1	other TM
	111164 N46180	Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	2.3	other
	111172 R67419	Hs.21851	Homo saplens cDNA FLJ12900 fis, clone NT	3.7	other
15	111174 AL050166	Hs.26295	Homo sapiens mRNA; cDNA DKFZp586D1122 (f	7.5	other
15	111179 AK000136 111184 AI815486	Hs.10760	asporin (LRR class 1)	7.1	other
	111189 N67603	Hs.243901 Hs.272130	Homo sapiens cDNA FLJ20738 fis, done HE	6.8	other
	111216 AW139408	Hs.152940	ESTs, Weakly similar to S65824 reverse t ESTs	3.6 1.5	SS, other
	111221 AB037782	Hs.15119	KIAA1361 protein	2.6	other
20	111223 AA852773	Hs.334838	KIAA1866 protein	4.7	other
	111239 N90956	Hs.17230	hypothetical protein FLJ22087	7.9	?
	111285 AA778711	Hs.4310	eukaryotic translation initiation factor	7	other
	111299 AB033091	Hs.74313	KIAA1265 protein	5	other
25	111312 Al523913 111318 T99755	Hs.34504 Hs.334728	ESTs ESTs	3.8	other
	111337 AA837396	Hs.263925	US1-interacting protein NUDE1, rat homo	1.2 5.1	TM other
	111352 H58589	Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	2.2	other
	111370 AI478658	Hs.94631	brefeldin A-Inhibited guanine nucleotide	2.8	7
20	111384 N94606	Hs.288969	HSCARG protein	2.2	other
30	111389 AK000987	Hs.169111	oxidation resistance 1	2.1	other
	111452 R02354 111486 Al051194	Hs.15999 Hs.227978	ESTs EST	2.7	TM
	111549 W90638	Hs.20321	ESTs, Moderately similar to ZRF1_HUMAN Z	6.6 1.4	other other
	111585 R10720	Hs.20670	EST STANDERSON STREET WELL TO TOWN TO	1.6	?
35	111627 R52656	Hs.21691	ESTs	1.6	other
	111870 AB037834	Hs.18685	Homo sapiens mRNA for KIAA1413 protein,	2.4	other
	111937 BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	10.6	other
	111944 AW083791	Hs.21263	suppressor of potassium transport defect	6.6	TM
40	111987 NM_015310 112134 R41823	Hs.6763 Hs.7413	KIAA0942 protein ESTs; calsyntenin-2	5.1 2.8	other other
	112244 AB029000	Hs.70823	KIAA1077 protein	14.6	other
	112388 R46071	Hs.301693	Homo saplens, clone IMAGE:3638994, mRNA,	9	other
	112456 NM_016248	Hs.232076	A kinase (PRKA) anchor protein 11	1.4	other
15	112464 AW007287	Hs.28538	Homo sapiens cDNA: FLJ21086 fis, clone C	1.4	TM
45	112506 AI742756 112513 R68425	Hs.26079	ESTs	3.2	other
	112752 AK001635	Hs.13809 Hs.14838	hypothetical protein FLJ10648 hypothetical protein FLJ10773	2 1.8	TM other
	112884 AK000004	Hs.5013	Homo sapiens mRNA for FLJ00004 protein,	6.6	other
	112923 T10258	Hs.5037	EST	1.5	?
50	112936 AW970826	Hs.6185	KIAA1557 protein	3.2	other
	112958 R61388	Hs.6724	ESTs	6.1	other
	112966 Z44718 112978 AK000272	Hs.102548 Hs.7099	glucocorticoid receptor DNA binding fact	6.5	other
	112995 AA737033	Hs.7155	hypothetical protein FLJ20265 ESTs, Moderately similar to 2115357A TYK	1.2 5.6	other other
55	112996 BE276112	Hs.7165	zinc finger protein 259	2	other
	113047 Al571940	Hs.7549	ESTs	1.9	other
	113049 AW965190	Hs.7560	Homo sapiens mRNA for KIAA1729 protein,	2.4	TM
	113089 T40707	Hs.270862	ESTs	1.3	SS,
60	113196 T57317 113248 T63857		gb:yb51a03.s1 Stratagene fetal spleen (9	1.7	other
50	113254 AK002180	Hs.11449	gb:yc16e01.s1 Stratagene lung (937210) H DKFZP564O123 protein	2.8 1.3	other other
	113277 AW971049	Hs.11774	protein (peptidyl-protyl cis/trans isome	3.2	other
	113429 AA688021	Hs.179808	ESTs	1.2	other
<i>C</i>	113499 AJ467908	Hs.8882	ESTs	6	other
65	113547 H59588	Hs.15233	ESTS	2	SS,
	113647 AA813887 113702 T97307	Hs.188173	Homo sapiens cDNA FLJ12187 fis, clone MA gb:ye53h05.s1 Soares fetal liver spleen	1.3	SS, other
	13102 131301		30-1000 mones i domes retainates sheem	4.4	other
			157		

	112750 ANAC	OCCE HADAEC	CMITCHE misted matrix associated and	1.2	other	
	113759 AW49		SWI/SNF related, matrix associated, acti	13.4	other	
	113777 BE26				other	
	113783 AL359		hypothetical protein DKFZp762B226	1.7	other	
5	113791 A1269		· · · · · · · · · · · · · · · · · · ·	1.3	other	
5	113808 W447		Homo saplens cDNA: FLJ21278 fis, clone		other	
	113811 BE20		Homo sapiens cDNA: FLJ22044 fis, clone I		other	
	113817 H133			3.2	other	
	113826 AW37		hypothetical protein FLJ10826	2.3	?	
4.0	113834 T2648	83 Hs.6059	EGF-containing fibulin-like extracellula	11.3	TM	
10	113868 W579	02 Hs.90744	proteasome (prosome, macropaln) 26S sut	ou 2.7	other	
	113870 AL079	9314 Hs.16537	hypothetical protein, similar to (U06944	6.1	other	
	113885 AW95	59486 Hs.21732	. ESTs	6.6	other	
	113923 AW95	3484 Hs.3849	hypothetical protein FLJ22041 similar to	1.9	?	
	113989 W875			1.2	other	
15	114022 Al539				other	
	114030 Al825			9.4	other	
	114060 AB02		RING1 and YY1 binding protein	1.8	other	
	114196 AF01			1.5	other	
	114226 AB02		KIAA1045 protein	1.8	other	
20				2.3		
20	114253 BE14				other	
	114262 AL11		KIAA0978 protein	1.4	TM	. albar
	114275 AW51		Hs.306117		306 protein 15.8	· other
	114292 AI815			1.9	TM	
0.5	114309 AA33			2.4	other	
25	114392 AA24			1.9	other	
	114407 BE53				TM	
	114455 H379	08 Hs.2716 [,]	6 ESTs, Weakly similar to ALU8_HUMAN AL		other	
	114463 AL12	0247 Hs.40109	KIAA0872 protein	5.3	TM	
	114464 AI091	713 Hs.10659	7 Homo sapiens, Similar to RIKEN cDNA 111	1.3	other	
30	114471 AA02	8074 Hs.1046	3 RP42 homolog	1.9	?	
	114480 BE06	6778 Hs.15167	'8 UDP-N-acetyl-alpha-D-galactosamine:poly	p 13.4	other	
	114671 AA76	6268 Hs.26627	3 hypothetical protein FLJ13346	2	other	
	114698 AA47			3.6	other	
	114730 Al373			3.9	other	
35	114767 Al859				other	
-	114774 AV65			3.2	other	
	114798 AA15			. 3.6	other	
	114860 AL15				other	
	114895 AA23			7.2	other	
40				1.3	other	
40	114896 BE53		hypothetical protein			
	114911 AA23		gb:zt29f02.s1 Soares ovary tumor NbHOT		other	
	114930 AA23			2	SS,	
	114938 AA24			2.9	other	
15	114965 Al733			2.3	?	
45	115023 AF10			1.3	other	
	115038 AA25			1.6	other	
	115061 Al751	438 Hs.4127	Homo sapiens mRNA full length insert cDN		other	
	115117 Al670		hypothetical protein	1.5	other	
	115206 AW18	33695 Hs.18657	2 ESTs	2.5	other	
50	115221 AW36	55434 Hs.7974	hypothetical protein FLJ10116	1.5	other	
	115239 BE25	1328 Hs.7329	hypothetical protein FLJ10881	1.3	TM	
	115242 AI368		ESTs, Moderately similar to ALU1_HUMAN	NA 1.4	other	
	115278 AK00			1.5	other	•
	115285 AW97			2.4	other	
55	115291 BE54			6.3	SS,	
33	115400 AI215		FSTs	6.7	?	
	115468 AA31			7.5	7	
	115471 AK00			1.4	TM	
				4.1	TM	
60	115479 AW30 115496 AW24			16.3	other	
UU				5	other	
	115500 Y144					
	115553 AJ275			2.5	other	
	115581 Al540			6.2	other	
65	115587 BE08			2.9	other	
65	115590 AA39			5.3	TM	
	115646 N361			4.8	?	
	115652 BE09	3589 Hs.3817	hypothetical protein FLJ23468	10.6	other	

	115655 AL048269	Hs.288544	Homo sapiens, clone MGC:16063, mRNA, com	12.7	TM
	115663 Al138785	Hs.40507	ESTs	2	other
	115676 AA953006	Hs.88143	ESTs	3.1	other
5	115690 AA625132	Hs.44159	hypothetical protein FLJ21615	1.7	TM
,	115693 AF231023	Hs.55173	cadherin, EGF LAG seven-pass G-type rece	6.9	other
	115715 BE395161 115734 AI950339	Hs.1390	proteasome (prosome, macropain) subunit,	1.7	other
	115811 NM_015434	Hs.40782	ESTs	2.7	TM
	115823 AI732742	Hs.48604 Hs.87440	DKFZP434B168 protein ESTs	2.1 2.1	other other
10	115837 Al675217	Hs.42761	ESTs	1.3	other
10	115844 Al373062	Hs.332938	hypothetical protein MGC5370	4.4	other
	115866 AW062629	Hs.52081	KIAA0867 protein	7.3	other
	115875 N55669	Hş.333823	mitochondrial ribosomal protein L13	1.2	other
	115941 Al867451	Hs.46679	hypothetical protein FLJ20739	5.5	other
15	115968 AB037753	Hs.62767	KIAA1332 protein	9.8	other
	116003 BE275469	Hs.66493	Down syndrome critical region gene 5	1.4	other
	116011 AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.4	other
	116108 AA770688	Hs.28777	H2A histone family, member L	1.8	other
	116134 BE243834	Hs.50441	CGI-04 protein	1.4	other
20	116189 N35719	Hs.44749	ESTs, Moderately similar to T00358 hypot	1.2	other
	116195 AW821113	Hs.72402	ESTs	2.1	other
	116238 AV660717	Hs.47144	DKFZP586N0819 protein	1.7	other
	116246 AF265555	Hs.250646	baculoviral IAP repeat-containing 6	1.7	other
	116262 Al936442	Hs.59838	hypothetical protein FLJ10808	1.8	?
25	116298 Al955411	Hs.94109	Homo saplens cDNA FLJ13634 fis, clone PL	1.9	other
	116318 AF097645	Hs.58570	deleted in cancer 1; RNA helicase HDB/DI	5	SS,
	116325 Al472106	Hs.49303	Homo sapiens cDNA FLJ11663 fis, clone HE	1.4	SS,
	116336 AL133033	Hs.4084	KIAA1025 protein	1.9	?
20	116339 AK000290	Hs.44033	dipeptidyl peptidase 8	1.5	other
30	116350 AA497129	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.9	?
	116358 AI149586	Hs.38125	interferon-induced protein 75, 52kD	1.9	?
	116365 N50174	Hs.46765	ESTs	6.1	other
	116368 N90466	Hs.71109	KIAA1229 protein	1.6	?
25	116417 AW499664	Hs.12484	Human clone 23826 mRNA sequence	7.4	other
35	116436 AA161411	Hs.58668	chromosome 21 open reading frame 57	2.1	other
	116462 AF218313 116470 AI272141	Hs.236828 Hs.83484	putative helicase RUVBL	1.5	TM
	116575 AA312572	Hs.6241	SRY (sex determining region Y)-box 4 phosphoinositide-3-kinase, regulatory su	2.1 1.5	TM other
	116637 AK001043	Hs.92033	Integrin-linked kinase-associated serine	2.7	other
40	116640 X89984	Hs.211563	B-cell CLL/lymphoma 7A	2.7	other
••	116700 Al800202	Hs.317589	hypothetical protein MGC10765	1.4	other
	116705 AW074819	Hs.12313	hypothetical protein FLJ14566	3.4	other
	116732 AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypotheti	2.9	other
	116926 H73608	Hs.290830	ESTs	1.7	TM
45	117034 U72209	Hs.180324	YY1-associated factor 2	3.4	TM
	117132 Al393666	Hs.42315	p10-binding protein	5.2	7
	117247 N21032		gb:yx46f06.s1 Soares melanocyte 2NbHM Ho	5.5	TM
	117276 N71183	Hs.121806	Homo sapiens cDNA FLJ11971 fis, clone HE	1.5	TM
	117284 AK001701	Hs.183779	Homo sapiens cDNA FLJ10590 fis, clone NT	2	other
50	117367 AI041793	Hs.42502	ESTs	2	other
	117368 Al878942	Hs.90336	ATPase, H+transporting, lysosomal (vacu	2.1	?
	117382 AF150275	Hs.40173	ESTs	2.7	TM
	117412 N32536	Hs.42645	solute carrier family 16 (monocarboxylic	1.4	other
	117557 AF123050	Hs.44532	diubiquitin	3.4	TM
55	117588 N34895	Hs.44648	ESTs	3.4	?
	117745 BE294925	Hs.46680	CGI-12 protein	3	SS,
	117754 AA121673	Hs.59757	zinc finger protein 281	1.9	other
	117879 N54706	Hs.303025	chromosome 11 open reading frame 24	1.8	other
<i>4</i> 0	117904 BE540675	Hs.332938	hypothetical protein MGC5370	6	?
60	117911 AL137379	Hs.47125	hypothetical protein FLJ13912	1.7	other
	117933 Y10518	Hs.116470	hypothetical protein FLJ20048	1.7	other
	117983 AL110246 118078 N54321	Hs.47367 Hs.47790	KIAA1785 protein EST	5.4 5.2	other
	118301 AA453902	Hs.293264	ESTS	3.2 2.6	other other
65	118429 AA243332	Hs.74649	cytochrome c oxidase subunit VIc	2.5	TM
00	118472 AL157545	Hs.42179	bromodomain and PHD finger containing, 3	4.1	other
	118488 AJ277275	Hs.50102	rapa-2 (rapa gene)	1.2	other

	118500	N22617	Hs.43228	Homo sapiens cDNA FLJ11835 fis, clone HE	1.5	other
		AI949952	Hs.49397	ESTs	7.4	?
		AI458020	Hs.293287	ESTs	2.5	other
		AA332845	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	1.2	TM
5		AB033113	Hs.50187	KIAA1287 protein	2.1	TM
•		AA199686	113.00107	gb:zq75g09.r1 Stratagene hNT neuron (937	5.2	other
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	1.4	other
		AI668709	Hs.240722	ESTs, Moderately similar to ALU8_HUMAN A	3.6	other
		AF148713	Hs.125830	bladder cancer overexpressed protein	4.9	?
10		W24781	Hs.293798	KIAA1710 protein	1.7	TM
		AW453069	Hs.3657	activity-dependent neuroprotective prote	2.2	other
		BE539706	Hs.285363	ESTs	1.4	?
		N57568	Hs.48028	EST	25.1	other
		NM_001241	Hs.155478	cyclin T2	1.6	7
15		AI417240	Hs.320836	ESTs, Weakly similar to A47582 B-cell gr	1.3	other
~~		AL117554	Hs.119908	nucleolar protein NOP5/NOP58	6.7	TM
		AI624342	Hs.170042	ESTs	2.4	other
		AI796730	Hs.55513	ESTs	2.1	other
		W37933	110100010	Empirically selected from AFFX single pr	1.9	other
20		AK000155	Hs.91684	Homo sapiens mRNA; cDNA DKFZp667I103 (fr	3.7	TM
		AW675298	Hs.233694	hypothetical protein FLJ11350	3	other
		AA243837	Hs.57787	ESTs	1.4	other
		W61019	Hs.57811	ESTs	1.2	?
		AB032977	Hs.6298	KIAA1151 protein	1.8	TM
25		NM_016625	Hs.191381	hypothetical protein	3.1	other
		BE393948	Hs.50915	kallikreln 5 (KLK5; KLK-L2; stratum com	9.2	other
		AJ223810	Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	TM
		AA130970	Hs.58382	hypothetical protein FLJ11101	2.5	7
		AA081218	Hs.58608	Homo saplens cDNA FLJ14206 fis, clone NT	2.7	TM
30		AW449064	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	2.6	other
		AA703129	Hs.58963	ESTs	2.7	other
		W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	1.2	other
		H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRNA	45.7	other
		A1924294	Hs.173259	uncharacterized bone marrow protein BM03	1.2	other
35		AW131940	Hs.104030	ESTs	9.6	other
		AA177051		gb:nc02a02.s1 NCI_CGAP_Pr3 Homo saplens	4.7	other
		AA190577		gb:zp52g02.s1 Stratagene HeLa cell s3 93	2.1	other
	120296	AW995911	Hs.299883	hypothetical protein FLJ23399	1.9	TM
		AA191384	Hs.104072	ESTs, Weakly similar to Z195_HUMAN ZINC	15.2	other
40	120324	AA195517	Hs.191643	ESTs	5.6	?
		AA195651	Hs.104106	ESTs	6.5	other
	120327	AK000292	Hs.278732	hypothetical protein FLJ20285	16.1	other
	120336	N85785	Hs.181165	eukaryotic translation elongation factor	3	other
		AW450669	Hs.45068	hypothetical protein DKFZp434I143	5.8	other
45		AA210722	Hs.104158	ESTs	4.6	SS,TM
		AW969481	Hs.55189	hypothetical protein	16.8	other
	120352	R06859	Hs.193172	ESTs, Weakly similar to 138022 hypotheti	5.1	other
	120356	AF000545	Hs.296433	putative purinergic receptor	28.1	TM
	120371	AA219305	Hs.104196	EST	12.4	?
50	120382	AA228026	Hs.38774	ESTs	4.1	TM
	120383	AL109963	Hs.123122	FSH primary response (LRPR1, rat) homolo	9.7	TM
	120386	AW969665	Hs.154848	hypothetical protein DKFZp434D0127	32.6	other
	120388	AA232874	Hs.104245	ESTs	3.2	other
	120389	AW967985	Hs.325572	ESTs, Moderately similar to ALU7_HUMAN A	21.7	other
55	120396	AA134006	Hs.79306	eukaryotic translation initiation factor	12.5	other
	120404	AB023230	Hs.96427	KIAA1013 protein	7.3	other
		AW966893	Hs.26613	Homo saplens mRNA; cDNA DKFZp586F1323 (f	11.4	other
		AA236453	Hs.18978	Homo sapiens cDNA: FLJ22822 fis, clone K	1.9	other
	120472	A1950087		gb:wq05c02.x1 NCI_CGAP_Kld12 Homo sapien	19.4	other
60	120473	AA251973	Hs.269988	ESTs	5.5	?
	120484	AA253170	Hs.96473	EST	10.4	?
	120504	AA256837		gb:zr84d10.s1 Soares_NhHMPu_S1 Homo sapi	4	?
		BE047718	Hs.96545	ESTs	9.4	other
		AA258601	Hs.161731	EST	2.4	other
65		BE350244	Hs.96547	ESTs	2.5	?
		AA279160	Hs.111407	Homo sapiens, clone IMAGE:3613029, mRNA,	5.3	other
	120570	AA280679	Hs.271445	ESTs, Weakly similar to ALU1_HUMAN ALU S	14.4	?

		BE244830	Hs.284228	ZNF135-like protein	10.2	?
	120590	AW372799	Hs.125790	leucine-rich repeat-containing 2	2.2	?
		AA282074	Hs.237323	N-acetylglucosamine-phosphate mutase	7.6	other
_		AW965339	Hs.111471	ESTs	2.5	other
5		AW407987	Hs.173518	M-phase phosphoprotein homolog	52	other
		AA286942		gb:zs56f05.s1 NCI_CGAP_GCB1 Homo sapiens	2.4	other
		AA287095	Hs.140309	Homo sapiens, clone IMAGE:3677194, mRNA,	5	other
		AW063659	Hs.191649	ESTs	2.2	other
	120668	AW969638	Hs.112318	6.2 kd protein	2,2	TM
10		BE536739	Hs.109909	ESTs	1.9	TM
		AA976503		gb:oq30a04.s1 NCI_CGAP_GC4 Homo sapiens	46.8	TM
		AJ821539	Hs.97249	ESTs	2.5	other
	120713	AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, clone NT	6	other
	120718	AA292747	Hs.97296	ESTs	2.9	other
15	120750	Al191410	Hs.96693	ESTs, Moderately similar to 2109260A B c	7.1	SS,
	120774	Al608909	Hs.193985	ESTs	7.9	other
		AA346385	Hs.30002	SH3-containing protein SH3GLB2; KIAA1848	7	TM
	120809	AA346495		gb:EST52657 Fetal heart II Homo sapiens	4.5	other
		AA386260	Hs.104632	EST	4.5	?
20		AA398155	Hs.97600	ESTs	4.5	other
		BE262951	Hs.99052	ESTs	5.6	other
		Al219896	Hs.97592	ESTs	1.3	other
		AA398360	Hs.97608	EST	3.2	other
		Al439713	Hs.165295	ESTs	3.6	other
25		AA398721	Hs.186749	ESTs, Highly similar to 137550 mismatch	5.5	
		AA363307	Hs.97032	ESTs	3.8	other other
		AL121523	Hs.97774	ESTs	3.0 1.7	TM
		Al002110	Hs.97169	ESTs, Weakly similar to dJ667H12.2.1 [H.		
		AA403008	Hs.301927	c6.1A	2.9	other
30		AW956981	Hs.97910		1.9	other
50		AA406137	Hs.98019	Homo saplens cDNA FLJ13383 fis, clone PL EST	3.5	other
		AA410190			6.1	?
		AA406430	Hs.98076 Hs.105362	ESTs, Weakly similar to A47582 B-cell gr	7.5	other
		AW971063		Homo sapiens, done MGC:18257, mRNA, com	7.1	other
35			Hs.292882	ESTs	1.8	other
55		H58306	Hs.15165	retinoic acid induced 14	10.5	other
		W07404	Hs.144502	hypothetical protein FLJ22055	3.5	TM
		AA442224	Hs.97900	ESTs ·	14.4	other
		AA494172 AA402515	Hs.194417	ESTs	13.1	other
40		AA416653	Hs.97887	ESTs	28	other
40			Hs.181510	ESTs	6.3	other
		AA412112 AA412477	Ha 00440	gb:zt69b02.s1 Soares_testis_NHT Homo sap	2.7	SS,
		AA412497	Hs.98142	EST	7.5	?
			Ha noone	gb:zt95g12.s1 Soares_testis_NHT Homo sap	2.8	other
45		AA411970	Hs.98096	EST	3.5	?
73		AA416568	N= 00740	gb:zu05c10.s1 Soares_testis_NHT Homo sap	6.2	TM
		AD001528	Hs.89718	spermine synthase	4	other
		AA626010	Hs.98247	ESTs	2.2	other
		AA416931	Hs.126065	ESTs	4.3	TM
50		AA421537	Hs.178072	Homo sapiens mRNA; cDNA DKFZp434B1023 (f	7.9	other
50		AA418160	Hs.86043	Homo sapiens cDNA FLJ13558 fis, clone PL	2	other
		AV660305	Hs.110286	ESTs .	4.7	?
	121706		Hs.154145	hypothetical protein FLJ11585	12.7	other
		AA419225	Hs.98269	Homo sapiens cDNA FLJ11953 fis, clone HE	8.3	?
55		AI949597	Hs.98325	ESTs	1.8	TM
33		AA421041	Hs.180744	ESTs	4.1	TM
		AA398784	Hs.97514	ESTs	7.1	SS,
		BE536911	Hs.234545	hypothetical protein NUF2R	19.5	other
		AB033022	Hs.158654	KIAA1196 protein	8	other
60		AA421773	Hs.161008	ESTs	1.7	other
60		AA292579	Hs.125133	hypothetical protein FLJ22501	6.7-	other
		AI810774	Hs.98376	ESTs	10.5	other
		AW340797	Hs.98434	ESTs	5.9	other
		AA328348	Hs.218289	ESTs	3.9	other
CF		AA425691	Hs.191606	ESTs, Highly similar to KIAA1048 protein	5	other
65		AF027406	Hs.104865	serine/threonine kinase 23	2.7	?
		AA446628	Hs.2799	cartilage linking protein 1	2.3	other
	121871	AW972668	Hs.293044	ESTs	2.9	TM

	121882 AA426376	Hs.98459	ESTs	5	. other
	121911 AA427950		gb:zw50f02.s1 Soares_total_fetus_Nb2HF8_	7.3	TM
	121915 AA428179	Hs.223405	ESTs, Moderately similar to A46010 X-lin	2.5	other
~	121935 AA428647	Hs.98611	EST	2.3	other ·
5	121983 AA298760	Hs.180191	hypothetical protein FLJ14904	3.4	other
	121985 Al862570	Hs.299214	Homo sapiens, clone IMAGE:2822295, mRNA,	11.4	other
	121995 AA210863	Hs.3532	nemo-like kinase	3.8	?
	121999 AA430211	Hs.98668	EST	6.5	other
10	122009 AW292763	Hs.160822	Homo sapiens cDNA: FLJ20863 fis, clone A	2.2	other
10	122013 AA431085	Hs.98706	ESTs	6.6	other
	122036 W92142	Hs.271963	ESTs, Weakly similar to ALU5_HUMAN ALU S	13.1	other
	122050 AI453076	Hs.166109	ELAV (embryonic lethal, abnormal vision,	9.1	other
	122060 AA431738	Hs.98750	EST	13.1	?
1.0	122114 AW161023	Hs.104921	ESTs	1.5	other
15	122188 AA398838		gb:zt80d01.r1 Soares_testis_NHT Homo sap	3.4	other
	122204 AA435936	Hs.98842	EST	5.6	other
	122246 AA329550	Hs.29417	HCF-binding transcription factor Zhangfe	5.2	other
	122257 AA436819	Hs.98899	ESTs	5.6	other
20	122302 AA441801	Hs.104947	ESTs	5.8	other
20	122341 AW601969	Hs.99010	hypothetical protein FLJ22263 similar to	2	other
	122356 AA443794	Hs.98390	ESTs	7.4	SS,TM
	122369 AA443985	Hs.303222	ESTs	12.2	?
	122371 AA868555	Hs.178222	ESTs	5	?
0.5	122372 AA446008	Hs.336677	EST	7.8	?
25	122378 AB032948	Hs.21356	hypothetical protein DKFZp762K2015	2.5	?
	122405 AA446572	Hs.303223	EST	2.8	TM
	122412 AA446869	Hs.119316	ESTs	7.4	other
	122415 AA446918	Hs.99088	EST	1.9	other
20	122418 AA446966	Hs.99090	ESTs, Moderately similar to similar to K	6.9	?
30	122440 AW505139	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.6	other
	122446 AA447603	Hs.99123	EST	1.8	TM
	122448 AA447626	Hs.99127	EST	3.5	other
	122458 Al266159	Hs.104980	ESTs	1.5	other
35	122460 AW418788	Hs.99148	ESTs, Weakly similar to S43569 R01H10.6	9.7	other
33	122464 AA448158	Hs.99152	EST EST	4.9 6.2	other ?
	122490 AA448349	Hs.238151	ESTS	5.5	r other
	122492 AA448417 122502 AA204969	Hs.104990 Hs.234863		1.3	other
	122510 AA449232	Hs.99195	Homo sapiens cDNA FLJ12082 fis, clone HE ESTs	11.2	?
40	122530 AW959741	Hs.40368		10.1	other
40	122547 AA779725	Hs.164589	adaptor-related protein complex 1, sigma ESTs	2.5	SS,
	122555 AA194055	Hs.293858	ESTs	1.9	other
	122570 AA452578	Hs.262907	ESTs	9.5	other
	122570 AA452576 122572 AA452601	Hs.99287	EST	11	?
45	122586 AK001910	Hs.99303	Homo sapiens cONA FLJ11048 fis, clone PL	3.4	other
73	122587 AB040893	Hs.6968	KIAA1460 protein	2	other
	122598 AI028173	Hs.99329	ESTs	1.7	?
,	122599 AL355841	Hs.99330	hypothetical protein FLJ23588	4.4	ż
	122602 AA411925	Hs.301960	ESTs	4.7	other
50	122607 AA453518	Hs.98023	ESTs	61.5	other
50	122614 AA453630	Hs.99339	EST	10.7	?
	122616 AA453638	Hs.161873	ESTs	107.3	ż
	122617 Al681535	Hs.148135	serine/threonine kinase 33	121.4	other
	122618 AA453641	110.110100	gb:zx48e06.s1 Soares_testis_NHT Homo sap	31.1	SS,
55	122622 AA453987	Hs.144802	ESTs	5.6	other
55	122717 AA456859	Hs.178358	ESTs	8.5	SS,
	122762 Al376875	Hs.105119	ESTs	10.4	other
	122829 AW204530	Hs.99500	ESTs	81.8	7
	122834 AA461492	Hs.99545	Homo saplens cDNA FLJ10658 fis, clone NT	3.7	'n
60	122836 AA460581	Hs.290996	ESTs	4.6	other
oo	122837 AA461509	Hs.293565	ESTs, Weakly similar to putative p150 (H	2.7	TM
	122838 AA460584	Hs.334386	ESTs	75.3	other
	122854 AA600235	Hs.9625	NIMA (never in mitosis gene a)-related k	7.8	other
	122856 Al929374	Hs.75367	Src-like-adapter	5.8	other
65	122861 AA335721	Hs.119394	ESTs	1.3	other
55	122866 BE539656	Hs.283705	ESTs	4.2	other
	122868 AF005216	Hs.115541	Janus kinase 2 (a protein tyrosine kinas	5.3	other
			• • •		

	122870 AW576312	Hs.318722	Homo sapiens cDNA: FLJ21766 fis, clone C	9.9	?
	122872 AW081394	Hs.97103	ESTs	5.3	other
	122879 AA769410	Hs.128654	ESTs	13.9	other
5	122907 AA470074 122916 AA470140	Hs.169896	ESTs	11.5	other
,	122981 AA478951	Hs.229170 Hs.105629	EST	1.7	TM
	123013 AW968324	Hs.17384	ESTs ESTs	5 15.4	other other
	123016 AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	2.8	other
	123034 AL359571	Hs.44054	ninein (GSK3B interacting protein)	8.7	other
10	123072 Al382600	Hs.104308	ESTs, Weakly similar to KIAA 1395 protein	8.8	other
	123082 AA485360	Hs.105661	ESTs	4	?
	123088 AI343652	Hs.105667	ESTs	3.8	other
	123110 AA486256	Hs.193510	EST	7.4	other
	123114 BE304942	Hs.265848	myomegalin	2.8	?
15	123131 T52027	Hs.271795	ESTs, Weakly similar to 138022 hypotheti	2.4	other
	123132 Al061582	Hs.324179	Homo sapiens cDNA FLJ12371 fis, clone MA	15.6	TM
	123136 AW451999	Hs.194024	ESTs	5.2	other
	123149 AI734179	Hs.105676	ESTs	23.8	TM
20	123152 AW601773 123258 AA490929	Hs.270259	ESTS	5.2	other
20	123256 AA490929 123315 AA496369	Hs.105274	ESTs, Weakly similar to RMS1_HUMAN REGUL	9.3	?
	123369 AA504757	Hs.105738	gb:zv37d10.s1 Soares ovary turnor NbHOT H ESTs	4.2 7	TM
	123394 AA731404	Hs.105730	ESTS	3.7	other other
	123433 AW450922	Hs.112478	ESTs	3.8	other
25	123466 AA599042	Hs.112503	EST	7.4	other
-	123470 AW303285	Hs.303632	Human DNA sequence from clone RP11-110H4	3.5	other
	123471 AB021644	Hs.197219	zinc finger protein 14 (KOX 6)	5.2	?
	123475 BE439553	Hs.250528	Homo sapiens, clone IMAGE:4098694, mRNA,	1.7	other
	123482 N95059	Hs.55098	ESTs	1.6	other
30	123486 BE019072	Hs.334802	Homo sapiens cDNA FLJ14680 fis, clone NT	2.4	other
	123508 AW380388	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	2.2	TM
	123615 AA609170		gb:af12a12.s1 Soares_testis_NHT Homo sap	7.9	other
	123619 AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo saplens	2.8	other
35	123658 AA609364	11- 405407	gb:zu71d09.s1 Soares_testis_NHT Homo sap	1.7	?
33	123674 Al269609	Hs.105187	kinesin protein 9 gene	5.7	?
	123735 NM_013241 123738 AA609891	Hs.95231 Hs.112777	FH1/FH2 domain-containing protein	10	other
	123753 AA609955	Hs.234961	EST Huntingtin interacting protein E	5.2 30.6	other
	123804 AA620464	Hs.261915	EST, Weakly similar to S65657 alpha-1C-a	2.1	TM other
40	123811 AA620586	110.201010	gb:ae60g05.s1 Stratagene lung carcinoma	2.7	other
	123951 AB012922	Hs.173043	metastasis-associated 1-like 1	6.3	?
	123983 AJ272267	Hs.146178	choline dehydrogenase	4.4	other
	124001 L42542	Hs.75447	ralA binding protein 1	7.1	7
	124006 Al147155	Hs.270016	ESTs	8.3	SS,
45	124070 Al950314	Hs.154762	HIV-1 rev binding protein 2	3.8	other
	124074 H05635	Hs.294030	topoisomerase-related function protein 4	1.2	SS,
	124178 BE463721	Hs.97101	putative G protein-coupled receptor	3.2	?
	124203 AA372796	Hs.269339	ESTs, Weakly similar to AF161356 1 HSPC0	5.7	other
50	124352 AA640891	Hs.102406	ESTs	3.1	TM
30	124375 D87454 124385 AI267847	Hs.192966	KIAA0265 protein	3.5	other
	124390 AA317338	Hs.7535	gb:aq49a10.x1 Stanley Frontal NB pool 2	57.1	?
	124391 AF155099	Hs.279780	COBW-like protein NY-REN-18 antigen	2.8 7.1	other
	124417 N34059	113.273700	gb:yv28h09.s1 Soares fetal liver spleen	3.3	other other
55	124428 H13540	Hs.82202	ribosomal protein L17	2.9	other
	124440 AA532519	Hs.129043	Human DNA sequence from clone 989H11 on	7.9	other
	124466 R10084	Hs.113319	kinesin heavy chain member 2	2.6	TM
	124482 N53935		gb:yv59d09.s1 Soares fetal liver spleen	7.9	TM
	124498 H79433	Hs.268997	ESTs	7.8	other
60	124515 AA669097	Hs.109370	ESTs	3.3	other
	124608 N71076	Hs.102800	ESTs, Weakly similar to neuronal thread	4.6	?
	124631 NM_014053	Hs.270594	FLVCR protein	3.2	other
	124634 AI765123	Hs.143671	Homo sapiens cDNA FLJ13533 fis, clone PL	5.8	other
65	124637 AA160474	Hs.75798	hypothetical protein	9.3	other
65	124642 AW968856	Hs.278569	sorting nextin 17	3.5	other
	124649 N92593 124661 R48170	Hs.313054 Hs.78436	ESTs FobB1	6.1	TM
	124001 1440170	1 13.7 0430	EphB1	5.6	other

	124683 AA381661	Hs.119878	ESTs, Weakly similar to M3K9_HUMAN MITOG	7.9	TM
	124712 R09166	Hs.191148	ESTs	5.7	other
	124735 R22952	Hs.268685	ESTs	11.3	?
	124761 AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	9	other
5				8.3	other
)	124768 AW368528	Hs.100855	ESTs		
	124775 R41772	Hs.100878	ESTs	4.9	other
	124777 R41933	Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.8	other
	124788 R43543	Hs.100912	Homo sapiens cDNA: FLJ22726 fis, clone H	5.1	other
	124809 AL355722	Hs.106875	Homo sapiens EST from clone 35214, full	4.2	other
10	124811 R46068	Hs.288912	hypothetical protein FLJ22604	14.2	other
10				7.9	other
	124812 R47948	Hs.188732	ESTs		
	124822 AA418160	Hs.86043	Homo saplens cDNA FLJ13558 fis, clone PL	6.6	other
	124825 AA501669	Hs.336693	ESTs	2.3	SS,TM
	124833 AW975868	Hs.294100	ESTs	2.7	SS,TM
15	124857 R63652	Hs.137190	ESTs	2.3	other
13				23.9	?
	124860 R65763	Hs.101477	EST		
	124863 Al382555	Hs.127950	bromodomaln-containing 1	2	other
	124876 AF135422	Hs.27059	GDP-mannose pyrophosphorylase A	4.4	SS,
	124878 BE397530	Hs.288057	hypothetical protein FLJ22242	2.7	other
20	124902 H37941	Hs.101883	ESTs	5.7	other
20		Hs.221441	ESTs	32.4	other
	124903 AW296713				
	124930 Al076343	Hs.173939	ESTs, Wealdy similar to ALUB_HUMAN !!!!	22.8	other
	124942 R99978	Hs.268892	ESTs, Moderately similar to B34087 hypot	6.1	other
	124958 Al078645	Hs.431	murine leukemia viral (bml-1) oncogene h	1.9	other
25	124980 T40841	Hs.98681	ESTs	4.5	?
23	125002 T59338	Hs.269463	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.9	other
	125047 T79815	Hs.279793	ESTs	5	?
	125051 T79956	Hs.100588	EST	135.3	?
	125056 T81310	Hs.100592	ESTs	5.4	other
30	125101 Al472068	Hs.286236	KIAA1856 protein	5.6	other
•	125113 T96595	Hs.302270	ESTs, Weakly similar to ALUF_HUMAN !!!!	1.8	other
		119.302210	qb;ye57e05.s1 Soares fetal liver spleen	9.6	?
	125115 T97341	11 040707			
	125125 Al222382	Hs.240767	Human DNA sequence from clone RP1-12G14	1.5	TM
	125147 W38150		Empirically selected from AFFX single pr	1.7	?
35	125161 W44657	Hs.144232	EST	10.7	?
	125249 AA630863	Hs.131375	ESTs, Moderately similar to ALUB_HUMAN I	1.3	other
	125255 AF098162	Hs.118631	timeless (Drosophila) homolog	9.4	other
				1.5	?
	125279 AW401809	Hs.4779	KIAA1150 protein		
	125280 Al123705	Hs.106932	ESTs	8.1	?
40	125298 AW972542	Hs.289008	Homo sapiens cDNA: FLJ21814 fis, clone H	1.5	other
	125660 AW292171	Hs.23978	scaffold attachment factor B	5.9	other
	125827 NM_003403	Hs.97496	YY1 transcription factor	1.2	?
	125891 U29589	Hs.7138	cholinergic receptor, muscarinic 3	6.5	?
					ż
4.5	126005 AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	14.3	
45	126202 AA157632	Hs.272630	vacuolar proton pump delta polypeptide	2.5	SS,
	126695 AA643322	Hs.172028	a disintegrin and metalloproteinase doma	9.1	SS,TM
	127050 AW411066	Hs.274351	CGI-89 protein	17	other
	127274 AW966158	Hs.58582	Homo sapiens cDNA FLJ12789 fis, clone NT	12.8	other
	128355 AW293012	Hs.161623	ESTs	7.4	SS,
50					TM
50	128493 D87466	Hs.240112	KIAA0276 protein	3.1	
	128522 BE173977	Hs.10098	putative nucleolar RNA helicase	9.4	other
	128527 AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul	1:5	other
	128528 R39234	Hs.251699	ESTs, Weakly similar to IDN4-GGTR14 [H.s	2.8	other
	128595 U31875	Hs.272499	short-chain alcohol dehydrogenase family	12.1	TM
55				2.4	7
23	128599 NM_015366	Hs.102336	Rho GTPase activating protein 8		
	128604 Al879099	Hs.102397	GIOT-3 for gonadotropin inducible transc	1.3	other
	128608 BE267994	Hs.102419	zinc finger protein	7.2	other
	128625 AB037841	Hs.102652	hypothetical protein ASH1	1.3	other
	128629 AL096748	Hs.102708	DKFZP434A043 protein	3.2	other
60	128639 AW582962	Hs.102897	CGI-47 protein	2	TM
UU		Hs.10326	coatomer protein complex, subunit epsilo	1.4	other
	128656 AA458542		district protein complex, addenic opsilo	2.5	
	128658 BE397354	Hs.324830	diptheria toxin resistance protein requi		other
	128670 AA975486	Hs.103441	Homo sapiens, Similar to RIKEN cDNA 1700	7.1	?
	128691 W27939	Hs.103834	hypothetical protein MGC5576	7.8	?
65	128696 BE081143	Hs.225977	nuclear receptor coactivator 3	3.8	other
	128700 Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.6	other
	128714 T85231	Hs.179661	tubulin, beta 5	7.8	other
	1201 14 100201	113, 17 300 1	would both o		00.01

	128717	AK001564	Hs.104222	hypothetical protein FLJ10702	5.5	other
	128733	BE147740	Hs.104558	ESTs, Moderately similar to 138022 hypot	2.7	TM
	128737	AF292100	Hs.104613	RP42 homolog	2.8	TM
		AA307211	Hs.251531	proteasome (prosome, macropain) subunit,	4.5	?
5		AI470163	Hs.323342	actin related protein 2/3 complex, subun	2.2	other
•		AB027249	Hs.104741	PDZ-binding kinase; T-cell originated pr	2.8	other
		BE302796	Hs.105097	thymidine kinase 1, soluble	5.4	other
		N71826	Hs. 105465	•	53.9	TM
				small nuclear ribonucleoprotein polypept		
10		NM_002975	Hs.105927	stem cell growth factor, lymphocyte secr	13.3	other
10		AW630942	Hs.106061	RD RNA-binding protein	2.6	other
		AW248431	Hs.256526	nuclear prelamin A recognition factor	2.2	other
		BE281170	Hs.106357	valosin-containing protein	6	other
	128835	AK001731	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586H0924 (f	1.6	SS,
	128854	BE159181	Hs.168232	hypothetical protein FLJ13855	2.3	other
15	128871	AF189723	Hs.106778	ATPase, Ca++ transporting, type 2C, memb	1.5	?
	128906	R57988	Hs.10706	epithelial protein lost in neoplasm beta	4.8	other
	128920	AA622037	Hs.166468	programmed cell death 5	1.4	other
	128925	R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, done NT	1.9	other
		Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3	7.3	?
20		AA009647	Hs.8850	a disintegrin and metalloproteinase doma	2.5	other
20		AI580127	Hs.107381	hypothetical protein FLJ11200	1.3	other
		AW150697	Hs.107418	ESTs	1.4	?
					1.3	other
		Al375672	Hs.165028	ESTs		
25		BE560779	Hs.284233	NICE-5 protein	14	other
25	-	AW271217	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HE	1.6	TM
		Al816224	Hs.107747	DKFZP566C243 protein	1.9	other
	129019	A1950087		gb:wq05c02.x1 NCI_CGAP_Kid12 Homo sapien	2.9	other
	129021	AL044675	Hs.173081	KIAA0530 protein	3.8	other
	129032	R80088	Hs.108104	ubiquitin-conjugating enzyme E2L 3	3.4	other
30	129076	AW296806	Hs.326234	ESTs, Highly similar to T46422 hypotheti	5	other
	129078	Al351010	Hs.102267	lysosomal	2.1	other
	129088	AA744610	Hs.194431	palladin	17.1	other
	129095	L12350	Hs.108623	thrombospondin 2	2.7	other
		AA463189	Hs.288906	WW Domain-Containing Gene	20.9	TM
35		BE243933	Hs.108642	zinc finger protein 22 (KOX 15)	3	other
-		AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	5.8	TM
		W93048	Hs.250723	hypothetical protein MGC2747	6	other
		AA356620	Hs.108947	KIAA0050 gene product	6.4	TM
		AW162916			1.8	TM
40			Hs.241576	hypothetical protein PRO2577	2.1	?
40		AA286914	Hs.183299	ESTs		
		AA150797	Hs.109276	latexin protein	3.3	SS,TM
		N57532	Hs.109315	KIAA1415 protein	5.9	other
		A1934365	Hs.109439	osteoglycin (osteoinductive factor, mime	8.1	other
	129228	U40714	Hs.239307	tyrosyl-IRNA synthetase	2.9	other
45	129229	AF013758	Hs.109643	polyadenylate binding protein-interactin	3.3	?
	129254	AA252468	Hs.1098	DKFZp434J1813 protein	2.6	SS,TM
	129255	AI961727	Hs.109804	H1 histone family, member X	7.4	other
	129288	W26392	Hs.110080	ESTs, Weakly similar to S13495 pregnancy	9.6	other
		AI051967	Hs.110122	ESTs	1.2	other
50		AA287239	Hs.5518	Homo saplens cDNA FLJ11311 fis, clone PL	5.2	other
••		H75334	Hs.11050	F-box only protein 9	4.7	SS,
		BE614192	Hs.279869	melanoma-associated antigen recognised b	7.7	TM
		U30246	Hs.110736	solute carrier family 12 (sodium/potassi	6.7	TM
		BE220806	Hs.184697	Homo saplens clone 23785 mRNA sequence	8.6	SS,
55					1.4	TM
"	129370	AI686379	Hs.110796	SAR1 protein		
		NM_016039	Hs.110803	CGI-99 protein	2	other
		AF149785	Hs.111126	pituitary tumor-transforming 1 interacti	7.5	other
		A1267700	Hs.317584	ESTs	5.1	other
	129423	AA204686	Hs.234149	hypothetical protein FLJ20647	10.2	other
60		AA188185	Hs.289043	spindlin	6.8	other
	129513	AW843633	Hs.306163	hypothetical protein AL110115	7.1	SS,
		AF255303	Hs.112227	membrane-associated nucleic acid binding	2.5	other
		AA769221	Hs.270847	delta-tubulin	3.2	other
		W01296	Hs.11360	hypothetical protein FLJ14784	7.5	other
65		AA317841	Hs.7845	hypothetical protein MGC2752	6.8	other
		Al923097	Hs.11441	chromosome 1 open reading frame 8	2.1	other
		F08282	Hs.278428	progestin induced protein	1.6	other
	,_00.0			b A same contract	-	

	129587	H14718	Hs.11506	Human clone 23589 mRNA sequence	6.8	other
		BE408300	Hs.301862	postmeiotic segregation Increased 2-like	1.4	TM
	129591	N57423	Hs.179898	HSPC055 protein	7.4	other
	129594	AW403724	Hs.36989	coagulation factor VII (serum prothrombi	9	?
5	129596	AF035537	Hs.115521	REV3 (yeast homolog)-like, catalytic sub	1.6	other
	129628	U38945	Hs.1174	cyclin-dependent kinase Inhibitor 2A (me	2.2	other
	129649	AD000092	Hs.16488	calreticulin	3.3	other
		NM_015556	Hs.172180	KIAA0440 protein	13.4	other
		U03749	- '	gb:Human chromogranin A (CHGA) gene, pro	14.1	?
10		AW748482	Hs.77873	B7 homolog 3	2.6	other
		Al304966	Hs.12035	ESTs, Weakly similar to 138022 hypotheti	7.5	TM
		AA156214	Hs.12152	APMCF1 protein	2	other
		NM_001415	Hs.211539	eukaryotic translation initiation factor	1.7	TM
		AK001676		hypothetical protein FLJ10814	1.8	other
15		AA394090	Hs.12460	Homo sapiens clone 23870 mRNA sequence	5.5	TM
		AF052112	Hs.12540	lysosomal	1.7	7
		AB023148	Hs.173373	KIAA0931 protein	1.2	other
		BE565817	Hs.26498	hypothetical protein FLJ21657	3.1	other
		NM_006590	Hs.12820	SnRNP assembly defective 1 homolog	1.8	other
20		AL049999	Hs.85963	DKFZP564M182 protein	2.3	other
20		Al393237	Hs.129914		1.7	SS,
		Al222069	Hs.13015	runt-related transcription factor 1 (acu hypothetical protein similar to mouse Dn	2.8	TM
		BE514376	Hs.165998		1.8	other
				PAI-1 mRNA-binding protein		other
25		AA412195	Hs.13740	ESTs	2.5	
25		AW753185 U09848	Hs.180628	dynamin 1-like	1.8	?
			Hs.132390	zinc finger protein 36 (KOX 18)	1.3	other
		AA301116	Hs.142838	nucleolar phosphoprotein Nopp34	1.6	other
		AA287325	Hs.14713	ESTs	4.1	other
30		\$73265	Hs.1473	gastrin-releasing peptide	1.9	other
30		AL046962	Hs.14845	forkhead box O3A	2.8	other
		AL135561	Hs.14891	hypothetical protein FLJ21047	2.3	other
		X53002	Hs.149846	Integrin, beta 5	2.3	other
		AA916785	Hs.180610	splicing factor proline/glutamine rich (3	other
25		L76937	Hs.150477	Werner syndrome	1.8	other
35		AA311426	Hs.21635	lubulin, gamma 1	6.1	other
		NM_003358	Hs.23703	ESTs, Moderately similar to CEGT_HUMAN C	1.6	other
		D80001	Hs.152629	KIAA0179 protein	1.3	other
		R85367	Hs.51957	splicing factor, arginine/serine-rich 2,	2	other
40		AL035588	Hs.153203	MyoD family Inhibitor	3.2	other
40		X79201	Hs.153221	synovial sarcoma, translocated to X chro	5.4	?
		D81983	Hs.322852	GAS2-related on chromosome 22	4.9	other
		NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	1.4	other
		AA479005	Hs.154036	turnor suppressing subtransferable candid	2.6	other
4 -		AB011121	Hs.154248	amyotrophic tateral sclerosis 2 (juvenil	6.3	other
45		Z19084	Hs.172210	MUF1 protein	6.2	other
		AF127577	Hs.155017	nuclear receptor Interacting protein 1	2.4	other
		AJ224442	Hs.155020	putative methyltransferase	3.5	TM
		NM_013449	Hs.277401	bromodomain adjacent to zinc finger doma	8.5	other
		AL135301	Hs.8768	hypothetical protein FLJ10849	1.4	other
50		A1077464	Hs.5011	RNA binding motif protein 9	3.3	?
	130393	N89487	Hs.155291	KIAA0005 gene product	1.8	other
•	130399	AW374106	Hs.155356	hypothetical protein MGC2840 similar to	3.4	other
	130407	BE385099	Hs.334727	hypothetical protein MGC3017	2.3	other
	130409	NM_001197	Hs.155419	BCL2-Interacting killer (apoptosis-induc	2.7	TM
55	130419	AF037448	Hs.155489	NS1-associated protein 1	1.8	other
	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	2.3	other
	130448	BE513202	Hs.15589	PPAR binding protein	4	TM
	130455	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	33.6	?
	130485	BE245851	Hs.180779	H2B histone family, member B	5	other
60	130487	U49844	Hs.77613	ataxla telanglectasia and Rad3 related	4.4	other
	130498	L38951	Hs.180446	karyopherin (importin) beta 1	1.6	SS,TM
		BE208491	Hs.295112	KIAA0618 gene product	16.1	other
		L32137	Hs.1584	cartilage oligomeric matrix protein (pse	6.1	other
		AW876523	Hs.15929	hypothetical protein FLJ12910	2.1	other
65	130544	AA321238	Hs.4310	eukaryotic translation initiation factor	1.5	other
	130553	AF062649	Hs.252587	pituitary tumor-transforming 1	14.4	?
	130556	Al907018	Hs.15977	Empirically selected from AFFX single pr	4.8	other
				· · · · · · · · · · · · · · · · · · ·		

				8	other
	130567 AA383092	Hs.1608	replication protein A3 (14kD)	3.4	other
	130568 AA232119	Hs.16085	putative G-protein coupled receptor apoptosis antagonizing transcription fac	1.2	other
	130574 AF083208 130598 AL042210	Hs.16178 Hs.16493	hypothetical protein DKFZp762N2316; KIAA	1.4	other
5	130601 AA609738	Hs.16525	ESTs	1.5	TM
,	130614 Al354355	Hs.16697	down-regulator of transcription 1, TBP-b	1.3	other
	130617 M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	12.1	TM
	130618 AA383439	Hs.16758	Spir-1 protein	15.9	other
	130667 BE246961	Hs.17639	Homo sapiens ubiquitin protein ligase (U	13.9 1.5	other other
10	130674 AL048842	Hs.194019	attractin	5.4	other
	130675 AA442233	Hs.17731	hypothetical protein FLJ12892 hypothetical protein MGC4692	5	other
	130692 AA652501	Hs.13561 Hs.17962	ESTs	2	other
	130693 R68537 130712 AJ271881	Hs.279762	bromodomain-containing 7	1.8	TM
15	130714 Al348274	Hs.18212	DNA segment on chromosome X (unique) 987	2	TM
13	130730 AB007920	Hs.18586	KIAA0451 gene product	3.8	?
	130744 H59696	Hs.18747	POP7 (processing of precursor, S. cerevi	3.2	? other
	130751 AF052105	Hs.18879	chromosome 12 open reading frame	1.4 5.7	other other
	130757 AL036067	Hs.18925	protein x 0001	5.7 5.2	?
20	130768 AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1 sirtuin (silent mating type information	1.6	other
	130789 AK000355	Hs.8899 Hs.2012	transcobalamin I (vitamin B12 binding pr	15.7	SS,
	130836 J05068 130841 AL157468	Hs.325825	Homo sapiens cDNA FLJ20848 fis, done AD	2.8	other
	130843 AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	1.5	other
25	130844 U76248	Hs.20191	seven in absentia (Orosophila) homolog 2	3.5	other
	130855 AJ243706	Hs.143323	putative DNA/chromatin binding motif	1.7	other other
	130861 NM_016578	Hs.20509	HBV pX associated protein-8	1.9 1.4	other
	130879 NM_003416	Hs.2076	zinc finger protein 7 (KOX 4, clone HF.1	2.1	TM
20	130880 BE514434	Hs.20830	kinesin-like 2 high-glucose-regulated protein 8	2.5	other
30	130892 AL120837	Hs.20993 Hs.186613	sphingosine-1-phosphate lyase 1	1.7	other
	130898 AB033078 130911 BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	1.8	other
	130919 N79110	Hs.21276	collagen, type IV, alpha 3 (Goodpasture	2.3	TM
	130944 BE382657	Hs.21486	signal transducer and activator of trans	5.4	other
35	130971 N39842	Hs.301444	KIAA1673	2. 2 1.6	SS, other
	130993 T97401	Hs.21929	ESTs	1.6	?
	131005 AV658308	Hs.2210	thyroid hormone receptor interactor 3 CCAAT/enhancer binding protein (C/EBP).	1.2	other
	131028 Al879165	Hs.2227 Hs.171637	hypothetical protein MGC2628	1.6	other
40	131042 AI826288 131046 AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	7.4	?
40	131060 AA194422	Hs.22564	myosin VI	5.1	other
	131070 N53344	Hs.22607	ESTs	7.1	other
	131076 AA749230	Hs.26433	dolichyl-phosphate (UDP-N-acetylglucosam	2.1 7.1	TM other
	131099 AL133353	Hs.226581	COX15 (yeast) homolog, cytochrome c oxid	1.9	?
45	131174 NM_006540		nuclear receptor coactivator 2	5.8	?
	131185 BE280074	Hs.23960 Hs.24210	cydin B1 ESTs	2	other
	131206 AW138839 131213 AA885699	Hs.24332	CGI-26 protein	7.1	TM
	131225 H62087	Hs.31659	thyroid hormone receptor-associated prot	7.6	?
50	131231 N47468	Hs.59757	zinc finger protein 281	2.9	other
-	131233 D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	3.5	other ?
	131243 AW383256	Hs.24752	spectrin SH3 domain binding protein 1	2.8 2.8	SS,TM
	131245 AL080080	Hs.24766	thioredoxin domain-containing fatty acid amide hydrolase	5.6	other
E E	131247 AL043100	Hs.326190 Hs.25227	FSTs	5.8	other
55	131281 AA251716 131283 X80038	Hs.339713	Homo sapiens clone F19374 APO E-C2 gene	1.3	other
	131305 AV656017	Hs.184325	CGI-76 protein	5	7
	131320 AA505691	Hs.145696	splicing factor (CC1.3)	1.8	TM
	131339 AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6 5.4	other other
60	131375 AW293165	Hs.143134		5.3	other
	131390 BE269388	Hs.182698		2.2	other
	131410 BE259110	Hs.279836 7 Hs.124027	THE PROPERTY OF THE PROPERTY O		2
	131412 NM_01224 131429 AL046302	Hs.26750	hypothetical protein FLJ21908	1.4	other
65	131458 BE297567	Hs.27047	hypothetical protein FLJ20392	1.7	other
33	131475 AA992841	Hs.27263	KIAA1458 protein	2	other other
	131501 AV661958	Hs.8207	GK001 protein	2.6	Onici
			1.07		

	131511	AA732153	Hs.27865	Homo sapiens cDNA: FLJ21333 fis, clone C	2	other
		AU076408	Hs.28309	UDP-glucose dehydrogenase	1.6	TM
		BE268278	Hs.28393	hypothetical protein MGC2592	7.4	other
_		AW966881	Hs.41639	programmed cell death 2	2.2	other
5		AL355715	Hs.28555	programmed cell death 9 (PDCD9)	2.1	other
		NM_003512	Hs.28777	H2A histone family, member L	1.7	other
		T93500 AL389951	Hs.28792 Hs.271623	Homo sapiens cDNA FLJ11041 fis, clone PL	5.2	other
		BE393822	Hs.29645	nucleoporin 50kD Homo sapiens mRNA; cDNA DKFZp761C029 (fr	5 1.8	other other
10		R78195	Hs.29692	Homo sapiens cDNA FLJ11436 fis, clone HE	1.3	other
		AB037791	Hs.29716	hypothetical protein FLJ10980	2.2	TM
		AW410601	Hs.30026	HSPC182 protein	3	other
	131653	AW960597	Hs.30164	ESTs	1.3	other
	131656	Al218918	Hs.30209	KIAA0854 protein	2.8	other
15		X52486	Hs.3041	uracil-DNA glycosylase 2	2.8	other
		BE559681	Hs.30736	KIAA0124 protein	5.6	?
		AA642831	Hs.31016	putative DNA binding protein	2.9	?
		D13757	Hs.311	phosphoribosyl pyrophosphate amidotransf	3.4	other
20		AK001641 Al878932	Hs.31323 Hs.317	Inhibitor of kappa light polypeptide gen	3.9	?
20		AA382590	Hs.170980	topoisomerase (DNA) i KIAA0948 protein	3.4 25.5	other other
		D87077	Hs.196275	KIAA0240 protein	2.4	SS,
		AW966127	Hs.32246	Homo sapiens cDNA FLJ14656 fis, clone NT	8	TM
		BE501849	Hs.32317	high-mobility group 20B	1.5	other
25	131798	X86098	Hs.301449	adenovirus 5 E1A binding protein	4.2	other
	131817	U20536	Hs.3280	caspase 6, apoptosis-related cysteine pr	4.3	other
		U28838	Hs.32935	TATA box binding protein (TBP)-associate	3.5	other
		Al251317	Hs.33184	ESTs	5.2	TM
20		AA083764	Hs.6101	hypothetical protein MGC3178	5.9	other
30		BE502341	Hs.3402	ESTs	13.7	other
		AA099014	Hs.231029	Homo sapiens, clone MGC:15961, mRNA, com	8.7	other
		AF078866 AA179298	Hs.284296 Hs.3439	Homo sapiens cDNA: FLJ22993 fis, clone K stomatin-like 2	5.5 11.3	other other
		AW207440	Hs.185973	degenerative spermatocyte (homolog Droso	1.7	SS,
35		AA025976	Hs.34569	ESTs	5.2	TM
	131925	AF151048	Hs.183180	anaphase promoting complex subunit 11 (y	2.8	- other
	131929	BE541211	Hs.34804	Homo sapiens cDNA FLJ11472 fis, clone HE	5.4	TM
		BE252983	Hs.35086	ubiquitin specific protease 1	2.4	other
40 .		AA355113	Hs.35380	x 001 protein	1.5	?
40		AK000046	Hs.267448	hypothetical protein FLJ20039	2.3	other
		W79283	Hs.35962	ESTs	1.4	other
		BE567100 U90441	Hs.154938 Hs.3622	hypothetical protein MDS025	3.5 6.6	other
		AA503020	Hs.36563	procollagen-proline, 2-oxoglutarate 4-di hypothetical protein FLJ22418	2.4	TM ?
45		AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	2.2	SS,TM
,,,		H56995	Hs.37372	Homo sapiens DNA binding peptide mRNA, p	3.3	TM
		BE266155	Hs.3832	clathrin-associated protein AP47	1.5	other
	132084	NM_002267	Hs.3886	karyopherin alpha 3 (importin alpha 4)	3.7	other
~ ^		BE171921	Hs.3991	ESTs	1.5	other
50		AV646076	Hs.39959	ESTs	5.8	TM
		AW960474	Hs.40289	ESTs	1.7	other
		AA857025	Hs.8878	kinesin-like 1	3.4	other
		NM_004460 R42432	Hs.418	fibroblast activation protein, alpha ESTs	14.7	SS,
55		BE206939	Hs.4212 Hs.42287	E2F transcription factor 6	2.2 1.5	other other
55		AV658411	Hs.42656	KIAA1681 protein	5.7	other
		Al566004	Hs.141269	Homo sapiens cDNA: FLJ21550 fis, clone C	2.1	other
		AA301228	Hs.43299	hypothetical protein FLJ12890	1.5	other
	132273	AA227710	Hs.43658	DKFZP586L151 protein	10	other
60		AA653507	Hs.285711	hypothetical protein FLJ13089	2	other
		N36110	Hs.305971	solute carrier family 2 (facilitated glu	9.2	other
		AB023191	Hs.44131	KIAA0974 protein	2	other
		NM_015986	Hs.7120	cytokine receptor-like molecule 9	6.6	SS,
65		AW405882 N37065	Hs.44205 Hs.44856	cortistatin hypothetical protein FLJ12116	3.8	other
05		AW572805	Hs.46645	ESTs	1.5 28.3	other ?
		AF155582	Hs.46744	core1 UDP-galactose:N-acetylgalactosamin	1.9	other

	132376	Al279892	Hs.46801	sorting nexin 14	2	?
	132384	AA312135	Hs.46967	HSPCO34 protein	6.1	?
	132393	AL135094	Hs.47334	hypothetical protein FLJ 14495	1.7	other
_	132450	AA100012	Hs.48827	hypothetical protein FLJ12085	8.6	other
5		AW973521	Hs.247324	mitochondrial ribosomal protein S14	5.3	other
		AB011084	Hs.48924	KIAA0512 gene product; ALEX2	1.5	other
		Al224456	Hs.4934	H.saplens polyA site DNA	2	other
		X16660	Hs.119007	RAB4, member RAS oncogene family	2.9 2.2	SS,
10		AW885606	Hs.5064	ESTs	1.7	other other
10		AA306105	Hs.50785	SEC22, vesicle trafficking protein (S. c mitochondrial ribosomal protein L16	7.2	TM
		AA454132 BE388673	Hs.5080 Hs.5086	hypothetical protein MGC10433	2.2	SS,
		BE568452	Hs.5101	protein regulator of cytokinesis 1	2.2	other
	-	AW631437	Hs.5184	TH1 drosophila homolog	14	7
15		AK001484	Hs.5298	CGI-45 protein	1.9	other
15		AA345547	Hs.53263	hypothetical protein FLJ13287	2.6	TM
		H12751	Hs.5327	PRO1914 protein	2	other
		BE262677	Hs.283558	hypothetical protein PRO1855	3.1	other
		Al796870	Hs.54277	DNA segment on chromosome X (unique) 992	12.4	TM
20	132668	AB018319	Hs.5460	KIAA0776 protein	2.8	SS,
	132692	AW191962	Hs.249239	collagen, type Vill, alpha 2	3	other
	132715	F11875	Hs.5534	Homo sapiens cDNA FLJ12961 fis, clone NT	1.8	other
		NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	3.7	other
0.5		Al142265	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	TM
25		AI189075	Hs.301872	hypothetical protein MGC4840	5.9 8.7	other other
		AA010233	Hs.55921	glutamyl-prolyl-tRNA synthetase	3.6	other
		AA125985	Hs.56145	thymosin, beta, identified in neuroblast	2.8	TM
		Y10275 AA459713	Hs.56407 Hs.295901	phosphoserine phosphatase KIAA0493 protein	14.6	other
30		AI142133	Hs.56845	GDP dissociation inhibitor 2	1.7	other
50		AI026701	Hs.5716	KIAA0310 gene product	2.5	other
		U07418	Hs.57301	mutL (E. coli) homolog 1 (colon cancer,	1.4	other
		AB007944	Hs.5737	KIAA0475 gene product	4.3	SS,
		BE313625	Hs.57435	solute carrier family 11 (proton-coupled	2.8	other
35		AI815189	Hs.57475	sex comb on midleg homolog 1	1.6	other
-	132817	N27852	Hs.57553	tousled-like kinase 2	1.4	other
	132821	AJ251595	Hs.169610	CD44 antigen (homing function and Indian	5.4	other
	132833	U78525	Hs.57783	eukaryotic translation initiation factor	6.1	?
40		NM_016154	Hs.279771	Homo sapiens done PP1596 unknown mRNA	7.2	other
40		F12200	Hs.5811	chromosome 21 open reading frame 59	2.9	other
		U09716	Hs.287912	lectin, mannose-binding, 1	6.1 1.8	other other
		AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89	2.2	other
		AW007683	Hs.58598	KIAA1266 protein Rho-associated, coiled-coil containing p	5	TM
45		NM_004850	Hs.58617	U2(RNU2) small nuclear RNA auxiliary fac	2.7	?
43		BE267143 AW503667	Hs.59271 Hs.59545	ring finger protein 15	5.4	7
		A1936442	Hs.59838	hypothetical protein FLJ10808	3.2	other
		AW732760	Hs.167578	Homo saplens cDNA FLJ11095 fis, clone PL	1.4	other
		W78714	Hs.60257	Homo sapiens cDNA FLJ13598 fis, clone PL	3	other
50		T79136	Hs.127243	Homo sapiens mRNA for KIAA1724 protein,	10.3	other
50		AA554458	Hs.197751	KIAA0666 protein	2.1	SS,
		AI658580	Hs.61426	Homo sapiens mesenchymal stem cell prote	1.3	other
	132962	AA576635	Hs.6153	CGI-48 protein	4.9	other
	132972	AA034365	Hs.288924	Homo sapiens cDNA FLJ11392 fis, clone HE	3.6	TM
55		AA035446	Hs.323277	ESTs	13.1	other
		AA093322	Hs.301404	RNA binding motif protein 3	1.3	other
		AA040696	Hs.62016	ESTs	2.3	? other
		AA112748	Hs.279905	clone HQ0310 PRO0310p1	17.1	other other
<i>c</i> n		AA847843	Hs.62711	Homo sapiens, done IMAGE:3351295, mRNA UDP-N-acetyl-alpha-D-galactosamine:polyp	1.9 5	TM
60		AJ002744	Hs.246315	UUP-N-acetyl-aipna-U-galactosamine:potyp PRO0149 protein	5 6.1	other
		AW500374	Hs.64056	protein with polyglutamine repeat; calci	1.5	TM
		BE247441 AK001628	Hs.6430 Hs.64691	KIAA0483 prolein	1.4	other
		AA808177	Hs.65228	ESTs	5.6	other
65		AF198620	Hs.65648	RNA binding motif protein 8A	1.9	other
05		H94227	Hs.6592	Homo sapiens, clone IMAGE:2961368, mRNA,	4.8	?
		Z11695	Hs.324473	mitogen-activated protein kinase 1	5	other

				•				
		AA431620	Hs.324178	hypothetical protein MGC2745	2.7	other		
	133175	AW955632	Hs.66666	ESTs, Weakly similar to S19560 proline-r	9.3	other		
	133177	X97795	Hs.66718	RAD54 (S.cerevisiae)-like	4.5	TM		
	133208	Al801777	Hs.6774	ESTs	5.5	TM		
5		AW954569	Hs.296287	Homo sapiens, Similar to bromodomain-con	2.7	other		
		AI492924	Hs.6831	golgi phosphoprotein 1	1.7	?		
		AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA,	1.3	other		
		AW956781	Hs.293937	ESTs, Weakly similar to FXD2_HUMAN FORKH	12.2	other		
10		BE297855	Hs.69855	NRAS-related gene	1.2	other		
10		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	1.7	TM		
		T79526	Hs.179516	integral type I protein	11.1	?		
	133327	AL390127	Hs.7104	Kruppel-like factor 13	2.9	other		
	133347	BE257758	Hs.71475	acid cluster protein 33	2.5	?		
	133360	AI016521	Hs.71816	v-akt murine thymoma viral oncogene homo	1.5	other		
15	133366	AA292811	Hs.72050	non-metastatic cells 5, protein expresse	2.1	other		
		AF231919	Hs.18759	KIAA0539 gene product	1.3	other		
		AF245505	Hs.72157	DKFZP564I1922 protein	2.2	other		
		AI950382	Hs.72660	phosphatidylserine receptor	5.7	TM		
		AW103364			25.5			
20			H\$.727	inhibin, beta A (activin A, activin AB a		other		
20		AA305127	Hs.237225	hypothetical protein HT023	3.3	other		
		AL031591	Hs.7370	phosphotidylinositol transfer protein, b	1.6	other		
		NM_002759	Hs.274382	protein kinase, interferon-inducible dou	4.1	other		
		A1659306	Hs.73826	protein tyrosine phosphatase, non-recept	1.5	other		
~ ~		AW964804	Hs.74280	hypothetical protein FLJ22237	6.3	TM		
25	133529	W45623	Hs.74571	ADP-ribosylation factor 1	4	?		
	133543	AU077073	Hs.108327	damage-specific DNA binding protein 1 (1	1.8	?		
	133578	AU077050	Hs.75066	translin	1.5	other		
	133579	X75346	Hs.75074	mitogen-activated protein kinase-activat	3.5	TM		
	133582	BE391579	Hs.75087	Fas-activated serine/threonine kinase	6.8	TM		
30		AW160781	Hs.172589	nuclear phosphoprotein similar to S. cer	2.6	TM		
-		AA393273	Hs.75133	transcription factor 6-like 1 (mitochond	1.4	other		
		NM_002885	Hs.75151	RAP1, GTPase activating protein 1	8.1	other		
		NM_004893	Hs.75258	H2A histone family, member Y	13.5	other		
		NM_002047	Hs.75280	glycyl-tRNA synthetase	2.2	other		
35		NM_000401	Hs.75334	exostoses (multiple) 2	1.8	other		
55		U25849	Hs.75393	acid phosphatase 1, soluble	2	other		
		AV661185	Hs.75574		2.8	other		
				mitochondrial ribosomal protein L19	6.8	other		
		L27841	Hs.75737	pericentriolar material 1				
40		AW969976	Hs.279009	matrix Gla protein	2.5	other	0.4	744
40		AW402048.coi		Hs.334787		piens, Similar to likely ortholog	3.1	TM
		T52946	Hs.196209	RAE1 (RNA export 1, S.pombe) homolog	1.4	?		
		BE271766	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	5.4	other		
	133765	M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	5	other		
	133780	AA557660	Hs.76152	decorin	3.8	other		
45	133797	AL133921	Hs.76272	retinoblastoma-binding protein 2	3.1	7		
	133822	D50525	Hs.699	peptidylprolyl isomerase B (cyclophilin	9.7	?		
	133842	AW797468	Hs.285013	putative human HLA class II associated p	2.4	other		
	133845	AA147026	Hs.76704	ESTs	2.5	other		
		AB011155	Hs.170290	discs, large (Drosophila) homolog 5	5	other		
50		AW340125	Hs.76989	KIAA0097 gene product	2.5	?		
• •		AB012193	Hs.183874	culin 4A	2.1	other		
		U30825	Hs.77608	splicing factor, arginine/serine-rich 9	2.8	TM		
		D86326	Hs.325948	vesicle docking protein p115		SS,		
		NM_006306	Hs.211602	SMC1 (structural maintenance of chromoso	2	?		
55	133936			gamma-glutarnyl carboxylase	2.6	other		
55			Hs.77719					
		BE244332	Hs.77770	adaptor-related protein complex 3, mu 2	2.9	other		
		X81789	Hs.77897	splicing factor 3a, subunit 3, 60kD	10.4	other		
		AI908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	1.9	other		
~ 0		AL040328	Hs.78202	SWI/SNF related, matrix associated, acti	2.6	SS,		
60		Al824113	Hs.78281	regulator of G-protein signalling 12	13	other		
		AB016092	Hs.197114	RNA binding protein; AT-rich element bin	8.8	other		
		D31764	Hs.278569	sorting nextn 17		SS,		
	134070	NM_003590	Hs.78946	cullin 3	8.3	other		
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	2.7	other		
65		NM_014742	Hs.79305	KIAA0255 gene product	4.2	other		
	134134	H86504	Hs.173328	protein phosphatase 2, regulatory subuni	1.7	other		
		BE559598	Hs.197803	KIAA0160 protein	2.6	other		

PCT/US02/02242

WO 02/059377

	134206 AF107463	Hs.79968	splicing factor 30, survival of motor ne	1.3	other
	134219 NM_000402	Hs.80206	glucose-6-phosphate dehydrogenase	1.9 10.3	other SS.
	134234 BE300078	Hs.80449	Homo sapiens, clone IMAGE:3535294, mRNA,	2.5	other
5	134275 Al878910	Hs.3688	cisplatin resistance-associated overexpr immunoglobulin superfamily, member 3	1.3	TM
3	134292 AI906291 134301 AW502505	Hs.81234 Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.6	TM
	134305 U61397	Hs.81424	ubiquitin-like 1 (sentrin)	2.1	TM
	134324 AB029023	Hs.179946	KIAA1100 protein	5.3	?
	134326 AW903838	Hs.81800	chondroitin sulfate proteoglycan 2 (vers	2.5	TM
10	134329 N92036	Hs.81848	RAD21 (S. pombe) homolog	3.9	?
	134337 NM_004922	Hs.81964	SEC24 (S. cerevisiae) related gene famili	2.4	TM
	134348 AW291946	Hs.82065	interleukin 6 signal transducer (gp130,	6.8	TM
	134367 AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	2.3	TM
	134376 X06560	Hs.82396	2,5-oligoadenylate synthelase 1 (40-46	5.5	other TM
15	134379 AW362124	Hs.323193	hypothetical protein MGC3222	5.9 2.2	other
	134384 Al589941	Hs.8254	Homo sapiens, Similar to tumor different integrin, beta-like 1 (with EGF-like rep	2.1	other
	134391 AA417383	Hs.82582 Hs.8262	lysosomal	2.3	other
	134395 AA456539 134405 AW067903	Hs.82772	collagen, type XI, alpha 1	72.9	other
20	134411 BE272095	Hs.167791	reticulocalbin 1, EF-hand calcium bindin	4.4	other
20	134415 AI750762	Hs.82911	protein tyrosine phosphatase type IVA, m	2.3	other
	134421 AU077196	Hs.82985	collagen, type V, alpha 2	6.8	?
	134424 Z44190	Hs.83023	peroxisomal biogenesis factor 11B	2.4	other
	134446 AA112036	Hs.83419	KtAA0252 protein	2.9	other
25	134447 M58603	Hs.83428	nuclear factor of kappa light polypeptid	6.7	other
	134470 X54942	Hs.83758	CDC28 protein kinase 2	2.4	other
	134480 NM_005000	Hs.83916	Empirically selected from AFFX single pr	6.3 1.9	? other
	134485 X82153	Hs.83942	cathepsin K (pycnodysostosis)	1.8	other
30	134498 AW246273	Hs.84131 Hs.84429	threonyl-tRNA synthetase KIAA0971 protein	1.4	other
30	134513 AA425473 134516 AK001571	Hs.273357	hypothetical protein FLJ10709	1.4	other
	134520 BE091005	Hs.74861	activated RNA polymerase II transcriptio	5.6	other
	134529 AW411479	Hs.848	FK506-binding protein 4 (59kD)	2.8	?
	134577 BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	1.7	other
35	134582 AA927177	Hs.86041	CGG triplet repeat binding protein 1	1.7	TM
-	134612 AW068223	Hs.171581	ubiquitin C-terminal hydrolase UCH37	2.1	other
	134624 AF035119	Hs.8700	deleted in liver cancer 1	1.3	other
	134632 X78520	Hs.174139	chloride channel 3	2.1 2.3	? other
40	134654 AK001741	Hs.8739	hypothetical protein FLJ10879	2.3 4	other
40	134666 BE391929	Hs.8752	transmembrane protein 4	6.2	other
	134687 U62317	Hs.88251	arylsulfatase A a disintegrin and metalloproteinase doma	2	other
	134692 NM_003474 134705 BE161887	Hs.8850 Hs.88799	anaphase-promoting complex subunit 10	1.3	SS,
	134714 Y14768	Hs.890	lysosomal	7.2	?
45	134719 AA852985	Hs.89232	chromobox homolog 5 (Drosophila HP1 alph	3.2	other
	134722 AF129536	Hs.284226	F-box only protein 6	2.5	other
	134746 X07871	Hs.89476	CD2 antigen (p50), sheep red blood cell	5	other
	134751 AW630803	Hs.89497	lamin B1	6.1	other
	134790 BE002798	Hs.287850	integral membrane protein 1	5.6	TM other
50	134834 AW451370	Hs.8991	adaptor-related protein complex 1, gamma	5.3 9.1	other
	134850 Al701162	Hs.90207	hypothetical protein MGC11138 5-aminoimidazole-4-carboxamide ribonucle	2.4	other
	134853 BE268326	Hs.90280	15 kDa selenoprotein	2.7	other
	134880 Al879195	Hs.90606 Hs.6975	PRO1073 protein	1.5	other
55	134925 AW885909 134955 AW401361	Hs.91773	protein phosphatase 2 (formerly 2A), cat	4.9	other
55	134971 Al097346	Hs.286049	phosphoserine aminotransferase ·	2	other
	134975 R50333	Hs.92186	Leman colled-coil protein	2.6	TM
	135011 AB037835	Hs.92991	KIAA1414 protein	1.4	?
	135022 NM_000408		glycerol-3-phosphate dehydrogenase 2 (ml	1.6	?
60	135032 AW301984	Hs.173685	hypothetical protein FLJ12619	1.4	other
	135077 AW503733	Hs.9414	KIAA1488 protein	1.8	other other
	135083 AB036063	Hs.94262	p53-Inducible ribonucleotide reductase s	2.5 1.5	TM
	135095 AF027219	Hs.9443	zinc finger protein 202 zinc finger protein 36 (KOX 18)	2.1	other
65	135096 AA081258	Hs.132390	JM27 protein	4.4	?
65	135153 Al093155 135181 BE250865	Hs.95420 Hs.279529	px19-like protein	14.9	?
	135199 AA477514	Hs.96247	translin-associated factor X	1.3	other
	INDIAN TOTALIBLE	,			

	135207	N26427	Hs.9634	ESTs, Highly similar to C10_HUMAN PUTAT!	1.7	other
	135214	T78802	Hs.96560	hypothetical protein FLJ11656	6.2	other
	135243	BE463721	Hs.97101	putative G protein-coupled receptor	2.8	TM
	135245	AI028767	Hs.262603	ESTs	12.2	TM
5	135257	AW291023	Hs.97255	ESTs, Weakly similar to A46010 X-linked	7.7	TM
	135263	AI088775	Hs.55498	geranylgeranyl diphosphate synthase 1	1.8	other
	135274	AA448460	Hs.112017	GE36 gene	4.2	SS.
	135294	AA150320	Hs.9800	protein kinase Nimu-R1	1.2	other
	135295	AI090838	Hs.98006	ESTs	4.9	other
10	135307	AI743770	Hs.98368	ESTs, Weakly similar to KIAA0822 protein	5.9	?
	135321	Al652069	Hs.98614	ribosome binding protein 1 (dog 180kD ho	12.3	TM
	135354	AA456454	Hs.183418	cell division cycle 2-like 1 (PITSLRE pr	5.8	?
		AA373452	Hs. 167700	Homo sapiens cDNA FLJ10174 fis, clone HE	8.1	other
		U05237	Hs.99872	fetal Alzheimer antigen	1.9	other
15	135400	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	13.9	TM
	302256	AA857131	Hs.171595	HIV TAT specific factor 1	1.6	other
	302276	AW057736	Hs.323910	HER2 receptor tyrosine kinase (c-erb-b2,	5.3	other
		AW592789	Hs.279474	HSPC070 protein	2.2	TM
		AK000714	Hs.109441	MSTP033 protein	1.4	SS,
20		R43191	Hs.101248	Homo sapiens clone IMAGE:32553, mRNA seq	5.2	other
		AA808229	Hs.167771	ESTs	2.3	?
		NM_007057	Hs.42650	ZW10 interactor	2.9	7
		Al268997	Hs.197289	rab3 GTPase-activating protein, non-cata	2	other
		AA902256	Hs.78979	Golgl apparatus protein 1	5.6	SS,
25		N24236	Hs.179662	nucleosome assembly protein 1-like 1	1.4	?
		AF118083	Hs.29494	PRO1912 protein	1.3	other
		BE041451	Hs.177507	hypothetical protein	2.9	SS,
		AF292100	Hs.104613	RP42 homolog	1.6	other
		BE278431	Hs.40323	BUB3 (budding uninhibited by benzimidazo	1.8	other
30	408196	AL034548	Hs.43627	SRY (sex determining region Y)-box 22	1.6	other
-		A1580090	Hs.48295	RNA helicase family	6.2	other
		R73727	Hs.101617	ESTs, Weakly similar to T32527 hypotheti	5.7	other
	409487	H19886		gb:yn57a05.r1 Soares adult brain N2b5HB5	2.7	other
	413670	AB000115	Hs.75470	hypothetical protein, expressed in osteo	2.6	?
35		Al267592	Hs.75761	SFRS protein kinase 1	2.4	TM
	414846	AW304454	Hs.77495	UBX domain-containing 1	2.4	other
	416040	AW819158	Hs.289044	Homo sapiens cDNA FLJ12048 fis, clone	2.3	other
	416980	AA381133	Hs.80684	high-mobility group (nonhistone chromoso	4.2	TM
	417378	R57256	Hs.82037	TATA box binding protein (TBP)-associate	23.6	other
40	418283	S79895	Hs.83942	calhepsin K (pycnodysostosis)	5.8	other
	418467	NM_006910	Hs.85273	retinoblastoma-blnding protein 6	1.3	other
	420269	U72937	Hs.96264	alpha thalassemia/mental retardation syn	1.6	?
	420802	U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.3	?
	421225	AA463798	Hs.102696	MCT-1 protein	1.6	?
45	421642	AF172066	Hs.106346	retinoic acid repressible protein	3.5	other
	421828	AW891965	Hs.279789	histone deacetylase 3	5	other
	421983	AI252640	Hs.110364	peptidylprolyl isomerase C (cyclophilin	3.1	TM
	422052	AA302744	Hs.104518	ESTs	1.9	TM
	422055	NM_014320	Hs.111029	putative heme-binding protein	2.4	other
50	423750	AF165883	Hs.298229	prefoldin 2	4.2	?
	424001	W67883	Hs.137476	paternally expressed 10 (PEG10; KIAA105	7.1	?
	425182	AF041259	Hs.155040	zinc finger protein 217	2.3	other
	425284	AF155568	Hs.155489	NS1-associated protein 1	3.5	other
	426372	BE304680	Hs.169531	DEAD/H (Asp-Glu-Ala-Asp/Hls) box polypep	1.9	?
55	428049	AW183765	Hs.182238	GW128 protein	7.6	?
	428477	AW500533	Hs.11482	splicing factor, arginine/serine-rich 11	1.7	other
	437562	AB001636	Hs.5683	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	2.4	other
	438449	AK001333	Hs.6216	Homo sapiens hepatocellular carcinoma-as .	3.8	other
		F13386	Hs.7888	Homo sapiens clone 23736 mRNA sequence	5.6	other
60		AF167572	Hs.12912	skb1 (S. pombe) homolog	2	TM
		AA151520	Hs.334822	hypothetical protein MGC4485	7.6	other
		AI017574	Hs.17409	cysteine-rich protein 1 (intestinal)	2.2	other
		BE620592	Hs.71190	ESTs, Weakly similar to S16506 hypotheti	2.9	other
		NM_003677	Hs.22393	density-regulated protein	1.8	other
65		W68520	Hs.331328	intermediate filament protein syncoilin	5.9	other
		H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.7	other
	450703	AA011202	Hs.184771	nuclear factor I/C (CCAAT-binding transc	1.4	other

	452461	N78223	Hs.108106	transcription factor	4.8	?
		BE408178	Hs.285165	Homo sapiens cDNA FLJ20845 fis, clone AD	2.9	other
		AF077036	Hs.31989	DKFZP586G1722 protein	12.1	SS,TM
_	453658	BE541906	Hs.87819	Homo sapiens, clone MGC:2492, mRNA, comp	4.8	other
5	100685	AA328229	Hs.184582	ribosomal protein L24	1.8	TM
		AA383256	Hs.1657	estrogen receptor 1	1.6	other
					1.3	other
		AF135168	Hs.108802	N-ethylmaleimide-sensitive factor		
	100850	AA836472	Hs.297939	cathepsin B	1.7	7
	101161	NM_006262	Hs.37044	peripherin	16.9	other
10		U50360		gb:Human calcium, calmodulin-dependent p	3.2	other
10			11-00047			
		AA262170	Hs.80917	adaptor-related protein complex 3, sigma	2	?
	103549	BE270465	Hs.78793	protein kinase C, zeta	8	other
	103749	AL135301	Hs.8768	hypothetical protein FLJ10849	1.8	other
			Hs.279862	cdk Inhibitor p21 binding protein	2	?
15		AB040450				
15		Al498763	Hs.203013	hypothetical protein FLJ12748	2.1	other
	104563	AL117403	Hs.306189	DKFZP434F1735 protein	1.2	other
	105032	AA127818		gb:zl12a02.s1 Soares_pregnant_uterus_NbH	7	?
			Un 26476		2.6	7
		AA907305	Hs.36475	ESTs		
• •	106531	AA454036	Hs.8832	ESTs	1.6	other
20	106977	AL043152	Hs.50421	KIAA0203 gene product	4.9	other
	107298	N95657	Hs.6820	ESTs, Moderately similar to YOJ1_CAEEL H	2.5	TM
			Hs.70811	hypothetical protein FLJ20516	1.3	other
		AA122393				
	110018	AW579842	Hs.104557	hypothetical protein FLJ10697	5.3	TM
	110330	Al288666	Hs.16621	DKFZP434I116 protein	6.3	other
25	111391	NM_003896	Hs.225939	slalyltransferase 9 (CMP-NeuAc:lactosylc	5.1	SS,
			Hs.325081	Homo sapiens, clone IMAGE:3659680, mRNA,	8.4	other
		W46342				
	113554	AW503990	Hs.142442	HP1-BP74	3.7	TM
	113722	AV653556	Hs.184411	albumin	1.3	other
	115008	AK001827	Hs.87889	helicase-moi	2	other
30		AA253314	Hs.154103	LIM protein (similar to rat protein kina	1.5	other
20						
		A1634549	Hs.88155	ESTs	2.8	other
	117881	AF161470	Hs.260622	butyrate-induced transcript 1	5.8	TM
	119075	M10905	Hs.287820	fibranectin 1	5.7	other
		AL034423	Hs.75875	ubiquitin-conjugating enzyme E2 variant	1.3	other
25						
35	120253	AA131376	Hs.326401	fibroblast growth factor 128	38.9	other
	125006	BE065136	Hs.145696	splicing factor (CC1.3)	2.9	?
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture	1.8	other
		AA419008	Hs.106730	chromosome 22 open reading frame 3	3	other
	128891	F34856	Hs.292457	Homo sapiens, clone MGC:16362, mRNA, com	13.3	other
40	128959	AI580127	Hs.107381	hypothetical protein FLJ11200	10.9	other
		R62676	Hs.17820	Rho-associated, coiled-coil containing p	2.4	other
					8.2	TM
		A1096988	Hs.111554	ADP-ribosylation factor-like 7		
	129453	AW974265	Hs.111632	Lsm3 protein	3.3	7
	129629	AK000398	Hs.11747	hypothetical protein FLJ20391	3.9	other
45		M30773	Hs.278540	protein phosphatase 3 (formerly 2B), reg	5.3	TM
73					4.6	other
		AF042379	Hs.13386	gamma-tubulin complex protein 2		
	129989	AB015856	Hs.247433	activating transcription factor 6	4	SS,
	130182	BE267033	Hs.192853	ubiquitin-conjugating enzyme E2G 2 (homo	4.6	other
		W56119	Hs.155103	eukaryotic translation initiation factor	11	other
50		AL121438	Hs.183706	adducin 1 (alpha)	2.7	other
50						
	130542	U64675	Hs.179825	RAN binding protein 2-like 1	7.9	other
	130586	AB007891	Hs.16349	KIAA0431 protein	5.6	TM
	130768	AF258627	Hs.211562	ATP-binding cassette, sub-family A (ABC1	5.2	other
				desmoplakin (DPI, DPII)	1.8	TM
~ ~		BE398091	Hs.74316			
55		H23230	Hs.22481	ESTs, Moderately similar to A46010 X-lin	1.7	?
	131135	NM_016569	Hs.267182	TBX3-iso protein	3.3	TM
		AF058696	Hs.25812	Nijmegen breakage syndrome 1 (nibrin)	2.6	other
					2.9	TM
		X76732	Hs.3164	nucleobindin 2		
		BE267158	Hs.169474	DKFZP586J0119 protein	5.6	other
60	131853	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	1.3	other
		AW361018	Hs.3383	upstream regulatory element binding prot	3.2	TM
		W17064		SWI/SNF related, matrix associated, acti	3.2	other
			Hs.332848	COOR		
		AF193844	Hs.3758	COP9 complex subunit 7a	5.9	?
	132192	AA206153	Hs.4209	mitochondrial ribosomal protein L37	2.2	TM
65		NM_004782	Hs.194714	synaptosomal-associated protein, 29kD	7.9	?
05				-1		
		AB010224	He ADETE	KIA A0781 protein	∆ २	other
_	132240	AB018324 AW067708	Hs.42676 Hs.170311	KIAA0781 protein heterogeneous nuclear ribonucleoprotein	4.3 12.5	other other

132571 AW674699	
132726 N52298	
132863 BE286048	
133016 Al439688	
133197 Al275243 Hs.180201 hypothetical protein FLJ20671 1.8 othe 133266 Al160873 Hs.242894 ADP-riboxylation factor-like 1 1.8 othe 133268 Al60873 Hs.59233 zinc finger protein 16.1 othe 133268 Al27576 Hs.7252 KIAA1224 protein 1.5 7 7 7 7 7 7 7 7 7	
133240 AK001489	
133266 AH160873	
133285 M76477	
133383 BE313555	
133784 AL037159 Hs.74619 Proteasome (prosome, macropaln) 26S subu 1.7 othe	
133784 BE622743 Hs.301064 arfaptin 1 12.1 othe 133791 M34338 Hs.76244 spermidine synthase 9.7 othe 133850 W29092 Hs.7678 cellular retinoic acid-binding protein 1 4.2 SS, 133850 W29092 Hs.7678 cellular retinoic acid-binding protein 1 4.2 SS, 133881 U30872 Hs.77204 centromere protein F (350/400kD, mitosin 9.1 othe 134208 MM_000288 Hs.79931 peroxisomal biogenesis factor 7 3.2 othe 134724 AF045239 Hs.82767 sperm specific antigen 2 1.4 othe 134724 AF045239 Hs.321576 ring finger protein 22 1.4 othe 134724 AF045239 Hs.321576 ring finger protein 22 1.4 othe 134859 D26488 Hs.90315 KIAA0007 protein TBP)-associate 3.1 othe AA243007 ESTs ESTs 2.5 SS, T70541 ESTs 2.5 SS, T70541 ESTs 2.5 SS, T70541 ESTs ESTs 2.5 SS, T70541 ESTs ESTs 4.6 TM othe S66431 Homo sapiens clone 23592 mRNA sequence 3.1 othe AA254803 ESTs Highly similar to CHROMOSOME 2.4 othe AA254808 ESTs Highly similar to CHROMOSOME 2.4 othe AA504223 ESTs Highly similar to CHROMOSOME 2.4 othe AA504223 ESTs Highly similar to CHROMOSOME 2.4 othe AA609996 ESTs Highly similar to CHROMOSOME 2.4 othe AA504223 ESTs Highly similar to CHROMOSOME 2.4 othe AA504223 ESTs Highly similar to Surf-4 protein M.musculus 5.5 7 F02907 ESTs Weakly similar to Surf-4 protein M.musculus 5.5 7 F02907 ESTs Weakly similar to Surf-4 protein M.musculus 5.5 7 F02907 ESTs ESTs 2.9 7 F04762 ESTs ESTs 2.9 7 F04762 ESTs 2.5 F04762 ESTs	
133791 M34338	
133850 W29092	
133859 U86762	
133881 U30872	
134208 NM_000288	
134403	
134724 AF045239	
134805 AD001528 Hs.89718 Spermine synthase 2.6 othe	
134859 D26488 Hs.90315 KIAA0007 protein 13.3 othe 135193 X95525 Hs.96103 TATA box binding protein (TBP)-associate 3.1 othe A243007 ESTs 2.5 SS, X57766 Human stromelysin-3 mRNA 4.5 othe S66431 Homo sapiens clone 23592 mRNA sequence 3.1 othe A3453483 ESTs 4.6 TM A46383 ESTs 1.9 othe A280588 ESTs 1.9 othe A280588 ESTs 1.9 othe A609996 ESTs Highly similar to CHROMOSOME 2.4 othe A609996 ESTs Highly similar to Surf-4 protein [M.musculus] 5.5 7 F02907 ESTs 2.3 TM AA004664 Human NADH:ubiquinone oxidoreductase subunit 6.2 othe A251776 ESTs 2.3 othe A299947 ESTs 2.3 othe A399047 ESTS 2.3 othe EST 2.3 othe EST 2.5 SS, SS, SS, SS, SS, SS, SS, SS, SS, SS	
135193 X95525 Hs.96103 TATA box binding protein (TBP)-associate 3.1 othe AA243007 ESTs 1.6 ? X57766 ESTs 2.5 SS, X57766 Human stromelysin-3 mRNA 4.5 othe S66431 Homo sapiens clone 23592 mRNA sequence 3.1 othe AA453483 ESTs 1.4 othe AA63925 ESTs 1.4 othe AA280588 ESTs 1.4 othe AA604223 ESTs Highly similar to CHROMOSOME 2.4 othe AA609996 ESTs Highly similar to CHROMOSOME 2.4 othe AA609996 ESTs Highly similar to Surf-4 protein [M.musculus] 5.5 ? F02907 ESTs 2.3 TM AA80103 ESTs Weakly similar to !!!! ALU SUBFAMILY J 2.8 TM AA024664 Human NADH:ubkquinone oxidoreductase subunit 6.2 othe AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe AA251776 ESTs 2.3 othe ESTs 2.4 othe AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe AA399047 ESTs 2.4 othe STS 2.5 STS 2.4 othe TSTS 2.5 STS 2	r r r
AA243007	r r
25	r r r
X57766	r r r
S66431	r r r
AA453483 ESTS 4.6 TM R63925 ESTS 1.4 othe AA280588 ESTS 1.9 othe AA504223 ESTS 1.9 othe AA609996 ESTS Highly similar to CHROMOSOME 2.4 othe AA609996 ESTS Highly similar to Surf-4 protein [M.musculus] 5.5 7 F02907 ESTS 2.3 TM AA024664 Human NADH:ubkquinone oxidoreductase subunit 6.2 othe AA251776 ESTS 2.3 othe AA251776 ESTS 2.4 othe A399047 ESTS 2.4 othe N34059 EST - RC_N34059 3.3 othe N34059 EST - RC_N34059 3.3 othe ESTS 2.4 othe N34059 EST - RC_N34059 3.3 othe ESTS 2.4 othe N34059 ESTS 2.4 othe N34059 ESTS 2.4 othe N34059 ESTS 2.4 othe AA90899 ESTS 2.4 othe ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe T54763 Homo saplens HP protein (HP) mRNA complete cds 1.3 7 AA521186 ESTS 1.6 TM AA040195 ESTS 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta	r r
R63925	r r
30 AA173417 ESTS 1.9 othe AA280588 ESTS 2.2 othe AA504223 ESTS Highly similar to CHROMOSOME 2.4 othe AA609996 ESTS Highly similar to Surf-4 protein [M.musculus] 5.5 7 F02907 ESTS 2.3 TM AA024664 Human NADH:ubiquinone oxidoreductase subunit 6.2 othe AA251776 ESTS 2.3 othe AA399047 ESTS 2.3 othe N34059 EST - RC_N34059 3.3 othe N34059 EST - RC_N34059 3.3 othe TS4762 ESTS 3.3 othe TS4762	r r
AA280588 ESTs 2.2 othe AA504223 ESTS Highly similar to CHROMOSOME 2.4 othe AA609996 ESTS Highly similar to CHROMOSOME 2.5 ? F02907 ESTS 2.3 TM AA024664 Human NADH:ubiquinone oxidoreductase subunit 6.2 othe AA251776 ESTS 2.3 othe AA399047 ESTS 2.3 othe N34059 EST - RC_N34059 3.3 othe N34059 EST - RC_N34059 3.3 othe U95367 Human GABA-A receptor pi subunit mRNA complete cds 1.7 AA490899 ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 1.6 TM AA521186 ESTS 1.6 TM AA40195 ESTS 1.3 othe AA40195 ESTS 1.3 othe AA40583 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta	r
AA504223 ESTs Highly similar to CHROMOSOME 2.4 othe AA609996 ESTs Highly similar to Surf-4 protein [M.musculus] 5.5 7 F02907 ESTs 2.3 TM AA80103 ESTs Weakly similar to IIII ALU SUBFAMILY J 2.8 TM AA024664 Human NADH:ubiquinone oxidoreductase subunit 6.2 othe AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe N34059 EST - RC_N34059 AA490899 EST - RC_N34059 ESTs 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe T54762 ESTS 3.3 othe ES	
AA609996 ESTs Highly similar to Surf-4 protein [M.musculus] 5.5 7 F02907 ESTs 2.3 TM AA80103 ESTs Weakly similar to IIII ALU SUBFAMILY J 2.8 TM AA024664 Human NADH:ubkquinone oxidoreductase subunit 6.2 othe AA251776 ESTs 2.4 othe AA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe N34059 EST - RC_N34059 3.3 othe T54762 ESTs 3.3 othe T54762 ESTs 3.3 othe T54762 ESTs 2.9 ? AA521186 ESTs 1.6 TM AA60195 ESTs 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta	
STS	
35 AA480103 ESTs Weakly similar to !!!! ALU SUBFAMILY J 2.8 TM AA024664 Human NADH:ubkquinone oxidoreductase subunit 6.2 othe AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe VU95367 Human GABA-A receptor pi subunit mRNA complete cds 1.7 AA490899 ESTs 3.3 othe T54762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 othe AA521186 ESTs 1.6 TM AA400195 ESTs 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
AA024664 Human NADH:ubkquinone oxidoreductase subunit 6.2 othe AA251776 ESTs 2.3 othe NA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe U95367 Human GABA-A receptor pl subunit mRNA complete cds 1.7 AA490899 ESTs 3.3 othe T54762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 ESTs 1.6 TM AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE AA0499589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
AA251776 ESTs 2.3 othe AA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe U95367 Human GABA-A receptor pl subunit mRNA complete cds AA490899 ESTs 3.3 othe T54762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 ESTs 1.6 TM AA400195 ESTs 1.6 TM AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo saplens mRNA for GDP dissociation inhibitor beta 1.6	
AA399047 ESTs 2.4 othe N34059 EST - RC_N34059 3.3 othe U95367 Human GABA-A receptor pi subunit mRNA complete ods 1.7 AA490899 ESTs 3.3 othe T54762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete ods 1.3 AA521186 ESTs 1.6 TM AA521186 ESTS 1.6 TM AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
N34059 EST - RC_N34059 3.3 othe U95367 Human GABA-A receptor pi subunit mRNA complete cds AA490899 EST's 3.3 othe T54762 EST's 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 EST's 1.6 TM AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
40 U95387 Human GABA-A receptor pi subunit mRNA complete cds 1.7 AA490899 - ESTS 3.3 othe T54762 ESTS 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 ESTS 1.6 TM AA400195 ESTS 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
AA490899 ESTs 3.3 othe T54762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 ESTs 1.6 TM AA400195 ESTs 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
## 154762 ESTs 2.9 ? Z41963 Homo saplens HP protein (HP) mRNA complete cds 1.3 ? AA521186 ESTs 1.6 TM AA00195 ESTs 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	TM
Z41963	ſ
AA521186 ESTs 1.6 TM AA400195 ESTS 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
45 AA400195 ESTs 1.3 othe AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
AA045083 VITAMIN K-DEPENDENT GAMMA-CARBOXYLASE 2.5 AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
AA099589 Homo sapiens mRNA for GDP dissociation inhibitor beta 1.6	
	other
W85712 ESTS Weakly Similar to PROCOLLAGEN ALPHA 2017 2.6	TM
	TM
W45728 ESTs Highly similar to HETEROGENEOUS 3.7 othe	
50 U61232 Human tubulin-folding cofactor E mRNA complete cds 2.1	other
AA425154 ESTs 5.3 othe	
T39176 ESTs Weakly similar to ZK1058.4 [C.elegans] 2.6 SS,TI	Л
AA496000 ESTs 1.9 SS,	
W38150 EST - RC_W38150 1.7 ?	
55 T96595 EST-RC_T96595 1.8 TM	
AA227463 ESTs Weakly similar to No definition line found [C.elegans] 1.9	7
R46025 ESTs 2.8 SS,	
AA233177 ESTs 2 othe	r .
AA338760 ESTs 1.3 ?	
60 AA412106 ESTs 6.2 other	
L47276 EST - L47276 3.4 othe	
D82307 ESTs Weakly similar to TH1 protein [D.melanogaster] 11.4	other
AA293568 ESTs 1.5 othe	
R37778 ESTs 2.4 othe	1
65 AA250843 Interferon regulatory factor 5 14.6 ?	
W49521 Human prolyl 4-hydroxylase alpha (ii) subunit 6.5 ?	_
D80000 Human mRNA for KIAA0178 gene partial cds 2 other	

	R99978	ESTs Weakly similar to line-1 protein ORF2 [H.sapi	ens]	6.1	?
	AA195036	Human Ro/SSA ribonucleoprotein homolog (RoRet	5.3	?	
	Z38501	ESTs Weakly similar to PROBABLE E5	1.4	other	
_	U37547	Human IAP homolog B (MIHB) mRNA complete cd:	s 3.2	other	
5	AA479961	ESTs	1.7	other	
	X57579	Inhibin beta A (activin A activin AB alpha polypeptid	e)	15.8	?
	AA449071	ESTs	1.3	TM	
	N51855	ESTs Moderately similar to NAD(+) ADP-	1.3	other	
	AA421213	ESTs Weakly similar to F28F8.3 [C.elegans]	3.2	other	
10	AA355201	ESTs	1.2	SS,TM	
	N78717	H.sapiens mRNA for translin	1.5	?	
	N73808	ESTs	5	?	
	U86782	. Human 26S proteasome-associated pad1	2.2	other	
	AA234817	ESTs	1.3	other	
15	D13666	Homo sapiens mRNA for osteoblast specific	7.5	SS,	
	AA236177	ESTs	7.1	?	
	U50648	Protein kinase interferon-indudble double	4.1	?	
	M28211	Homo sapiens GTP-binding protein (RAB4)	2.9	other	
	AA446949	ESTs	2.2	other	
20	W03007	ESTs	1.2	other	
	W61011	ESTs .	1.2	other	
	W87544	ESTs	1.2	other	
	X02751	Neuroblastoma RAS viral (v-ras) oncogene homolo	g 1.2	?	
	Z14077	YY1 transcription factor	1.2	other	
25	Z38839	ESTs	1.2	?	
	AA410894	ESTs	1.7	other	
	AA504499	ESTs Highty similar to probable chloride channel 3	[H.sap	1.3	other

TABLE 7A

Table 7 A shows the accession numbers for those pkeys lacking unigeneID's for Table 7. 5 For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Unique Eos probeset identifier number

Pkey: CAT number:

Gene cluster number

Accession:

Genbank accession numbers

15

20

Pkey CAT number

Accession

102481 31281_-28

U50360

105032 genbank_AA127818 409487 1134778_1

AA127818

H19886 AW402806 T10231

TABLE 8: Figure 8 from BRCA 001-1 US

5 Table 8 shows genes upregulated in tumor tissue compared to normal breast tissue.

Specifically, one column shows the ratio of expression of the indicated gene in breast tumor tissue compared to other body tissues, and another column shows the ratio of expression of the indicated gene in breast tumor tissue compared to normal breast tissue.


10	Direct	11				
	Pkey: ExAccn			eset identifier number sion number, Genbank accession number		
	Unigene		ene number	nor number, Generally accession number		
	Unigene		ene gene titl	e		
15	R1:	Rati		normal body tissue		
	R2:		Ratio of tur	nor to normal breast tissue		
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
20	100075	AF152333	Hs 284160	protocadherin gamma subfamily B, 4	1	3.8
		AV652249		polymerase (DNA directed), beta	1.7	5.3
		D38500		postmelotic segregation increased 2-like	0.8	4.8
	100271	BE160081		S100 calcium-binding protein A11 (calgiz	3.2	2.3
	100355	A1907114	Hs.71465	squalene epoxidase	3.3	1.4
25	100522	X51501	Hs.99949	prolactin-induced protein	11.9	0.4
		AA019521	Hs.301946	lysosomal	3.8	1.2
	100599	X77343	Hs.334334	transcription factor AP-2 alpha (activat	9.4	9.4
	100676	X02761		fibronectin 1	3	7.8
• •	100690	AA383256	Hs.1657	estrogen receptor 1	4.4	4.4
30	100895	U01351	Hs.75772	nuclear receptor subfamily 3, group C, m	1	3.9
	101046	K01160		NM_002122:Homo sapiens major histocom	pat1.7	4
	101086	AA382524	Hs.250959	histatin 1	0.8	4.1
		NM_002923	Hs.78944	regulator of G-protein signalling 2, 24k	1.2	12
2.5		NM_006262	Hs.37044	peripherin	3.1	1.1
35		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	4.4	0.6
		Al186220	Hs.83164	collagen, type XV, alpha 1	3.1	3.4
		AW468397	Hs.100000	S100 calcium-binding protein A8 (calgran	0.9	4.2
		M21305		gb:Human alpha satellite and satellite 3	29.9	0.3
40		AA310162		cytochrome c	0.8	4.9
40		M33552	Hs.56729	lysosomal	1	5.9
		BE561617	Hs.119192	H2A histone family, member Z	2.8	4
		M55998		gb:Human alpha-1 collagen type I gene, 3	3.1	1.7
		NM_002291	Hs.82124	laminin, beta 1	1.5	4.1
15		AA350659	Hs.83347	anglo-associated, migratory cell protein	3.1	1.4
45		AF112213		putative Rab5-interacting protein	1.3	6.9
		AL036335	Hs.313	secreted phosphoprotein 1 (osteopontin,	1.9	4.9
		AA334592	Hs.79914	lumican	2.2	3.8
		AF015224	Hs.46452	mammaglobin 1	4.2	0.7
50		NM_003480		Microfibril-associated glycoprotein-2	1.1	4.2
20	102534	NM_001394	Hs.2359	dual specificity phosphatase 4	4.5	0.5
		Al379954		von Hippel-Lindau binding protein 1	1.4	4.2
		BE244588		KIAA0096 protein	0.9	3.9
	102962		Hs.6456	chaperonin containing TCP1, subunit 2 (b	1.5	10.9
55		AW293542	Hs.75309	collagen, type VI, alpha 2	2.2	6.2
33	103119		Hs.2877	eukaryotic translation elongation factor cadherin 3, type 1, P-cadherin (placenta	5.6	5.7
	103175			myomesin (M-protein) 2 (165kD)	3.7 1.3	0.5
	103286			phosphorylase kinase, alpha 2 (liver)	1.3	4
	103230			tumor necrosis factor receptor superfami	0.8	3.8 4.6
60		BE536700	Hs.4888	seryl-IRNA synthetase	0.8	4.5 8
	103419			Sec23 (S. cerevisiae) homolog A	1,1	o 5.1
	103471			protein tyrosine phosphatase, receptor t	3.7	1.2
	103546			cytochrome c oxidase subunit VIIb	0.9	4.4
				-,	J.J	7.7

						_	
		NM_000088	Hs.172928	collagen, type I, alpha 1	3.2	3	
		AA084874	11- 00040	gb:zn13e04.r1 Stratagene hNT neuron (937	0.9	10	
		H24185	Hs.92918	hypothetical protein	1.9	15.9	
5		AA095971		Homo saplens cDNA: FLJ22463 fis, clone H	1.2	3.9	
3		BE439604	Hs.24322		1.4	3.9	
		AW130242		hypothetical protein FKSG44	1.6	4.1	
		AK001913 AF183810	Hs.7100 Hs.26102	hypothetical protein opposite strand to trichorhinophalangeal	1.5 7	4.3 . 7	
		AB040927		KIAA1494 protein	2	4.6	
10		AB002347	Hs.15303	KIAA0349 protein	0.7	4.5	
10		AW583693		N-terminal acetyltransferase complex ard	3.3	3.3	
		AW365522		hypothetical protein PRO2219	2.3	4.2	
		AW804296	Hs.9950	Sec61 gamma	3.1 .	7	
		AF283775	Hs.35380	x 001 protein	4	1.3	
15		X51501	Hs.99949	prolactin-induced protein	3.8	0.6	
		AW966728	Hs.54642	methlonine adenosyltransferase II, beta	0.8	6.7	
		AK001731		Homo saplens mRNA; cDNA DKFZp586H092		1.7	4.8
		W94824	Hs.11565		2	7.5	.,•
		AW630488		protease, serine, 23	1.9	7.4	
20		AF123303	Hs.24713	hypothetical protein	1.1	6.3	
		R82252		protein kinase (cAMP-dependent, catalyti	1.2	4	
		AW270555		hypothetical protein	1.4	3.9	
		AA960961		zinc finger protein 83 (HPF1)	1.5	4.2	
	104848	AA305351	Hs.274369	uncharacterized hypothalamus protein HAR	1.1	4.1	
25	104849	A1279065		ribosomal protein S6	1.3	4.6	
	104850	AL133035	Hs.8728	hypothetical protein DKFZp434G171	1.2	3.6	
	104852	W70164	Hs.20107	ESTs	0.8	4.2	
	104861	AA058630	Hs.29759	RNA POLYMERASE I AND TRANSCRIPT RE	LEASE	1.7	5.1
••	104873	W03831	Hs.20597	host cell factor homolog	0.8	5.4	
30	104891	W44626	Hs.30627		0.7	6.8	
		AW955089		Novel human gene mapping to chomosome 2		1 3.9	
		BE298808	Hs.33363	DKFZP434N093 protein	3.3	3.3	
		AW076098	Hs.74316		1.2	3.7	
25		AB029020		KIAA1097 protein	1.1	5.5	
35		AI392640	Hs.18272		3.2	1.4	
		BE613061		Homo sapiens, Similar to RIKEN cDNA 0610		11.4	
		N39760	Hs.8859	Homo sapiens, Similar to RIKEN cDNA 5830		7.2	
		BE410438	Hs.9006		1.1 1.2	3.5 10	
40		AF146277	Hs.21941	CD2-associated protein AD036 protein	3.6	8.3	
40		AA313825 BE407961	Hs.18271	golgi phosphoprotein 3	1.7	6.8	
		AI554929		ATPase, H+ transporting, tysosomal (vacu	1.1	3.7	
		BE243327		chromosome 22 open reading frame 5	1.5	4	
		AI015709		Homo sapiens mRNA; cDNA DKFZp586l2022		1.5	14
45		W20027	Hs.23439	ESTs	4.3	2.9	
		W03516	Hs.76698	stress-associated endoplasmic reticulum	1.5	5	
		AA252372	Hs.12144	KIAA1033 protein	1.2	3.6	
		AL137257	Hs.23458	Homo sapiens cDNA: FLJ23015 fis, clone L	1.7	15.8	
		AI805717		CGI-43 protein	2	4.8	
50		AL037715	Hs.28785		1.3	3.9	
		AB040884		KIAA1451 protein	2.7	11.4	
	105594	AB024334	Hs.25001	tyrosine 3-monooxygenase/tryptophan 5-mo	1.3	6.1	
	105623	BE504200	Hs.30127	hypothetical protein	1.7	4.5	
	105807	AA788946	Hs.16869	ESTs, Moderately similar to CA1C RAT COL	3.9	24.6	
55	105812	BE614149	Hs.20814	CGI-27 protein	1.8	3.6	
	105823	AI559444	Hs.293960		1.9	6.6	
		AA329449		twisted gastrulation	1.5	4.3	
		AI827976	Hs.24391	hypothetical protein FLJ13612	3.8	1.9	
		BE392914	Hs.30503		1.7	4 .	
60		AW028485	Hs.26136	hypothetical protein MGC14156	1.7	7.4	
		AL137728	Hs.12258	Homo sapiens mRNA; cDNA DKFZp434B092		1.2	3.8
		AB033075	Hs.10669	development and differentiation enhancin	1.3	4.6	
		AB030656	Hs.17377	coronin, actin-binding protein, 1C	1.1	5.9	
65		AI690586	Hs.29403	hypothetical protein FLJ22060 ESTs	2 4.1	4.6 1.2	
65		Al240665	Hs.8895	C-terminal binding protetn 2	2.6	7	
		NM_001329 T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence		10.7	
	100010	(/ TTT-U	, 10.0301	mono outrona diona 244 to many acqueme	1,17		

	106083	3 H62087	Hs.31659	thyroid hormone receptor-associated prot	1.5	3.6	
	10615	5 AA425414	Hs.33287		5.4	1.2	
	10625	5 BE613206		calpastatin	1.8	4	
_		BE568205	Hs.28827	mitogen-activated protein kinase kinase	5.1	6.1	
5		3 AK000274	Hs.278635	HDCMA18P protein	1.2	5.9	
		3 AW051564	Hs.28285	patched related protein translocated in	1.8	5.4	
		BE044325	Hs.227280	U6 snRNA-associated Sm-like protein	2.3	11.2	
		3 N88604	Hs.30212	thyroid receptor interacting protein 15	1.2	3.6	
10		7 H09548	Hs.5367	ESTs, Weakly similar to 138022 hypotheti	0.9	4.4	
10		AA459480	Hs.23956	hypothetical protein FLJ20502	1.3	3.6	
		BE387614	Hs.25797	splicing factor 3b, subunit 4, 49kD	1.6	7.3	
		AA741038	Hs.6670	ESTs	1.7	6.1	
		AA206079	Hs.6693	hypothetical protein FLJ20420	1	5.4	
15		AA487416	Hs.268231	Homo saplens cDNA: FLJ23111 fis, clone L	1.6	5.4	
13		BE185536	HS.301183	molecule possessing ankyrin repeats indu	3.3	1.2	
		BE503373	MS.334335	hypothetical protein FLJ13576	1.4	6.3	
		T85594	HS.339808	hypothetical protein FLJ10120	3.3	1.8	
		AF216751	Hs.26813	CDA14	3	3	
20		BE391904 BE147611	Hs.12482		1.7	7.6	
20		Al289507	Hs.6354	stromal cell derived factor receptor 1	1.2	4.3	
		BE172058		hypothetical protein FLJ23399	1.8	6.5	
		BE267795	Hs.82689 Hs.22595	tumor rejection antigen (gp96) 1	1.2	6.9	
		AA186629	Hs.80120	- · · · · · · · · · · · · · · · · · · ·	1.4	3.5	
25		AA011510	Hs.60512	UDP-N-acetyl-alpha-D-galactosamine:polyp ESTs	2.6	4.3	
		AA027229	Hs.61329	ESTs, Weakly similar to T16370 hypotheti	1.8 1.3	4	
		AF109219		phosphatidylinositol glycan, class N	1.6	3.5 1.5	
		AW368993	Hs 323748	Homo sapiens clone CDABP0086 mRNA sec		3.5 1.8	8.
		AA291440	Hs.73149	paired box gene 8	1.1	3.5	0.
30		AA093668	Hs.28578	muscleblind (Drosophila)-like	0.7	5.6	
		AI283611		ESTs, Weakly similar to HMG1_HUMAN HIG		1.2	5.6
		AW068579	Hs.7780	Homo sapiens mRNA; cDNA DKFZp564A072		3.1	6.9
		AI879238		collapsin response mediator protein-5; C	1.5	4.6	٥.,
	108297	AA333660	Hs.71331	hypothetical protein MGC5350	1.5	4	
35	108339	AW151340	Hs.51615	ESTs, Weakly similar to ALU7_HUMAN ALU		6.3	4.7
	108371	AA074374	Hs.67639	ESTs	1.3	3.8	•••
	108399	AF086070	Hs.237519	EST	1	3.6	
		AA079487		gb:zm97f08.s1 Stratagene colon HT29 (937	1.5	3.6	
40		AA079500		gb:zm96h10.s1 Stratagene colon HT29 (937	1.1	4.3	
40		M23114	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	2	4.9	
		AA112059	Hs.429	ATP synthase, H+ transporting, mitochond	1.1	3.5	
		AA058522	Hs.185751		1.2	3.6	
		AA036725	Hs.61847	ESTs	1.4	3.6	
45		AK001332	Hs.44672	hypothetical protein FLJ10470	1.4	3.5	
47		AA133456		glucocorticold receptor DNA binding fact	1.2	4	
		BE276891		retinolc acid induced 3	1.3	3.6	
		AA152312	Hs.72047	ESTs	1.1	4.1	
		AI732585 AA167512	Hs.22394	hypothetical protein FLJ10893	1.2	3.5	
50		BE220601	Un 201007	gb:zp10f12.s1 Stratagene fetal retina 93	1.3	5	
J.()		BE179030		hypothetical protein FLJ13033	4	6.1	
		AA878923	He 280060	Human DNA sequence from clone RP5-11741 hypothetical protein FLJ21016		1.7	7.4
		AA366263	Hs.72531	hypothetical protein FLJ11838	3.8 1.9	7.7 4	
		AA173942	Hs 326416	Homo sapiens mRNA; cDNA DKFZp564H191	1.3 R (f	3.7	1.3
55		BE075297	Hs.6614	ESTs, Weakly similar to A43932 mucin 2 p	4.6	7.4	1.0
		AW151660	Hs.31444	ESTs	1.2	3.5	
		AW001579	Hs.9645	Homo sapiens mRNA for KIAA1741 protein,	3.7	3.3	
50		NM_014899	Hs.188006	KIAA0878 protein	2.8	3.7	
	110756	N21207	Hs.182999		1.6	3.5	
	110930	BE242691	Hs.14947	ESTs	3.1	1.2	
		A1753230		hypothetical protein DKFZp564K142	1.9	7.5	
		Al681293	Hs.12186	hypothetical protein FLJ22558	2	4	
55		AK001566		hypothetical protein FLJ10704	1.1	3.8	
		BE301871	Hs.4867	mannosyl (alpha-1,3-)-glycoprotein beta-	1	8.2	
		BE314949	Hs.87128	hypothetical protein FLJ23309	3.3	6.1	
		R27975	Hs.269401	ESTs, Moderately similar to S65657 alpha	1.2	5.4	
	111900	AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence	3.2	0.8	

	444000		11 400004	144.4070		
		NM_014906		KIAA1072 protein	1	5.4
		NM_014927		KIAA0902 protein	1	3.8
		AW137198		Phosphatidylglycerophosphate Synthase	1.4	3.5
5		R49499	Hs.138238		1.5	3.6
,		NM_003655 AW500106	Hs.5637 Hs.23643	ESTs	4.6 3.3	2 10.5
		Z42387	Hs.83883	serine/threonlne protein kinase MASK transmembrane, prostate androgen induced	3.2	3
		T16971		ESTs, Weakly similar to A43932 mucin 2 p	3.7	10.8
		AF019226	Hs.8036	glioblastoma overexpressed	4.5	3.7
10		AW160683		hypothetical protein	1.2	4.4
10		AF143321	Hs.15572	hypothetical protein IMAGE 109914	0.9	3.6
		AL042936		holocytochrome c synthase (cytochrome c	1.1	3.5
		AK001898	Hs.16740	hypothetical protein FLJ11036	1.2	3.9
		Al075407		ESTs, Moderately similar to 154374 gene	1.7	5.3
15		NM_014214	Hs.5753	Inositol(myo)-1(or 4)-monophosphatase 2	0.8	6.1
		W30681		Homo sapiens cDNA: FLJ22130 fis, clone H	1.7	6.2
		AW243158	Hs.5297	DKFZP564A2416 protein	1.2	4.6
		BE255499	Hs.3496	hypothetical protein MGC15749	1.5	4
	113936	W17056	Hs.83623	nuclear receptor subfamily 1, group I, m	3.8	1
20	113987	AA345519	Hs.9641	complement component 1, q subcomponent,	1.2	4.7
	114132	Al342493	Hs.24192	Homo sapiens cDNA FLJ20767 fls, clone CO	0.3	4.3
	114156	BE179882	Hs.336920	glutathione peroxidase 3 (plasma)	1.1	4.3
	114213	N58309	Hs.19575	CGI-11 protein	1.6	9.2
	114636	AA075488		gb:zm88d01.s1 Stratagene ovarian cancer	1.6	3.7
25		A1929382	Hs.252692	hypothetical protein FLJ20343	1.4	4
		T10446	Hs.95388	ESTs	1	4.3
		AB037858		hypothetical protein FLJ10337	1.6	9.2
		AV660012		hypothetical protein FLJ10788	1.4	5.2
20		AI683069	Hs.175319		3.7	1
30		BE541042	Hs.23240	Homo sapiens cDNA: FLJ21848 fis, clone H	3.2	4.2
		N36110		solute carrier family 2 (facilitated glu	1.5	3.9
		AW582256	Hs.91011	anterior gradient 2 (Xenepus laevis) hom	1.3	5.9
		AW410233		YME1 (S.cerevisiae)-like 1	1.7	6.6 9.1
35		AB037836 BE383668	Hs.42484	KIAA1415 protein	1.5 0.9	4.3
55		BE395293	Hs.94491	hypothetical protein FLJ10618 hypothetical protein FLJ20297	1.6	5.5
		AI129767	Hs.182874		3.2	2.4
		Z24854	Hs.42299	ESTs	0.8	4.7
		AI371223	Hs.288671			3.9
40		AF191018		putative nucleotide binding protein, est	5.5	5.5
• •		AA313607	Hs.58633	Homo sapiens cDNA: FLJ22145 fis, clone H	5	1.3
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	8.7	4.5
		D21262	Hs.75337	nucleolar and coiled-body phosphprotein	3.2	6.9
		AW888411	Hs.81915	leukemia-associated phosphoprotein p18 (3.2	3
45	116589	AI557212	Hs.17132	ESTs, Moderately similar to 154374 gene	3.1	8.3
	116786	H25836	Hs.301527	ESTs, Moderately similar to unknown [H.s	3.2	4.5
	117170	N25929	Hs.42500	ADP-ribosylation factor-like 5	7	5.5
		N20066		PTPRF Interacting protein, binding prote	1.2	6.2
~ 0 ·		M18217		Homo saplens cDNA: FLJ21409 fis, clone C	4.5	2.4
50		Al383467	Hs.44597	ESTs	1.4	4.2
		U59305	Hs.44708	Ser-Thr protein kinase related to the my	4.3	0.5
		AF161470	Hs.260622		2.1	5.7
		BE327311	Hs.47166	HT021	3.6	7.7
55		N66845	110 50445	gb:za46c11.s1 Soares fetal liver spleen	4.2	0.5
55		AL353944	Hs.50115	Homo sapiens mRNA; cDNA DKFZp761J1111		3.5
		N67343	Hs.15020	gb:yz50b07.s1 Morton Fetal Cochlea Homo	2.1	3.8
		AF142419 BE048061	Hs.37054	homolog of mouse quaking QKI (KH domain	3	1.5 1.1
		BE218319	Hs.5807	ephrin-A3 GTPase Rab14	1.1	5.6
60		BE041667		Homo sapiens cervical cancer suppressor-	1.4	4.3
00		AI905687	Hs.2533	EST	3.2	1
		AL050097		DKFZP586B0319 protein-	4.3	0.7
		BE565849	Hs.14158	copine III	3.5	1.9
				hypothetical protein DKFZp762F2011	1.5	3.7
65		AW968080		Homo sapiens clone 24630 mRNA sequence	4	1.4
	120677	AF150208		damage-specific DNA binding protein 1 (1	1.6	6.8
	120867	AA350781	Hs.96967	ESTs	1.1	3.6

3.3



		X02761		fibronectin 1	1.2	4.3	
		T16206		ESTs, Highly similar to LDHH_HUMAN L-LAC		44.4	
		H08379		hypothetical protein DKFZp434N1429	0.6	13.1	
5		NM_005904		MAD (mothers against decapentaplegic, Dr	1.3	4	
5		NM_003478	Hs.101299		1	5.1	
		AI185977	Hs.38260		0.8	4	
		NM_014721		KIAA0680 gene product	1.3	3.7	
		AA432202		hypothetical protein FLJ21347	1.4	3.9	
10		D87432		solute carrier family 7 (cationlc amino	1.2	3.6	
10		Al246669			8.0	4.1	
		BE246444	Hs.283685	hypothetical protein FLJ20396	3	1.6	
	128717	AK001564	Hs.104222	hypothetical protein FLJ10702	2.8	4.8	
	128774	AA476220	Hs.54457	CD81 antigen (target of antiproliferativ	1.1	10.6	
	128790	AF026692	Hs.105700	secreted frizzled-related protein 4	1	3.8	
15	128805	AA194554	Hs.183434	ATPase, H+ transporting, lysosomal (vacu	5.3	5.3	
	128827	Al638184	Hs.106334	Homo sapiens done 23836 mRNA sequence	2.2	5.3	
	128840	AI917602	Hs.106440	ESTs	1	4.5	
	128869	AA768242	Hs.80618	hypothetical protein	0.8	3.6	
	128889	D60985			4.6	3.7	
20	128890	Al222020			3	1.5	
	128915	AK000140			0.2	3.9	
	128920	AA622037			2.5	15.2	
		AF155096	Hs.107213	i	4	4	
		AA298958	Hs.10724		1.2	4.5	
25		AW247536			1.4	5	
		AW953622			2.3	5.6	
		AB020716			0.9	3.9	
		AW271217		Homo sapiens cDNA FLJ14028 fis, clone HE		3.6	
		AA258924		NM_002495*:Homo sapiens NADH dehydroge		0.8	3.8
30		AI770025		hypothetical protein FLJ22059	1.2	5.7	0.0
-	129009			Homo sapiens cDNA FLJ14368 fis, clone HE		9.9	
		AA371156			2.4	3.8	
		Al634522		· · · · · · · · · · · · · · · · · · ·	1.2	3.8	
		AW504486			1.2	5.5	
35		BE543205			0.5	3.7	
33		AB002450			1		
		AW881089		Homo sapiens mRNA; cDNA DKFZp566M094	-	5.2 1.5	7
	129151						′
		AA335362			2.1	9.7	
40		M18916			0.9	8.6	
70		BE542214			1.1	3.5	
		W57656	Hs.109697		1.1	12.8	
					3.2	5.1	
		AI878857			1.9	5.7	
45		BE169531			1.2	6.6	
43	129247				1.5	3.5	
		AA344367			1	5.4	
		AA250970			1.3	4.1	
		AF077200			1.6	3.9	
50		AA357185			1.8	4.2	
50		AB007896	Hs.110		1.1	6.1	
•		AA318224	Hs.296141		2.5	4.8	
		W94197			1.6	5.1	
		AF189062			1.8	6.5	
55		AW511656			0.9	4	
55	129362				1.4	9.2	
		BE278964			1	4.8	
		AA318271			1	4.1	
		AA016188			1.8	10.7	
~		AI498631			1.1	4.8	
60		W92931			1.8	9.3	
		AL050260			1	5	
		NM_004477			1.1	4.2	
		AA449789			1.9	6.8	
65		AI631811			1.1	9.7	
65		AA769221			1.1	4.3	
	129545				1	4.2	
	129579	AW517695	MS.286218	junctional adhesion molecule 1	2.3	3.5	

	400000	AUM00044	11 1000=			
		AW968941		hypothetical protein DKFZp566I133	2.4	4.4
		AA209534		tetraspan NET-6 protein	3.2	13
		D79338		CCR4-NOT transcription complex, subunit	1.6	4.6
5		AL110212		purine-rich element binding protein B	1.1	5.7
)		AB020335		sel-1 (suppressor of lin-12, C.elegans)-	0.9	4.3
		Al207406	Hs.11866		1.9	4.8
		AW889132	Hs.11916		0.9	4.1
		U53209	Hs.24937		1.3	4.7
10		M26939		collagen, type III, alpha 1 (Ehlers-Dani	4.7	3.7
10		U46386	Hs.12102	sorting nexin 3	1.2	3.6
		AL050272	Hs.12305	DKFZP566B183 protein	1	8.9
		BE397454		Homo saplens clone 24707 mRNA sequence		3.6
		BE218319	Hs.5807	GTPase Rab14	2.9	5.1
15		M62839	Hs.1252	apolipoprotein H (beta-2-glycoprotein I)	0.3	5.1
13		AF052112	Hs.12540		1.6	8.8
		AL080084		CGI-100 protein	0.9	5.3
		AW410233		YME1 (S.cerevisiae)-like 1	1.8	9.9
		NM_014840		KIAA0537 gene product	0.9	3.6
20		AA626937		hypothetical protein MGC2594	1.4	9.5
20		Z43161		30 kDa protein	1.1	6.3
		AL119499	Hs.13285		1	3.5
		M30773		protein phosphatase 3 (formerly 2B), reg	2	5.1
		X14008	Hs.234734	lysosomal	0.9	4.9
25		Z14221		gb:H.sapiens germline transcript of lg h	1.2	3.6
25		R15917		Homo sapiens clone 24629 mRNA sequence		1.3
		BE277024	Hs.146381	RNA binding motif protein, X chromosome	1.6	3.8
		X57815.comp		Empirically selected from AFFX single pr	1.2	8.2
		M93143		plasminogen-like	1.4	7.9
30		H97878		zinc finger protein 36 (KOX 18)	1.4	12.3
30		AK001635	Hs.14838		0.2	4.6
		W61005	Hs.14896		1.	4.1
		AA916785		splicing factor proline/glutamine rich (1.2	5.3
		T47294		X-box binding protein 1	3.8	0.8
35		NM_005095		zinc finger protein 262	1	4.2
23		BE094848	Hs.15113		0.5	4
		R42678		KIAA0564 protein	1	3.7
		M23115	Hs.1526	ATPase, Ca++ transporting, cardiac muscl	0.4	4.4
		BE278370 BE301883	Hs.15265	heterogeneous nuclear ribonucleoprotein	1.7	7.5
40			ms. 102/0/	glioblastoma amplified sequence	1	5.6
70	130252	U29463	Un 4ESESS	gb:Human cytochrome b561 gen	1.2	4.2
		W78907		Homo sapiens pTM5 mariner-like transposo	1.3	3.6
		AB040914	Hs.15395	similar to arginyl-tRNA synthetase (argi	1.5	4.4
				KIAA1481 protein	2.9	7.5
45		AW067800 AW842182		stanniocaldin 2	3.2	0.2
7.7		AW163518		small inducible cytokine A5 (RANTES)	1.4	10.6
		AA852868		huntingtin interacting protein 2	1.7	11.7
		NM_006245		KIAA0171 gene product	1.1	5
		AW362955		protein phosphatase 2, regulatory subuni	1.4	4.3
50	130479		Hs.15641 Hs.12457	Homo sapiens cDNA FLJ14415 fis, clone HE		7.6
50		AB007915		hypothetical protein FLJ10814	0.9	4.1
		AI598022		KIAA0446 gene product	1	3.8
		AA232119		TAR DNA binding protein	1.3	4.7
		A1652143	Hs.16085	putative G-protein coupled receptor	1.2	9.4
55		BE242873		hypothetical protein FLJ13111	1	4.1
<i>J J</i>				WD repeat domain 15	1.1	3.6
		AL049963 AL045128	Hs.204200		0.6	3.8
		AL042896	Hs.1691		0.9	6.6
		AW073971	Hs.1697	ATPase, H+ transporting, lysosomal (vacu	0.9	3.9
60			NS.230934	ESTs, Weakly similar to KIAA1204 protein	0.9	6.9
UU		AI557212	Hs.17132		2.6	3.9
		AF158555 AI861791	Hs.278479		1.2	13.8
		Al831962			1.3	4
		AL117508	Hs.17409 Hs 194035		2.5	4
65		A1928985	Hs.17680		1.3	6.2
JJ	130693		Hs.17962		1.4	3.9
		NM_014827			3.2	0.8 4.8
	.00001		. 10.11.000	- m a recoo Serie broduct	1.1	4.0

	130696	AA325308	Hs.18016	Homo sapiens mRNA; cDNA DKFZp586H032	4 (f	1.8
	130701	Z98883	Hs.18079	phosphatidylinositol glycan, class Q	1.1	6.7
	130707	AW190925	Hs.203559	hypothetical protein FLJ12701	1.2	4.1
_	130731	Al932971	Hs.18593	Homo sapiens cDNA: FLJ21449 fis, clone C	1.4	6.9
5	130787	AF072813	Hs.252831		1.2	11.2
	130796	AA088809	Hs.19525	hypothetical protein FLJ22794	1.8	6.8
	130808	NM_001761	Hs.1973	cyclin F	1.3	4.1
	130863	Y10805	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	3.2 ·	5.9
	130902	AB037750	Hs.21061	KIAA1329 protein	1 .	3.8
10	130908	AW195747	Hs.21122	hypothetical protein FLJ11830 similar to	1.3	7.9
	130911	BE409769	Hs.21189	DnaJ (Hsp40) homolog, subfamily A, membe	2.7	3.7
	130913	BE390905	Hs.21198	translocase of outer mitochondrial membr	1.9	4
	130923	H96115	Hs.21293	UDP-N-acteylglucosamine pyrophosphorylas	1.9	10.3
	130959	AB023182	Hs.184523	KIAA0965 protein	1.5	6.8
15	130967	AA393071	Hs.182579	leucine aminopeptidase	1.4	5.5
	130975	AA099923	Hs.283728	PEST-containing nuclear protein	1.3	3.8
	131037	BE243101	Hs.22391	chromosome 20open reading frame 3	1.9	4.1
	131039	D87436	Hs.166318	lipin 2	1.6	3.5
	131060	AA194422	Hs.22564	myosin VI	4.5	5
20	131097	AL137682	Hs.22937	I-kappa-B-interacting Ras-like protein 2	2	3.7
	131101	BE387561	Hs.22981	DKFZP586M1523 protein	1.6 ·	4.5
	131104	W27770	Hs.301756	ESTs, Wealdy similar to T31475 hypotheti	0.9	3.5
	131107	BE620886	Hs.75354	GCN1 (general control of amino-acid synt	2.1	4.5
	131109	BE564123	Hs.23060	DKFZP564F0522 protein	1.1	4.6
25	131136	AB033099	Hs.23413	KIAA1273 protein	1.2	4.2
	131148	AW953575	Hs.303125	p53-induced protein PIGPC1	4.5	13.5
	131150	X77753	Hs.23582	tumor-associated calcium signal transduc	3.4	0.4
	131156	A1472209	Hs.323117	ESTs	0.8	4.9
	131164	AW013807	Hs.182265	keratin 19	3.3	2.4
30	131181	H25094	Hs.293663	ESTs, Moderately similar to 138022 hypot	0.6	4
	131194	AW864222	Hs.24083	KIAA0997 protein	1.4	3.8
	131199	AW979155	Hs.298275	amino acid transporter 2	1.2	8.5
	131215	AL050107	Hs.24341	transcriptional co-activator with PDZ-bi	0.7	4.7
	131216	AI815486	Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	2.1	8.2
35	131233	D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	1.7	3.5
	131237	AW956868	Hs.24608	DKFZP564D177 protein	1.3	5.4
	131262	AU077158	Hs.24930	tubulin-specific chaperone a	1.6	4.8
	131263	AU077002	Hs.24950	regulator of G-protein signalling 5	1.4	4.4
	131367	Al750575	Hs.173933	nuclear factor I/A	3.3	2.2
40	131372	AW293399	Hs.144904	nuclear receptor co-repressor 1	1.6	3.9
	131373	NM_006052	Hs.26146	Down syndrome critical region gene 3	1	11.1
	131388	NM_014810	Hs.92200	KIAA0480 gene product	5	2
	131492	AI452601	Hs.288869	nuclear receptor subfamily 2, group F, m	0.9	3.5
	131493	AW960146	Hs.284137	hypothetical protein FLJ12888	1	3.5
45	131514	BE270734	Hs.2795	lactate dehydrogenase A	2	6.5
	131524	AB040927	Hs.301804	KIAA1494 protein	1.5	10.7
	131528	AU076408	Hs.28309	UDP-glucose dehydrogenase	1.3	4.7
	131534	AF157326	Hs.184786	TBP-interacting protein	1.3	4.9
	131555	T47364	Hs.278613	Interferon, alpha-inducible protein 27	1.5	8
50	131578	AA936296	Hs.234265	DKFZP586G011 protein	1.8	3.5
	131589	C18825	Hs.29191	epithelial membrane protein 2	1.3	8.2
	131609	D83032	Hs.169984	nuclear protein	2.8	3.9
	131626	BE514605	Hs.289092	Homo sapiens cDNA: FLJ22380 fis, clone H	1.3	11.2
	131670	H03514	Hs.10130	ESTs	1.3	4.8
55	131697	C19034	Hs.288613	Homo sapiens cDNA FLJ14175 fis, clone NT	3.2	9.7
	131701	AF103798	Hs.30819	hypothetical protein	1.3	5.2
	131703	AW160865	Hs.30888	cytochrome c oxidase subunit VIIa polype	1.3	7.8
	131739	AF017986	Hs.31386	secreted frizzled-related protein 2	10.6	14.7
		A1805664	Hs.31731	peroxiredoxin 5	1.1	3.6
60		AF077036	Hs.31989	DKFZP586G1722 protein	1.6	3.7
		X62111		gb:H.sapiens VII-5 gene for immunoglobul	1.1	3.5
	131853	Al681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	5.3	1.2
	131870	NM_014874	Hs.3363	KIAA0214 gene product	0.6	4.2
		NM_004642	Hs.3436	deleted in oral cancer (mouse, homolog)	2.4	4.9
65		AW207440	Hs.185973		2.4	6
		AA772603	Hs.69476	Homo sapiens cDNA FLJ12758 fis, clone NT		9.2
	131941	BE252983	Hs.35086	ubiquitin specific protease 1	0.5	5.2

	12404	* *1407000	11 40000			
		7 Al123939	Hs.182997		0.7	4.1
		AA129782	Hs.3576	Homo sapiens mRNA full length Insert cDN	0.9	4.8
		AW381148	Hs.198365	2,3-bisphosphoglycerate mutase	1.1	6.1
5		AF208856	Hs.268122	2 hypothetical protein	1.3	3.9
,		AF119665	HS.184U11	pyrophosphatase (Inorganic)	3.3	6.9
		AF229181	Hs.136644	CS box-containing WD protein	0.9	5.2
		AW162336	Hs.3709	low molecular mass ubiquinone-binding pr	1.2	3.6
		BE277910	Hs.3833	3'-phosphoadenosine 5'-phosphosulfate sy	3.2	1.8
10		BE379335	Hs.211594	proteasome (prosome, macropain) 26S subu	1.2	3.6
10		AF217798	Hs.3850	LIS1-interacting protein NUDEL; endoolig	0.7	5.2
		AI701457	Hs.38694	ESTs	2	5.3
		NM_016045	Hs.3945	CGI-107 protein	1.2	4.3
		AW960474	Hs.40289	ESTs	3.1	3.1
1.5		AI752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	1.8	3.7
15		AW961231	Hs.16773	Homo sapiens clone TCCCIA00427 mRNA s	equ	1.2
		AL031709		hypothetical protein CAB56184	1.4	4.2
		AA306325	Hs.4311	SUMO-1 activating enzyme subunit 2	2	10.3
		BE177330	Hs.325093	Homo sapiens cDNA: FLJ21210 fis, clone C	1.2	4.1
20		U28831	Hs.44566	KIAA1641 protein	5.9	1.6
20		NM_003542	Hs.46423	H4 histone family, member G	5.8	1.5
		AA312135	Hs.46967	HSPCO34 protein	2.1	9.3
		AA021160	Hs.4750	hypothetical protein DKFZp564K0822	1.3	4.6
		AW361383 AW970859		metalloprotease 1 (pitrilysin family)	2	4.9
25		BE388673	Hs.313503		1.2	5
23	122540	BE396290	Hs.5086	hypothetical protein MGC10433	2	3.9
		AF065391	Hs.5097	synaptogyrin 2	1.4	5.1
		AV660538	He 28/162	zinc finger protein 265	1.2	4
		AF029750	Ho 170600	60S ribosomal protein L30 isolog TAP binding protein (tapasin)	3	1.7
30		AW606927	Hs.5306	hypothetical protein DKFZp586F1122 simil	1.8 1.6	4.7
-		AA353044	Hs.5321	ARP3 (actin-related protein 3, yeast) ho		4.9
		NM_004600	Hs.554	Sjogren syndrome antigen A2 (60kD, ribon	1.8 4.2	8.1
		Al264357	Hs.55405	hypothetical protein MGC16212	1.1	2 5.3
		AK000868	Hs.5570	hypothetical protein FLJ10006	1.4	5.2
35	132765	BE222975	Hs.56205	insulin induced gene 1	1.1	5.8
		F07424		zinc finger protein 222	1.3	3.7
	132793	AB020713	Hs.56966	KIAA0906 protein	2.3	6.3
	132805	AW975748	Hs.5724	sclerostin	0.7	7.7
	132863	BE268048	Hs.236494	RAB10, member RAS oncogene family	1.8	6.2
40	132894	D63209	Hs.5944	solute carrier family 11 (proton-coupled	1.5	20.8
		AA579258	Hs.6083	Homo sapiens cDNA: FLJ21028 fis, clone C	1	3.8
	132932	AW118826	Hs.6093	Homo sapiens cDNA: FLJ22783 fis, clone K	0.7	5.4
		BE263252	Hs.6101	hypothetical protein MGC3178	1.6	4.1
		Al248173	Hs.191460	hypothetical protein MGC12936	1	4.2
45		BE539199	Hs.62112	zinc finger protein 207	1.5	4.4
		X77343	Hs.334334	transcription factor AP-2 alpha (activat	13.9	0.8
		Y00062	Hs.170121	protein tyrosine phosphatase, receptor t	0.6	4.6
		AW499985	Hs.42915	ARP2 (actin-related protein 2, yeast) ho	1.5	11.1
50		NM_006379	Hs.171921	sema domain, immunoglobulin domain (Ig),	3.5	1
50		AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	.1	4.5
		AW502761		KIAA0430 gene product	0.9	5 .5
	133056		Hs.6396	jumping translocation breakpoint	1.7	5.3
		Al654133 AK000708	Hs.30212	thyroid receptor interacting protein 15	0.6	4.9
55		AF089816	US. 109704	hypothetical protein FLJ20701	1.2	3.5
55		AA808177	Hs.6454 Hs.65228	chromosome 19 open reading frame 3 ESTs	1.2	17.5
		AV655783			0.9	5.1
		AW955632	Hs.66666	Empirically selected from AFFX single pr	1.1	4.5
		AF231981	Hs 250175	ESTs, Weakly similar to \$19560 proline-r homolog of yeast long chain polyunsatura	1.5	4.8
60		AA464362	Hs.6748	hypothetical protein PP1665	5.5	5.9
		AB037773	Hs.6762	hypothetical protein	1.2	3.7 8.6
		W32474	Hs.301746		1.6 2.4	8.6 4.8
		AL137480	Hs.6834	KIAA1014 protein	2.4 1	4.0 4.2
		AW796524		Homo sapiens microsomal signal peptidase	1.3	3.9
65		BE617892	HS.6895	actin related protein 2/3 complex subun	1.4	5.4
	133271		Hs.283742	H.sapiens mRNA for retrotransposon	3.1	0.7
	133273	N27672	Hs.69469		2.5	6.5
				•	-	

	133287	AW797437	Hs.69771	B.factor propertie	1.3	4	
		BE297855	Hs.69855	B-factor, properdin NRAS-related gene	1.4	5	
		AA304961	Hs.699	peptidylprolyl isomerase B (cyclophilin	2.2	6.8	
		AJ001388	Hs.69997	zinc finger protein 238	1.5	4.3	
5		AF116666	Hs.70333	hypothetical protein MGC10753	1.4	6.3	
		X04898		apolipoprotein A-II	0.2	3.6	
	133308	U56979	Hs.250651	H factor 1 (complement)	0.6	5	
		BE257758	Hs.71475		1.2	4.2	
10		AF245505	Hs.72157		3.7	5.8	
10		AB007916		KIAA0447 gene product	1.4	5.1	
		AI738719		hexokinase 2	0.9	6.3	
		AB033061 AL137663	Hs.73287 Hs.7378	KIAA1235 protein Homo sapiens mRNA; cDNA DKFZp434G227	1.2	3.7 0.7	4.8
		M27749		immunoglobulin lambda-like polypeptide 1	1.1	4.3	4.0
15		AF038962	Hs.7381	voltage-dependent anion channel 3	0.7	4.2	
		Al962602	Hs.74284	hypothetical protein MGC2714	3.1	5.9	
		NM_004415	Hs.74316		4.3	11.5	
	133506	BE562958	Hs.74346	hypothetical protein MGC14353	1.8	19.7	
	133532	D87452	Hs.74579		1.2	5.4	
20		H97991		Empirically selected from AFFX single pr	1.4	3.9	
		Al929645	Hs.225936		0.8	4.9	
	133589		Hs.75104	RNA-binding protein S1, serine-rich doma	2	10.8	
		AI423369	Hs.75111	protease, serine, 11 (IGF binding)	2.1	4.5	
25		U10564	Hs.75188	wee1+ (S. pombe) homolog	3.3	1.1	
23		BE244334 Al301740	Hs.75249	ADP-ribosylation factor-like 6 interacti dihydropyrimidinase-like 2	2.3 0.8	5.6 13.5	
		H14843		popeye protein 3	1 '	9.1	
		AJ006239	Hs.75438	quinoid dihydropteridine reductase	0.5	5.8	
•	133668			mitogen-activated protein kinase 6	1.1	6.9	
30		AW503116		zinc finger protein 146	1.8	3.8	
	133681	AI352558	Hs.75544	tyrosine 3-monooxygenase/tryptophan 5-mo	1.5	11.1	
	133694	W17187.comp	Hs.232400	heterogeneous nuclear ribonucleoprotein	2	3.9	
			Hs.75667		0.6	3.5	
25			Hs.75824	KIAA0174 gene product	1.2	7.2	
35			Hs.75847	CREBBP/EP300 inhibitory protein 1	1.5	5	
			Hs.75873	zyxin	1.2	4.8	
			Hs.75929		3.2 2.1	4.1	
			Hs.76285	ADP-ribosyltransferase (NAD+; poly (ADP- DKFZP564B167 protein	1.9	3.8 12.6	
40			Hs.76293	thymosin, beta 10	2.6	6.6	
• •			Hs.76297	G protein-coupled receptor kinase 6	1	4.9	
	133806		Hs.76325		0.5	3.8	
			Hs.7644	H1 histone family, member 2	1.5	4.5	
15			Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264		3.7	5.6
45			Hs.76688	. ,	0.3	4.4	
			Hs.76704		5.5	2.9	
			Hs.76930		0.6	4.8	
	133887		Hs.77271 Hs.301497	protein kinase, cAMP-dependent, catalyti arginyltransferase 1	1 0.9	10.2 4.8	
50			Hs.7753		2.8	10.5	
•					1.8	5.6	
			Hs.7756	proteasome (prosome, macropain) 26S subu		6.6	
	133947		Hs.77810		1.5	3.8	
			Hs.184050		0.9	4.3	
55	133987				2.3	4.3	
					3.3	3.4	
	133990		Hs.7822	Homo saplens mRNA; cDNA DKFZp564C1216		1.3	5.7
				hypothetical protein hCLA-iso	1	6.5	
60		- 	Hs.78683 Hs.7869	ubiquitin specific protease 7 (herpes vi lysosomal	1.7 1	3.6	
UU			Hs.78825		1.2	7.5 4	
			Hs.79069		2.7	4.8	
			Hs.79086	-7	3.3	2.1	
	134207				1.3	3.5	
65	134210	AF035606	Hs.80019	programmed cell death 6	1.7	6.9	
	134218		Hs.80205		0.8	5.3	
	134270	X68194	Hs.80919	synaptophysin-like protein	1.4	11.4	

		NM_004369	Hs.80988	collagen, type VI, alpha 3	2.6	3.5
		NM_000712	Hs.81029	biliverdin reductase A	1.8	5.8
		Al022650 R00603	Hs.8117	erbb2-interacting protein ERBIN	1.1	3.6
5		NM_001430	Hs.8128 Hs.8136	phosphatidylserine decarboxylase	1.1	5.9
,		AL037800	Hs.8148	endothelial PAS domain protein 1	0.5	4.8
		D50683	Hs.82028	selenoprotein T transforming growth factor, beta recepto	1.7	7.9
		X76534	Hs.82226	glycoprotein (transmembrane) nmb	0.8 2.2	7.6
		N22687	Hs.8236	ESTs	1.9	3.6 3.6
10		AL035786	Hs.82425	actin related protein 2/3 complex, subun	1.5	8.3
	134382	BE512856	Hs.109051		1.1	3.6
		Al750762	Hs.82911	protein tyrosine phosphatase type IVA, m	1.9	4.6
	134417	NM_006416	Hs.82921	solute carrier family 35 (CMP-sialic aci	1.2	7.5
	134421	AU077196	Hs.82985	collagen, type V, alpha 2	6.6	8.7
15		Z23024	Hs.138860	Rho GTPase activating protein 1	2	3.9
		NM_013230		CD24 antigen (small cell lung carcinoma	3.5	1.1
		D86981	Hs.84084	amyloid beta precursor protein (cytoplas	1.5	4.4
		W84869	Hs.211568	eukaryotic translation initiation factor	1.2	5.7
20		AW960673	Hs.177530	ATP synthase, H+ transporting, mitochond	1.3	3.9
20		BE091005	Hs.74861	activated RNA polymerase II transcriptio	1.8	4.3
		M23161	Hs.84775	Human transposon-like element mRNA	0.8	5.6
		AI902899	Hs.85155	butyrate response factor 1 (EGF-response	1.4	5
		Al203545 NM_016142	HS.290109	S-phase response (cyclin-related)	0.8	3.9
25		AB033017	Hs.8594	steroid dehydrogenase homolog	1.3	5.7
23		BE244323	Hs.85951	KIAA1191 protein exportin, tRNA (nuclear export receptor	0.9	3.7
		AW936928	Hs.85963	DKFZP564M182 protein	4 2.2	6.8
		AA927177	Hs.86041	CGG triplet repeat binding protein 1	1.6	4.3
		AF078859	Hs.86347	hypothetical protein	2.1	3.6 3.5
30		AF265208		SWI/SNF related, matrix associated, acti	1.7	4.2
		AK000606	Hs.8868	golgi SNAP receptor complex member 1	4.4	0.9
		D17530	Hs.89434	drebrin 1	3.1	1.6
		T51986		hemoglobin, gamma G	0.5	4.6
	134843	AA428520	Hs.90061	progesterone binding protein	1.3	3.7
35	134854	J03464	Hs.179573	collagen, type I, alpha 2	8.7	17.3
		AA587775	Hs.66295	multi-PDZ-domain-containing protein	1.7	4
		AB020689	Hs.90419	KIAA0882 protein	3.4	0.9
		Al803761	Hs.90458	serine palmitoyltransferase, long chain	1.3	6.9
40		AJ002030	Hs.9071	progesterone membrane binding protein	1.4	9.6
40		R51083	Hs.90787	ESTs	1	10.1
		BE089782	Hs.9877	hypothetical protein	1.9	3.9
		AF005043 BE560779	Hs.91390	poly (ADP-ribose) glycohydrolase NICE-5 protein	1	4.3
		AK002085	Hs.92308		1.4	10.4
45		AB037835	Hs.92991	Homo sapiens cDNA FLJ11223 fls, clone PL KIAA1414 protein	1.6	4.1
		AW301984		hypothetical protein FLJ12619	1.2 1.7	5.6
		AL034344		forkhead box C1	3.2	7.6 0.6
		Al272141	Hs.83484	SRY (sex determining region Y)-box 4	4.2	4.1
		AK001887		protein kinase, AMP-activated, gamma 2 n	1.3	4.8
50	135062	AK000967	Hs.93872	KIAA1682 protein	2	3.7
	135077	AW503733	Hs.9414	KIAA1488 protein	2.8	3.7
	135082	AB017363	Hs.94234	frizzled (Drosophila) homolog 1	2.4	4.8
		T97257		ESTs, Moderately similar to 138022 hypot	1.4	5.8
c c		AA132813	Hs.69559	KIAA1096 protein	1.8	8.5
55 :		BE563088	Hs.9552	binder of Arl Two	1.2	6.8
		AB028956	Hs.12144	KIAA1033 protein	3.1	1.4
		BE250865	HS.279529	px19-like protein	1.3	7.5
		AA534009		interferon stimulated gene (20kD)	1.3	3.8
60		AL038812 AW372569		ESTs, Moderately similar to ALU7_HUMAN A		3.9
00		AA331901	Hs.9788	hypothetical protein MGC10924 similar to	0.9	8.4
	135290			hypothetical protein FLJ10097 ESTs	1	3.8
		AA114212		serine (or cysteine) proteinase inhibito	1.2	3.5
		AI565004		cathepsin D (tysosomal aspartyl protease	2.6 2.5	8.9 5.4
65		M16029		ret proto-oncogene (multiple endocrine n	0.4	7.9
	135399	W79431	Hs.326249	ribosomal protein L22	1.5	4.5
		X78592		androgen receptor (dihydrotestosterone r	3.2	1.8

	302665	R99693	Hs.224410	Homo sapiens cDNA FLJ12843 fls, clone NT	3.6	3.6			
	302892	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.3	1.6			
		AW673106			0.9	4.2			
_		AW081061		DC2 protein	3	17.3			
5		AA887146	Hs.8217		6.2	4			
		AA147979		mitochondrial import receptor Tom22	1.2	6.6			
		AA233808		protein kinase, cAMP-dependent, regulato	1	3.5			
		BE616412		junctional adhesion molecule 1	1.5	4.7			
10		AA054761		karyopherin alpha 1 (importin alpha 5)		5.6			
10		AA412048		CGI-39 protein; cell death-regulatory pr	1.3	3.5			
		AW239226	Hs.65450	reticulon 4	1.2	13.9			
		AF279145	Hs.8966		2	5.1			
		BE539367			1.3	3.9			
1.6			Hs.95697		1.5	6.2			
15					2	11.3		•	
		R94023		ESTs, Moderately similar to 138022 hypot	1.7	3.6			
		AF119043			3.3	2.8			
		Al929685		calmodulin 1 (phosphorylase kinase, delt	1.3	4.7			
00		AA523543	Hs.7678	cellular retinoic acid-binding protein 1	1.1	3.7			
20		AA361562			3.2	2.5			
		Al355260		histone deacetylase 3	2.8	22			
		AW601325		Homo sapiens mRNA; cDNA DKFZp566M063		1.1	5.2		
		X99209		•	1.8	8.8			
25		R23553		hypothetical protein	1.1	5.6			
25		BE395875		mitochondrial carrier homolog 2	1.5	6.1			
		BE407127	Hs.8997	heat shock 70kD protein 1A	1.3	7.6			
		AB001636	Hs.5683		1.6	6.5			•
		BE616412		junctional adhesion molecule 1	1.3	3.5			
20		R60366	Hs.5822	•	2	5.7	•		
30		BE513940	Hs.6101	hypothetical protein MGC3178	1.1	6.2			
		AL042986	Hs.7857	• • • • • • • • • • • • • • • • • • • •	0.5	3.7			
		BE281316	Hs.47334	hypothetical protein FLJ14495	2.5	4.9			
		H51066	Hs.23581	leptin receptor gene-related protein	1.1	3.6			
25		AW001741		hypothetical protein FLJ10706	1.4	3.5			
35		N73222		•	4	11.2			
	402000	Al634651	Hs.30250		0.8	5.6			
		RC_H15847_s	•	peptidytprotyl Isomerase B (cyclophilin B)	1.8	4.8			
		RC_W84712		calumenin	3.5	4.6			
40		X14008_ma1_	J		0.9	4.5			
40		RC_H86543_f		ESTS	1.8	6.6			
		H07011		ESTs; Weakly similar to SAS [H.sapiens]	1.8 ECTo	3.9 6.2	8.0		
		RC_AA164586		Hama assista along 22067	ESTs	2.6	0.0		
		RC_AA070485		Homo sapiens clone 23967	3.4				
45		RC_H98714_s		ESTs	1.6 ESTs	3.5.	3		
40		RC_AA406145	u	CDV (new data-maining maries V) how d	3.4	4.6 . 0.4	J		
		AA458584		SRY (sex determining region Y)-box 4 cell division cycle 42 (GTP-binding protein; 25		3.1	3.9		
		AA031548 X02761		fibronectin 1	3.6	15.2	3.3		
		RC_AA487193	1	secreted frizzled-related protein 4	4.7	4			
50		R25326	,	Homo sapiens mRNA for putative vacuolar	0.9	5			
50		RC_AA393805		ESTs; Weakly similar to (defline not	1.1	8.4			
		RC_AA449333		ESTs Vegacy similar to (definite not	2.9	4.6			
		RC_AA287681		1013	ESTs	1.3	4		
		RC_AA490864		ESTs; Highly similar to heat shock factor	1.4	5	7		
55		RC_C14243_f		ESTs; Highly similar to heat shock factor	1.7	5			
33		R21443		ESTs	1.6	3.7			
		RC_AA251902)	Homo saplens lysophospholipase (LPL1)	2.2	3.8			
		M21121_s	•	small inducible cytokine A5 (RANTES)	0.9	9.9			
		C00038_s		ESTs	2.8	4.8			
60		Y00503		keratin 19	3.1	1.1			
00		RC_R27006_f		ESTS	1.6	3.7			
		RC_AA416886		ESTs; Weakly similar to predicted using	3.1	3.1			
		RC_AA460450		fibroblast growth factor receptor 2 (bacteria-	1.5	3.7			
		RC AA488433		ESTs; Weakly similar to deduced amino acid		4			
65		RC_AA278400					5 mRNA; partial ods	1.5	3.6
-		U28831	-	Human protein immuno-reactive with anti-PTF		0.6			
		RC_AA199588	3	Homo saplens actin-related protein Arp3 (ARF		1.8	4.7		
				The same and the same bearing the first	-7				

	AF006082	Homo sapiens actin-related protein Arp2 (A	RP2)	1.6	10.9
	RC_H90899	desmoplakin (DPI; DPII)	5.4	5.5	,
	RC_W95070 ·	desmoplakin (DPI; DPII)	5	2.6	
_	RC_T90946_f	Human mRNA for KIAA263 gene; complete	cds	1.1	3.9
5	D87258	protease; serine; 11 (IGF binding)	2.4	3.5	
	AA313414_s	ESTs; Weakly similar to cDNA EST EMBL:	T1157	1.5	5.3
	RC_H73484_s	ESTs; Weakly similar to similar to Yeast	1.3	6.3	
	AFFX-HUMISGF3A/M979	935_3		2.3	13.5
	AFFX-HUMRGE/M10098	_5	1.1	7.9	
10	AFFX-M27830_5			0.5	7.4
	AFFX-M27830_5			0.6	5.4
	RC_AA063431_f		ESTs	0.8	4.1
	RC_T63769_f	ferritin; light polypeptide	1.1	3.7	

TABLE 8A

Table 8A shows the accession numbers for those pkeys lacking unigeneID's for Table 8. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

60

5

Pkey: CAT number: Unique Eos probeset identifier number

Accession:

Gene cluster number Genbank accession numbers

15

CAT number Accessions

	Ркеу	CAI number	Accessions
20		116761_1 190299_1	AA079487 AA128547 AA128291 AA079587 AA079600 AA973971 T88817 AA253263
20		109698_1	AA075488 AA129081 AA074851 AA082852 AA074732 AA084908 AA084751 AA076042 AA131172 AA085374 AA079519
	114000	103030_1	AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA084731 AA076373 AA076373 AA075374 AA083315 AA074510 AA113824 AA102437 AA070833 AA070143 AA084693 AA08483 AA076373 AA076492 AA062834 AA084335 AA078829 AA078344 AA069916 AA079275 AA070914 AA654069 AA0841976 AA080957 AA083115 AA070942 AA085296
	123526	genbank_AA6	
25		genbank_AA6	
		genbank_T915	
		genbank_W38	
		genbank_N66	
		genbank_N67	
30		entrez K0116	
		221 267	Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165
			AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107
			Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278
			AF062134 AF062139 X81723 Z80840 X81733 X81743 X81744 X81732 Z80843 AW402942 AW403516 X65919 AF062190
35			AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991
			AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012
			L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090
			AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526
4.0			AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 AI268604 Y15773 X64239 X62969 U00506
40			X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080
			D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957
			M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384
			U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133
4.5			AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519
45			Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520
			AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509
			AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191
			AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321
50			AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115
30			AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068661 AF068664
			AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702
			AW351514 D78345 T29140 J00231 NM_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007
			A1857980 AW368899 A1905833 AW406586 AA482084 A1872299 AA715266 AW404328 A1831674 A1709348 AA603112 AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113
55	109/70	genbank_AA0	
55		entrez_M2130	
		genbank_N480	
		general MEEOO	

101624 entrez_M55998 M55998 X62111 S67984 AJ131056 Z47243 Z47235 AF062268 Z47237 AJ131058 AF062130 AF062282 X62108 AA385989 AA464794 X69861 AW402964 M90808 Z98735 Z98734 AP035018 X79161 U00545 AF174046 AF174071 U00552 U96288 AF021989 AF062255 AF174061 S73953 AF062135 AF062155 X6147 U00555 AF174070 AF129754 U86789 Z98714 Z98738 AF02136 A 100445 131791 221 260 \$75886 AJ008175 AJ008186 AJ008188 Y08403 H15753 H22208 AA327241 AW405737 H42300 H39677 H26239 H26903

H45128 R86072 AA327565 AI660584 AW361537 AW383759 S71043 H15014 H45570 H42819 H45523 H45134 R72043 H24543 H27636 H27610 T28147 H25496 AW364071 AW364072 H45561 H45556 H42605 AI735017 T47421 R48719 H27570 H44599 AI459598 H42347 H41938 H24993 AA345888 H22339 AI538691 AJ012264 AA664201 AI880450 AA327310 AI991250 AI833028 AW001210 AI956075 H30467 AA326915 H41943 AI749266 AI744441 AA327377 AW512326 AI735170 H01634 5 Al587047 Al571623 AA327486 AA327103 AA327195 AA326973 T28143 124842 217726_1 F 103758 AA084874_f_at R56485 R37248 R59992 AA084874_f X57815 L29157 AA367448 AW328098 AW404536 L29156 L29163 H27683 R83195 AA295096 AW327822 H25458 AW404692 130064 221_264 X57819 X57823 AW405604 AW404447 Z34914 AW406542 AA427726 AA604389 AW405606 AW405918 AW405117 10 AW407182 L03632 AW405058 L03627 AW407470 R72738 L21959 AW375738 X87888 AF124166 AF054638 AJ241406 U09902 AW405284 M12025 AA360219 L03631 L03629 AW327727 AF194810 AF058076 AF194686 AF063774 AF063737 AF063755 AF063740 AF063739 AF063738 S73129 L43088 AF063775 L33026 AF060138 AF194813 AF194812 AF194811 AF194809 AF194814 AF194808 AF064505 AF064503 AF063765 AF063757 AF063752 AF063716 AF063736 AF194806 AF058077 AF063747 AF063772 AF063781 AF060137 AF194805 AF060134 AF060132 AF058074 AF063754 AF063704 15 U38589 Z18332 AF060122 AF194807 AF060135 AF064506 AF064504 AF063773 L26540 AF058072 AF060131 AF064500 AF060136 AF064513 AF194683 AF194711 AF058075 AF063717 Z19546 AF194581 X72746 U96393 U09890 X98897 AF194592 M80916 AJ241405 AF194632 AJ388659 AF194625 Z74694 AF194588 AF194601 U09901 U09911 U09892 AJ010336 AJ006162 AJ249377 AJ241414 AA327392 U97248 X72747 Z46850 X95739 AW406701 AJ243109 AF194609 S80758 AF194595 AF194596 L22483 Z70262 D84141 AW405758 AF001788 AF194580 D84143 U76684 AF194593 L03630 20 X87892 X91134 U21249 Z46346 AJ132426 AF103659 AJ233718 AF021038 AJ233727 H24657 U09882 S75627 AA573599 AF047231 AF047232 AF103616 AW404484 Z46848 S76132 AF103663 AF103713 Y17940 AF047216 AF103595 Y17956 AF052799 AF052797 AF052802 AF052798 AF052801 AF052794 AF052796 AF047218 AF052800 AF047217 AF052795 AF032351 AF103701 AF103708 AF103710 AF103706 S62232 AF103645 AF103632 AF103647 AF103644 AF103640 AF103692 AF093581 AF103620 AW405934 Al445389 AW383753 AA360256 AF099676 H21654 H39501 Al820828 H53689 25 W26785 AW384496 AW407708 AA541663 AA911602 AI821461 AA588300 AA327050 H42717 AI951280 AA421322 AI923193 AA864302 H25133 D87023 J03011 M61771 D87017 AA526865 AA253450 130232 18831_2 U29463 U06715 W24970 AA584303 T39581 AA155603 AA305043 AA429426 W05664 AA102382 AA482044 W24487 AA319060 T88946 F10106 AA232161 AA243117 AA158937 AA100864 109097 genbank_AA167512 AA167512

TABLE 9: Figure 9 from BRCA 001-2 US

Table 9 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn: UnigenelD: Unigene Title:	Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title
	Unigene rilie:	Unigene gene atte

				•
15	Pkey	ExAccn	UnigenelD	UnigeneTitle
		AA383256		estrogen receptor 1
	102211	BE314524	Hs.78776	putative transmembrane protein
	103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
20	104115	AF183810	Hs.26102	opposite strand to trichorhinophalangeal syndrome I
	105038	AW503733	Hs.9414	KIAA1488 protein
	105500	AW602166	Hs.222399	CEGP1 protein
	105990	A1690586	Hs.29403	hypothetical protein FLJ22060
	106155	AA425414	Hs.33287	nuclear factor VB
25	106373	AW503807	Hs.21907	histone acetyltransferase
	106414	BE568205	Hs.28827	mitogen-activated protein kinase kinase kinase 2
	110009	BE075297	Hs.6614	ESTs, Weakly similar to A43932 much 2 precursor, intestinal
	111900	AF131784	Hs.25318	Homo sapiens clone 25194 mRNA sequence
	114540	Al904232	Hs.75323	prohibitin
30	116470	Al272141	Hs.83484	SRY (sex determining region Y)-box 4
	117280	M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone COL03924
	119771	Al905687	Hs.2533	EST
	121723	AA243499	Hs.104800	hypothetical protein FLJ10134
	124059	BE387335		ESTs, Weakly similar to S64054 hypothetical protein YGL050w
35	131148	AW953575		p53-induced protein PIGPC1
	132371	AA235448	Hs.46677	PRO2000 protein
			Hs.178137	transducer of ERBB2, 1
		AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112
				Homo sapiens mRNA; cDNA DKFZp434
				askain and askain chart

TABLE 10: Figure 10 from BRCA 001-3 PCT

5 Table 10 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10 15	Pkey: ExAccn Unigene Unigene R1: R2: R3: R4:	: E elD: L e Title: L	exemplar Access Inigene number Inigene gene titl Ratio of tumor to Ratio of 90 Ratio of 75					
20	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4
	100103 100131	AA130080 AA380887 D12485	Hs.5085 Hs.11951	proteasome (prosome, macropaln) 26S subu dolichyl-phosphate mannosyltransferase p ectonucleotide pyrophosphatase/phosphodi	4.2 9.8 13.2	152 123 244	36 13 19	12.2 5 9.9
25	100154 100157	D13666 H60720 D14661 AL037228	Hs.136348 Hs.81892 Hs.119 Hs.82043	osteoblast specific factor 2 (fasciclin KIAA0101 gene product Wilms' turnour 1-associating protein D123 gene product	15.7 4.1 4.7 5.1	1030 320 119 106	66 78 26 21	5 10.6 3 9.2
30	100203 100210	BE242284 D26361	Hs.172199 Hs.3104 Hs.118110	adenylate cyclase 7 KIAA0042 gene product bone marrow stromal cell antigen 2	4.7 4.7 4.7 3.8	47 47 47 350	1 4 93	4.3 0.7 1.9
50	100234 100248 100252	D29677 NM_01515 NM_00620	Hs.3085	KIAA0071 protein platelet-derived growth factor receptor-	4.1 3.4 4.5	64 77 45	16 23 4	3 5.9 4
35	100279 100286	D38491 D42084 BE247550		KIAA0117 protein KIAA0094 protein growth factor receptor-bound protein 7	5.9 3.5 3.1	59 96 306	1 28 98	2.6 1.3 1.5
40	100335 100365	AA331881 AW247529 AI878927 D80004		peroxiredoxin 3 platelet-activating factor acetythydrola mesoderm specific transcript (mouse) hom KIAA0182 protein	12.8 4.2 4.5 3.5	128 187 129 78	1 44 29 23	11.7 5.4 3.1 4.8
10	100409 100410	D86957 D86961 NM_01473	Hs.80712 Hs.79299	KIAA0202 protein Ilpoma HMGIC fusion partner-like 2 KIAA0215 gene product	10.2 4 3.2	102 40 32	1 1 2	4.8 3.8 2.9
45	100438 100439		Hs.122669	KIAA0225 protein topoisomerase (DNA) II binding protein KIAA0264 protein	3.6 5.6 3.5	36 76 35	7 14 9	3.2 2 3.1
50	100449 100522	AF234887 D87470 X51501	Hs.75400 Hs.99949	cadherin, EGF LAG seven-pass G-type rece KIAA0280 protein prolactin-induced protein	5.5 3.4 22.7	145 34 760	27 1 34	2.2 1.2 1.4
30	100643 100661	NM_00503	Hs.301946 2Hs.4114 Hs.132748 Hs.169610	lysosomal plastin 3 (T isoform) Homo sapiens ribosomal protein L39 mRNA, CD44 antigen (homing function and Indian	14.4 4.1 3.3 8.5	144 259 116 85	9 63 36 1	4.7 1.9 2.2 3.2
55	100667 100745	L05424	Hs.169610 Hs.144630 Hs.89603	CD44 antigen (homing function and Indian nuclear receptor subfamily 2, group F, m mucin 1, transmembrane	0.5 3 5 3.5	594 82 37	201 17 11	2.3 0.9 2.8
	100821 100864	M26460 BE563957		general transcription factor IIH, polype gb:Homo sapiens (clone 104) retinoblasto activated RNA polymerase II transcriptio	9.7 3.3 3.7	97 33 477	10 1 130	7.2 0.8 3.1
60	100892 101038	BE297139	Hs.27973 Hs.180789 Hs.79411	KIAA0874 protein S164 protein replication protein A2 (32kD)	6.3 4.7 3.8	63 47 115	4 1 30	5.7 4.2 7.1
		K01160 BE264901	Hs.250502	NM_002122:Homo saplens major histocompat carbonic anhydrase VIII	3.9 3.9	390 39	100 8	11.1 3.6

	101084	AW409934	Hs.75528	nucleolar GTPase	4.1	53	13	4
	101104	AW862258	3 Hs.169266	neuropeptide Y receptor Y1	15.3	153	1	14.1
			21Hs.170087	aryl hydrocarbon receptor	11.3	113	8	3.9
_		L20320	Hs.184298	cyclin-dependent kinase 7 (homolog of Xe	3.1	118	38	2
5		L22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	8.2	396	48	0.9
			Hs.242894	ADP-ribosylation factor-like 1	4	110	28	10.7
		BE545277		Ts translation elongation factor, mitoch	4.2	50	12	4.4
		BE535511		transmembrane trafficking protein	6.6	135	21	13.1
10		BE267931	Hs.78996	proliferating cell nuclear antigen	6.4	249	39	22.4
10		M21305		gb:Human alpha satellite and satellite 3	6.5	878	135	0.8
			4Hs.195850	keratin 5 (epidermolysis bullosa simplex	4.8	622	130	0.7
		NM_00054		tumor protein p53 (Li-Fraumeni syndrome)	5.1	97	19	9.3
		NM_00289		RAS p21 protein activator (GTPase activa	9.6	96	1	8.5
1.5		AA053486		interferon-induced protein with tetratri	11.2	112	8	5.9
15		X16896	Hs.82112	interleukin 1 receptor, type I	3.9	39	2	3.5
		BE391804	Hs.62661	guanylate binding protein 1, interferon-	3.6	36	1	2.6
		M55998		gb:Human alpha-1 collagen type I gene, 3	3.1	2898	923	2.2
			Hs.121017	H2A histone family, member A	6.9	103	15	8.4
20		M63256	Hs.75124	cerebellar degeneration-related protein	6.4	64	2	4.9
20		L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	9.4	94	1	0.3
		S70114	Hs.239489	TIA1 cytotoxic granule-associated RNA-bi	8.9	89	5	8
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	3.6	824	227	1.4
		M83822	Hs.62354	cell division cycle 4-like	9	144	16	13
25		M84605	Hs.957	putative opioid receptor, neuromedin K (3.3	36	11	2.4
25		AW024390		pre-B-cell leukemia transcription factor	5.4	180	34	15.9
		M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	12	120	8	9
		AA446644		GA733-2 antigen; epithelial glycoprotein	3.1	353	116	2.8
		AL049610		transcription elongation factor A (SII)-	7.3	73	1	5.3
20		AL036287		calponin 3, acidic	3.8	399	105	3.3
30		BE245149		protein tyrosine kinase 9	4.6	148	32	11.3
		U11313	Hs.75760	sterol carrier protein 2	9.5	95	4	8.8
		NM_00180		centromere protein A (17kD)	4.2	42	7	3.4
		NM_00645		slalytransferase	9.3	93	4	3
35		NM_00441		dual specificity phosphatase 5	5.4	137	26	2.5
33		AA450274		CDC16 (cell division cycle 16, S. cerevl	4.6	151	33	2
		BE313280		death associated protein 3	9.3	93	5	8
		AL036335		secreted phosphoprotein 1 (osteopontin,	45.7	457	1	39.7
		BE314524		putative transmembrane protein	3.9	442	114	1.3
40		NM_00676 U27185		LIM domain only 4	4.9	49	1	3.6
40		NM_00154	Hs.82547	retinoic acid receptor responder (tazaro	3.1	31	1	1.3
		AA306342		Inhibitor of DNA binding 4, dominant neg	3.8	163	43	0.5
		AF015224		protein kinase C-like 2	4.5	45	1	3.6
		U37519		mammaglobin 1	8.5	2058	243	1.4
45		U39840	Hs.87539	aldehyde dehydrogenase 3 family, member	6.4	428	67	2.3
7.7		AW602154	Hs.299867	hepatocyte nuclear factor 3, alpha	6.7	67	9	6.3
		BE300330		E74-like factor 2 (ets domain transcript	5.3	53	1	4.8
		NM_00139		selenophosphate synthetase 2	3.3	111	34	7.5
		NM_00393		dual specificity phosphatase 4	20.2	202	5	1.3
50		U63830		kynureninase (L-kynurenine hydrolase)	3.8	38	1	1.5
50		U60808	Hs.146847 Hs.152981	TRAF family member-associated NFKB activ CDP-diacylglycerol synthase (phosphatida	8.2	82	1	6.8
		AL037672			4.1	41	1	3.3 17.2
		U67319	Hs.9216	extracellular matrix protein 1	10.2	628	62	
		NM_002276		caspase 7, apoptosis-related cysteine pr	5	66 436	13	5.3
55		U71207	Hs.29279	karyopherin (importin) beta 2	6.1	126	21 1	2.4 2.8
55		U79293	Hs.159264	eyes absent (Drosophila) homolog 2 Human clone 23948 mRNA sequence	4.5	45 41	1	2.4
		U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.1			1.6
•		U90304	Hs.25351	iroquois homeobox protein 5	4.4	255	58 20	
		BE242035		embryonic ectoderm development	3.6	142	39	1.6 2.7
60		D85390		carboxypeptidase D	3.5	35	1	5.3
UU		BE262386	Hs.5057		5.6	56		
				clones 23667 and 23775 zinc finger prote	4.2	42 50	7 19	3.7 5
		AI815559		signal recognition particle receptor ('d keratin 15	3.2	58 752	18	5 0.4
		NM_002275		keratin 18	5.8	753 815	131	
65		BE512730 AL119505		activating transcription factor 2	3.1	815 22	266	1.7
05		AU076611		methylene tetrahydrofolate dehydrogenase	3.2	32 251	4 44	2.6 6.6
		AI910275		trefoil factor 1 (pS2)	5.7 5.6	1346	239	5.4
	100000	743 10213	110.1700	acromitation i (box)	5.0	1040	203	J.4

	400000 414400 400 11 440000						
	103023 AW500470 Hs.117950	multifunctional polypeptide similar to S	5.8	218	38	13	
	103024 NM_002343Hs.105938	lactotransferrin	3.7	1421	388	1.9	
	103036 M13509 Hs.83169	matrix metalloproteinase 1 (MMP1; inters	3.1	94	30	5.8	
,	103038 AA926960 Hs.334883	CDC28 protein kinase 1	3.5	332	94	3.1	
5	103119 X63629 Hs.2877	cadherin 3, type 1, P-cadherin (placenta	4.8	312	65	30.9	
	103134 X65724 Hs.2839	Norrie disease (pseudoglioma)	5.2	331	64	1.5	
	103134 X65724 Hs.2839	Nome disease (pseudoglioma)	4.9	49	5	3.8	
	103171 AW583058 Hs.234726	serine (or cystelne) proteinase inhibito	3.3	1497	458		
	103206 X72755 Hs.77367	monokine Induced by gamma Interferon				2.1	·
10	103208 AW411340 Hs.31314		3.5	796	228	3.2	
10		retinoblastoma-binding protein 7	5.6	191	34	3.5	
	103226 X75042 Hs.44313	v-rel avian reticuloendotheliosis viral	4.1	53	13	4.9	
	103333 AA206186 Hs.79889	monocyte to macrophage differentiation-a	3.4	34	8	2.3	
	103346 X87613 Hs.5464	thyroid hormone receptor coactivating pr	3.9	43	11	1	
1.5	103352 H09366 Hs.78853	uracii-DNA glycosylase	9.3	93	8	8.2	
15	103375 NM_005982Hs.54416	sine oculis homeobox (Drosophila) homolo	9.7	97	1	9.3	
	103376 AL036166 Hs.323378	coated vesicle membrane protein	6.3	98	16	9.1	
	103391 X94453 Hs.114366	pyrroline-5-carboxylate synthetase (glut	4.3	77	18	7.2	
	103438 AW175781 Hs.152720	M-phase phosphoprotein 6	4.9	153	31	2.4	
	103453 Al878922 Hs.180139						
20	*****	SMT3 (suppressor of mif two 3, yeast) ho	4.9	261	53	3.7	
20		protein tyrosine phosphatase, receptor t	3.5	564	162	1.7	
	103500 AW408009 Hs.22580	alkylglycerone phosphate synthase	3.9	49	13	2.5	
	103557 AL133415 Hs.297753	vimentin	7.5	136	18	3.4	
	103587 BE270266 Hs.82128	5T4 oncofetal trophoblast glycoprotein	7.9	79	2	6.9	
0.5	103605 BE409838 Hs.194657	cadherin 1, type 1, E-cadherin (epitheli	3.3	745	229	1.8	
25	103606 AW403814 Hs.41714	BCL2-associated athanogene	3.2	41	13	2.8	
	103613 NM_000346Hs.2316	SRY (sex determining region Y)-box 9 (ca	7.3	73	1	5.2	
	103658 NM_000088Hs.172928	collagen, type I, alpha 1	3.8	1612	429	3.1	
	103666 NM_003528Hs.2178	H2B histone family, member Q	3.2	32			
	103988 AA314389 Hs.42500	ADP-ribosylation factor-like 5			5	2.8	
30	103990 AB033112 Hs.42179		3.2	32	9	2.7	
50		bromodomain and PHD finger containing, 3	4.9	49	1	4.2	
	104052 NM_002407Hs.97644	mammaglobin 2	7.2	498	69	9.3	
	104115 AF183810 Hs.26102	opposite strand to trichorhinophalangeal	29	290	1	26.8	
	104129 H63349 Hs.98806	hypothetical protein	3.7	37	7	2.1	
25	104146 AW880614 Hs.146381	RNA binding motif protein, X chromosome	5.2	52	1	4.3	
35	104147 BE081342 Hs.283037	HSPC039 protein	8	84	11	6.3	
	104209 AB012113 Hs.16530	small inducible cytokine subfamily A (Cy	5.8	58	1	3.2	
	104239 AB002367 Hs.21355	doublecortin and CaM kinase-like 1	6.4	64	8	3	
	104278 AW583693 Hs.109253	N-terminal acetyltransferase complex ard	4.7	229	49	7.9	
	104309 Al337300 Hs.284123	hypothetical protein MGC4604	3.2	32	7	2.4	
40	104394 AA129551 Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C					
	104432 X51501 Hs.99949		5.3	144	27	13.1	
		prolactin-induced protein	6.9	1494	218	1.3	
	104558 R56678 Hs.88959	hypothetical protein MGC4816	7.7	77	8	6.9	
	104567 AA040620 Hs.5672	hypothetical protein AF140225	3.7	37	5	2.5	
45	104590 AW373062 Hs.83623	nuclear receptor subfamily 1, group I, m	6.1	493	81	0.7	
43	104602 H47610	gb:yp75f03.s1 Soares fetal liver spleen	3.8	38	4	1.2	
	104613 AF123303 Hs.24713	hypothetical protein	4.8	231	49	7.3	
	104633 H00820 Hs.30977	ESTs, Weakly similar to B34087 hypotheti	3.4	154	46	3	
	104636 R82252 Hs.106106	protein kinase (cAMP-dependent, catalyti	5	468	94	4.7	
	104660 BE298665 Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	3.8	82	22	3.1	
50	104667 Al239923 Hs.30098	ESTs	14.9	149	1	6.4	
	104766 BE244072 Hs.20815	macrophage erythroblast attacher	6.3	165	26	3.2	
	104787 AA027317	gb:ze97d11.s1 Soares_fetat_heart_NbHH19W	3.8				
	104804 Al858702 Hs.31803	ESTs, Weakly similar to N-WASP (H.sapien		40	11	3.8	
			7.7	77	1	5.1	
55	104807 Al139058 Hs.125790	leucine-rich repeat-containing 2	7	70	1	6.5	
55	104846 Al250789 Hs.32478	ESTs	4.7	201	43	4.5	
	104896 AW015318 Hs.23165	ESTs	7.4	74	1	6	
	104919 AA026880 Hs.25252	prolactin receptor	3.9	280	72	3.3	
	104926 BE298808 Hs.33363	DKFZP434N093 protein	4.2	135	32	4	
	104943 AF072873 Hs.114218	frizzled (Drosophila) homolog 6	16.2	162	1	4.2	
60 -	104968 Al249502 Hs.29669	ESTs	3.8	38	1	2.4	
	104977 Al392640 Hs.18272	amino acid transporter system A1	3.2	522	165	1.9	
	104997 AA121686 Hs.10592	ESTs	3.2	32	4	2.9	
	105029 Al122691 Hs.13268	ESTs	3.7	157	43	3.6	
	105038 AW503733 Hs.9414						
65	105041 AB037716 Hs.26204	KIAA1295 protein	5.5	55 .	1	5.2	
0,5	105086 AA148710 Hs.79914		10.3	103 .	-	3.9	
		lumican	6.6	66	1	5.4	
	105088 H58589 Hs.35156	Homo sapiens cDNA FLJ11027 fis, clone PL	3.1	31	1	2.5	

	105091	AA148859	Hs.179909	hypothetical protein FLJ22995	3.2	32	1	3
		Al368836		ESTs, Weakly similar to I38022 hypotheti	7.3	73	1	3.8
		AA307279		methyl-CpG binding domain protein 4	4.2	90	22	2.8
-		AL133033		KIAA1025 protein	6	60	6	4.6
5		AW612147		Homo sapiens C1orf19 mRNA, partial cds	3.8	38	2	3.2
		AA313825		AD036 protein	9.3	436	47	5.8
		AA975096		hypothetical protein PRO2849	5.7	57	8	5.3
		AA328102		cytoskeleton associated protein 2	4.5	45	1	3.6
10		AW952479		tropomodulin 3 (ubiquitous)	4.3	43	1	3.9
10		AB039670		ALEX1 protein	8	80	6	7.3
		AW997484		KIAA0456 protein	3.9	39	6	3.2
		AA894638		ESTs	3.5	35	7	2.7
		N99673	Hs.3585	ESTs, Weakly similar to AF126743 1 DNAJ	4.5	45	10	0.5
1.5		AK000796		hypothetical protein	3.8	93	25	7.5
15		AA234561		ESTs	2.8	131	47	3.9
		AF151073		hypothetical protein	3.9	79	20	6.5
		AW994032		hypothetical protein FLJ10849	5.1	181	36	15.8
		AW500718		Homo sapiens, clone MGC:16169, mRNA, com	4.1	41	2	3.3
20		AF198620		RNA binding motif protein 8A	6.2	62	6	5.6
20		W20027	Hs.23439	ESTs	3.3	206	63	2.2
		AL137257		Homo sapiens cDNA: FLJ23015 fis, clone L	3.2	466	146	8.4
		AL117441		hypothetical protein FLJ13033	16.6	166	8	12.7
		AW602166		CEGP1 protein	25.4	508	20	3
25		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (117	13	10.6
25		AB037829		regulator of nonsense transcripts 2; DKF	3.2	32	6	1.5
		AK001269		hypothetical protein FLJ10407	8.3	83	3	1.8
		AB040884		KIAA1451 protein	3.5	73	21	1.6
		BE616694		hypothetical protein FLJ14299	5.8	336	58	2
20		AA280072		fetal Alzheimer antigen	3.2	32	1	1
30		R35343	Hs.24968	Human DNA sequence from clone RP1-233G16		79	17	5.2
		AA281279		hypothetical protein FLJ14681	4	75	19	1.7
		AA001021		thyroid hormone receptor Interactor 8	4.5	45	1	3.7
		AW294631		ESTs	3.6	36	1	0.1
25		Al609530	Hs.279789	histone deacetylase 3	6.4	64	8	6
35		NM_014517		upstream binding protein 1 (LBP-1a)	4.7	152	33	5.3
		Al680737	Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	5.7	57	8	4.1
		AW377314		DKFZP564I052 protein	6.9	69	1	4.4
		AA834664		nuclear receptor coactivator 2	3.4	34	1	3.1
40		BE246502		sema domain, immunoglobulin domain (ig),	3	30	10	0.9
40			Hs.15159	chemokine-like factor, alternatively spl	5.4	54	1	4.4
		H57111	Hs.221132	ESTs	5.3	67	13	5.3
		AW369278		hypothetical protein FLJ20160	4.9	49	1	4.5
		W84446	Hs.226434	hypothetical protein MGC4643	3.3	98	30	4.7
45		AA878183		Homo sapiens cDNA FLJ13618 fis, clone PL	3.2	143	46	3.6
43		AF206019		REV1 (yeast homolog)- like	4	40	3	3.2
		AA788946		ESTs, Moderately similar to CA1C RAT COL	4.7	747	158	5.7
			Hs.293960	ESTs	3.9	371	94	4.6
		AW802282		pyruvate dehydrogenase phosphatase	3.6	68	19	6
50		AA601518		secreted modular calcium-binding protein	4.8	134	28	3.2
50			Hs.24391	hypothetical protein FLJ13612	4.3	772	179	1.7
			Hs.28332	Homo sapiens cDNA: FLJ21560 fis, clone C	4.3	43	1	3.7
		AW021691		GCN5 (general control of amino-acid synt	3.6	36	7	3.1
		AK001708		hypothetical protein FLJ10846	3.4	34	8	2.9
E E		AK001735		UDP-glucose:glycoprotein glucosyltransfe	3.6	45	13	1.3
55	105906	N25986	Hs.22380	ESTs	3.4	34	1	1.5
		A1240665		ESTS	21.2	212	6	17.4
		AA043039		hypothetical protein	3.9	47	12	4.4
		AL122072		heterogeneous nuclear ribonucleoprotein	4.4	174	40	1.6
60		AW952005		hypothetical protein FLJ12903	4.7	47	1	4
60		AA382267	ms.10653	ESTs	3.4	49	15	4.4
		AA417034	11- 000074	gb:zu04f10.s1 Soares_testis_NHT Homo sap	3.5	53	15	1.2
		BE614474		F-box only protein 22	3.4	116	35	2.2
		NM_001329		C-terminal binding protein 2	3.6	444	125	4.6
65	106070		Hs.5957	Homo sapiens clone 24416 mRNA sequence	3.6	365	103	6.9
65		AF115402		E74-like factor 5 (ets domain transcript	26.3	356	14	1
		AW379378		protein tyrosine phosphatase, receptor t	3.2	267	83	2.3
	100120	AA576953	113.22312	hypothetical protein FLJ13352	3.8	38	1	3.3

		AA425414		nuclear factor I/B	9.9	483	49	1.8
		W37943	Hs.34892	KIAA1323 protein	6.7	94	14	8
	106198	A1244563	Hs.325531	Homo sapiens clone 015h12 My015 protein	3.3	95	29	4.4
_	106236	AB040896	Hs.21104	KIAA1463 protein	3.8	83	22	7.5
5	106286	AI765107	Hs.274422	hypothetical protein FLJ20550	3.3	97	30	6.4
	106290	AW961393	Hs.16364	hypothetical protein FLJ10955	4.5	116	26	4.5
	106310	R98185	Hs.17240	ESTs	7	70	3	1.3
	106323	AB007866		KIAA0406 gene product	3.2	37	12	2.6
		AW977397		ESTs	3.8	38	1	1.9
10		AA447453		Homo sapiens mRNA; cDNA DKFZp586M0723		255	16	6.6
••		AW748420		Homo sapiens cDNA: FLJ21487 fls, clone C	4.9	337	70	2.7
		Z42993	Hs.25320					
				Homo sapiens clone 25142 mRNA sequence	3.1	72	23	5
		AK000310		hypothetical protein FLJ20303	3.1	165	54	1.6
15		AA789081		glioma-amplified sequence-41	3.1	31	1	2.6
15		AB033042		cofactor required for Sp1 transcriptiona	5.5	147	27	4.4
		Al205785		ESTs	4.4	222	51	1.8
		NM_01489		KIAA1116 protein	7.4	74	3	1.7
	106586	AA243837	Hs.57787	ESTs	15.2	152	1	12.6
	106589	AK000933	Hs.28661	Homo sapiens cDNA FLJ10071 fis, clone HE	3.8	263	69	3.9
20	106596	AA452379	Hs.293552	ESTs, Moderately similar to ALU7_HUMAN A	4.9	49	1	4.1
	106611	R49131	Hs.26267	ATP-dependant interferon response protei	5.8	58	5	3.1
		AW188205	Hs.12311	Homo sapiens clone 23570 mRNA sequence	5.3	166	32	14.9
		AL049951		Homo sapiens mRNA; cDNA DKFZp56400122 (75	14	0.8
		BE296396		DIPB protein	3.6	210	58	4.7
25		N28524	Hs.29403	hypothetical protein FLJ22060	5.7	57	10	4.8
23		N38902	Hs.334437	. **	4.4			
				hypothetical protein MGC4248		371	84	3.2
		AA600357		TIA1 cytotoxic granule-associated RNA-bi	4.3	101	24	1.6
		NM_00711		triple functional domain (PTPRF Interact	4.6	46	1	4.
20		AL044182		KIAA0753 gene product	3.5	58	17	1.6
30		AB037744		KIAA1323 protein	5.4	192	36	4.4
		BE185536		molecule possessing ankyrin repeats indu	3.3	696	214	1.8
		AA149537		hypothetical protein FLJ20477	3.8	38	1	1.6
		AA835868		mannosidase, alpha, class 1A, member 1	4.3	43	10	2.2
	106895	AK001826	Hs.25245	hypothetical protein FLJ11269	3.6	36	1	1.2
35	106897	AF039023	Hs.167496	RAN binding protein 6	4.5	45	1	3.8
	106916	AA134329	Hs.24170	Homo sapiens, clone IMAGE:3685398, mRNA,	5.7	94	17	7.3
	106962	AI868648	Hs.22315	ESTs	3.5	180	52	2.3
	106968	AF216751	Hs.26813	CDA14	5.5	130	24	12.5
		AA280722		ESTs, Weakly similar to 138022 hypotheti	3.2	266	83	1.8
40		AL157479		KIAA1598 protein	5.1	298	59	4.4
		AA598820	HJ.ZJI TO	gb:ae36h12.s1 Gessler Wilms turnor Homo s	3.3	228	69	2.8
		AV650537	Un 247200					
				succinate-CoA ligase, GDP-forming, beta	3.1	55	18	3.8
		AW401864		programmed cell death 8 (apoptosis-induc	3.1	75	24	2.2
15		AW385224		ectonucleotide pyrophosphatase/phosphodi	3.1	367	119	2.3
45		AL122043		hypothetical protein DKFZp566G1424	3.9	98	25	8.6
		AB037765		KIAA1344 protein	6.3	63	1	5.4
		AA249096		ESTs .	4.6	71	16	3.6
	107136	AV661958	Hs.8207	GK001 protein	2.5	392	155	4.3
	107151	AW378065	Hs.8687	ESTs	15.6	156	7	10.8
50	107217	AL080235	Hs.35861	DKFZP586E1621 protein	4.8	48	8	3.1
	107222	BE172058	Hs.82689	tumor rejection antigen (gp96) 1	3.4	251	74	23.7
	107240	AI290284	Hs.159872	ESTs	3.6	36	6	0.5
		AW263124		nuclear receptor co-repressor/HDAC3 comp	5.4	483	90	4
		AA186629		UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	199	44	19.2
55		BE277457		hypothetical protein MGC4606				2.9
33					12.5	156	13	
		T63174	Hs.193700	Homo sapiens mRNA; cDNA DKFZp586I0324 (f	3.2	110	35	9.6
		T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence	3.5	35	1	2.6
				S-adenosylmethionine decarboxylase 1	5.8	151	26	11.4
C A		A1498986	Hs.60090	Homo sapiens cDNA FLJ13595 fis, clone PL	3.2	32	5	2.1
60		A1580492	Hs.42743	hypothetical protein	4.4	73	17	6.2
		AA149707		ublquitin-like 3	3.5	282	80	3.7
		AW732573		potassium voltage-gated channel, delayed	5.7	85	15	7.8
	107876	AW372451	Hs.61184	CGI-79 protein	3.5	35	1	1
	107884	AA054949	Hs.61307	ESTs	4.3	43	10	2.7
65	107886	AA025782	Hs.61284	ESTs	3.1	31	9	2.2
		AF087999		ESTs	4.7	47	4	4.3
		BE153855		Ig superfamily receptor LNIR	9	90	i	5.5
				· · · · · · · · · · · · · · · · · · ·	-			

	107994	AA036811	Hs.48469	LIM domains containing 1	4.5	45	1	3.8
	108040	AL121031	Hs.159971	SWI/SNF related, matrix associated, acti	6.5	65	ż	6
			Hs.334483	hypothetical protein FLJ23571	7.4	74	8	
	108063	BE548479	Un 14020					6
5				hypothetical protein FLJ10773	3.4	34	1	2.3
,		AW151340		ESTs, Weakly similar to ALU7_HUMAN ALU S	18.7	187	1	17
	108467	AI478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	3.8	38	1	3.2
	108539	AA084677	Hs.54558	hypothetical protein FLJ22222	5.7	57	1	4.9
	108634	AW022410	Hs.69507	ESTs	3.2	32	5	1.7
		BE546947		homeo box C10	8.7	247	29	5.7
10		AB029000		KIAA1077 protein	3.7	625	168	
		AF133123						3.8
				general transcription factor IIIC, polyp	3.7	37	1	3.2
		AF070578		Homo sapiens clone 24674 mRNA sequence	3.4	34	1	2.8
		Al652236		hypothetical protein FLJ20644	3.5	35	1	3.2
	108810	AW295647	' Hs.71331	hypothetical protein MGC5350	5.3	53	1	2.8
15	108846	AL117452	Hs.44155	DKFZP586G1517 protein	4.8	96	20	6.5
		AK001468		anillin (Drosophila Scraps homolog), act	5.4		. 1	4
			Hs.194691	retingic acid induced 3				
					3.1	529	170	4.1
		Al380268	Hs.173648	ESTs, Weakly similar to Zinc-linger prot	3.3	33	5	1.7
20		NM_00724		dual specificity phosphatase 12	3.4	34	1	2.6
20			Hs.241551	chloride channel, calcium activated, fam	3.1	31	8	2
	109101	AW608930	Hs.52184	hypothetical protein FLJ20618	3.4	71	21	2.4
			Hs.257924	hypothetical protein FLJ13782	4.1	334	82	3.4
			Hs.183887	hypothetical protein FLJ22104	3.3	33	1	2.9
		H89083	Hs.181915	ESTs				
25					4	40	7	1.1
23			Hs.301997	hypothetical protein FLJ13033	3.8	233	62	3.8
		AA219691		RAB6 interacting, kinesin-like (rabkines	8.8	199	23	16.1
		AA179962		EST	3.2	32	1	2.2
	109178	AW976516	Hs.283707	Homo sapiens cDNA: FLJ21354 fis, clone C	3.2	32	10	2.9
	109235	Al381800	Hs.300684	calcitonin gene-related peptide-receptor	4.9	121	25	10.4
30	109273	AA375752		Homo sapiens mRNA; cDNA DKFZp586F1822 (i		114	39	9.9
• •			Hs.188662		7.1	71		
			Hs. 184245	KIAA1702 protein			1	6.5
				KIAA0929 protein Msx2 interacting nuclea	6.9	69	5	6.2
		R98881	Hs.109655	sex comb on midleg (Drosophila)-like 1	3.3	39	12	1.5
0.5			Hs.209473	hypothetical protein FLJ10520	4.2	56	14	2.2
35	109415	U80736	Hs.110826	trinucleotide repeat containing 9	12.3	123	1	11.3
	109481	AA878923	Hs.289069	hypothetical protein FLJ21016	3.2	286	91	5.7
		Al631874	Hs.155140	casein kinase 2, alpha 1 polypeptide	8.3	83	8	1.9
		AA989362		ESTs	5.9	59	10	4.2
		F10024	Hs.268740					
40				ESTs	3.2	41	13	3.3
40		AA173942		Homo sapiens mRNA; cDNA DKFZp564H1916 (5.9	208	36	1.8
		AW965076		hypothetical protein 669	5	50	5	4.1
		R68827	Hs.95011	syntrophin, beta 1 (dystrophin-associate	3.7	37	4	2
	109912	AW390822	Hs.301528	L-kynurenine/alpha-aminoadipate aminotra	14.2	142	4	9.5
		AI084066	Hs.20072	myosin regulatory light chain interactin	4.1	41	7	1.7
45		AA001266		ESTs	4.2	58	14	
73								0.8
		Al796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, clone PL	3.2	136	43	3.6
		BE075297		ESTs, Weakly similar to A43932 much 2 p	6.3	693	110	7.2
		A1668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	4.6	913	199	2.9
	110369	AK000768	Hs:107872	hypothetical protein FLJ20761	3.8	38	7	2.8
50	110426	AI610702	Hs.28212	ESTs, Weakly similar to TRHY_HUMAN TRICH	6.7	78	12	3
	110478	H11236	Hs.31034	peroxisomal biogenesis factor 11A	3.7	37	1	2.1
		AF075089		ESTs	3.6	36	10	
			113.50025					2.5
		H61560	11- 40-100	gb:yr22g03.s1 Soares fetal liver spleen	3.3	33	1	1.8
		AA071276		KIAA0859 protein	3.5	35	8	1.9
55		AB007902	Hs.32168	KIAA0442 protein	3.6	282	79	1.7
	110721	H97678	Hs.31319	ESTs	4.4	103	24	3.8
		NM_014899		KIAA0878 protein	3.3	138	42	3.6
		BE000831		Homo sapiens cDNA FLJ11812 fis, clone HE	13.5	135	1	
		N22414		gb:yw39a07.s1 Welzmann Olfactory Epithel				5.1
60			the engage		5.4	54	1	3.7
60		AA831267		hypothetical protein FLJ20097	4.7	47	4	4.2
		AI089660	Hs.323401	dpy-30-like protein	5	50	1	4.3
		AL157503		Homo sapiens mRNA; cDNA DKFZp586N2424 (f	3.1	31	1	2.7
		AF153330		solute carrier family 19 (thiamine trans	8.4	84	1	5.3
		AI740792	Hs.167531	methylcrotonoyl-Coenzyme A carboxylase 2	10.5	105	4	7.1
65		BE612992		hypothetical protein FLJ10607 similar to	7.9	79	ĭ	
55		AW963705		molecule possessing ankyrin repeats indu				6.2
		Al433165			3.9	353	90	1.2
	1 10300	COICCHIA	119.5000	ESTs	3.1	31	1	1.3

	110915 BE092285 Hs.29724	hypothetical protein FLJ13187	20.9	209	1	19.5
	110930 BE242691 Hs.14947	ESTs	3.4	115	34	2.4
	110970 Y19062 Hs.96870	staufen (Drosophila, RNA-binding protein	3.5	35	9	3.2
5	111084 H44186 Hs.15456 111125 N63823 Hs.269115	PDZ domain containing 1	4.3	43	1	2
•	111132 AB037807 Hs.83293	ESTs, Moderately similar to Z195_HUMAN Z hypothetical protein	5.4 7.2	54 72	1 10	4.3
	111164 N46180 Hs.122489	Homo sapiens cDNA FLJ13289 fis, clone OV	7.7	77	10	6.1 5
	111179 AK000136 Hs.10760	asporin (LRR class 1)	25.1	288	12	6.7
10	111184 AI815486 Hs.243901	Homo sapiens cDNA FLJ20738 fis, clone HE	3.9	146	37	9.8
10	111190 AK002055 Hs.151046	hypothetical protein FLJ11193	6.3	63	1	5.8
	111221 AB037782 Hs.15119	KIAA1361 protein	3.7	119	33	6.7
	111223 AA852773 Hs.334838	KIAA1866 protein	3.6	402	112	4.9
	111229 AW389845 Hs.110855 111234 AA902656 Hs.21943	ESTs	4.3	43	1	1.
15	111241 AA345644 Hs.288880	NIF3 (Ngg1 interacting factor 3, S.pombe PAN2 protein	3.3	33	1	1.1
10	111345 AW263155 Hs.14559	hypothetical protein FLJ10540	4.8 4.3	61 43	13 5	5.6
	111353 W20090 Hs.6616	ESTs	4.1	41	1	2.2 2.6
	111357 BE314949 Hs.87128	hypothetical protein FLJ23309	3.8	425	111	4
	111378 AW160993 Hs.326292	hypothetical gene DKFZp434A1114	4.3	65	15	5.7
20	111389 AK000987 Hs.169111	oxidation resistance 1	3.4	314	91	2.4
	111540 U82670 Hs.9786	zinc finger protein 275	3.5	35	1	2.1
	111806 BE071382 Hs.279008	hypothetical protein FLJ20170	3.5	105	30	9.6
	111884 AW502285 Hs.127236	hypothetical protein FLJ12879	3.2	37	12	3.5
25	111923 BE383234 Hs.25925 111929 AF027208 Hs.112360	Homo saplens, clone MGC:15393, mRNA, com		62	2	5.9
23	111942 R40576 Hs.21590	prominin (mouse)-like 1 hypothetical protein DKFZp56400523	8.1 4.2	328 125	41	1.7
	111987 NM_015310Hs.6763	KIAA0942 protein	6.5	65	30 10	7.4 1.5
•	112092 R44538	gb:yg29c02.s1 Soares infant brain 1NIB H	3.3	33	10	2.3
	112134 R41823 Hs.7413	ESTs; calsyntenin-2	6.1	185	31	6.6
30	112197 NM_003655Hs.5637	ESTs	3.5	507	145	3.3
	112198 Al432672 Hs.288539	hypothetical protein FLJ22191	3.5	40	12	2.5
	112244 AB029000 Hs.70823	KIAA1077 protein	5.7	567	100	6.7
	112253 R51818	gb:yg77h12.s1 Soares infant brain 1NIB H	4	70	18	6.8
35	112269 R53734 Hs.25978 112275 AW972635 Hs.301904	ESTs, Weakly similar to 2109260A B cell	3.7	37	1	3
33	112280 AA863360 Hs.26040	hypothelical protein FLJ12671 ESTs, Weakly similar to fatty acid omega	4.3 2.8	45 754	11	4.4
	112305 AK000914 Hs.26244	hypothetical protein FLJ10052	3.5	751 41	270 12	1.3 3.7
	112483 AW969785 Hs.285885	Homo sapiens cDNA FLJ11321 fis, clone PL	4.2	42	6	3.6
	112513 R68425 Hs.13809	hypothetical protein FLJ10648	4.7	54	12	4.5
40	112571 AA412205 Hs.140996	ESTs	4.8	48	2	3.4
	112971 Z42387 Hs.83883	transmembrane, prostate androgen induced	4.5	390	87	5.3
	113023 AL134324 Hs.7312	ESTs	3.2	99	31	3.1
	113047 Al571940 Hs.7549	ESTs	9.6	124	13	9
45	113073 N39342 Hs.103042	microtubule-associated protein 1B	9.1	91	6	8.3
43	113083 AA283057 Hs.266957 113287 T66847 Hs.194040	hypothetical protein FLJ14281	6.5	65	6	4.8
	113296 AW449560 Hs.89576	ESTs, Weakly similar to 138022 hypotheti inner mitochondrial membrane peptidase 2	3.5 3.5	35 35	1	1.4 3.3
	113523 AI791905 Hs.95549	hypothetical protein	7.6	76	1	3.3 4.2
	113604 Al075407 Hs.296083	ESTs, Moderately similar to 154374 gene	3.1	453	148	7
50	113617 AI869372 Hs.17207	Homo sapiens cDNA FLJ11922 fis, clone HE	3.6	36	4	2.6
	113702 T97307	gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
	113783 AL359588 Hs.7041	hypothetical protein DKFZp762B226	4.6	46	4	4.3
	113791 Al269096 Hs.135578	chitobiase, di-N-acetyl-	3.6	36	1	1.2
55	113794 T62849 Hs.11090	membrane-spanning 4-domains, subfamily A	3.3	744	227	2.5
33	113804 BE247683 Hs.14611 113808 W44735 Hs.9286	dual specificity phosphatase 11 (RNA/RNP Homo sapiens cDNA: FLJ21278 fis, clone C	3.3	180	54	2.1
	113847 NM_005032Hs.4114	plastin 3 (T isoform)	5.1 3.2	51 238	5 75	4.5
	113849 AA457211 Hs.8858	bromodomain adjacent to zinc linger doma	4.3	43	8	2.1 3.6
	113867 AW002834 Hs.24095	ESTs	6.1	110	18	3.0 10.2
60	113886 W76027 Hs.23920	hypothetical protein FLJ11105	4	48	12	4
	113923 AW953484 Hs.3849	hypothetical protein FLJ22041 similar to	3.7	239	65	3.6
	113936 W17056 Hs.83623	nuclear receptor subfamily 1, group 1, m	4.3	819	191	1.2
	113950 AI267652 Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fr		123	12	7
65	114030 Al825386 Hs.164478	hypothetical protein FLJ21939 similar to	4.4	44	6	2.3
U.S	114051 AB026436 Hs.177534 114057 AF116653 Hs.34192	dual specificity phosphatase 10	4.5	45	4	2.6
	114082 AK001612 Hs.26962	Homo sapiens PRO0823 mRNA, complete cds Homo sapiens cDNA FLJ10750 fis, clone NT	3.5 3.1	35 31	6 5	3.2
		anking and the Paration in Cone (4)	J. 1	٠,	J	1.5

	114124	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
	114138	AW384793	Hs.15740	Homo sapiens mRNA; cDNA DKFZp434E033 (fr		67	1	6.3
		AF155661		pyruvate dehydrogenase phosphatase	3.8	73	19	1.8
_			Hs.150926	fucose-1-phosphate guanylyltransferase	4.4	104	24	5.1
5		AL049466		ESTs	5.7	57	1	4.9
			Hs.267445	Homo sapiens mRNA; cDNA DKFZp434B231 (fr		33	1	2.4
		H15261 AF100143	Hs.21948	ESTs	4.2	46	11	1.4
		AF183810		fibroblast growth factor 13	4.5	45	2	3
10		AW970128		trichorhinophalangeal syndrome I anterior gradient 2 (Xenepus laevis) hom	4.4 4.7	44 770	1 166	3 5.8
•		Al521936	Hs.107149	novel protein similar to archaeal, yeast	5.2	52	3	2.3
		AI859865	Hs.154443	minichromosome maintenance deficient (S.	4.6	196	43	10
		AF212848		ets homologous factor	13.7	137	1	8.9
		AV656017		CGI-76 protein	3.3	168	51	7.3
15	114798	AA159181	Hs.54900	serologically defined colon cancer antig	7.4	137	19	1.8
	114821	AI648602	Hs.55468	ESTs	4.7	57	12	4.7
		AL157545		bromodomain and PHD finger containing, 3	9.1	91	1	7.6
		BE165762		hypothetical protein from BCRA2 region	10.1	111	11	10.2
20		BE092696		ESTs	6.4	67	11	5
20		Al733881		BMP-R1B	35.9	359	10	29.7
		AW162998	H\$.24684	KIAA1376 protein	9.4	94	8	7.3
		AA251089	Un 4007	gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens		115	1	6.9
		AA329340 AW265668		mannosyl (alpha-1,3-)-glycoprotein beta-	4.2	42	9	1.1
25		AI751438		hypothetical protein FLJ12428 Homo sapiens mRNA full length insert cDN	5.1 4.5	51 290	1 65	4.2 3.7
23		NM_01415		HSPC067 protein	4.8	48	1	4.4
		Al623693	Hs.191533	ESTs	3.2	49	16	4.2
		AK000219		hypothetical protein FLJ20212	3.3	33	1	3
		AW183695		ESTs	5.8	58	1	5
30	115221	AW365434	Hs.79741	hypothetical protein FLJ10116	5.5	343	62	2.5
	115262	AI422867	Hs.88594	ESTs	11.2	112	1	10.3
		BE545072		hypothetical protein FLJ10461	4.5	96	21	7.8
		AK001468		aniilin (Drosophila Scraps homolog), act	5.9	59	1	4.2
25		NM_01231		leucine zipper, down-regulated in cancer	9.8	98	1	8.8
35		AA081395		Homo sapiens cDNA FLJ10366 fls, clone NT	4.6	46	2	1.8
		AI088691	Hs.208414	Homo sapiens mRNA; cDNA DKFZp564D0472 (f		44	7	1.1
		N36110 AW992356	Hs.305971	solute carrier family 2 (facilitated glu	3.2	372	115	2.1
		W87707	Hs.82065	Homo sapiens pyruvate dehydrogenase kina Interleukin 6 signal transducer (gp130,	10.2 5.2	506 405	50 78	2.8 10.1
40		AW992405		Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		AW899053		F-box only protein 8	3.1	58	19	2.5
		AW582256		anterior gradient 2 (Xenepus laevis) hom	5.7	368	65	28.5
		AW338063		zinc-finger protein ZBRK1	3.9	39	8	2.2
	115825	R50956	Hs.159993	gycosyltransferase	4.2	79	19	1.9
45	115839	BE300266	Hs.28935	transducin-like enhancer of split 1, hom	5.8	58	1	4.4
	115844	AI373062	Hs.332938	hypothetical protein MGC5370	6.2	62	1	5.4
		AA291377		ESTs	3.2	40	13	0.7
		AI745379		ESTs	8.4	101	12	8.7
50		AW673312			3.6	36	1	2
50		Al198719	Hs.176376	ESTs	5.1	51	1	2
		AL133916			3.4	34	8	1
		AF126743			3.5	35	8	3.3
		AF189011 AW861622			4.5	45	9 4	3.4
55		AW976438		Homo sapiens cDNA FLJ14934 fis, clone PL RBP1-like protein	5.2 3.8	52 38	7	3.9 2.1
55		AV660717			5.0 5.1	198	39	17.9
		N76712	Hs.44829	ESTs, Weakly similar to I38022 hypotheti	13.3	133	8	3.2
					3.3	106	33	9.8
		Al955411	Hs.94109		4.8	179	38	2.8
60		AL133033	Hs.4084		3.2	173	55	3
		AL133623			3.7	37	ī	1.8
	116365		Hs.46765	ESTs	3.9	39	10	0.6
		AA448588			5.6	106	19	9
66			Hs.279923	putative nucleotide binding protein, est	3.6	256	72	3.7
65		A1654450	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr		119	39	2
					5.5	315	58	3.1
	1104/0	AI272141	Hs.83484	SRY (sex determining region Y)-box 4	3.4	496	144	1.6

	116507	AI418366	Hs.68501	ESTs	3.1	31	4	1.9
			11 Hs.81915	leukemia-associated phosphoprotein p18 (3.3	931	279	
		F01601	Hs.241567	RNA binding molif, single stranded Inter				5.6
		AI768015		ESTs	3.6	36	1	1.9
5			18 Hs.273829	ESTs	4.5	96	22	6.9
•		F10577			4.2	42	1	2.7
			Hs.306088	v-crk avian sarcoma virus CT10 oncogene	7.1	71	9	6.9
			7 Hs.65641	hypothetical protein FLJ20073	4.3	190	44	5.4
		H25836	Hs.301527	ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
10			i5 Hs.15641	Homo saplens cDNA FLJ14415 fis, clone HE	4.9	108	22	9
10	116790	AW16135	7 Hs.101174	microtubule-associated protein tau	4.6	163	35	7.3
	116844	H64938	Hs.337434	ESTs, Weakly similar to A46010 X-linked	6.9	69	10	2.4
	117027	AW08520	8 Hs.130093	ESTs	4.8	48	1	
		H91164	Hs.335797	ESTs	3.3		-	2.5
		H95785	Hs.167652			33	1	2.3
15			7 Hs.38592	ESTs, Highly similar to 1819485A CENP-E	3.1	38	13	1.7
13		N25929		hypothetical protein FLJ23342	4.8	48	1	0.9
			Hs.42500	ADP-ribosylation factor-like 5	3.1	295	96	27.9
		W03011	Hs.306881	MSTP043 protein	3.6	41	12	2.8
		M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
•	117367	Al041793	Hs.42502	ESTs	3.5	72	21	1.3
20	117412	N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
	117475	N30205	Hs.93740	ESTs, Weakly similar to 138022 hypotheti	3.2	35	11	0.7
			9 Hs.13323	hypothetical protein FLJ22059	5			
		U59305	Hs.44708			50	1	4.7
			7 Hs.136102	Ser-Thr protein kinase related to the my	4.5	211	47	5
25				KIAA0853 protein	4.6	46	1	3.8
25		N49967	Hs.46624	HSPC043 protein	3.1	31	1	2.7
		A1521436	Hs.38891	ESTs	4.9	49	1	4.4
	118138	AA374756	Hs.93560	Homo sapiens mRNA for KiAA1771 protein,	5	50	2	3.1
	118449	AI813865	Hs.164478	hypothetical protein FLJ21939 similar to	3.6	89	25	0.9
	118467	AF091434	Hs.43080	platelet derived growth factor C	3.2	378	117	2.8
30	118472	AL157545	Hs.42179	bromodomain and PHD finger containing, 3	14.5	145	1	2.4
		N66845		gb:za46c11.s1 Soares fetal liver spleen	3.1	199	64	
		N22617	Hs.43228					1
		AI949952	Hs.49397	Homo saplens cDNA FLJ11835 fis, clone HE	6	60	5	3.7
		N79496		ESTs	3.3	81	25	1.5
35			Hs.50824	EST, Moderately similar to I54374 gene N	3.4	740	217	2.8
33			2 Hs.173001	hypothetical prolein FLJ13964	4.3	162	38	12.1
		T58283	Hs.10450	Homo sapiens cDNA: FLJ22063 fis, clone H	3.4	118	35	2.3
			Hs.44577	ESTs	3.5	35	1	2.9
	118888	AI191811	Hs.54629	ESTs	8.4	84	10	8.0
	118901	AW292577	7 Hs.94445	ESTs	7.3	73	3	5.4
40	118981	N29309	Hs.39288	ESTs	5	50	5	4.7
			7Hs.250696	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	3.7	37	6	
		N98488		gb:zb82h01.s1 Soares_senescent_fibroblas				0.5
	119088		Hs.90790		3.3	36	11	0.6
		R45175		Homo sapiens cDNA: FLJ22930 fis, clone K	3.3	167	51	2.6
45			Hs.117183	ESTs	5.3	53	6	2.3
45		H09334	Hs.92482	ESTs	3.7	37	4	3
		AI061118	Hs.65328	Fanconi anemia, complementation group F	8.2	82	1	6.4
			1Hs.155478	cyclin T2	4	40	4	1.2
			Hs.37054	ephrin-A3	3.3	571	171	2
	119367	T78324	Hs.250895	ribosomal protein L34	3.4	34	3	2.4
50	119427	AW474547	Hs.53565	Homo sapiens PIG-M mRNA for mannosyltran	4.6	60	13	4.8
	119580	AL079310	Hs.92260	high-mobility group protein 2-like 1	8.1	94	12	6.5
			Hs.159225	ESTs	3.3			
			2Hs.56148			33	8	0.9
		_		NY-REN-58 antigen	3.3	33	10	0.5
55		AA243837		ESTs	5.4	54	1	4.1
33		AA918317		B-cell CLL/lymphoma 11B (zinc finger pro	4.6	46	7	0.8
		A1905687	Hs.2533	EST	3.5	2073	595	2.1
	119780	NM_01662	5Hs.191381	hypothetical protein	4.4	44	1	3.1
	119786	AL133396	Hs.121281	prion protein 2 (dublet)	3.4	34	1	2.5
	119805	AJ223810	Hs.43213	ESTs, Weakly similar to IEFS_HUMAN TRANS	3.6	36	i	2.9
60		AW245741		ESTs, Weakly similar to A35659 krueppel-	5.2	52	6	
		AI057404	Hs.58698	ESTs				1.8
			Hs.272531		3.7	37	4	1.9
			Hs.14158	DKFZP586B0319 protein	6.9	162	24	2.6
				copine III	3.7	590	159	3.8
65	120132		Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	6.9	319	47	2.1
UJ			Hs.153746	hypothetical protein FLJ22490	5.3	53	5	0.9
			Hs.108787	phosphatidylinositol glycan, class N	3.2	106	34	3.3
	120260	AKUU0051	Hs.101590	hypothetical protein	3.4	34	1	1.7

	120296	AW995911	Hs.299883	hypothetical protein FLJ23399	4.2	124	30	1.8
	120352	R06859	Hs.193172	ESTs, Weakly similar to 138022 hypotheti	7.5	112	15	2.5
	120378	AA223249	Hs.285728	abl-interactor 12 (SH3-containing protel	3.3	33	10	2.8
_	120418	AW966893	Hs.26613	Homo sapiens mRNA; cDNA DKFZp586F1323 (f	4.8	48	1	0.5
5		AA251973		ESTs	3.4	34	4	0.1
		AW968080		Homo sapiens done 24630 mRNA sequence	3.9	161	42	2
		AA261852		ESTs	6.8	68	1	0.2
	120554	AA284447	Hs.271887	ESTs	3.2	32	5	0.6
1.0		BE244580		hypothetical protein FLJ10330	8.5	127	15	1.6
10		AB037744		KIAA1323 protein	3.7	37	1	0.5
		H39599	Hs.294008	ESTs ·	3.6	36	8	0.2
		AA703226		Homo sapiens mRNA; cDNA DKFZp586B211 (fr	5.6	101	18	1.6
		AA687322	Hs.192843	leucine zipper protein FKSG14	5.4	54	10	2.5
	120658	A1952639	Hs.98267	ESTs	3.2	32	8	3
15		AW449855	Hs.96557	Homo sapiens cDNA FLJ12727 fis, clone NT	5.3	58	11	3.3
		Y19062	Hs.96870	staufen (Drosophila, RNA-binding protein	3.3	33	3	0.2
	120822	AA347422	Hs.238040	EST, Weakly similar to B34087 hypothetic	3.8	38	7	0.2
	120915	AL135556	Hs.97104	ESTs	3.5	37	11	0.1
	120922	AA481003	Hs.97128	ESTs	3.1	31	1	0.4
20	120977	AA398155	Hs.97600	ESTs	7.9	79	1	2.7
	120999	A1972375	Hs.29626	hypothetical brain protein my038	5.1	51	1	2.4
	121125	AL042981	Hs.251278	KIAA1201 protein	3.7	37	10	1
	121176	AL121523	Hs.97774	ESTs	7	70	1	0.9
0.5		AA970946		ESTs	3.9	39	1	0.2
25		AA406293		ESTs	3.4	34	1	8.0
		AF044197		B-cell attracting chemokine 1 (CXCL13;	3.5	35	1	2.6
		AK000282		hypothetical protein FLJ20275	10.3	103	1	9.3
		Al002968	Hs.235402	ESTs, Weakly similar to T26525 hypotheti	3.5	143	41	2.6
•		AA412488		TATA box binding protein (TBP)-associate	4.6	46	3	8.0
30		AA412494	Hs.98152	EST	4.2	77	19	1,4
		AA416568		gb:zu05c10.s1 Soares_testis_NHT Homo sap	3.2	32	1	8.0
		Al338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	3.4	34	10	0.7
		AA243499		hypothetical protein FLJ10134	2.9	214	74	3.7
		AA449644		Homo sapiens cDNA FLJ14201 fis, done NT	3.9	39	1	0.2
35	121853	AA425887	Hs.98502	hypothetical protein FLJ14303	4.4	48	11	0.9
		AV650929	Hs.145696	splicing factor (CC1.3)	3.6	.150	42	3.2
		Al249368	Hs.98558	ESTs; protease inhibitor 15 (PI15)	2.7	864	321	0.6
		AW117207		ESTs	3.5	35	3	2.3
40			Hs.95424	ESTs	4.9	49	7	3.7
40		AW794215		KIAA1085 protein	3.2	88	28	1.2
		AF169797		adaptor protein containing pH domain, PT	12.6	126	7	7.5
		AA436475		membrane-associated nucleic acid binding	4.1	43	11	1.6
			Hs.150926	fucose-1-phosphate guanylyltransferase	3.1	31	1	1
4.5		AA446189		ESTs	3.3	53	16	4
45		BE567620		ESTs	3.2	291	91	4
		AA449453		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1	31	6	8.0
	-	AW651706		hypothetical protein FLJ14007	3.5	35	1	3
		AA454149		EST	3.2	32	10	3.1
		AW366286		splicing factor (CC1.3)	3.2	36	11	2.5
50		AA335721		ESTs	5.6	108	20	1.8
		AA749382		ubiquitin-conjugating enzyme E2D 3 (homo	3.6	36	1	3.4
			Hs.308026	major histocompatibility complex, class	3.7	162	44	12.4
		AA478446		KIAA1096 protein	7.2	72	1	5.7
		AA447871		ESTs, Weakly similar to l38022 hypotheti	4.7	59	13	4.7
55	123016	AW338067	Hs.323231	Homo sapiens cDNA FLJ11946 fis, clone HE	3.3	207	63	3.5
		AL135185		niban protein	3.8	207	55	5.5
			Hs.100686	ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
		AA830335			4.1	72	18	1.5
60		AA488988		ESTs	3.7	41	11	1.6
60		AA299652			6.7	67	2	2.1
		AL049325		Homo sapiens mRNA; cDNA DKFZp564D036 (fr		34	1	2.6
•		BE439553			9.7	102	11	6
		AW179019		mitochondrial ribosomal protein L42	4.2	42	7	2.9
<i>(</i> =		AW975051			3.9	39	1	3.2
65		AB037860			4.3	43	1	3.5
		AL035414	Hs.21068	hypothetical protein	5.8	58	1	4.9
	123523	AA608588		gb:ae54e06.s1 Stratagene lung carcinoma	3.1	927	295	2.1

	123527 AF150208 Hs.108327 123570 AA608955 Hs.109653	damage-specific DNA binding protein 1 (1	5	121	25	5.9
	123619 AA602964	ESTs gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapien:	6.8	68	10	6.1
_	123673 BE550112 Hs.158549	ESTs, Weakly similar to T2D3_HUMAN TRAN	s 8.5 IS 3.9	85 39	1 5	4.3
5	123709 AA706910 Hs.112742	ESTs	3.9	60	16	3.7 4.8
	123926 AA425769 Hs.227933	Alg5, S. cerevisiae, homolog of	3.4	80	24	3.8
	123960 AW082862 Hs.287733 124006 Al147155 Hs.270016	hypothetical protein FLJ23189	4.5	45	2	3.6
	124059 BE387335 Hs.283713	ESTs ESTs, Weakly similar to S64054 hypotheti	5.8	321	55	17
10	124287 H88296 Hs.5123	Inorganic pyrophosphatase	10.4 3.1	880 41	85 14	5.3 2.7
	124292 H11341 Hs.13366	Homo sapiens cDNA: FLJ23567 fis, clone L	3.2	32	1	1.5
	124308 AA249027 Hs.241507	ribosomal protein S6	10.5	105	i	9.9
	124315 NM_005402Hs.288757 124461 AF283776 Hs.80285	v-ral simian leukemia viral oncogene hom	12.8	141	11	12.2
15	124483 Al821780 Hs.179864	Homo saplens mRNA; cDNA DKFZp586C1723 ESTs		31	1	1.8
	124677 R01073	gb:ye84c03.s1 Soares fetal liver spleen	3.3 4.2	33 42	1 7	1.7 3
	124777 R41933 Hs.140237	ESTs, Weakly similar to ALU1_HUMAN ALU S		210	63	3.3
	124940 AF068846 Hs.103804	heterogeneous nuclear ribonucleoprotein	6.5	162	25	14.7
20	125079 T90298 Hs.271396 125091 T91518	ESTs	3.1	31	6	2.4
	125103 AA570056 Hs.122730	gb:ye20f05.s1 Stratagene lung (937210) H ESTs, Moderately similar to KIAA1215 pro	3.4	985	286	2.8
	125144 AB037742 Hs.24336	KIAA1321 protein	3.6 6 .3	224 63	63 6	4 5
	125150 W38240	Empirically selected from AFFX single pr	3.6	38	11	2.6
25	125156 W93048 Hs.250723	hypothetical protein MGC2747	3.1	31	1	2.8
23	125226 AA782536 Hs.122647 125279 AW401809 Hs.4779	N-myristoyttransferase 2	3.2	37	12	3.6
	125299 T32982 Hs.102720	KIAA1150 protein ESTs	13.1 7.7	131	1	5.1
	125303 AA173319 Hs.288193	hypothetical protein MGC12217	14.3	81 143	11 9	7.6 13.1
20	125377 W72949 Hs.77495	UBX domain-containing 1	3.3	34	11	3.2
30	125390 AL038165 Hs.75187	translocase of outer mitochondrial membr	8.2	124	15	11.5
	125471 AA421691 Hs.152601 125617 AA287921 Hs.164950	UDP-glucose ceramide glucosyltransferase ESTs	3.7	224	61	21
	125621 T62641 Hs.278544	acetyl-Coenzyme A acetyltransferase 2 (a	6.7 5.5	67 55	1 10	6 4.2
25	125628 AA418069 Hs.241493	natural killer-tumor recognition sequenc	5.5	63	12	1
35	125660 AW292171 Hs.23978	scaffold attachment factor B	4.3	68	16	2.8
	125698 AF078847 Hs.191356 125745 Al858032 Hs.75722	general transcription factor IIH, polype	4.8	48	5	4.1
	125770 AA143045 Hs.81665	ribophorin II v-kit Hardy-Zuckerman 4 feline sarcoma v	6.8 8.3	223	33	2.8
40	125827 NM_003403Hs.97496	YY1 transcription factor	0.3 11.3	87 124	11 11	0.4 9.7
40	125852 AW630088 Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264	(f 30.6	306	4	26.5
	126349 T30968 Hs.13531	hypothetical protein FLJ10971	4.9	68	14	1.4
	126384 AW090198 Hs.4779 126590 W78968 Hs.181307	KIAA1150 protein	6.4	74	12	6.6
	126645 AA316181 Hs.61635	H3 histone, family 3A six transmembrane epithelial antigen of	5 3.8	264 38	53	3.4
45	126663 AW518478 Hs.181297	ESTs	3.6	36	1 6	2.7 2.9
	126695 AA643322 Hs.172028	a disintegrin and metalloproteinase doma	3.1	31	1	2.5
	126764 AA036755 Hs.102178	syntaxin 16	4.4	76	18	1
	126801 AW663887 Hs.7337 126813 AW163483 Hs.48320	hypothetical protein FLJ 10936 double ring-finger protein, Dorfin	3.8	38	1	3
50	126838 AL043489 Hs.279609	mitochondrial carrier homolog 2	6.7 8.8	155 110	23 13	1.4 10.5
	126855 AA129640 Hs.128065	ESTs	3.6	36	10	1.9
	126971 T26989 Hs.283664	aspartate beta-hydroxylase	5.5	79	15	4.4
	127167 AA625690 Hs.190272 127251 AA936428 Hs.128638	ESTS	3.1	33	11	2.3
55	127349 AA412108 Hs.269350	ESTs ESTs	3.5	35	1	3.1
	127439 D60237 Hs.14368	SH3 domain binding glutamic acid-rich pr	4.8 7.5	106 75	22 1	1
	127537 Al926047 Hs.162859	ESIS	3.8	38	7	6.5 3.4
	127542 AA703684 Hs.245474	ESTs, Moderately similar to ALU5_HUMAN A	3.3	33	ġ	0.9
60	127677 AF175265 Hs.264190 127774 AA313639 Hs.119488	vacuolar protein sorting 35 (yeast homol	4.3	152	35	12.5
00	127999 AW978827 Hs.69851	cystein-rich hydrophobic domain 2 nucleolar protein family A, member 1 (H/	5.4	73	14	6.8
	128218 AA186733 Hs.292154	stromal cell protein	5.2 3.9	81 220	16 57	1.1
	128305 Al954968 Hs.279009	matrix Gla protein	9.4	94	3	2.5 5.3
65	128470 AL049974 Hs.100261	Homo saplens mRNA; cDNA DKFZp564B222 (fr	4.6	46	8	3.9
65	128482 Al694143 Hs.296251 128501 AL133572 Hs.199009	programmed cell death 4	7.2	72	1	5.8
	128517 AW994403 Hs.100861	protein containing CXXC domain 2 hypothetical protein FLJ14600	3.8	38	1	0.9
		Possouce: Protest LP3 14000	5.6	73	13	6.1

	128530	Al932995	Hs.183475	Homo saplens clone 25061 mRNA sequence	4.2	104	25	7.8
		N25956	Hs.101810	Homo sapiens cDNA FLJ14232 fis, clone NT	3.1	172	55	3.1
		U31875	Hs.272499	short-chain alcohol dehydrogenase family	3.3	105	32	3
5		N48373	Hs.10247	activated leucocyte cell adhesion molecu	7.3	106	15	5
,		D87432 AA307211	Hs. 10315	solute carrier family 7 (cationic amino	3.1	31	1 36	2.2
		NM_00413		proteasome (prosome, macropain) subunit, granzyme B (granzyme 2, cytotoxic T-lymp	3.6 3.9	130 43	11	3.5 1.8
		AF026692		secreted frizzled-related protein 4	17.4	409	24	7.8
		AB011125		KIAA0553 protein	3.1	34	11	2.7
10		NM_01472		Ste20-related serine/threonine kinase	3.6	36	5	1.5
		AK001731		Homo sapiens mRNA; cDNA DKFZp586H0924 (288	87	7.9
	128906	R57988	Hs.10706	epithelial protein lost in neoplasm beta	11.3	113	8	2.5
		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
1.5		AA009647		a disintegrin and metalloproteinase doma	4.6	132	29	9.7
15		AA115333		ESTs	8.2	82	1	7.4
		BE250162		dihydrofolate reductase	5	50	1	3.3
		L12350	Hs.108623	thrombospondin 2	3.2	814	257	2.4 3.8
		N23018 Al132988	Hs.171391 Hs.109052	C-terminal binding protein 2 chromosome 14 open reading frame 2	4.4 14.2	44 142	1 6	9.4
20		AF013758		polyadenylate binding protein-interactin	7.1	71	1	6.2
		BE169531		TAK1-binding protein 2; KIAA0733 protein	5	64	13	6.3
		AF220050		uncharacterized hematopoietic stem/proge	5.2	75	15	6.4
		NM_01534		leptin receptor overlapping transcript-l	3.7	39	11	3.2
	129337	NM_01491	8Hs.110488	KIAA0990 protein	9.5	95	1	8.5
25		AL049538		ras association (RalGDS/AF-6) domain con	7.6	92	12	1.4
		BE220806		Homo sapiens done 23785 mRNA sequence	7.1	150	21	14.5
		BE219987		phosphatidylinositol glycan, class F	3.9	54	14	5.1
		X61959	Hs.207776	aspartylglucosaminidase	3.6	36	1	2.7
30			4Hs.220689	Ras-GTPase-activating protein SH3-domain	4 4.6	40 199	4 44	3.2 2.3
20		AW964541 N30436	Hs.11556	hypothetical protein FLJ21127 Homo sapiens cDNA FLJ12566 fls, clone NT	4.0	42	1	3.8
		M26939	Hs.119571	collagen, type III, alpha 1 (Ehlers-Dani	6.4	1111	175	5
		BE242144		ATP-binding cassette, sub-family E (OABP	4.8	48	8	3.8
		NM_00141		eukaryotic translation Initiation factor	5.8	171	30	2.9
35	129740	BE165866	Hs.83623	nuclear receptor subfamily 1, group I, m	4.5	45	1	2.4
	129755	R42216	Hs.12342	Homo sapiens clone 24538 mRNA sequence	5.3	53 ·	9	3.6
		R39246	Hs.239666	Homo sapiens cDNA FLJ13495 fis, clone PL	3.1	31	2	2.5
		AB028945		cortactin SH3 domain-binding protein	11.4	114	1	10
40		Al222069	Hs.13015	hypothetical protein similar to mouse Dn	4.7	556	119	4.5
40		T71333	Hs.13854	ESTs	3.1 3.2	31 32	3 1	3 0.2
		NM_00039 BE061916		early growth response 2 (Krox-20 (Drosop chromosome 8 open reading frame 2	5.2 6.7	67	1	5.7
		AF027153		solute carrier family 5 (Inositol transp	1	1	i	1
		AK001635		hypothetical protein FLJ10773	14.6	219	15	7.6
45		T47294	Hs.149923	X-box binding protein 1	3.1	1336	434	1.4
		AW977534		calcium/calmodulin-dependent serine prot	5.3	53	9	3.2
		U38847	Hs.151518	TAR (HIV) RNA-binding protein 1	4.2	46	11	1.1
		AB040914		KIAA1481 protein	13.2	331	25	12.4
60		AF127577	Hs.155017	nuclear receptor interacting protein 1	3.3	354	108	4
50		AL135301		hypothetical protein FLJ10849	8.1	81	9	5.5
		AW067800		stanniocalcin 2	72.2	722	1	1.9
		BE385099 AW163518		hypothetical protein MGC3017 huntingtin interacting protein 2	6.5 3.5	65 79	23	5.3 2.5
		U63630	Hs.155637	protein kinase, DNA-activated, catalytic	6.1	61	1	5.7
55		D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	10.8	706	66	9.2
		W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	3.9	39	1	1.9
•	130526	AW876523		hypothetical protein FLJ12910	3.9	39	1	2.6
		AA383092		replication protein A3 (14kD)	4.4	44	1	4.1
~ 0		AA383256		estrogen receptor 1	32.2	322	1	4.7
60		Al354355	Hs.16697	down-regulator of transcription 1, TBP-b	5.2	251	48	21
		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	10	100	1	7.6
		Al963376 AF176012	Hs.12532	chromosome 1 open reading frame 21 J domain containing protein 1	3.9 10.5	39 105	1	3.4 9
		AL161961		KIAA1554 protein	6.8	129	19	12.1
65		R62676	Hs.17820	Rho-associated, coiled-coil containing p	4.1	41	1	3.6
55		R68537	Hs.17962	ESTs	9.2	234	26	16.8
		AJ271881	Hs.279762	bromodomain-containing 7	17.5	175	2	12.8

		17676 Hs.184			8.1	81	3	2.8
		2105 Hs.188		some 12 open reading frame	4.9	49	1	4.3
	130780 AA19			etical protein MGC11321	3.6	100	28	6.6
5	130863 Y108			hnRNP methyltransferase, S. cerevi	3.4	525	154	5.3
,	130871 AF08			r of kappa light polypeptide gen	10.5	121	12	1.6
	130888 AL04 130974 NM_I			aplens mRNA for KIAA1750 protein,		202	34	3.7
	130979 NM_			sione family, member Q	7.1	100	14	7.5
	130987 BE61			stranded-DNA-binding protein elical protein DKFZp761N0624	3.2	87	27	1.7
10	130993 T974			sacai protein bra-zpro intooza	3.5 4.5	124 45	35 1	6.5 2.5
	131076 AA74			-phosphate (UDP-N-acetylglucosam	3.2	210	66	3.8
	131085 BE20			21 protein	3.8	42	11	0.6
	131126 NM_0		::: :::	73 protein	6.7	67	6	1.9
	131129 BE54	1042 Hs.232		apiens cDNA: FLJ21848 fis, clone H	5.8	115	20	2.5
15	131148 AW95			uced protein PIGPC1	3.8	585	153	3.7
	131164 AWO				5.2	1320	256	3.2
	131176 AA46		:	Veakly similar to A34615 profilagg	3.8	38	1	3.3
	131200 BE54		2.	tical protein MGC3195	4.8	48	1	4.1
20	131216 AI815			apiens cDNA FLJ20738 fis, clone HE		343	56	16.4
20	131245 AL08			ixin domain-containing	8	100	13	2.9
	131248 AI038			Bledl syndrome 2	4	·95	24	1.1
	131273 AW20 131319 NM_0			apiens cDNA: FLJ21778 fis, clone H	4.6	239	53	3.5
	131367 AI750			factor I/A	3.5 3.3	402 775	114	2.1 2.4
25	131375 AW29			Idotti IA	3.8	38	233 1	3
	131379 AK00			tical protein FLJ10261	3.9	116	30	0.5
	131388 NM_0			80 gene product	7.6	76	1	5
	131475 AA99			58 protein	5.1	113	22	6.1
••	131492 AI452	601 Hs.288		receptor subfamily 2, group F, m	8.4	169	20	4.6
30	131501 AV66			protein	3.1	197	63	18.7
	131535 N221			tical protein FLJ13910	5.9	59	1	4.4
	131544 AL355			med cell death 9 (PDCD9)	5.1	51	1	3.9
	131546 AA09			lind (Drosophila)-like	3.8	79	21	6.9
35	131562 NM_0			tone family, member L	4	350	88	3
33	131564 T9350 131604 AA300			apiens cDNA FLJ11041 fis, clone PL	4.7	381	81	6.4
	131684 NM_0			tical protein FLJ10687	4.6	46	7	3.8
	131687 BE297			e K (serine protease, granzyme 3; ock 70kD protein 9B (mortalin-2)	3.2 6.7	82 93	26 14	6.6
	131689 AB012			ition factor-like 5 (basic helix	3.8	51	14	8.4 1.7
40	131693 AW96				7.2	72	4	5.7
	131739 AF017			frizzled-related protein 2	2.1	1561	757	1.7
	131742 AA96	1420 Hs.314			11.7	117	1	10.1
	131775 AB014	4548 Hs.3192	21 KIAA064	18 protein	4.8	48	1	4.6
4 ~	131787 D8707		275 KIAA024	0 protein	3.2	207	64	5.5
45	131798 X8609			us 5 E1A binding protein	3.4	115	34	9.1
	131836 W007			66F084 protein	5.8	91	16	1.4
	131853 AI6819			ighly similar to IRX1_HUMAN IROQU		632	129	1.7
	131877 J0408			nerase (DNA) Il alpha (170kD)	6.8	68	1	5.6
50	131881 AW36 131885 BE502			regulatory element binding prot	4	140	35	1.8
50	131904 AF078			prione aDNA: EL 192002 Sa atoma V	5.7	57	1	4.5
	131919 T1580			piens cDNA: FLJ22993 fis, clone K	5.5 5.6	90	17	2.9
	131941 BE252		6 ubiquitin	hosphatase 3 (formerly 2B), cat specific protease 1	7.4	95 103	17 14	9.1
	131945 NM_0			n factor C (activator 1) 4 (37	3.7	37	1	6.5 3.4
55	131949 AK000			ical protein FLJ20003	3.5	35	i	2.5
	131965 W7928	33 Hs.3596		p. 0.0	5.5	168	31	4.4
	131977 U9044			en-proline, 2-oxoglutarate 4-di	3.7	37	9	2.8
	131985 AA503		3 hypothet	ical protein FLJ22418	40.2	402	1	4
C O	131993 Al8789			resistance-associated overexpr	7.3	73	1	1.2
60	132064 AA121			ducible kinase	22.6	226	10	0.9
	132094 NM_0				3.1	227	·73	16.8
	132109 AW19			knot superfamily 1, BMP antagon	3.5	73	21	6.3
	132116 AW96			4 amilala	3.6	141	39	12.6
65	132143 D5205 132160 W2640		73 count le	1 protein	4.9	49	1	4.1
J_	132164 AI752		agrantii	absentia (Drosophila) homolog 1 en-lysine, 2-oxoglutarate 5-dio	4.4 5	53	12	21
	132180 NM_0	04460Hs.418		t activation protein, alpha	10.7	225 433	45	9.1
	.02.00		-10101433	protest, alpita	10.7	400	41	7.2

	132197	Al699482	Hs.42151	ESTs	3.4	58	17	4
		AI078645		murine leukemia viral (bmi-1) oncogene h	4.2	42	ï	2.2
		NM_01598		cytokine receptor-like molecule 9	3.4	34	2	3
		U28831	Hs.44566	KIAA1641 protein	18.6	186	10	1.5
5		N37065	Hs.44856	hypothetical protein FLJ12116	5.5	323	59	10.5
•		NM_00354		H4 histone family, member G	3.3	979	298	2.2
		AA312135		HSPCO34 protein	3.6	36	1	3.1
		W32624	Hs.278626	Arg/AbHinteracting protein ArgBP2	5.9	186	32	3.7
		AL135094		hypothetical protein FLJ 14495	4.2	159	38	7.1
10		BE613126		B aggressive lymphoma gene	4.6	46	1	4.3
		N87549	Hs.125287	zinc finger protein ZNF140-like protein	3.6	146	41	1.1
		AB020699		KIAA0892 protein	3.3	33	4	2.9
		AW169847		KIAA1634 protein	8.3	145	18	3.7
		AB023164		KIAA0947 protein	4.6	46	1	4.4
15		T78736	Hs.50758	SMC4 (structural maintenance of chromoso	9.3	93	1	8.4
		AA306105		SEC22, vesicle trafficking protein (S. c	4.9	49	1	4.4
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	11.8	201	17	19.1
		Al929659		signal recognition particle 72kD	3.8	38	1	3
		AW803564		Homo sapiens cDNA: FLJ22528 fis, clone H	4.8	93	20	3.1
20		AW606927		hypothetical protein DKFZp586F1122 simil	6.1	61	2	5.9
		BE262677		hypothetical protein PRO1855	3.4	193	58	12.3
		AF037335		carbonic anhydrase XII	14.2	390	28	22.5
	132618	AL050025	Hs.279916	hypothetical protein FLJ20151	3.3	909	274	3.2
		AU076916		guanine monphosphate synthetase	5	50	1	4.1
25		AB018319		KIAA0776 protein	4.2	171	41	12.6
	132742	AA025480	Hs.292812	ESTs, Weakly similar to T33468 hypotheti	6.5	65	1	5.6
	132790	AW242243	Hs.168670	peroxisomal famesylated protein	3.7	37	1	2.2
	132811	U25435	Hs.57419	CCCTC-binding factor (zinc finger protei	7	115	17	5.4
	132852	AL120050	Hs.58220	Homo sapiens cDNA: FLJ23005 fis, clone L	3.3	61	19	5.1
30	132856	NM_00144	8Hs.58367	glypican 4	4.8	48	1	3.6
	132880	BE077155	Hs.177537	hypothetical protein DKFZp761B1514	12.6	126	8	9.9
	132902	AI936442	Hs.59838	hypothetical protein FLJ10808	11	187	17	10.4
	132906	BE613337	Hs.234896	geminin	3.3	106	33	2.6
	132914	AL047045	Hs.60293	Homo sapiens clone 122482 unknown mRNA	3.5	110	32	2.1
35	132968	AF234532	Hs.61638	myosin X	4.1	62	15	4.9
	132977	AA093322	Hs.301404	RNA binding motif protein 3	22.1	221	9	17.8
	132990	X77343	Hs.334334	transcription factor AP-2 alpha (activat	12.7	311	25	2.4
	132994	AA112748	Hs.279905	done HQ0310 PRO0310p1	3	380	127	5.5
	133011	NM_00637	9Hs.171921	sema domain, immunoglobulin domain (lg),	7.3	271	37	2.3
40		AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	4.6	427	93	10.4
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.6	36	1	3.1
		AK001628		KIAA0483 protein	5.2	117	23	5
		AA218564	Hs.67052	vacuolar protein sorting 26 (yeast homol	3.1	359	118	2.5
		A1275243	Hs.180201	hypothetical protein FLJ20671	5.1	58	12	5.7
45		AF231981		homolog of yeast long chain polyunsatura	3	816	275	3.9
		W32474	Hs.301746	RAP2A, member of RAS oncogene family	3.1	234	76	8.6
		AK001489		ADP-ribosylation factor-like 1	8.1	81	1	4.6
		Z48633	Hs.283742	H.sapiens mRNA for retrotransposon	12.4	124	6	10.8
		BE297855		NRAS-related gene	3.3	33	1	2.9
50		AJ001388		zinc finger protein 238	7.9	234	30 .	18.9
		A1499220		hypothetical protein FLJ10074	4.6	46	5	3.5
		AK001519		CGI-74 protein	5	110	22	9.7
		AF245505		DKFZP564I1922 protein	3.2	725	227	3.2
		AF017987		secreted frizzled-related protein 1	4.1	374	91	1.1
55	133422	AB033061		KIAA1235 protein	4.3	43	1	3.9
		Al929357	Hs.323966	Homo sapiens clone H63 unknown mRNA	5.5	186	34	16.5
		W01556	Hs.238797	ESTs, Moderately similar to 138022 hypot	3.5	35	7	2.1
			Hs.194369	arginine-glutamic acid dipeptide (RE) re	3.6	39	11	0.4
C O		NM_00441		desmoplakin (DPI, DPII)	4.1	640	158	3
60		NM_00016		gap junction protein, alpha 1, 43kD (con	3.2	351	111	5.2
		W25797	Hs.177486	amyloid beta (A4) precursor protein (pro	3.2	226	71 52	2.8
		AU077050		translin	3.4	178	53	8.8
		D21262	Hs.75337	nucleolar and colled-body phosphprotein	4.7	47	1	4 72
65		AW246428		ubiquitin-conjugating enzyme E2N (homolo	8.5	85 36	1	7.2 0.4
65			5Hs.166975	splicing factor, arginine/serine-rich 5 tyrosine 3-monooxygenase/tryptophan 5-mo	3.6	36 234	1 68	0.4 10.7
		Al352558			3.4 9.3	93	1	7.8
	133/40	AW410035	HS./ 3862	MAD (mothers against decapentaplegic, Dr	5.3	93	•	1.0

	40070-							
		M62194	Hs.75929	cadherin 11, type 2, OB-cadherin (osteob	3.2	560	174	2.6
		AA557660		decorin	5.4	144	27	13.3
			Hs.301064	arfaptin 1	4.7	47	1	4.1
_		NM_00246		myxovirus (influenza) resistance 1, homo	3.3	380	114	4.9
5		AW630088		Homo sapiens mRNA; cDNA DKFZp564B1264 (I	6.7	304	46	7.8
		AA147026		ESTs	6.2	600	97	4.1
		AU076964		calumenin	3.3	889	267	5
			Hs.232068	transcription factor 8 (represses interf	3.7	91	25	2.6
• •	133990		Hs.7822	Homo saplens mRNA; cDNA DKFZp564C1216 (I	3.4	91	27	8.5
10	133999	AA535244	Hs.78305	RAB2, member RAS oncogene family	7.8	78	1	5.6
	134032	NM_00502	5Hs.78589	serine (or cysteine) proteinase inhibito	5.9	59	1	3.3
	134064	AF091622	Hs.78893	KIAA0244 protein	5.8	58	1	4.9
	134087	U51166	Hs.173824	thymine-DNA glycosylase	6.4	100	16	4.4
	134089	R51273	Hs.79029	ESTs	5.1	51	9	3.8
15	134095	NM_004354	4Hs.79069	cyclin G2	5	50	1	3.2
	134098	BE513171	Hs.79086	mitochondrial ribosomal protein L3	4.8	246	51	3.9
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134125	NM_01478	1Hs.50421	KIAA0203 gene product	4.6	69	15	5.8
	134246		Hs.80612	ubiquitin-conjugating enzyme E2A (RAD6 h	7	97	14	7.5
20	134257		Hs.8078	Homo sapiens clone FBD3 Cri-du-chat crit	3.4	34	5	2.6
	134272		Hs.278614	protease, serine, 15	3.6	36	1	2.8
	134282		Hs.81057	hypothetical protein MGC2718	6.7	67	9	5.7
				erbb2-interacting protein ERBIN	4.5	137	31	12
		BE538082		ESTs, Moderately similar to A46010 X-lin	5.2	52	1	4.9
25		AW903838				568		
		AW959281			8.6		66	22.4
		AW291946			4.8	53	11	3.7
		NM_001982			7.1	71	4	6.4
		AA339449		v-erb-b2 avian erythroblastic leukemia v	3	68	23	2.8
30	134374				4.4	44	1	4.1
50			Hs.8236	ESTs	13.3	445	34	6
		AU077143			4.5	45	2	3.4
		AA456539			6	60	5	5.9
		Al916662			4.1	301	73	6.1
35		AW067903			4.6	1216	267	4.4
33		A1750762			4.9	163	34	15.1
		NM_006416			4.9	49	3	3.8
	134419		Hs.82961		3.2	1872	592	3.3
		AU077196			6.3	1075	171	3.8
40	134436		Hs.83190		3.3	710	217	2
40	134485		Hs.83942		34.3	411	12	5.1
		AF061739			4.8	153	32	4.3
	134495		Hs.84087		3.1	147	48	12.7
		BE091005		activated RNA polymerase II transcriptio	3.3	33	1	2
4.5	134542		Hs.85112	insulin-like growth factor 1 (somatomedi	4.2	42	5	2.6
45	134570		Hs.172280	SWI/SNF related, matrix associated, acti	3.9	39	1	2.5
		AW903849			3.7	41	11	0.6
		NM_002884		RAP1A, member of RAS oncogene family	5.2	52	1	3
		AW068223		ubiquitin C-terminal hydrolase UCH37	4.9	49	1	3.7
		AW299723		bone morphogenetic protein receptor, typ	5.2	52	5	3.5
50		AK001741			6.4	64	1	5.1
	134656				12.6	126	1	10.8
		AF271212		disrupter of silencing 10	5.4	81	15	2.6
		AK000606	Hs.8868	golgl SNAP receptor complex member 1	3.4	179	52	1.5
	134711		Hs.88974	cytochrome b-245, beta polypeptide (chro	3.2	143	45	13.9
55	134722	AF129536	Hs.284226	F-box only protein 6	7	70	6	6
	134856	BE281128	Hs.9030	TONDU	3.1	31	1	2.3
	134880	Al879195	Hs.90606		5.7		1	5
	134917	X87241	Hs.166994		3.2	153	48	4.7
	134921 /		Hs.125511	Homo sapiens mRNA; cDNA DKFZp434P1530 (f	4		114	2
60	134982	AK002085	Hs.92308		5.1		30	7.2
		AW968058			8.2	114	14	9.9
	135029				11.5	115	1	10
					5.4		48	1.4
	135051				3.3		394	2.2
65		AK000967					64	3.2
	135073			Homo saplens mRNA; cDNA DKFZp586E1624 (f			13	7.9
		AW274526	Hs.277721		3.3	33	1	2.6
							•	

-		W52493	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	5.3	53	1	4.1	
-		NM_01625		Autosomal Highly Conserved Protein	7.4	74	5	2.4	
			Hs.267812	sorting nexin 4	6.6	69	11	6.3	
٠ ـ		Al207958	Hs.166556	Homo sapiens, Similar to TEA domain fami	6.1	61	1	5.1	
5		AB028956	Hs.12144	KIAA1033 protein	3.4	88	26	1.4	
		AI583187	Hs.9700	cyclin E1	3.1	31	1	2.3	
	135243			putative G protein-coupled receptor	3.4	169	50	9.1	
				YY1 transcription factor	3.4	475	142	2.5	
10	135356		Hs.18104	hypothetical protein FLJ11274	3.1	31	10	1.7	
10		Al565004	Hs.79572	cathepsin D (lysosomal aspartyl protease	4.7	710	151	2.5	
			Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1	
		L14922	Hs.166563	replication factor C (activator 1) 1 (14	3.2	32	1	2.4	
	-135400		Hs.99915	androgen receptor (dihydrotestosterone r	3.2	117	37	9.4	
1.6	•	AI471525	Hs.247486	ESTs	3.8	58	16	5.5	
15		X70683	Hs.93668	ESTs	1.8	1047	596	1.6	
		L14922	Hs.82128	5T4 oncofetal trophoblast glycoprotein	5	285	58	1.2	
		M23263	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotransfera		3.1	31	1	2.6
		Al267886	Hs.148027	polymerase (RNA) II (DNA directed) polypeptide	В	7.8	137	18	11.9
20		AA044840		stromal cell-derived factor 1	4.7	114	25	0.9	
20		N90960	Hs.227459	ESTs; Moderately similar to !!!! ALU SUBFAMILY	,	4.7	151	32	9.3
		AA873285		ESTs	4.7	47	3	4.4	
		T56679	Hs.865	RAP1A; member of RAS oncogene family	4	40	1	3.4	
•		AA305536		"EST176522 Colon carcinoma (Caco-2) cell line		3.6	121	34	11.8
25		Al369384		arylsulfatase D	3.5	113	33	1.7	
23		AA219081	Hs.242396	ESTs; Moderately similar to !!!! ALU SUBFAMILY	1	3.4	107	32	9.9

TABLE 10A

Table 10 A shows the accession numbers for those pkeys lacking unigeneID's for Table 10. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	n
•	v

5

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene cluster number
 Accession:	Genbank accession numbers

15

	Pkey	CAT number	Accession	
00	123619	371681_1	AA602964 AA6092	200
20	104602	524482_2	H47610 R86920	
	121581	283769_1	AA416568 AA4428	89 AA417233 AA442223
	123523	genbank_AA608588	AA608588	
	100821	tigr_HT4306	M26460 U09116	
~ -	125091	genbank_T91518	T91518	
.25	125150	NOT_FOUND_entre	z_W38240	W38240
	118475	genbank_N66845	N66845	
	104787	genbank_AA027317	AA027317	
	106055	genbank_AA417034	AA417034	
	113702	genbank_T97307	T97307	
30	101046	entrez_K01160	K01160	•
	101447	entrez_M21305	M21305	
	101624	entrez_M55998	M55998	
	124677		R01073	
		genbank_H61560	H61560	
35	119023	genbank_N98488	N98488	
	110775	genbank_N22414	N22414	
	112092	genbank_R44538	R44538	
	112253	genbank_R51818	R51818	
	107014	genbank_AA598820	AA598820	
40	114988	genbank_AA251089		

TABLE 11: Figure 11 from BRCA 001-3 PCT

5 Table 11 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAcon Unigen Unigen R1:	: Exe elD: Unig e Title: Unig	mplar Access ene number ene gene titl	e				
15 .	R2: R3: R4:	Rati Rati	o of 90th perc o of 75th perc	normal body tissue entile tumor to normal body entile normal body to tumor normal breast tissue				
20	Pkey	ExAcon	UnigeneiD	Unigene Title	R1	R2	R3	R4
	100147 100522	D12485 D13666 X51501	Hs.11951 Hs.136348 Hs.99949	prolactin-induced protein	13.2 15.7 22.7	244 1030 760	34	9.9 5 1.4
25	101104 101478	NM_00289	Hs.169266	CD44 antigen (homing function and Indian neuropeptide Y receptor Y1 RAS p21 protein activator (GTPase activa	8.5 15.3 9.6	85 153 96	1 1 1	3.2 14.1 8.5
	101754	L11690 S70114 AL049610		bullous pemphigoid antigen 1 (239/240kD) TIA1 cytotoxic granule-associated RNA-bi transcription elongation factor A (SII)-	9.4 8.9 7.3	94 89 73	1 5 1	0.3 8 5.3
30	102304	BE313280 AF015224 U37519	Hs.159627 Hs.46452 Hs.87539		9.3 8.5 6.4	93 2058 428	5	8 1.4 2.3
35	102457 102567	NM_00139 U63830 D85390		dual specificity phosphatase 4	20.2 8.2 5.6	202 82 56	5 1 1	1.3 6.8 5.3
	103557 103613		Hs.297753 6Hs.2316		7.5 7.3 29	136 73 290	18 1 1	3.4 5.2 26.8
40	104667 104804	AJ239923 AJ858702 AJ139058	Hs.30098 Hs.31803	ESTs ESTs, Weakly similar to N-WASP [H.sapien	14.9 7.7	149 77	1 1	6.4 5.1
	104896 104943	AW015318 AF072873	Hs.23165 Hs.114218	leucine-rich repeat-containing 2 ESTs fritzzled (Drosophila) homolog 6	7 7.4 16.2	70 74 162	1	6.5 6 4.2
45	105329	AW503733 AA234561 AW602166	Hs.22862	KIAA1488 protein ESTs CEGP1 protein	5.5 2.8 25.4	55 131 508	1 47 20	5.2 3.9 3
	105730	AK001269 AW377314 Al240665		hypothetical protein FLJ10407 DKFZP5641052 protein ESTs	8.3 6.9 21.2	83 69 212	3 1 6	1.8 4.4 17.4
50	106095 106155	AF115402 AA425414 AB037765	Hs.11713 Hs.33287	E74-like factor 5 (ets domain transcript nuclear factor I/B	26.3 9.9	356 483	14 49	1 1.8
55	107136 107151	AV661958 AW378065	Hs.8207 Hs.8687	KIAA1344 protein GK001 protein ESTs	6.3 2.5 15.6	63 392 156	1 155 7	5.4 4.3 10.8
JJ	108339 109112	BE153855 AW151340 AW419196	·Hs.51615 Hs.257924	Ig superfamily receptor UNIR ESTs, Weakly similar to ALU7_HUMAN ALU S hypothetical protein FLJ13782	9 18.7 4.1	90 187 334	1 1 82	5.5 17 3.4
60	109292 109415	AW975746 U80736	Hs.188662 Hs.110826	KIAA1702 protein trinucleotide repeat containing 9 L-kynurenine/alpha-aminoadipate aminotra	7.1 12.3 14.2	71 123 142	1 1 1	6.5 11.3 9.5
-	110009 110915	BE075297 BE092285 N46180	Hs.6614 Hs.29724	ESTs, Weakly similar to A43932 mucin 2 p hypothetical protein FLJ13187 Homo sapiens cDNA FLJ13289 fis, clone OV	6.3 20.9 7.7	693 209 77	110 1	7.2 19.5 5
						••	•	J

	111179	AK000136	Hs.10760	asporin (LRR class 1)	25.1	288	12	6.7
			Hs.151046		6,3	63	1	5.8
	111223	AA852773	Hs.334838	KIAA1866 protein	3.6	402	112	4.9
	111357	BE314949	Hs.87128	hypothetical protein FLJ23309	3.8	425	111	4
5	112244	AB029000		KIAA1077 protein	5.7	567	100	6.7
		Al571940	Hs.7549	ESTs	9.6	124	13	9
		T97307		gb:ye53h05.s1 Soares fetal liver spleen	12.3	129	11	11.7
	114124	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	24.2	242	10	5.6
		AW384793	Hs.15740	Homo sapiens mRNA; cDNA DKFZp434E033 (fr	67	67	1	6.3
10		AF212848		ets homologous factor	13.7	137	i	8.9
		AL157545		bromodomain and PHD finger containing, 3	9.1	91	i	7.6
		AI733881	Hs.72472	BMP-R1B	35.9	359	10	29.7
		AA251089		gb:zs04f05.s1 NCI_CGAP_GCB1 Homo sapiens		115	1	6.9
			Hs.186572	ESTs	5.8	58	i	5
15		AW992405		Homo sapiens, clone IMAGE:3507281, mRNA,	7.6	144	19	13.9
		Al373062		hypothetical protein MGC5370	6.2 ·	62	1	5.4
		AI272141	Hs.83484	SRY (sex determining region Y)-box 4	1.8		596	1.6
		H25836		ESTs, Moderately similar to unknown [H.s	22.8	228	9	12.4
		M18217	Hs.172129	Homo sapiens cDNA: FLJ21409 fis, clone C	3.9	322	83	4.4
20		N32536	Hs.42645	solute carrier family 16 (monocarboxylic	17.4	174	9	6.9
		AL157545		bromodomain and PHD finger containing, 3	14.5	145	1	2.4
		AI061118	Hs.65328	Fanconi anemia, complementation group F	8.2	82	i	6.4
		AI905687	Hs.2533	EST	3.5	2073		2.1
			Hs.302267	hypothetical protein FLJ10330	8.5	127	15	1.6
25	121463	AK000282	Hs 239681	hypothetical protein FLJ20275	10.3	103	1	9.3
	121723	AA243499	Hs.104800	hypothetical protein FLJ10134	2.9	214	74	3.7
	122963	AA478446	Hs.69559	KIAA1096 protein	7.2	72	1	5.7
		AI073913		ESTs, Weakly similar to JE0350 Anterior	9.9	351	36	13.9
		AA602964		gb:no97c02.s1 NCI_CGAP_Pr2 Homo sapiens	8.5	85	1	4.3
30			Hs.112742	FSTs	3.9	60	16	4.8
- •		Al147155	Hs.270016		5.8	321	55	17
				ESTs, Weakly similar to S64054 hypotheti	10.4	880	85	5.3
	124308	AA249027	Hs.241507	ribosomal protein S6	10.5	105	1	9.9
	125279	AW401809	Hs 4779	KIAA1150 protein	13.1	131	i	5.1
35			Hs.164950		6.7	67	i	6
		D60237	Hs.14368	SH3 domain binding glutamic acid-rich pr	30.6	306	4	26.5
		AI954968		matrix Gla protein	7.5	75	1	
		A1694143	Hs.296251		7.2 7.2	72	1	6.5 5.8
			Hs 105700	secreted frizzled-related protein 4	17.4	409	24	7.8
40		R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	7.1	392	56	3.6
			Hs.107968	ESTs	8.2	82	1	7.4
	129229	AF013758	Hs.109643	polyadenylate binding protein-interactin	7.1	71	1	6.2
	129337	NM 014918	3Hs.110488		9.5	95	i	8.5
	129366	BE220806	Hs.184697	Homo sapiens clone 23785 mRNA sequence	7.1	150	21	14.5
45	129821	AB028945	Hs.12696	cortactin SH3 domain-binding protein	11.4	114	1	10
					6.7	67	i	5.7
	130057	AF027153	Hs.324787	solute carrier family 5 (inositot transp	1	1	i	1
		AK001635		hypothetical protein FLJ10773	14.6	219	15	7.6
				KIAA1481 protein	13.2	331	25	12.4
50	130385	AW067800	Hs.155223		72.2	722	1	1.9
	130407	BE385099	Hs.334727	•	6.5	65	4	5.3
	130441	U63630	Hs.155637		6.1	61	1	5.7
	130455		Hs.155956		10.8	706	66	9.2
		AA383256	Hs. 1657		32.2	322	1	4.7
55	130617				10	100	i	7.6
					17.5	175	2	12.8
	131148	AW953575	Hs.303125		3.8		153	3.7
	131388	NM_014810	Hs.92200		7.6	76	1	
	131564				4.7		81	5
60		AA961420			11.7	117		6.4
	131877				6.8	68	1	10.1
			Hs.36563		40.2	402	1	5.6 1
	132316				40.2 18.6	186	10	4
	132528			·	9.3	93		1.5
65					5.5 6.5	65	1	8.4
	132990	X77343	Hs.334334		12.7		25	5.6 2.4
		AJ002744	Hs.246315		12.7 4.6		20 93	2.4
				Junipina Jamoo anima polyh	7.0	741	23	10.4

	133100	AF231981	He 250475	homolog of yeast long chain polyunsatura	2	816	275	3.9
			113.230173	nomolog of yeast ong chain polyunsatura	3		213	
				ADP-ribosylation factor-like 1	8.1	81	1	4.6
	133271	Z48633	Hs.283742	H.saplens mRNA for retrotransposon	12.4	124	6	10.8
_	133640	AW246428	Hs.75355	ublquitin-conjugating enzyme E2N (homolo	8.5	85	1	7.2
5	133746	AW410035	Hs.75862	MAD (mothers against decapentaplegic, Dr	9.3	93	1	7.8
	133999	AA535244	Hs.78305	RAB2, member RAS oncogene family	7.8	78	1	5.6
	134110	U41060	Hs.79136	LIV-1 protein, estrogen regulated	4.5	1472	330	2.1
	134485	X82153	Hs.83942	cathepsin K (pycnodysostosis)	34.3	411	12	5.1
	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.4	64	1	5.1
10	134880	Al879195	Hs.90606	15 kDa selenoprotein	5.7	57	1	5
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase 7	11.5	115	1	10
	135389	U05237	Hs.99872	fetal Alzheimer antigen	20.6	206	4	19.1
	128305	AIQ54QGR	He 270000	matrix Gla protoin	0.4	O.A	2	6.2

TABLE 11A

Table 11A shows the accession numbers for those pkeys lacking unigeneID's for Table 11. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset klentifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

15

Pkey CAT number Accession

20 123619 371681_1 AA602964 AA609200 113702 genbank_T97307 T97307 114988 genbank_AA251089 AA251089

TABLE 12: Figure 12 from BRCA 001-3 PCT

5 Table 12 depicts a preferred group of genes upregulated in tumor tissue compared to normal breast tissue.

10	Pkey: ExAccn:			obeset identifier number ession number, Genbank accession number						
	Unigene		nigene numb	•		•				
	Unigene	Title: U	nigene gene	title						
	R1:	R	atio of tumor	to normal body tissue						
	R2:		Ratio of	90 th percentile tumor to body						
15	R3:	R3: Ratio of 75th percentile body to tumor								
	R4:		Ratio of tumor to normal breast tissue							
	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3	R4		
20	100131	D12485	Hs.11951	phosphodiesterase I (PC-1)	13.2	244	19	9.9		
	105500	AW602166	Hs.222399	ESTs	25.4	508	20	3		
	112244	AB029000	Hs.70823	KIAA1077 protein	5.7	567	100	6.7		
	114124	W57554	Hs.125019	ESTs	24.2	242	10	5.6		
	119771	A1905687	Hs.2533	ESTs	3.5	2073	595	2.1		
25	121723	AA243499	Hs.104800	ESTs	2.9	214	74	3.7		
	128790	AF026692	Hs.105700	secreted frizzled-related protein 4	17.4	409	24	7.8		
	131148	AW953575	Hs.303125	ESTs	3.8	585	153	3.7		
	131985	AA503020	Hs.36563	EST\$	40.2	402	1	4		
	133199	AF231981	Hs.250175	Homo sapiens clone 23904 mRNA sequence	3	816	275	3.9		


TABLE 13: Table 1 from BRCA 001-5 US

Table 13 depicts a preferred group of genes upregulated in breast cancer cells. 5

Unique Eos probeset identifier number Exemplar Accession number, Genbank accession number Unigene number Unigene gene title Ratio of tumor to normal body tissue Pkey: ExAccn: UnigeneID: Unigene Title: R1: 10

15					
	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100038	M97935		control	16.7
	100039	M97935		control	6.3
20	100040	M97935		control	8.3
	100041	M97935		control	14.8
	100082	AB003103	Hs.4295	proteasome (prosome; macropain) 26S sub	7.5
	100091	AF000177	Hs.111783	Lsm1 protein	4.9
	100100	AF006084	Hs.11538	actin related protein 2/3 complex; subunit	4.7
25	100103	AF007875	Hs.5085	dolichyl-phosphate mannosyltransferase p	13.4
	100114	D00596	Hs.82962	thymidylate synthetase	15.9
	100121	D10495	Hs.155342	protein kinase C; delta	4.6
	100123	D10523	Hs.168669	oxoglutarate dehydrogenase (lipoamide)	7.5
	100128	D11094	Hs.61153	proteasome (prosome; macropain) 26S sub	4.4
30	100131	D12485	Hs.11951	phosphodiesterase Vnucleotide pyrophosp	8.7
	100137	D13627	Hs.15071	chaperonin containing TCP1; subunit 8 (t	9,5
	100144	D13643	Hs.75616	Human mRNA for KIAA0018 gene; comp	6
		D13666	Hs.136348	osteoblast specific factor 2 (fasciclin I-like	8.5
2.5		D14657	Hs.81892	KIAA0101 gene product	10.5
35		D14812	Hs.173714	MORF-related gene X	4.6
		D14878	Hs.82043	D123 gene product	7.9
		D21090	Hs.178658	RAD23 (S. cerevisiae) homolog B	5.6
		D25538	Hs.172199	adenylate cyclase 7	9.9
40		D26308	Hs.76289	biliverdin reductase B (flavin reductase (N	4.9
40		D26598	Hs.82793	proteasome (prosome; macropain) subunit	14.2
		D26599	Hs.1390	proteasome (prosome; macropain) subunit	11.3
		D28137	Hs.118110	bone marrow stromal cell antigen 2	5.7
		D28915	Hs.82316	Interferon-induced; hepatitis C-associated	5.7
15		D31888	Hs.78398	KIAA0071 protein	7.4
45		D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e	5.6
		D49396	Hs.75454	antioxidant protein 1	12.9
		D50525	Hs.699	hypothetical protein	8.4
		D63391	Hs.6793	platelet-activating factor acetylhydrolase;	6.8
50		D63487	Hs.82563	KIAA0153 protein	4.4 12.6
50		D78129	Hs.71465	Homo sapiens mRNA for squalene epoxid	
		D78514 D79987	Hs.78563 Hs.153479	ubiquitin-conjugating enzyme E2G 1 (hom	4.6 6.5
		D79997	Hs.184339	extra spindle poles; S. cerevislae; homolo	8.4
		D80004	Hs.75909	KIAA0175 gene product KIAA0182 protein	4.5
55		D82060	Hs.278721	Ke4 gene; mouse; human homolog of	8.1
55		D83777	Hs.75137	KIAA0193 gene product	10.7
		D84145	Hs.39913	novel RGD-containing protein	7.2
		D84557	Hs.155462	minichromosome maintenance deficient (m	7.2
		D86425	Hs.82733	nidogen 2	5.4
60		D86479	Hs.118397	AE-binding protein 1	4.3
00		D86957	Hs.80712	KIAA0202 protein	11.9
		D86985	Hs.79276	Human mRNA for KIAA0232 gene; comp	9.7
		D87464	Hs.10037	KIAA0274 gene product	6.4
		D87465	Hs.74583	KIAA0275 gene product	10
65		D87469	Hs.57652	EGF-like-domain; multiple 2	6.2
	.55170	33. 100			V-14

				•	
	100467	D89052	Hs.7476	ATPase; H+ transporting; lysosomal (vacu	7.5
	100468	D89289	Hs.118722	fucosyltransferase 8 (alpha (1;6) fucosyltr	5
	100486	HT1112	Hs.10842	Ras-Like Protein Tc4	16.9
	100497	HT1400	Hs.79137	Carboxyl Methyltransferase, Aspartate, A	5.6
5	100618	HT2710	Hs.114599	Collagen, Type Viii, Alpha 1	7.5
		HT3018	Hs.132748	Ribosomal Protein L39 Homolog	4.4
		HT3127	Hs.169610	Epican, Alt. Splice 11	4.6
		HT3938	Hs.169610	Epican, Alt. Splice 12	4.4
		HT3742	Hs.287820	Fibronectin, All. Splice 1	9
10		HT26388	Hs.89603	Mucin 1, Epithelial, Alt. Splice 9	4.7
10		HT4018	Hs.191356	Basic Transcription Factor, 44 Kda Subun	13.7
		HT4343	Hs.278544	Cytosolic Acetoacetyl-Coenzyme A Thio	10.6
				Rad2	
		HT4344	Hs.4756		5.5
15		HT4392	Hs.183418	Protein Kinase Pitstre, Alpha, Alt. Splice	4.1
13		HT417	Hs.297939	Cathepsin B	4
		HT4582	Hs.75113	Transcription Factor Ilia	4.9
		HT5158	Hs.5398	Guanosine 5'-Monophosphate Synthase	8.7
	100914		Hs.324178	Ras Inhibitor Inf	7.2
20	100916		Hs.73946	Endothelial Cell Growth Factor 1	5.9
20	100945		Hs.180686	Oncogene E6-Ap, Papillomavirus	4.6
		J02923	Hs.76506	lymphocyte cytosolic protein 1 (L-plastin	30.1
		J03589	Hs.76480	ubiquitin-like 4	8.3
	100996	103909	Hs.14623	Interferon; gamma-inducible protein 30	6.9
	100999	J03934	Hs.80706	diaphorase (NADH/NADPH) (cytochrom	4.3
25	101011	J04430	Hs.1211	acid phosphatase 5; tartrate resistant	5.9
	101017	J04599	Hs.821	biglycan	5.1
	101031	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B;	37.2
	101038	J05249	Hs.79411	replication protein A2 (32kD)	6.1
	101054	K02405	Hs.73931	Human MHC class II HLA-DQ-beta mRN	4.3
30	101061	K03515	Hs.180532	glucose phosphate isomerase	4.3
	101091	L06132	Hs.149155	voltage-dependent anion channel 1	7.4
		L06797	Hs.89414	chemokine (C-X-C motif); receptor 4 (fus	4.6
		L07615	Hs.169266	Human neuropeptide Y receptor Y1 (NPY	18.3
		L12723	Hs.90093	heat shock 70kD protein 4	17.4
35		L13800	Hs.9884	Homo sapiens liver expressed protein gen	7.6
••		L19779	Hs.795	H2A histone family; member O	10.9
		L25876	Hs.84113	cyclin-dependent kinase Inhibitor 3 (CDK	7.4
		L29008	Hs.878	sorbitol dehydrogenase	14.6
		L33801	Hs.78802	glycogen synthase kinase 3 beta	7.5
40		L38810	Hs.79387	proteasome (prosome; macropain) 26S sub	4.4
-10		L42572	Hs.78504	inner membrane protein; mitochondrial (m	5.8
		L47276	Hs.156346	Homo sapiens (cell line HL-6) alpha topo	18.9
		L77213	Hs.30954	phosphomevalonate kinase	7.5
			Hs.16297	COX17 (yeast) homolog; cytochrome c ox	9.3
45		L77701 M13755		interferon-stimulated protein; 15 kDa	18.1
40	-		Hs.833		8.6
		M15796	Hs.78996	proliferating cell nuclear antigen	4.5
		M16342	Hs.182447	heterogeneous nuclear ribonucleoprotein C	
		M20902	Hs.268571	apolipoprotein C-I	6.1
50		M22538	Hs.51299	NADH dehydrogenase (ubiquinone) flavo	8.7
50		M22877	Hs.169248	Human somatic cytochrome c (HCS) gene	4.2
		M22960	Hs.118126	protective protein for beta-galactosidase (6.5
		M23379	Hs.758	RAS p21 protein activator (GTPase activa	14
		M24594	Hs.20315	Interferon-induced protein 56	9.2
e e		M30818	Hs.926	myxovirus (influenza) resistance 2; homol	5.1
55		M30938	Hs.84981	X-ray repair complementing defective rep	4.7
		M31169		Human propionyl-CoA carboxylase beta-s	5.5
		M31642	Hs.82314	hypoxanthine phosphoribosyltransferase 1	8.5
		M34677	Hs.83363	DNA segment on chromosome X (unique)	4.5
<u>-0</u>	101600	M37583	Hs.119192	H2A histone family; member Z	5.7
60		M60750	Hs.2178	H2B histone family; member A	5.8
		M60752	Hs.121017	H2A histone family; member A	13.5
		M60858	Hs.79110	nudeolin	4
	101684	M63256	Hs.75124	cerebellar degeneration-related protein (62	7.6
	101702	M64929	Hs.179574	protein phosphatase 2 (formerly 2A); regu	4.2
65	101754	M77142	Hs.239489	TIA1 cytotoxic granule-associated RNA-b	4.5
	101758	M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	5.7
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	21.7
				•	



	102705 U77180	Hs.50002	small inducible cytokine subfamily A (Cy	11.8
	102721 U79241 .	Hs.118666	Human clone 23759 mRNA; partial cds	15
	102729 U79254	Hs.181311	asparaginyl-tRNA synthetase	5
-	102739 U79282	Hs.155572	Human clone 23801 mRNA sequence	6
5	102742 U79293	Hs.159264	Human done 23948 mRNA sequence	13.1
	102761 U82130 102788 U86602	Hs.118910	tumor susceptibility gene 101	7
	102790 U87269	Hs.74407	nucleolar protein p40	4.1
	102801 U89606	Hs.154196 Hs.38041	E4F transcription factor 1 pyridoxal (pyridoxine; vitamin B6) kinase	7.1
10	102808 U90426	Hs.179606	nuclear RNA helicase; DECD variant of D	4.7 7.5
-0	102817 U90904	Hs.83724	Human done 23773 mRNA sequence	15.2
	102823 U90914	Hs.5057	carboxypeptidase D	6.6
	102827 U91327	Hs.6456	chaperonin containing TCP1; subunit 2 (b	6
	102838 U94592	Hs.80658	Human uncoupling protein homolog (UCP	6.1
15	102841 U95006	Hs.37616	Human D9 splice variant B mRNA; comp	4.2
	102844 U96113	Hs.324275	Homo sapiens Nedd-4-like ubiquitin-prot	6.8
	102868 X02419	Hs.77274	plasminogen activator, urokinase	4
	102907 X06985	Hs.202833	heme oxygenase (decycling) 1	22.7
20	102919 X12447	U- 74040	aldolase A; fructose-bisphosphate	9.9
20	102929 X13238 102973 X16663	Hs.74649 Hs.14601	cytochrome c oxidase subunit VIc	5.4
	102973 X10603	Hs.118638	hematopoietic cell-specific Lyn substrate non-metastatic cells 1; protein (NM23A)	4.8 4.6
	102985 X17644	Hs.2707	G1 to S phase transition 1	20.6
	103003 X52003	Hs.1406	trefoil factor 1 (breast cancer, estrogen-ind	10.7
25	103018 X53296	Hs.81134	Interleukin 1 receptor antagonist	5.8
	103023 X53793	Hs.117950	multifunctional polypeptide similar to SA	4
	103036 X54925	Hs.83169	matrix metalloproteinase 1 (interstitial col	7.3
	103060 X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin	17.8
20	103073 X59417	Hs.74077	proteasome (prosome; macropain) subunit	5.6
30	103075 X59543	Hs.2934	ribonucleotide reductase M1 polypeptide	4.2
	103080 X59798	Hs.82932	cyclin D1 (PRAD1: parathyrold adenomat	6.7
	103094 X60787	Hs.296281	interleukin enhancer binding factor 1	5.7
	103105 X61970 103121 X63679	Hs.76913	proteasome (prosome; macropain) subunit	5.8
35	103149 X66363	Hs.4147 Hs.171834	translocating chain-associating membrane PCTAIRE protein kinase 1	4.2 12
55	103180 X69433	Hs.5337	Isocitrate dehydrogenase 2 (NADP+); mit	18.9
	103182 X69819	Hs.99995	intercellular adhesion molecule 3	10.7
	103188 X70040	Hs.2942	macrophage stimulating 1 receptor (c-met	4.1
	103191 X70218	Hs.2903	protein phosphatase 4 (formerly X); cataly	10.7
40	103193 X70476	Hs.75724	coatomer protein complex; subunit beta 2	8.2
	103194 X70649	Hs.78580	DEAD/H (Asp-Glu-Ala-Asp/His) box pol	13.7
	103195 X70940	Hs.2642	eukaryotic translation elongation factor 1	13.4
	103206 X72755	Hs.77367	monokine induced by gamma interferon	15.1
15	103207 X72790		Human endogenous retrovirus mRNA for	5.3
45	103208 X72841	Hs.31314	retinoblastoma-binding protein 7	12.3
	103216 X74262	Hs.16003	retinoblastoma-binding protein 4	4.1
	103226 X75042 103230 X75861	Hs.44313 Hs.74637	v-rel avian reticuloendotheliosis viral onco	6.9 7.9
	103262 X78565	Hs.289114	testis enhanced gene transcript hexabrachion (tenascin C; cytotactin)	1. 3 5
50	103278 X79882	Hs.80680	lung resistance-related protein	5.7
٥.0	103297 X81788	Hs.9078	Immature colon carcinoma transcript 1	4.6
	103302 X82103	Hs.3059	coatomer protein complex; subunit beta	4.5
	103316 X83301	Hs.324728	SMA5	7.1
	103330 X85373	Hs.77496	small nuclear ribonucleoprotein polypepti	4
55	103349 X89059		serine/threonine kinase 9	4.7
	103352 X89398	Hs.78853	uracil-DNA glycosylase	5.3
	103364 X90872	Hs.279929	SULT1C sulfotransferase	4
	103374 X91788	Hs.84974	chloride channel; nucleotide-sensitive; 1A	4.2
60	103380 X92396	Hs.24167	synaptobrevin-like 1	13.6
60	103395 X94754	Hs.279946	methionine-tRNA synthetase	14.2
	103402 X95404 103410 X96506	Hs.180370 Hs.295362	cofilin 1 (non-muscle)	4.6
	103410 X90306 103420 X97065	Hs.295362 Hs.173497	DR1-associated protein 1 (negative cofact Sec23 (S. cerevisiae) homolog B	8.3 4.9
	103421 X97074	Hs.119591	adaptor-related protein complex 2; sigma	4.9 5
65	103427 X97303	Hs.250655	H.sapiens mRNA for Ptg-12 protein	7
	103430 X97544	Hs.20716	translocase of inner mitochondrial membr	4.5
	103438 X98263	Hs.152720	M-phase phosphoprotein 6	4.5

		Y00285	Hs.76473	insulin-like growth factor 2 receptor	4.2
		Y00796	Hs.174103	integrin; alpha L (antigen CD11A (p180);	4.5
		Y08991	Hs.83050	phosphatidylinositol 3-kinase-associated p	4.1
_		Y09912	Hs.33102	transcription factor AP-2 beta (activating	4.5
5		Z14982	Hs.180062	proteasome (prosome; macropain) subunit	4.3
		Z15115	Hs.75248	topoisomerase (DNA) II beta (180kD)	4
		Z22548	Hs.146354	thloredoxin-dependent peroxide reductase	7.6
		Z29083	Hs.82128	5T4 oncofetal trophoblast glycoprotein	14.6
	103621	247727	Hs.150675	polymerase (RNA) II (DNA directed) pol	6.3
10	103622	Z48042	Hs.278672	membrane component; chromosome 11; s	4.4
	103658	Z74615	Hs.172928	collagen; type I; alpha 1	5.9
	103680	Z93784		Homo saplens DNA sequence from PAC	4.4
	103772	AA092473	Hs.278554	chromobox homolog 3 (Drosophila HP1 g	4.9
	103774	AA092898	Hs.92918	ESTs; Wealdy similar to R07G3.8 [C.eleg	6.1
15	103821	AA157623	Hs.198793	KIAA0750 gene product	23.3
	103835	AA172215	Hs.93748	ESTs; Moderately similar to TRANSCRIP	4
			Hs.105737	ESTs; Weakly similar to gene 9306 protei	4.9
		AA236843		ESTs; Weakly similar to unknown [S.cere	7.8
			Hs.239189	ESTs	4.8
20		AA393432		hypothetical protein	5.3
		AA428090		ESTs	28.7
			Hs.268371	zv68f6.r1 Soares_total_fetus_Nb2HF8_9w	5.7
			Hs.283037	ESTs; Highly similar to HSPC039 protein	6.9
		AA476564		ESTs; Weakly similar to finger protein HZ	5.2
25			Hs.283740	ESTs	7.8
			Hs.114309	ESTs	5.1
		AA486946		Homo sapiens mRNA; cDNA DKFZp564	4.3
		AB000221		small Inducible cytokine subfamily A (Cy	12.3
			Hs.168212	kinesin family member 3B	6.2
30		C01687	Hs.7381	ATP synthase; H+ transporting; mitochon	4.2
50		C02582	Hs.109253	ESTs; Highly similar to N-terminal acetyl	4.5
		D52818	Hs.111680	endosulfine alpha	4.7
		D55869	Hs.284123	Homo saplens mRNA full length insert cD	4.2
		H19378	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
35		L44497	Hs.7351	ESTs	4.9
55		M19169	Hs.123114	cystatin SN	11.6
		N33807	Hs.324275	protease; serine; 15	5.6
		R56678	Hs.88959	Human DNA sequence from done 967N2	6.3
		R81003	Hs.325820	serine protease; umbilical endothelium	13.6
40		AA004274		ESTs	6.3
70			Hs.106106	ESTs	10.1
		AA007145		Homo sapiens mRNA; cDNA DKFZp564	4.3
		AA007143		ESTs	16.6
			Hs.301553	The state of the s	
45		AA025534		ESTs; Moderately similar to IIII ALU SU ESTs	4.6
43		AA027163		ESTs	4.8
			Hs.301871		8.1 10.9
		AA031357		ESTs; Moderately similar to cAMP Induc	
		AA032147		ESTs; Weakly similar to N-WASP (H.sap ESTs	5.5 10.4
50		AA039469		ESTs; Weakly similar to KIAA0299 [H.s	
50			Hs.241507		4.6
			Hs.225979	Homo saplens mRNA; cDNA DKFZp564	4.3
		AA053021		Human gene from PACs 37M17 and 305B	4.5
		AA055809		SCO (cytochrome oxidase deficient; yeast	4.7
55				ESTs; Weakly similar to phosphoprotein [8.8
33		AA057193 AA057839		EST\$	5.5
				ESTs	4.2
		AA058846		DKFZP434N093 protein	7
			Hs.318725	ESTs; Highly similar to CGI-72 protein [H	7.1
60			Hs.114218	ESTs World's abrillante ODE VIII 052a IS	5.7
UU		AA074919		ESTs; Weakly similar to ORF YJL063c [S	4.7
		AA076672		ESTS	5.5
		AA084602		ESTs	4.3
		AA086071 AA088228		chromosome-associated polypeptide C	8.3
65		AA088458		ESTs	6.2
UJ				ESTs	6.7
		AA101723	Hs.182704	ESTs Madamtah similar ta altamatiyah	9.2
	103002	MM 1 13200	115.102/04	ESTs; Moderately similar to alternatively	6.9

	105012 AA116036		chromosome 20 open reading frame 1	10.7
	105019 AA121879		proteasome (prosome; macropain) subunit	5.7
	105029 AA126855		ESTs	4.4
5	105033 AA127964		TP53 target gene 1	6.3
3	105035 AA128486		ESTs	6.5
	105039 AA130349 105062 AA134968		ESTS	4 4.3
	105076 AA142858		ESTs ESTs	4.3 6.4
	105087 AA147884		ESTs	. 9.2
10	105091 AA148859		ESTs; Weakly similar to IIII ALU SUBFA	5.7
	105093 AA149051		ESTs	6.3
	105107 AA152302		DKFZP566G223 protein	6.2
	105127 AA158132		ESTs; Weakly similar to contains similarl	5.7
	105132 AA159501	Hs.247280	HBV associated factor	4.2
15	105143 AA165333	Hs.24808	ESTs	4.7
	105154 AA171736	Hs.35947	methyl-CpG binding domain protein 4	9
	105162 AA176690		KIAA1025 protein	9.1
	105186 AA191512		Homo sapiens mRNA; cDNA DKFZp564	19.3
20	105209 AA205072		KIAA0980 protein	7.4
20	105223 AA211388		ESTs	5.1
	105252 AA227428		ESTs; Weakly similar to KIAA0512 prote	11.1
	105253 AA227448		KIAA0456 protein	6.4
	105261 AA227871		MEK partner 1	9.1
25	105263 AA227926		ATRACE M. American branch (1991)	6.7
23	105274 AA228122 105297 AA233451		ATPase; H+ transporting; lysosomal (vacu	5.3 8.7
	105309 AA233790		transcriptional intermediary factor 1 ESTs; Weakly similar to cDNA EST yk38	6.7 7.4
	105312 AA233854		S-phase kinase-associated protein 2 (p45)	5.8
	105342 AA235286		ESTs	4.5
30	105376 AA236559		ESTs; Weakly similar to IIII ALU SUBFA	5.8
-	105386 AA236950		ESTs	5.5
	105397 AA242868		ESTs; Weakly similar to house-keeping p	7.7
	105399 AA243007		ESTs; Highly similar to SH3 domain-bind	5.6
	105400 AA243052	Hs.65648	RNA binding motif protein 8	5.8
35	105404 AA243303	Hs.21187	ESTs	9.1
	105409 AA243562	Hs.301855	ESTs	4.4
	105436 AA252172		ESTs; Moderately similar to cAMP induc	5.1
	105483 AA255874		ESTs	4.9
40	105493 AA256268		ESTs	6
40	105495 AA256317		Homo sapiens mRNA; cDNA DKFZp586	5.2
	105496 AA256323		DKFZP434N126 protein	8.7
	105500 AA256485		CGI-96 protein	9.5
	105507 AA256678		ESTs; Moderately similar to CCR4-associ	4.1 4.1
45	105538 AA258860 105544 AA261954		ring finger protein (C3H2C3 type) 6 ESTs	8
73	105546 AA262032		ESTs; Weakly similar to 62D9.a [D.melan	8.1
	105549 AA262417		ESTs	4.6
	105551 AA262477		ribonuclease HI; large subunit	9.1
	105560 AA262783		ESTs	4.5
50	105565 AA278302		ESTs; Weakly similar to partial CDS [C.e	4.2
-	105566 AA278323		Homo sapiens clone 24606 mRNA sequen	11.9
	105575 AA278717		ESTs	5.9
	105584 AA279012		ESTs; Weakly similar to KIAA0665 prote	4.4
	105596 AA279418	Hs.18490	ESTs	4
55	105604 AA279787		ESTs; Moderately similar to putative pho	5.6
	105610 AA279991		ESTs; Weakly similar to trithorax homolo	5.3
	105621 AA280865		Homo sapiens mRNA; cDNA DKFZp564	4.8
	105627 AA281245		ESTs	7.5
60	105638 AA281599		Homo sapiens mRNA for for histone H2B	5.9
60	105645 AA282138		ESTs	6.4
	105650 AA282347		ESTs; Highly similar to HSPC003 [H.sap	11.3
	105666 AA283930 105674 AA284755		ESTs	4.7
	105687 AA286809		CDW52 antigen (CAMPATH-1 antigen) ESTs	8
65	105700 AA287643		ESTs; Weakly similar to hypothetical pro	7.1 4.9
05	105705 AA290767		Homo sapiens mRNA; cDNA DKFZp434	4.9 8
	105709 AA291268		DKFZP586L0724 protein	6.8
				0.0

	105731 AA2927	11 Hs.29131	ESTs	6.4
	105753 AA2997		ESTs	7
	105774 AA3480		ESTs	7.1
	105784 AA3507		ESTs	13.4
5	105791 AA3580		SH3-binding domain glutamic acid-rich p	4.3
•	105807 AA3938		ESTs; Moderately similar to COLLAGEN	5.3
	105808 AA3938		KIAA0438 gene product	4.1
	105812 AA3941		ESTs; Highly similar to CGI-27 protein [H	14.6
	105813 AA3941		ESTs	4.9
10	105819 AA3979		Homo saplens mRNA; cDNA DKFZp564	4.9
	105870 AA3996		ESTs	4.8
	105874 AA4000		ESTs	4
	105896 AA4009		Human ring zinc-finger protein (ZNF127-	4.8
	105934 AA4042		ESTs	5.2
15	105935 AA4042		ESTs; Weakly similar to bisphosphate 3'-	4
	105966 AA4061		adaptor-related protein complex 1; gamma	8.3
	105974 AA4063		KIAA0895 protein	4.6
	105990 AA4103		ESTs; Weakly similar to PROBABLE AT	4.5
	105995 AA4105		ESTs	4.9
20	106000 AA4109		ESTs	5.8
	106007 AA4114		ESTs; Weakly similar to veli 1 [H.sapiens	6.9
	106016 AA4118		KIAA0898 protein	5
	106034 AA4124		ESTs	6.6
	106042 AA4127		ubiquitin-conjugating enzyme E2L 6	4.6
25	106057 AA4170		ESTs	4.5
	106065 AA4175		ESTs	12.3
	106070 AA4177		Homo sapiens clone 24416 mRNA sequen	5
	106103 AA4211		ESTs	15.4
	106126 AA4240		ESTs; Moderately similar to H5AR [M.m	6.4
30	106154 AA4253		ESTs	5.1
•	106157 AA4253		ESTs	11.1
	106166 AA4258		NADH dehydrogenase (ubiquinone) 1 alp	19.3
	106204 AA4280		ESTs	4.7
	106210 AA4282		ESTs	5.7
35	106220 AA4285		ESTs; Moderately similar to metargidin p	7.7
-	106236 AA4299		ESTs	8
	106240 AA4300		ESTs; Weakly similar to Ylr218cp [S.cere	4.4
	106263 AA4314		ESTs	4.9
	106288 AA4355		ESTs	8.8
40	106293 AA4355		signal sequence receptor, gamma (transloc	8.7
	106310 AA4362		ESTs	4.5
	106317 AA4365		ESTs	4
	106328 AA4367		KIAA0766 gene product	4.4
	106341 AA441		ESTs; Moderately similar to pIL2 hypoth	23.7
45	106348 AA442		ESTs	4.7
	106350 AA442		cyclin B2	6.1
	106371 AA443		ESTs	6.8
	106389 AA4469		ESTs	4.7
	106394 AA447		Homo sapiens done 25142 mRNA sequen	4.4
50	106426 AA448		ESTs; Weakly similar to F55C12.5 [C.ele	4.5
	106459 AA449		glioma-amplified sequence-41	4.8
	106462 AA449		ESTs; Highly similar to CGI-77 protein [H	5.2
	106468 AA450		ESTs	6.8
	106479 AA450		ESTs	12.4
55	106494 AA452		transcription factor AP-2 alpha (activating	4.5
	106503 AA452		ESTs; Highly similar to mediator [H.saple	5.1
	106507 AA452		protein phosphatase 1; regulatory (inhibito	4.9
	106533 AA453		ESTs	8.3
	106568 AA455		patched related protein translocated in ren	7.6
60	106586 AA456		ESTs	8.2
	106589 AA456		ESTs	4.8
	106606 AA457		Homo sapiens clone 23851 mRNA sequen	4.4
	106611 AA458		ESTs: Weakly similar to torsinA IH.sapie	7
		934 Hs.256150	ESTs	4.5
65	106628 AA459		Homo sapiens clone 23570 mRNA sequen	6.5
- •		961 Hs.250824	ESTs	5.5
	106644 AA460		ESTs	4.4

	106664 AA46096	9 Hs.7510	mitogen-activated protein kinase kinase ki	8.4
	106698 AA46374	5 Hs.29403	ESTs; Weakly similar to PROBABLE AT	5,3
	106719 AA46517	1 Hs.236844	ESTs	5.6
	106726 AA46533		ESTs	10.1
5	106747 AA47647		triple functional domain (PTPRF interacti	10.4
•	106759 AA47726		ESTs	4.2
	106765 AA47771			6.9
			interleukin 13 receptor, alpha 1	
	106784 AA47855		API5-like 1	5.1
10	106831 AA48201		centrin; EF-hand protein; 3 (CDC31 yeast	5.1
10	106836 AA48211		ESTs	4.8
	106840 AA48254	8 Hs.5534	ESTs	10.3
	106856 AA48618	3 Hs.285123	ESTs; Weakly similar to similar to oxyste	6.2
	106865 AA48722	8 Hs.19479	ESTs	4.5
	106878 AA48887		Homo sapiens mRNA; cDNA DKFZp586	7.9
15	106888 AA48910		oxysterol binding protein	6.4
10	106895 AA48966		ESTs	4.6
	106909 AA49032		= -	4.2
			SUMO-1 activating enzyme subunit 1	
	106919 AA49088		ESTs	12.3
20	106920 AA49089		ESTs	6.2
20	106941 AA49620		ESTs	4
	106942 AA49634	7 Hs.31314	retinoblastoma-blnding proteln 7	4.8
	106948 AA49678	8 Hs.21077	KIAA0532 protein	4
	106968 AA50463	11 Hs.26813	ESTs; Weakly similar to hypothetical 43.2	4.4
	106973 AA50514	1 Hs.11923	Human DNA sequence from clone 167A1	5.4
25	106980 AA52112	1 Hs.8858	bromodomain adjacent to zinc finger dom	4.1
	106981 AA52115		ESTs	5.7
	106998 AA59846		insulin-like growth factor binding protein	18.7
	107008 AA59871		ESTs	6.2
	107008 AA59921		ESTs	4.1
30			= 1 1	5.3
30	107032 AA59947		succinate-CoA ligase; GDP-forming; beta	
	107052 AA60013		glyceronephosphate O-acyltransferase	4.8
	107053 AA60014		ESTs; Weakly similar to NADH-cytochro	5.8
	107056 AA60031		programmed cell death 8 (apoptosis-induc	4.9
~ ~	107080 AA60921		ESTs	8.4
35	107102 AA60972	3 Hs.30652	ESTs	8
	107109 AA60994	3 Hs.32793	ESTs	9.5
	107129 AA62055	3 Hs.4756	flap structure-specific endonuclease 1	4.9
	107132 AA62059	8 Hs.9052	ESTs	5.3
	107136 AA62079	5 Hs.8207	ESTs	4
40	107140 AA62088		ESTs	6.7
	107151 AA62116		ESTs	19
	107159 AA62134		ESTs; Weakly similar to ORF YKR081c [8.1
	107174 AA62171		ESTs	8.5
	107217 D51095	Hs.35861		7.2
45			DKFZP586E1621 protein	
43	107252 D59971	Hs.25925	ESTs	7.9
	107295 T34527	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:po	5.6
	107299 T40327	Hs.30661	lung resistance-related protein	8.4
	107324 T81665	Hs.278422	DKFZP586G1122 protein	7.5
	107372 U85625	Hs.8297	ribonuclease 6 precursor	4.7
50	107373 U85773	Hs.154695	phosphomannomutase 2	4.8
	107481 W58247	Hs.279766	Homo sapiens kinesin superfamily motor	6.3
	107531 Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma	8.3
	107859 AA02483	5 Hs.47584	potassium voltage-gated channel; delayed	7.3
	107890 AA02603	0 Hs.61311	ESTs; Weakly similar to CALPAIN 2; LA	7.3
55	107908 AA02689	4 Hs.42826	ESTs	4.9
	108039 AA04134		ESTs	5.4
	108040 AA04155		ESTs	8.4
	108102 AA04642			6.6
	108217 AA05868		ESTs; Weakly similar to HYPOTHETICA	7.7
60			ESTs	
UU	108255 AA06315		ESTs	4
	108358 AA07151		ESTs	4
	108609 AA10069		Human DNA sequence from BAC 15E1 o	5.5
	108647 AA11239		ESTs; Moderately similar to HOMEOBO	14.3
~~	108676 AA11556		Homo sapiens mRNA; cDNA DKFZp564	5.2
65	108687 AA12078		ESTs	5.6
	108695 AA12131		KIAA1077 protein	10.5
	108733 AA12642	2	zn84f1.s1 Stratagene lung carcinoma 9372	4.4

PCT/US02/02242

WO 02/059377 PC

	108774 AA1	28125	Hs.71040	ESTs; Moderately similar to CELL GROW	4.6
	108828 AA1			DKFZP564O0463 protein	5.5
	108872 AA1			ESTs	7.2
	108884 AA1			ESTs	11.3
5	108893 AA1			retinoic acid induced 3	8.9
_	109008 AA1			ESTs	14.7
	109010 AA1			dual specificity phosphatase 12	4.9
	109011 AA1			ESTs	4.6
	109042 AA1			Homo sapiens DNA from chromosome 19	7.2
10	109086 AA1			tumor necrosis factor (ligand) superfamily	4
_	109090 AA1			ESTs	5.9
	109101 AA1	67708	Hs.52184	ESTs	4.2
	109112 AA1	69379	Hs.257924	ESTs	4
	109160 AA1	79387	Hs.301997	DKFZP434N126 protein	4
15	109166 AA1	79845	Hs.73625	RAB6 interacting; kinesin-like (rabkinesin	13.6
	109178 AA1	81600	Hs.283707	ESTs	11.8
	109179 AA1	81902	Hs.192789	ESTs; Weakly similar to IIII ALU SUBFA	5.4
	109261 AA1	95255	Hs.61779	ESTs	6.7
	109270 AA1			ESTs; Weakly similar to alternatively spli	4.9
20	109277 AA1	96332	Hs.86043	ESTs	5.4
	109313 AA2			ESTs; Moderately similar to zinc finger p	5.5
	109415 AA2	27219	Hs.110826	trinucleotide repeat containing 9	20.1
	109454 AA2	232255	Hs.295232	ESTs	4.7
	109467 AA2			ESTs	6.8
25	109481 AA2			ESTs; Weakly similar to WD40 protein C	10.6
	109508 AA2	233892	Hs.55902	ESTs; Weakly similar to IIII ALU SUBFA	8
	109514 AA2			ESTs; Weakly similar to ORF2: function	8.2
	109572 F02		Hs.171937	ESTs	4.8
~^	109632 F04		Hs.235873	ESTs; Weakly similar to K11C4.2 [C.eleg	5.2
30	109644 F04		Hs.291531	ESTs; Moderately similar to GLYCERAL	6.6
	109703 F09		Hs.24792	ESTs; Weakly similar to ORF YOR283w	7.1
	109726 F10		Hs.9196	ESTs	5 4.7
	109747 F10		Hs.22969	ESTs	
20	109799 F10		Hs.180378	Homo sapiens clone 669 unknown mRNA	4.5 8.7
35	109814 F10		Hs.153106	Homo sapiens clone 23728 mRNA sequen	16.6
	110189 H20		Hs.6278	DKFZP586B1621 protein	6.2
	110240 H25		Hs.176588	ESTs; Weakly similar to CYTOCHROME	4.5
	110280 H29		Hs.32468	ESTs	5.7
40	110520 H56		Hs.4082	yr09f06.s1 Soares fetal liver spleen 1NFL	19.5
40	110561 H59		Hs.5199	ESTs; Weakly similar to UBIQUITIN-CO	6.2
	110707 H9		Hs.15617	ESTs; Weakly similar to IIII ALU SUBFA	30.2
	110734 H98		Hs.24131	ESTs	5.8
	110770 N2		Hs.131705	ESTs	8.2
15	110780 N23		Hs.22891	solute carrier family 7 (cationic amino aci	6.7
45	110787 N24		Hs.12244	ESTs; Weakly similar to C44B9.1 [C.eleg	5.9
	110794 N2		Hs.27931	ESTs Human ring zinc-finger protein (ZNF127-	4
	110799 N26		Hs.323401	ESTs; Weakly similar to putative p150 [H	4.3
	110818 N2		Hs.27552 Hs.30246	solute carrier family 19 (thiamine transpo	12.8
50	110839 N30		Hs.167531	Homo sapiens mRNA full length insert cD	10.1
50	110844 N3			ESTs	4.7
	110854 N3: 110856 N3:		Hs.27931	ESTs; Weakly similar to S164 [H.sapiens	4.2
			Hs.170065	ESTs	12.5
	110860 N3			DKFZP434D156 protein	4
55	110897 N3		Hs.6880 Hs.29724	ESTs -	23.2
55	110915 N4		Hs.305979	protease inhibitor 1 (anti-elastase); alpha-	4.8
	110935 N4 110970 N5		Hs.96870	Homo sapiens mRNA full tength insert cD	5.4
			Hs.166146	Homer, neuronal immediate early gene; 3	4.7
	111006 N5 111008 N5		Hs.7222	ESTs	13.3
60	111006 NS		Hs.3628	mitogen-activated protein kinase kinase ki	5.7
UU	111016 NS		Hs.15456	PDZ domain containing 1	8.3
	111100 N6		Hs.20450	ESTs	14.3
	111125 NG		Hs.269115	ESTs	7.9
	111132 NG		Hs.83293	ESTs; Highly similar to unknown function	4.4
65	111132 NO		Hs.290943	ESTs	6
05	111164 N6		Hs.14808	ESTs; Weakly similar to !!!! ALU CLASS	4.1
	111172 NG	7102	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	5.5
	111112 140				

	111178 N67227	Hs.24633	ESTs	5.7
	111179 N67239	Hs.10760	ESTs	37
	111181 N67278	Hs.171802	ESTs; Weakly similar to hypothetical pro	5.6
_	111184 N67437	Hs.243901	Homo sapiens mRNA; cDNA DKFZp564	8.7
5	111221 N68869	Hs.15119	ESTs	7.3
	111223 N68921	Hs.297939	ESTs; Weakly similar to neogenin [H.sap	9
	111229 N69113	Hs.110855	ESTs	8.9
	111241 N69514	Hs.288880	ESTs; Weakly similar to CGI-82 protein [6.9
	111268 N70481	Hs.26118	Homo sapiens clone 24766 mRNA sequen	4.5
10	111295 N73275	Hs.21275	ESTs; Weakly similar to ubiquitin-conjug	5.6
10	111299 N73808	Hs.24936	ESTs	8.5
	111336 N79565			6.7
		Hs.29894	ESTs	
	111357 N91023	Hs.87128	ESTs	15
1.5	111370 N92915	Hs.94631	brefeldin A-inhibited guanine nucleotide-e	5.2
15	111806 R33468	Hs.279008	ESTs	10
	111825 R35885	Hs.286148	stromal antigen 1	4.5
	111836 R36228	Hs.25119	ESTs	7.2
	111890 R38678	Hs. 12365	ESTs	17.3
	111923 R39995	Hs.25925	Homo sapiens clone 23860 mRNA sequen	7.3
20	111942 R40576	Hs.21590	ESTs	9.2
	111987 R42036	Hs.6763	KIAA0942 protein	10.6
	112101 R44793	Hs.296341	adenylyl cyclase-associated protein 2	5.3
•	112134 R46025	Hs.7413	ESTs	17.4
	112197 R49482	Hs.5637	ESTs	4.4
25	112244 R51309	Hs.70823	KIAA1077 protein	11
20	112253 R51818	110.70020	Homo sapiens mRNA; cDNA DKFZp566	9.3
	112305 R54822	Hs.26244	ESTs	4.4
	112449 R63802	Hs.124186	ring finger protein 2	6.3
		Hs.285885		4.9
30	112483 R66534 112519 R68631		ESTs	
50		Hs.11861	ESTs	14.3
	112610 R79392	Hs.23643	ESTs	5.2
*	112693 R88741	Hs.91065	ESTs; Moderately similar to proliferation	4.6
	112751 R93507	Hs.8207	ESTs	5.6
2.5	112801 R97486	Hs.157160	protein kinase; DNA-activated; catalytic p	8.7
35	112869 T03313	Hs.4747	dyskeratosis congenita 1; dyskerin	5.9
	112871 T03352	Hs.12285	ESTs	5.8
	112908 T10065	Hs.3530	TLS-associated serine-arginine protein	4.1
	112966 T17119	Hs.102548	glucocorticoid receptor DNA binding fact	5.7
	112971 T17185	Hs.83883	ESTs	6.4
40	112995 T23528	Hs.7155	ESTs; Weakly similar to TYKi protein [M	9.1
	113047 T25867	Hs.7549	ESTs	5.4
	113075 T34660	Hs.6986	ESTs; Weakly similar to IIII ALU SUBFA	5.7
	113117 T47819	Hs.159153	ESTs	5.8
	113206 T58044	Hs.241471	ESTs; Moderately similar to IIII ALU SU	6.4
45	113248 T63857	110.211411	yc16e1.s1 Stratagene lung (#93721) Homo	4.6
73	113260 T64896	Hs.287420	ESTs	6.9
	113277 T65797	Hs.11774		5.6
			protein (peptidyl-prolyl cis/trans isomeras	4.5
	113278 T65802	Hs.11135	yc11h10.s1 Stratagene lung (#937210) Ho	
50	113440 T86121	Hs.191445	ESTs	6.4
30	113523 T90037	Hs.95549	ESTs	6.4
	113604 T92735	Hs.296083	ESTs	8.7
	113702 T97307		ESTs; Moderately similar to !!!! ALU SU	9.5
	113783 W19222	Hs.7041	ESTs; Weakly similar to IIII ALU SUBFA	5.2
	113794 W37382	Hs.11090	ESTs	11.9
55	113808 W44735	Hs.9286	ESTs	16.7
	113811 W44928	Hs.6994	ESTs	4
	113822 W47350	Hs.17466	retinoic acid receptor responder (tazaroten	4.8
	113823 W47388	Hs.55099	rab6 GTPase activating protein (GAP and	4
	113836 W56792	Hs.12040	ESTs; Weakly similar to KIAA0881 prote	4.1
60	113857 W65477	Hs.5297	Homo sapiens mRNA; cDNA DKFZp564	4.3
	113886 W72471	Hs.23920	ESTs	4.6
	113895 W73738	Hs.12921	ESTs	7.1
	113923 W80763	Hs.3849	ESTs; Weakly similar to FK506-binding p	6.8
	113931 W81205	Hs.3496	ESTs	6.1
65	113950 W85765	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434	14
03	113970 W86748	Hs.8109	ESTs	15
		Hs.177534	•	
	114051 W94942	113.177334	dual specificity phosphatase 10	5.4

	111057	Mineggg	Un 24102	ESTs	4.8
	114086	W96222	Hs.34192 Hs.288649	Homo saplens PAC clone DJ0777O23 fro	5.1
	114098		Hs.118338	ESTs; Weakly similar to similar to S. cere	6.2
	114109		Hs.184108	ribosomal protein L21	4.6
5	114124		Hs.125019	ESTs; Highly similar to KIAA0886 prote	22
,	114138		Hs.15740	amyloid beta (A4) precursor protein-bindi	8.8
	114149		Hs.27196	ESTs	4
	114162		Hs.22265	ESTs	7.2
	114177		Hs.23740	ESTs	5.3
10	114196		Hs.150926	fucose-1-phosphate guanylyltransferase	4.4
•	114208		Hs.7859	ESTs	5.1
	114250		Hs.13297	ESTs	7.2
	114251		Hs.21948	ESTs	14.7
	114292		Hs.184641	delta-6 fatty acid desaturase	19.4
15	114297		Hs.173091	DKFZP434K151 protein	8.9
	114334		Hs.22941	ESTs	13.7
		AA024604		ESTs .	10.1
			Hs.104613	ESTs	5.7
			Hs.151678	UDP-N-acetyl-alpha-D-galactosamine:po	7.3
20			Hs.106469	suppressor of var1 (S.cerevisiae) 3-like 1	4.3
			Hs.293380	ESTs	11.7
			Hs.292833	ESTs	7.3
			Hs.107149	ESTs; Weakly similar to PTB-ASSOCIAT	6.1
		AA113303		transmembrane 4 superfamily member (te	4.3
25			Hs.110857	ESTs; Highly similar to putative DNA-dir	7.1
	114767	AA148885	Hs.154443	minichromosome maintenance deficient (S	5.3
	114799	AA159323	Hs.109929	ESTs	4.2
	114804	AA160363	Hs.269956	ESTs	4.8
	114811	AA161161	Hs.95907	multiple inositol polyphosphate phosphata	7.1
30		AA165313		ESTs	4.4
		AA235035		ESTs; Moderately similar to ubiquitin spe	5
	114901	AA236276	Hs.196437	ESTs; Weakly similar to R26660_1; parti	16.9
	114902	AA236359	Hs.39504	ESTs	5.1
~ ~		AA243012		ESTs	8.5
35		AA250737		ESTs	35.1
		AA252627		homeo box B5	5.7
		AA252863		ESTs	6.2
		AA253217		ESTs	13
40			Hs.198269	NADH dehydrogenase (ubiquinone) 1 alp	28.2
40		AA256486		ESTs	8.8
			Hs.279938	ESTs; Weakly similar to supported by GE	4.1
			Hs.284216	ESTs	8.3
			Hs.186572	ESTs	5.1
15		AA278650		ESTs; Weakly similar to similar to the bet	4.6
45			Hs.283732	ESTS	8.3
		AA278961		ESTs	10.1
		AA279071		splicing factor 3b; subunit 1; 155kD	9.5 5.8
			Hs.293736 Hs.122579	ESTS	5.1
50				ESTs ESTs	5
50		AA281793		ESTs	6.1
		AA283198	Hs.193063	ESTs	4.9
			Hs.193090	ESTs	5.8
		AA287138		ESTs; Weakly similar to ASPARTYL-TR	11.7
55		AA292537		Human DNA sequence from clone 620E1	6.8
55		AA331393		ESTs	5.8
		AA398392		ESTs; Weakly similar to F33G12.3 gene p	9.7
			Hs.283037	ESTs; Highly similar to HSPC039 protein	8.7
		AA400247		ESTs	4
60		AA400948		ESTs; Weakly similar to zinc finger prote	8.4
			Hs.305971	ESTs	5.3
		AA405098		ESTs	16.1
		AA405620		ESTs; Weakly similar to weak similarity t	4.7
			Hs.183056	Human DNA sequence from done 34B21	5.1
65		AA406546		Homo sapiens mRNA; cDNA DKFZp564	20.5
-5		AA417102		ESTs	4.8
		AA421560		ESTs	7

	115764 AA421562		anterior gradient 2 (Xenepus laevis) homo	41.6
	115835 AA428576		ESTs	4.2
	115844 AA430124 115875 AA433943		ESTs ESTs; Weakly similar to Weak similarity	11.9
5	115888 AA435839		KIAA0887 protein	33.5 7.2
	115922 AA441911		ESTs; Weakly similar to KIAA0926 prote	5.1
	115941 AA443602		ESTs	4.8
	115947 AA443793		ESTs	8.3
10	115948 AA443798		poly(A)-specific ribonuclease (deadenylat	13.5
IU	115951 AA443918 115967 AA446887		cofilin 1 (non-muscle) ESTs	7.5
	115984 AA447687		ESTS	. 8.8 13.1
	116009 AA449448		ESTs	5.5
	116024 AA451748		Human DNA sequence from clone 718J7	7.5
15	116028 AA452112		thioredoxin-like	12.7
	116050 AA453656		ESTs	7.2
	116097 AA456099		ESTs	11.8
	116108 AA457566 116121 AA459254		ESTs ESTs	4.5
20	116127 AA459703		v-myc avian myelocytomatosts viral onco	4.5 4.3
	116129 AA459956		ESTs; Highly similar to putative ribonucle	7.6
	116142 AA460649		ESTs	4.8
	116204 AA465701		ESTs	6.8
25	116221 AA478397		ESTs	4.9
25	116222 AA478415 116238 AA479362		ESTs	4
	116246 AA479961		OKFZP586N0819 protein ESTs; Highly similar to ubiquitin-conjuga	4.6 4
	116249 AA480886		ESTs	18.5
	116250 AA480975		ESTs	10.8
30	116254 AA481146	Hs.41086	ESTs; Weakly similar to OXYSTEROL-B	9.1
	116256 AA481256		ESTs; Weakly similar to lysophospholipa	8.4
	116264 AA482594		Homo sapiens mRNA; cDNA DKFZp586	7.2
	116265 AA482595 116282 AA486550		ESTs; Weakly similar to F25B5.3 [C.eleg ESTs; Weakly similar to Wiskott-Aldrich	11.1
35	116298 AA489046		ESTs veakly similar to wiskou-Aldrich	6.2 4.9
	116300 AA489194		ESTs; Weakly similar to snRNP protein B	4.6
	116327 AA490959		Homo sapiens mRNA; cDNA DKFZp564	5.8
	116334 AA491457		ESTs	4.3
40	116337 AA496127		ESTs	8.4
40	116351 AA504116 116357 AA504806		Homo sapiens mRNA; cDNA DKFZp434	5.3
	116415 AA609204		Homo sapiens clone 23620 mRNA sequen KIAA0874 protein	5.2 6.6
	116443 AA620313		ESTs; Weakly similar to KERATIN; TYP	4.5
	116470 C13992	Hs.83484	ESTs	4.5
45	116480 C14088		glyceraldehyde-3-phosphate dehydrogena	5.6
	116578 D51272	Hs.75337	nucleolar phosphoprotein p130	4.1
	116579 D51276	Hs.81915	leukemia-associated phosphoprotein p18	5.8
	116626 F02028 116647 F03069	Hs.81907 Hs.15395	ESTS	4.9
50	116674 F04816	Hs.92127	ESTs; Weakly similar to ARGINYL-TRN ESTs	6.1 10.6
•	116680 F08813	Hs.273829	LINE retrotransposable element 1	4.2
	116700 F09983	Hs.317589	ESTs	13
	116724 F13665	Hs.65641	ESTs	8.5
<i>E E</i>	116726 F13681	Hs.53913	ESTs	5.6
55	116732 F13779	Hs.165909	ESTs	11.6
	116734 F13789 116760 H11054	Hs.93796 Hs.155342	DKFZP586D2223 protein	5.4
	116780 H22566	Hs.30098	protein kinase C; delta ESTs	4.3 5.7
	116786 H25836	Hs.301527	tumor necrosis factor (ligand) superfamily	5.7 8.8
60	116787 H28581	Hs.15641	ESTs	8.6
	116790 H29532	Hs.101174	microtubule-associated protein tau	22.2
	116803 H47357	Hs.109701	ESTs; Moderately similar to weak similar	6.7
	116877 H68116 116921 H72948	Hs.168732	ESTs	6.5
65	117216 N20083	Hs.821 Hs.42792	biglycan ESTs	20.7
55	117232 N20579	Hs.61153	ESTs	4.4 7.4
	117284 N22162	Hs.183779	ESTs; Weakly similar to cDNA EST yk33	4.1

PCT/US02/02242

	447044 NO	10.10	11 040-00		
	117344 N2		Hs.210706	ESTs	7.4
	117367 N2		Hs.42502	ESTs	10.5
	117392 N2		Hs.93405	ESTS	5.8
5	117394 N2		Hs.39871	KIAA0727 protein	8.4
,	117412 N2 117498 N3		Hs.42645	ESTs	18.1
	117557 N3		Hs.44268	ESTs; Highly similar to myelin gene expr	5.8
	117634 N3		Hs.44532 Hs.13323	diubiquitin	12.3
	117639 N3		Hs.44833	ESTs; Weakly similar to SODIUM- AND ESTs	4.4
10	117754 N47		Hs.59757	ESTs	6
	117852 N4		Hs.136102	KIAA0853 protein	7.6
	117879 N5		Hs.303025	ESTs; Weakly similar to keratin; 67K typ	5.9 7.9
	117924 N5		Hs.38891	ESTs	7.9
	117950 N5		Hs.75478	KIAA0956 protein	5
15	117992 N5	2000	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586	7
	118138 N57		Hs.93560	ESTs; Weakly similar to trg [R.norvegicu	4.8
	118215 N6	2195	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A	13.4
	118229 N62	2339	Hs.166254	heat shock 90kD protein 1; alpha	5.4
00	118265 N62		Hs.48645	EST	4.2
20	118336 N63		Hs.47166	ESTs	7.2
	118363 N64		Hs.48938	ESTs	6
	118429 N66		Hs.74649	ESTs	4.1
	118470 N66		Hs.291033	ESTs	5.4
25	118472 N66		Hs.42179	ESTs	10.8
23	118475 N66			ESTs; Weakly similar to IIII ALU CLASS	4.5
	118493 N67		Hs.50115	ESTs	5.3
	118528 N67 118542 N68		Hs.49397	ESTS	10.4
	118600 N69		Hs.49427	ESTs ESTs	7.9
30	118695 N71		Hs.50081	A	9.2
50	118698 N72		Hs.50187	Homo sapiens mRNA full length insert cD ESTs	9.8 4.3
	118901 N90		Hs.94445	ESTs	4.3 8.1
	118952 N92			ESTs; Highly similar to CGI-90 protein [H	12.5
	118976 N93		Hs.93391	ESTs	5
35	118986 N94		Hs.125830	ESTs	7.3
	118989 N94	439	Hs.45105	ESTs	8.2
	119027 N99	256	Hs.114611	ESTs	5
	119042 R05		Hs.5472	ESTs	4
40	119075 R36		Hs.287820	fibronectin 1	6
40	119260 T15		Hs.102950	ESTs; Highly similar to coat protein gamm	4.1
	119271 T16		Hs.65328	ESTs	12.1
	119298 T23		Hs.155478	cyclin T2	5.6
	119302 T25		440000	ESTs	14.3
45	119341 T62	_	Hs.146388	microtubule-associated protein 7	4
73	119495 W35 119580 W42		Hs.55533 Hs.92260	ESTs	5.3
	119500 W42		Hs.233694	high-mobility group protein 2-like 1	5.6
	119620 W47		Hs.56009	ESTs; Weakly similar to ZK1058.5 [C.ele 2'-5'oligoadenylate synthetase 3	6.5
	119676 W60		Hs.57787	ESTs	8.1 5.5
50	119717 W69		Hs.57987	ESTs	4.6
	119729 W69		Hs.94806	KIAA1062 protein	4
	119805 W73		Hs.43213	ESTs	4
	119859 W80	702	Hs.58461		4.8
	119867 W80	852	Hs.250696		4.2
55	119873 W81		Hs.44865	1) 1	4.8
	119899 W84		Hs.58698	ESTs	5.9
	119940 W86		Hs.272531	DKFZP586B0319 protein	9
	119943 W86		Hs.14158	copine III	4.8
60	119970 W87		Hs.93581		4
60	120131 Z386		Hs.75887		4.2
	120150 Z395		Hs.153746		11
	120206 Z408				8.2
	120241 Z418 120255 AA1		Hs.65946 Hs 5672		15.6
65	120205 AA1				4.2
	120325 AA1			POT .	6.8
	120352 AA2			FOT	15.2
					6.8

			Hs.173694	KIAA1097 protein	5.6
			Hs.192905	ESTs	5.6
			Hs.104413	ESTs	4.5
_			Hs.34892	ESTs	4.9
5			Hs.192843	ESTs	4.5
			Hs.238205	ESTs	6.7
			Hs.292913	ESTs	8.3
			Hs.102506	eukaryotic translation initiation factor 2 al	4.6
10			Hs.96557	ESTs	10.6
10			Hs.100747	ESTs	5.4
		AA358015		EST	7.1
			Hs.301872	ESTs; Moderately similar to IIII ALU SU	4.6
	120919	AA381125	Hs.301444	ESTs	8.2
	120948	AA397822	Hs.104650	ESTs; Highly similar to similar to mago n	8.6
15	120969	AA398116	Hs.129206	casein kinase 1; gamma 3	10.5
	120977	AA398155	Hs.97600	ESTs	10.9
	121103	AA398936	Hs.97697	EST	7.4
	121291	AA401753	Hs.8186	lung cancer candidate	5.3
	121320	AA403008	Hs.301927	T-cell receptor; alpha (V;D;J;C)	13.5
20			Hs.239681	ESTs; Weakly similar to KIAA0554 prote	8.9
			Hs.174104	ESTs	22.6
			Hs.104800	ESTs; Weakly similar to Mouse 19.5 mRN	8
			Hs.234545	ESTs	5.6
		AA434411		ESTs	5.3
25		AA449444		ESTS	4
		AA454756		ESTs	4
		AA456326		ESTs	6.2
		AA459894		ESTs	5.3
		AA463740		Src-like-adapter	13.1
30			Hs.108812	ESTs; Weakly similar to B0041.5 [C.eleg	5.5
			Hs.101840	ESTs	6.3
			Hs.194215	ESTs	6
			Hs.106290	Kelch motif containing protein	12.5
			Hs.323231	ESTs; Weakly similar to alternatively spli	4.4
35			Hs.104207	ESTs	8.3
"			Hs.191721	ESTs	4.2
			Hs.129928		5.2
			Hs.194024	ESTs; Moderately similar to KIAA0454 p ESTs	4.2
			Hs.100686		
40		AA488892	HS. 100000	ESTs; Weakly similar to secreted cement	14.6
70		AA489020	H= 60222	ESTs; Weakly similar to Gag-Pol polypro	4.5
			Hs.187585	ESTs .	5.2
					4
			Hs.223014 Hs.111496	protease; serine; 15	7.3
45				ESTS	5.9
43			Hs.112493	Homo sapiens mRNA; cDNA DKFZp564	4.1
			Hs.112110	ESTs	4
			Hs.293156	ESTs	12.8
		AA608751		ESTs; Weakly similar to IIII ALU SUBFA	7.9
50		AA609200	11- 450540	ESTs	23.1
30			Hs.158549	ESTs	6.6
			Hs.278672	membrane component; chromosome 11; s	4.7
			Hs.112264	ESTs	4
			Hs.287733	methylmalonate-semialdehyde dehydroge	7.6
F F		D57317	Hs.74861	activated RNA polymerase II transcription	4.4
55	124006	D60302	Hs.270016	ESTs	20.6
		D80240	Hs.241471	HUM5G11A Human fetal brain (TFujiwa	6.7
	124021		Hs.13974	ESTs	4.7
		F10523	Hs.74519	primase; polypeptide 2A (58kD)	4.7
60	124059		Hs.283713	ESTs	7.7
60		H66710	Hs.133525	ESTs	5.5
		H93575	Hs.241507	Homo sapiens mRNA; cDNA DKFZp564	11.4
		H94877 .	Hs.215766	GTP-binding protein	13.7
		H94892	Hs.288757	v-ral simian leukemia viral oncogene hom	14
<i>(c</i>		N21359	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434	8.6
65		N21626	Hs.102406	ESTs	7.2
		N22401		yw37g07.s1 Morton Fetal Cochlea Homo	5.2
	124390	N29325	Hs.7535	ESTs; Highly similar to COBW-like place	7.9

PCT/US02/02242

		N40188	Hs.11090	ESTs	9.5
		N48000	11-000475	Homo sapiens mRNA; cDNA DKFZp586	4.8
		N50114 N63172	Hs.266175 Hs.146409	ESTs	6.1
5		N74604	Hs.11090	cell division cycle 42 (GTP-binding prote ESTs	5.6 12.8
-		N79515	Hs.306117	interleukin 13 receptor; alpha 1	6.4
		N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.3
		R01037	Hs.181013	phosphoglycerate mutase 1 (brain)	12.3
10		R01073		ESTs; Weakly similar to !!!! ALU CLASS	5.4
10		R12405	Hs.112423	Homo sapiens mRNA; cDNA DKFZp586	6.6
		R40923	Hs.106604	ESTs	4.9
		R41933 R44357	Un 40749	ESTs	7.2
		R63652	Hs.48712 Hs.137190	ESTs; Weakly similar to cDNA EST EMB ESTs	8.6
15		R88992	Hs.180612	ESTs	4.9 4.7
		T10598	Hs.324841	ESTs; Weakly similar to IIII ALU SUBFA	4.4
		T11134	Hs.431	murine leukemia viral (bmi-1) oncogene h	12.6
	125038	T78089	Hs.270134	ESTs	4.1
		T92544	Hs.137548	CD84 antigen (leukocyte antigen)	14.8
20		W15495	Hs.129781	chromosome 21 open reading frame 5	6.7
		W37999	Hs.24336	ESTs	4.8
		W38419	11- 405440	ESTs	5.3
		W86423 W93640	Hs.105413 Hs.4779	ESTs	6.6
25		Z39436	Hs.102720	ESTs; Moderately similar to similar to AD ESTs	5.8
23		Z39821	Hs.288193	ESTs	12.2 10.2
		Z39833	Hs.124940	GTP-binding protein	6.8
		AA151216		tyrosine 3-monooxygenase/tryptophan 5-m	8
• •			Hs.288967	ESTs	5.4
30			Hs.267812	sorting nexin 4	4.1
		AA507383		cytochrome c oxidase subunit VIc	11.5
		AI432621	Hs.82685	CD47 antigen (Rh-related antigen; integri	4
			Hs.191356	general transcription factor IIH; polypepti	9.4
35		Al283493 H09290	Hs.75722 Hs.76550	ribophorin II	6.2
55		AA434562		Homo sapiens mRNA; cDNA DKFZp564 ESTs	25.9 4.1
		N90960	Hs.265398	ESTs; Weakly similar to transformation-r	16.4
		N99638	Hs.124084	tumor necrosis factor receptor superfamily	9.5
	126337	A1066486	Hs.40500	similar to S. cerevisiae RER1	5.6
40		U46278	Hs.122489	ESTs	7.5
		W40262	Hs.146310	ESTs; Weakly similar to putative p150 [H	4.1
		W78968	Hs.181307	H3 histone; family 3A	4.5
		AA205862		ESTs	5.2
45		172569 Al334393	Hs.125359 Hs.102178	Thy-1 cell surface antigen ESTs	4.4
73		Al203334		ESTs	4.6 11.7
			Hs.279607	ESTs	4
		AJ052047		ESTs	7
		R31652	Hs.821	biglycan	5.6
50	127479	AA513722	Hs.179729	collagen; type X; alpha 1 (Schmid metaph	14.3
			Hs.204214	ESTs	4.5
		W07286	Hs.10340	ESTs; Weakly similar to weak similarity t	5.1
			Hs.264190	ESTs; Highly similar to MEM3 [M.muscu	17.3
55			Hs.136713	ESTs; Weakly similar to V4-1 [H.sapiens	4.1
55			Hs.311054 Hs.166229	ESTs	5.5
		H02682	Hs.292154	ESTs; Moderately similar to recombinatio	5.8
		D59653	Hs.241471	EST	5.8 7.4
		U83908	Hs.296251	programmed cell death 4	5.8
60			Hs.100861	ESTs; Weakly similar to p60 katanin [H.s	8.3
	128530	AA504343	Hs.183475	Homo sapiens clone 25061 mRNA sequen	6.6
			Hs.101448	metastasis associated 1	5.2
		AA412048		keratin 8	5.1
65		U31875	Hs.152677	short-chain alcohol dehydrogenase family	27.1
65	128610		Hs.10247 Hs.102708	activated leucocyte cell adhesion molecule	13.2
			Hs.102708 Hs.103106	DKFZP434A043 protein Homo sapiens mRNA for G7b protein (G	6.7
	120043	~\\ 1420JJ	113.100100	nome servicing unitary for Oath broteil (O	4.5

	400004	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	400405		
			Hs.103135	ESTs	6.1
		R48943	Hs.10315	solute carrier family 7 (cationic amino aci	4.4
		AA458542		coatomer protein complex; subunit epsilon	14.3
_		T30617	Hs.104222	Homo sapiens mRNA; cDNA DKFZp566	24.5
5	128727	M64174	Hs.50651	Janus kinase 1 (a protein tyrosine kinase)	7.3
	128764	N49308	Hs.104938	ESTs; Weakly similar to alpha 1(XVIII) c	9.2
	128781	X85372	Hs.105465	small nuclear ribonucleoprotein polypepti	5.4
	128793	W93562	Hs.105749	KIAA0553 protein	4.6
	128835	W15528	Hs.106390	Homo sapiens mRNA; cDNA DKFZp586	4
10		AA455658		basement membrane-induced gene	6.9
			Hs.106778	Homo sapiens mRNA for putative Ca2+4	4.5
		AA252023		ESTs; Weakly similar to HRIHFB2157 [H	6.4
		D61676	Hs.21851	Homo sapiens mRNA; cDNA DKFZp586	6.4
			Hs.107260	ESTs	
15		N29353			7
13			Hs.107318	kynurenine 3-monooxygenase (kynurenin	5.2
			Hs.223025	proteasome (prosome; macropain) subunit	13.1
		F10290	Hs.185807	Homo sapiens clone 24758 mRNA sequen	5.8
		AA460049		ESTs; Weakly similar to SODIUM- AND	12.6
20		AA131421		ESTs	9.8
20		H13108	Hs.107968	ESTs	13.9
		X62466	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	10.7
	129075	AA129465	Hs.83765	ESTs	4.7
	129095	L12350	Hs.108623	thrombospondin 2	4.4
	129124	AA234530	Hs.108802	N-ethylmaleimide-sensitive factor	20.7
25		AA131252		ESTs	5.9
	129164	AA282183	Hs.109045	ESTs	5.8
		R40556	Hs.318401	ESTs; Highly similar to HSPC039 protein	7.6
		X89109	Hs.109606	coronin; actin-binding protein; 1A	12
			Hs.109643	polyadenylate binding protein-interacting	7.9
30		W24360	Hs.237868	Interleukin 7 receptor	5.3
50			Hs.109706		8.4
		H88033		ESTs; Moderately similar to HN1 (M.mus	
		AA151574	Hs.109727	KIAA0733 protein	7.8
				pilin-like transcription factor	6.4
35		AA090695		ESTs	6.2
33		Z35227	Hs.109918	ras homolog gene family; member H	5.4
		AA026318		glucose regulated protein; 58kD	4.4
		C20976	Hs.110165	ESTs; Highly similar to ribosomal protein	5.7
		N93155	Hs.285976	calmodulin 1 (phosphorylase kinase; delta	7.7
40		AA037467		ESTs	6
40		AA167268	Hs.62349	Human ras inhibitor mRNA; 3' end	9.3
	129366	H18027	Hs.184697	plexin C1	18.2
	129383	W92984	Hs.288224	ESTs	5.9
	129388	AA151621	Hs.110964	ESTs	4.1
	129391	T80814	Hs.11101	discs; large (Drosophila) homolog 3 (neur	10.9
45	129404	AA172056	Hs.317584	ESTs	5.3
		N23707	Hs.111138	KIAA0712 gene product	4
		AA412087		EST; Highly similar to protein inhibitor o	8
		AA421213		Lsm3 protein	5.5
		C00225	Hs.306163	ESTs; Weakly similar to fos39554_1 [H.s	5.5
50		AA298786		ESTs	6.8
		R21443	Hs.166254	heat shock 90kD protein 1; alpha	5
		AA278243		ESTs	6.8
		AA447410		ESTs; Weakly similar to !!!! ALU SUBFA	5.1
		AA258308			
55	129628			Homo sapiens mRNA; cDNA DKFZp564	5.3
"			Hs.1174	cyclin-dependent kinase inhibitor 2A (mel	8.2
		R50008	Hs.11806	7-dehydrocholesterol reductase	4.3
		AA442768		translocase of inner mitochondrial membr	4.4
		M88458	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic re	4
~ 0		X06700	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danlos	6
60		AA454618		associated molecule with the SH3 domain	6.4
		AA252436		lysophospholipase I	7.7
		AA452161		YME1 (S.cerevisiae)-like 1	5
		N20593	Hs.288932	GDP dissociation inhibitor 2	6.9
<i>-</i> -		AA102520		ESTs; Weakly similar to heat shock prote	5
65		AA043021	Hs.13225	UDP-Gal:betaGlcNAc beta 1;4- galactosy	6.6
		M87789		immunoglobulin gamma 3 (Gm marker)	4
	129985	AA450045	Hs.140452	cargo selection protein (mannose 6 phosp	5.8
				• • •	

	400000		
	130029 AA236412 Hs.236510 130033 M90696 Hs.181301	ESTs; Moderately similar to PFT27 (M.m	5.6
	130033 M90696 Hs.181301 130036 AA195260 Hs.125849	cathepsin S	5.4
	130069 AA055896 Hs.146428	ESTs; Moderately similar to IIII ALU SU collagen; type V; alpha 1	7.4 7.6
5	130077 T24055 Hs.91379	ribosomal protein L26	4
	130080 X14850 Hs.147097	H2A histone family; member X	12.
	130096 AA223874 Hs.197955 130114 AA234717 Hs.14992	KIAA0704 protein	5
	130125 M36803 Hs.1504	ESTs	7.8
10	130135 M61764 Hs.21635	hemopexin tubulin; gamma 1	7.2
	130170 AA610070 Hs.151469	calcium/calmodulin-dependent serine pro	5.6 7.5
	130189 D43947 Hs.151761	KIAA0100 gene product	6.4
	130208 AA620556 Hs.15250	peroxisomal D3;02-enoyl-CoA isomerase	6.4
15	130211 D50840 Hs.23703	UDP-glucose ceramide glucosyltransferas	4.5
13	130235 X14046 Hs.153053 130276 S75295 Hs.169149	CD37 antigen	9.1
	130280 L13738 Hs.153937	karyopherin alpha 1 (importin alpha 5) activated p21cdc42Hs kinase	8.6
	130313 AA620323 Hs.154320	ubiquitin-activating enzyme E1C (homolo	5 6.1
•	130314 D86967 Hs.154332	KIAA0212 gene product	10
20	130328 AA135673 Hs.154668	KIAA0391 gene product	6.1
	130356 X84373 Hs.155017	nuclear receptor interacting protein 1	10.6
	130367 Z38501 Hs.8768 130378 T47333 Hs.155188	ESTs; Weakly similar to IIII ALU SUBFA	8.3
	130378 T47333 Hs.155188 130384 X66364 Hs.166071	TATA box binding protein (TBP)-associa cyclin-dependent kinase 5	7.1
25	130393 D13630 Hs.155291	KIAA0005 gene product	5.6 4.1
	130399 AA449417 Hs.155356	Homo sapiens mRNA for putative glucosy	4.1
	130407 N29888 Hs.155410	ESTs	7.0
	130414 M21121 Hs.241392	small inducible cytokine A5 (RANTES)	4.1
30	130417 U58522 Hs.155485 130421 D21260 Hs.178710	huntingtin-interacting protein 2	7.9
50	130421 D21260 Hs.178710 130441 U35835 Hs.155637	clathrin; heavy polypeptide-like 2 protein kinase; DNA-activated; catalytic p	4
	130455 X17059 Hs.155956	N-acetyltransferase 1 (arylamine N-acetyl	6.8 26.4
	130498 L38951 Hs:180446	karyopherin (importin) beta 1	4.8
25	130499 AA416723 Hs.158286	Homo sapiens mRNA for KIAA0446 prot	6.1
35	130511 L32137 Hs.1584	cartilage ofigomeric matrix protein (pseud	8.3
	130553 AA430032 Hs.252587 130558 H96654 Hs.15984	pitultary tumor-transforming 1	7.5
	130558 H96654 Hs.15984 130568 AA232535 Hs.16085	ESTs; Weakly similar to gene pp21 protei	5.6
	130583 W24957 Hs.293907	ESTs; Highly similar to CGI-13 protein [H ESTs; Moderately similar to similar to C.e	4 13.3
40	130585 H66211 Hs.16331	ESTs	10.1
	130604 X03635 Hs.1657	estrogen receptor 1	39.9
	130614 AA132007 Hs.16697	ESTs	5.1
	130619 AA477739 Hs.12532 130622 AA235247 Hs.16846	ESTs	5.9
45	130622 AA235247 Hs.16846 130625 F03969 Hs.260720	ESTs; Weakly similar to cytochrome P45	4.1
	130627 L23808 Hs.1695	matrix metalloproteinase 2 (gelatinase A; matrix metalloproteinase 12 (macrophage	8.3
	130629 M60346 Hs.1697	ATPase; H+ transporting; lysosomal (vacu	10.3 7
	130635 M87503 Hs.1706	interferon-stimulated transcription factor	5.5
50	130639 D59711 Hs.17132	ESTs	7.2
50	130677 H17861 Hs.17767 130681 D82808 Hs.17820	ESTs	13.5
	130681 D82808 Hs.17820 130693 AA487202 Hs.17962	Rho-associated; coiled-coil containing pro	6
	130703 N63295 Hs.18103	ESTs ESTs	6.1
	130706 AA488843 Hs.201673	comichon-like	4.3 4
55	130712 AA292066 Hs.279762	adenylate cyclase 7	5.1
	130714 X92896 Hs.18212	DNA segment on chromosome X (unique)	8.4
	130715 T98227 Hs.171952	occludin	5.7
	130744 AA203527 Hs.18747 130747 AA471293 Hs.6879	POP7 (processing of precursor; S. cerevis	6.2
60	130751 AA435633 Hs.18879	ESTs Homo sapiens clone 23965 mRNA sequen	8.2
	130796 R39390 Hs.19525	ESTs	8.3 4.5
	130800 AA223386 Hs.19574	ESTs; Weakly similar to katanin p80 subu	7.7
	130855 AA425439 Hs.143323	putative DNA/chromatin blinding motif	4.3
65	130859 AA287327 Hs.20478	ceroid-lipofuscinosis; neuronal 2; late infa	9.8
UJ.	130866 M58028 Hs.2055 130880 D14678 Hs.20830	ubiquitin-activating enzyme E1 (A1S9T a	4.3
	130891 D31891 Hs.20991	kinesin-like 2 SET domain; bifurcated; 1	4.5
		volument, minimates, i	4

		AA056489		ESTs	8.7
		W03592	Hs.21198	translocase of outer mitochondrial membr	20.9
		AA291710		collagen; type IV; alpha 3 (Goodpasture a	9
5		AA074596		bromodomain adjacent to zinc finger dom	5.3
3		M97935	Hs.21486	signal transducer and activator of transcrip	18.8
		X57985	Hs.2178	H2B histone family; member Q	13.4
		R45698	Hs.21893	ESTs; Wealdy similar to cAMP inducible	8.5
		N48963	Hs.21992	KIAA0689 protein	7.2
10		AA435748		ESTs; Weakly similar to phosphatidic acid	5.2
10		X02530	Hs.2248	small inducible cytokine subfamily B (Cy	10.1
		T35341	Hs.22880	ESTs; Highly similar to dipeptidyl peptid	6.3
		H11760	Hs.23606	ESTs	7.3
	131185	M25753	Hs.23960	cyclin B1	6.2
	131200	AA609427	Hs.293732	ESTs; Moderately similar to !!!! ALU SU	4.3
15	131206	AA044078	Hs.24210	ESTs	5.5
	131210	AA430047	Hs.95549	ESTs	7.1
	131227	AA429472	Hs.236522	DKFZP434P106 protein	5.6
	131244	D38076	Hs.24763	RAN binding protein 1	5.5
		AA620599		DKFZP564E1962 protein	6.7
20		AA256042		ESTs	5.8
		U25997	Hs.25590	stannlocatcin	8.9
		'AA463450		Nijmegen breakage syndrome 1 (nibrin)	6.5
		R34531	Hs.92200	KIAA0480 gene product	9.2
		H84658	Hs.279836	ESTs	12.1
25		AA608962		calcyclin binding protein	18.1
23		Z39053	Hs.27263	ESTs	7.5
		AA121127		H3 histone; family 3A	5.5
		X02152	Hs.2795	lactate dehydrogenase A	5.1
				ESTs	4.3
20		N39152	Hs.301804		
30		D60856	Hs.28309	UDP-glucose dehydrogenase	8.4
		N33236	Hs.28555	ESTs; Weakly similar to B0511.8 (C.eleg	5.6
		D30946	Hs.28707	signal sequence receptor, gamma (transloc	8.7
		U90551	Hs.28777	H2A histone family; member L	18.8
25		AA491465		ESTs	11.8
35		AA235385		ESTs; Moderately similar to alternatively	4.7
		M15182	Hs.183868	glucuronidase; beta	5.2
		U52100	Hs.29191	epithelial membrane protein 2	4.4
		D14533	Hs.192803	xeroderma pigmentosum; complementatio	4.6
40	131664	AA136126	Hs.30327	mitogen-activated protein kinase-activated	4.3
40	131679	AA136660	Hs.30579	ESTs	9.4
	131684	U26174	Hs.3066	granzyme K (serine protease; granzyme 3	9.7
	131687	L11066	Hs.3069	heat shock 70kD protein 9B (mortalin-2)	6.2
	131689	AA599653	Hs.30696	transcription factor-like 5 (basic helix-loo	8.3
	131693	W60913	Hs.110796	ESTs; Weakly similar to cDNA EST yk45	9
45	131710	AA233225	Hs.30985	MRS1 protein	5.2
	131716	D49738	Hs.31053	cytoskeleton-associated protein 1	6.6
	131742	D31352	Hs.31433	ESTs	11
	131762	H46831	Hs.107767	ESTs; Moderately similar to CatM-KII inh	4.9
		AA460450		DKFZP586G1722 protein	9.2
50		N32724	Hs.32317	Sox-like transcriptional factor	4.5
		L76517	Hs.3260	presenilin 1 (Alzheimer disease 3)	5.4
		AA437226		interleukin 10 receptor; alpha	4
		AA091932		dynamin-like protein	6.7
		J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	5
55		AA044095		ESTs	11.1
33		AA158258		heterogeneous nuclear protein similar to r	5.6
			Hs.183180	ESTs; Weakly similar to RING finger pro	4.5
		AA205460		ESTs	14.3
				The state of the s	6.2
60		D62657	Hs.35086	ubiquitin-specific protease 1	
oo		W90146	Hs.35962	ESTs	6.3
		D86960	Hs.3610	KIAA0205 gene product	4.2
		R70167	Hs.154938	ESTS	4.3
			Hs.268122	Homo sapiens mRNA; cDNA DKFZp586	4.6
65		F09788	Hs.3622	procollagen-proline; 2-oxoglutarate 4-diox	6.4
65			Hs.279882	Human DNA sequence from clone 703H1	12
		D82399	Hs.136644	Homo sapiens clone 23714 mRNA sequen	10
	132017	W67251	Hs.267659	Homo sapiens vav 3 oncogene (VAV3) m	4.7

	122024 70	20040	11- 000070		
	132021 T6 132065 D8		Hs.306079	chaperonin containing TCP1; subunit 5 (e	5.2
	132085 D4		Hs.211594 Hs.3887	proteasome (prosome; macropain) 26S sub	8.5
	132089 AA			proteasome (prosome; macropain) 26S sub ESTs	13.5
5	132109 AA	A599801	Hs 40098	ESTs	4.8
	132143 AA	1257056	Hs.7972	KIAA0871 protein	6.2 14.6
	132149 T1	0822	Hs.324743	ESTs	5.3
	132153 NS		Hs.41066	ESTs; Moderately similar to ELONGATI	9.2
10			Hs.295923	seven in absentia (Drosophila) homolog 1	5.5
10	132164 U8		Hs.41270	procollagen-lysine; 2-oxoglutarate 5-dioxy	8.1
	132180 AA			fibroblast activation protein; alpha; sepras	15.4
	132183 L1:		Hs.199695	hypothetical protein	12.2
	132225 AA 132227 AA	1128980	Un 4040	ESTs	5.6
15	132235 F0		Hs.42656	ESTs ESTs	6.7
	132256 AA			murine leukemla viral (bmi-1) oncogene h	6.2
	132298 N4		Hs.7120	Homo sapiens cytokine receptor related p	6 5.6
	132314 AA			small EDRK-rich factor 2	6.8
••	132325 N3	7065	Hs.44856	ESTs	4.7
20	132384 AA		Hs.46967	Human DNA sequence from done 167A1	4.2
	132387 R7		Hs.281434	heat shock 70kD protein 1	9.1
	132393 W8		Hs.47334	ESTs; Moderately similar to IIII ALU SU	4
	132406 F0		Hs.4774	ESTs	15
25	132407 AA			ESTs	В
23	132413 AA 132446 AA	132909 136318	115,200110	KIAA1104 protein	4
	132465 AA			ESTs ESTs	5.3
	132482 AA			ESTs; Highly similar to CGI-49 protein [H	15.4 9
	132492 TO		Hs.4990	KIAA1089 protein	8.5
30	132528 AA	283006		chromosome-associated polypeptide C	4.3
	132540 AA			synaptogyrin 2	9.8
	132543 AA			protein regulator of cytokinesis 1	10.1
	132580 L37		Hs.283738	casein kinase 1; alpha 1	5.9
35	132586 AA			DKFZP434N024 protein	4.2
33	132608 AA			ARP3 (actin-related protein 3; yeast) hom	4.2
	132616 AA: 132617 AA:			socitrate dehydrogenase 2 (NADP+); mit	5.2
	132618 AA			carbonic anhydrase XII	10.1
	132640 U33		Hs.5437	adaptor-related protein complex 1; gamma Tax1 (human T-cell leukemia virus type I	4.8 5.7
40	132668 AA			KIAA0776 protein	4.4
	132694 M60		Hs.5509	ecotropic viral integration site 2B	15.6
	132700 N47		Hs.5521	ESTs	7
	132724 AA4			geranylgeranyl diphosphate synthase 1	5.6
45	132738 W4		Hs.264636	ESTs; Moderately similar to neuronal thre	4.9
43	132742 AA4			ESTs; Weakly similar to C43H8.1 [C.eleg	7.9
	132744 X54 132795 H99		Hs.55921 Hs.57079	glutamyl-prolyt-tRNA synthetase ESTs	4.1
	132807 AA3			mutL (E. coli) homolog 1 (colon cancer; n	8
	132811 U25		Hs.57419	transcriptional repressor	8 4 ·
50	132817 AB0		Hs.57553	tousled-like kinase 2	6.5
	132840 N23		Hs.5807	Homo sapiens clone 23675 mRNA sequen	5.6
	132845 D62		Hs.5813	ESTs	12.4
	132847 T48		Hs.58189	eukaryotic translation initiation factor 3; s	7
55	132856 W79		Hs.58367	glypican 4	6.2
33	132869 N26		Hs.203961	ESTs	6.5
	132874 AA4	125//6 1	HS.58609	ESTs	5.6
	132880 AA4 132894 D82			ESTs	7.2
	132900 N56		Hs.5944 Hs.5978	ESTs LIM domain only 7	7.5
60	132903 AA2				4.4 9.1
	132904 X83		Hs.59889	3-hydroxy-3-methylglutaryl-Coenzyme A	10.7
	132906 AA1			ESTs; Highly similar to geminin [H.sapie	10.2
	132914 AA4	96037 1	Hs.60293		4.7
c =	132918 AA2			KIAA0616 protein	7.1
65	132936 AB0				8.3
	132951 U04		Hs.61418	microfibrillar-associated protein 1	4.3
	132957 AA2	:54/91	75.01409	Human gene from PAC 753P9; chromoso	13.2

WO 02/059377

PCT/US02/02242

		AA028103		ESTs; Weakly similar to unknown [S.cere	18.9
		N77151	Hs.61638	myosin X	5.8
		H80409	Hs.62112	zinc finger protein 207	4.3
5		AA458761		transcription factor AP-2 alpha (activating	4.2
,			Hs.279905	solute carrier family 2 (facilitated glucose	26.4
		Y00062 AF006082	Hs.170121	protein tyrosine phosphatase; receptor typ	4.4
				ARP2 (actin-related protein 2; yeast) hom	4.7
		C21400	Hs.278605 Hs.246315	KIAA0970 protein	6.6
10		W81298	Hs.6289	ESTs	7.9 5.2
10		X62055	Hs.63489	growth factor receptor-bound protein 2	-
		S67325	Hs.63788	protein tyrosine phosphatase; non-recepto	4 5.2
		AA071387		propionyl Coenzyme A carboxylase; beta	
		R33663	Hs.64056	jumping translocation breakpoint ESTs	5 5.4
15		N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b	6
10		AA122147		KIAA0483 protein	5
			Hs.285996	ESTs	5.6
			Hs.267923	ESTs	4.1
		D16469	Hs.6551	ATPase; H+ transporting; lysosomal (vacu	6.2
20		R37367	Hs.6727	Ras-GTPase activating protein SH3 doma	5.1
		Y10659	Hs.285115	Interleukin 13 receptor, alpha 1	6.2
		241415	Hs.6823	ESTs; Weakly similar to intrinsic factor-B	8.3
		N90029	Hs.6831	Homo saplens clone 1400 unknown prote	4.7
			Hs.179882	Homo sapiens clone 24655 mRNA sequen	5.5
25		D31161	Hs.242894	ESTs	9
		AF006086		actin related protein 2/3 complex; subunit	7.7
	133264	W72187	Hs.69192	ESTs; Weakly similar to cDNA EST vk37	6.7
	133274	AA488886	Hs.6949	ESTs	4.2
	133281	AA421079	Hs.69594	ESTs; Weakly similar to Sox-like transcri	4.9
30	133283	AA410507	Hs.6968	ESTs	4.3
		L15702	Hs.69771	B-factor; properdin	9.3
	133294	R79723	Hs.69997	zinc finger protein 238	30.4
	133297	AA600057	Hs.70266	KIAA0905 protein	10.4
~ -			Hs.152316	ESTs	8.5
35		H06195	Hs.7194	ESTs; Highly similar to CGI-59 protein [H	14
		AA156897		DKFZP564l1922 protein	5
		X57579	Hs.727	Inhibln; beta A (activin A; activin AB alp	13.9
		AA491296		ESTs	4.3
40		N79516	Hs.73287	ESTs; Weakly similar to eyelid [D.melano	4.5
40		AA255438		Homo saplens mRNA; cDNA DKFZp566	8
		T23983	Hs.323966	ESTs	5
		AA094989		voltage-dependent anion channel 3	8.7
		X03068	Hs.73931	major histocompatibility complex; class II	5
45		X78710	Hs.211581	metal-regulatory transcription factor 1	5.3
40		AA316868		ESTs; Weakly similar to 140G11.h [D.me	6.8
		X52947 D63480	Hs.74471	gap junction protein; alpha 1; 43kD (conn	5.7
			Hs.278634 Hs.172772	KIAA0146 protein	4.8
		W94333	Hs.279915	transcription elongation factor B (SIII); po translocase of inner mitochondrial membr	9.5 5
50		F03717	Hs.75063	human immunodeficiency virus type I enh	7.4
50		L37368	Hs.75104	RNA-binding protein S1; serine-rich dom	5
		D13315	Hs.75207	glyoxalase I	4.2
		AA148318		KIAA0069 protein	4.5
		U09587	Hs.75280	glycyl-tRNA synthetase	10
55		D21262	Hs.75337	nucleolar phosphoprotein p130	4.5
		U24166	Hs.234279	microtubule-associated protein; RP/EB fa	15.2
		D83004	Hs.75355	ubiquitin-conjugating enzyme E2N (homo	9.1
		D89077	Hs.75367	Src-like-adapter	6.4
		AA479139		acid phosphatase 1; soluble	4.8
60		AA287383		ESTs	4.2
	133674	AA458946		ESTs	4.3
	133700	K01396	Hs.297681	protease inhibitor 1 (anti-elastase); alpha-	8.3
		N21648	Hs.75659	MpV17 transgene; murine homolog; glom	4.6
		Y00282	Hs.75722	ribophorin !!	7.5
65		L27841	Hs.75737	pericentriolar material 1	9.4
		U49278	Hs.75875	ubiquitin-conjugating enzyme E2 variant	4.5
	133765	D21255	Hs.75929	cadherin 11 (OB-cadherin; osteoblast)	6.4

WO 02/059377

PCT/US02/02242

	450000				
		W73693	Hs.76038	isopentenyl-diphosphate delta isomerase	7.9
		Z23090	Hs.76067	heat shock 27kD protein 1	4.1
		J03473	Hs.177766	ADP-ribosyttransferase (NAD+; poly (AD	13
5			Hs.301064	ESTs	5.2
J		M33882	Hs.76391	myxovirus (influenza) resistance 1; homol	11.7
		AA453783		Homo saplens mRNA; cDNA DKFZp564	9.4
		M59815	Hs.288660	serine protease; umbilical endothellum	4.8
			Hs.170250	complement component 4A	6.7
10		1 U73477 1 T68510	Hs.285013	putative human HLA class II associated p	7.1
10		U86782	Hs.76704	ESTs	6.3
			Hs.178761	26S proteasome-associated pad1 homolog	13.7
		D43948	Hs.76989	KIAA0097 gene product	4.1
		U58090	Hs.183874 Hs.182793	cullin 4A	4
15		X01060		ESTs	4.7
1.5		N32811	Hs.77356	transferrin receptor (p90; CD71) ESTs	8.3
		W72783	Hs.77542 Hs.58382		5
		AA045870		ESTs; Weakly similar to C13F10.5 [C.ele	4.5
			Hs.173878	Homo sapiens mRNA; cDNA DKFZp564	6.3
20		L34587		4-nitrophenylphosphatase domain and non	6.4
20		D00760	Hs.184693	transcription elongation factor B (SIII); po	6.3
			Hs.250811	proteasome (prosome; macropain) subunit	11.9
		C02374 M28213	Hs.7822	Homo sapiens mRNA; cDNA DKFZp564	8.2
		J03077	Hs.78305	RAB2; member RAS oncogene family	5.2
25		Z81326	Hs.78575	prosaposin (variant Gaucher disease and v	4.6
23		S82470	Hs.78589 Hs.78768	protease inhibitor 12 (neuroserpin)	6.5
		D28473	Hs.172801	BB1	11.9
		D87685	Hs.78893	isoleucine-tRNA synthetase	5.2
		H98621	Hs.78946	KIAA0244 protein cullin 3	7.3
30		U51166	Hs.173824	thymine-DNA glycosylase	4.7
••		M22382	Hs.79037	heat shock 60kD protein 1 (chaperonin)	7 4.5
		X06323	Hs.79086	ribosomal protein; mitochondrial; L3	
		U41060	Hs.79136	LIV-1 protein; estrogen regulated	9.4 4.4
		U32519	Hs.220689	Ras-GTPase-activating protein SH3-doma	6.6
35		AA398908		Human Chromosome 16 BAC clone CIT9	8.6
		M63138	Hs.79572	cathepsin D (lysosomal aspartyl protease)	9.3
		U88871	Hs.79993	peroxisomal biogenesis factor 7	6.3
		L28010	Hs.808	heterogeneous nuclear ribonucleoprotein F	4.3
		AA430008		ESTs	6.9
40		AA313414		Homo sapiens clone 24856 mRNA sequen	7.4
		U16306	Hs.81800	chondroitin sulfate proteoglycan 2 (versic	6.1
		D38551	Hs.81848	RAD21 (S. pombe) homolog	8.6
		AA452020		ESTs; Weakly similar to CGI-128 protein	6.1
		R82074	Hs.82109	syndecan 1	4.4
45		L43575	Hs.82171	Human clone 19187 placenta expressed m	6.6
		M37033	Hs.82212	CD53 antigen	5.3
		X54199	Hs.82285	phosphoribosylglycinamide formyltransfe	4.8
		D62633	Hs.8236	ESTs	15.2
		AA412720		ESTs; Highly similar to CGI-118 protein	7.2
50		X02874	Hs.82396	2';5'-oligoadenylate synthetase 1	6.4
	134381	U56637	Hs.184270	capping protein (actin filament) muscle Z-	4
		-M15841	Hs.82575	small nuclear ribonucleoprotein polypepti	5.7
	134395	L09717	Hs.8262	lysosomal-associated membrane protein 2	6.9
		H99801	Hs.82689	tumor rejection antigen (gp96) 1	4.5
55		AA243746		kinectin 1 (kinesin receptor)	11.2
	134405		Hs.82772	collagen; type XI; alpha 1	15.3
		AA329274		protein tyrosine phosphatase type IVA; m	4.1
		D87969	Hs.82921	solute carrier family 35 (CMP-sialic acid t	4.2
	134419		Hs.82961	trefoil factor 3 (intestinal)	5.9
60		AA122386		collagen; type V; alpha 2	5.8
	134423	W96151	Hs.83006	ESTs; Highly similar to CGI-139 protein	4.4
		AA449984		ESTs; Highly similar to proteine kinase JN	7
	134446		Hs.83419	KIAA0252 protein	4.6
			Hs.83484	SRY (sex determining region Y)-box 4	5.1
65	134470	X54942	Hs.83758	CDC28 protein kinase 2	20.3
	134487	R38185	Hs.83954	Homo sapiens unknown mRNA	5
	134495	D63477	Hs.84087	KIAA0143 protein	16.1

		M63180 U45328	Hs.84131 Hs.84285	threonyl-IRNA synthetase	6.1
		H24460	Hs.848	ubiquitin-conjugating enzyme E2I (homol FK506-binding protein 4 (59kD)	. 4.6 6.2
		U66615	Hs.172280	SWI/SNF related; matrix associated; actin	4.8
5	134582	AA234966	6 Hs.86041	CGG triplet repeat binding protein 1	4.7
		R68884	Hs.86347	ESTs; Wealdy similar to predicted using G	5.8
		X74496	Hs.86978	prolyl endopeptidase	4.5
		W23625	Hs.8739 Hs.123090	ESTs; Weakly similar to ORF YGR200c [13.7
10			Hs.87773	ESTs	5.8
. •		X04011	Hs.88974	protein kinase; cAMP-dependent; catalyti cytochrome b-245; beta polypeptide (chro	8.9 6.8
		U89922	Hs.890	lymphotoxin beta (TNF superfamily; mem	35.7
	134722	W47183	Hs.284226	ESTs; Weakly similar to neural F box pro	8.1
1.5		J05582	Hs.89603	mucin 1; transmembrane	. 6.2
15		Z49099	Hs.89718	spermine synthase	4.2
		M27394 U51477	Hs.89751	membrane-spanning 4-domains; subfamily	7
		H60595	Hs.89981 Hs.90061	diacylglycerol kinase; zeta (104kD) progesterone binding protein	4.1
		D82348	Hs.90280	5-aminolmidazole-4-carboxamide ribonuc	4.7 10.2
20	134866	U84011	Hs.904	amylo-1;6-glucosidase; 4-alpha-glucanotr	12.1
		Z39762	Hs.90419	KIAA0882 protein	6
		N27670	Hs.9071	progesterone membrane binding protein	5
		N46086	Hs.92308	ESTs	4.1
25		AA236324 H05625	Hs.5831	Homo saplens mRNA; chromosome 1 spe ESTs	16.8
			Hs.301005	purine-rich element binding protein 8	4 4.4
		D59675	Hs.92927	ESTs	7
	135015	U54999	Hs.278338	LGN protein	4.8
20		AA224180		ESTs; Moderately similar to 17-beta-hydr	13.6
30			Hs.173685	Human DNA sequence from clone 30M3	4
		U77948 AA598449	Hs.278589	general transcription factor II; i	8
		L08069	Hs.94	Homo sapiens clone 24483 unknown mRN heat shock protein; DNAJ-like 2	5.4
		AA495950		ESTs	9.3 6.7
35		W52493	Hs.94694	Homo sapiens clone 24837 mRNA sequen	10.2
		AA044842		Homo saplens mRNA; cDNA DKFZp586	6.6
			Hs.267812	sorting nextn 4	7.4
		D31157 AA454930	Hs.324277	ESTs; Weakly similar to growth factor-res	6.2
40		AA215333		ESTs pulative G protein-coupled receptor	19.5
		H20989	Hs.198281	pyruvate kinase; muscle	8.8 12.4
		D83174	Hs.9930	collagen-binding protein 2 (colligen 2)	5.5
	135367	AA480109	Hs.9963	TYRO protein tyrosine kinase binding pro	5.4
15		U05237	Hs.99872	fetal Alzheimer antigen	7.8
45		M23263	Hs.99915	androgen receptor (dihydrotestosterone re	9.1
		L10333 M97935	Hs.99947	reticulon 1	5.3
•		M97935		AFFX control: STAT1 AFFX control: STAT1	8.3 7
		M97935		AFFX control: STAT1	14
50	300089	Al199738	Hs.208275	ESTs; Weakly similar to IIII ALU CLASS	9.1
		AI694585	Hs.270464	ESTs; Weakly similar to !!!! ALU CLASS	7.4
		AW079607		ESTs; Weakly similar to ZnT-3 [H.sapien	30.1
		AW015860		ESTs	11.9
55		AA699328 Al492179		ESTS Worlds similar to apply 507 days	5.5
-	000004	AW293224		ESTs; Weakly similar to cDNA EST yk40 ESTs	11 11
		179326	Hs.298262	ESTs; Weakly similar to dJ88J8.1 [H.sapi	8.8
	301165	N85789	Hs.150186	ESTs; Weakly similar to PTERIN-4-ALP	6
C O		Al682905	Hs.270431	ESTs; Weakly similar to IIII ALU SUBFA	4.7
60		AA373124		ESTs; Weakly similar to C17G10.1 [C.ele	8
		AA526313		ESTs	4.2
		N99399 AA312082	Hs.143046	EST cluster (not in UniGene) with exon h	18
		NM_004694		GDNF family receptor alpha 1	20.7
65		AF013956		EST duster (not in UniGene) with exon h chromobox homolog 4 (Drosophila Pc da	11.6 9.2
	302032	NM_001992	2Hs.128087	EST duster (not in UniGene) with exon h	4.3
	302067		Hs.222399	ESTs; Weakly similar to protein-tyrosine	7.8
				•	***

	302145 NM_003613Hs.151407	EST cluster (not in UniGene) with exon h	45.4
	302236 Al128606 Hs.6557	zinc finger protein 161	15.1 25.8
	302276 NM_004448Hs.323910	EST cluster (not in UniGene) with exon h	21.6
_	302290 AL117607 Hs.175563	Homo sapiens mRNA; cDNA DKFZp564	41.4
5	302326 NM_004271Hs.184018	EST duster (not in UniGene) with exon h	8.9
	302342 AB023141 Hs.190386	KIAA0924 protein	5.4
	302372 AL117406 Hs.200102	Homo sapiens mRNA; cDNA DKFZp434	8.9
	302422 AB021227 Hs.3743 302431 AF129530 Hs.226434	matrix metalloproteinase 24 (membrane-in	5.2
10	302501 AF022726 Hs.251446	EST cluster (not in UniGene) with exon h EST cluster (not in UniGene) with exon h	5.3
	302505 AL049650 Hs.247874	multiple UniGene matches	9.9 4.3
	302533 L36149 Hs.248116	chemokine (C motif) XC receptor 1	4.9
	302638 AA463798 Hs.102696	ESTs; Weakly similar to C11D2.4 [C.eleg	5.3
1.5	302656 AW293005 Hs.70704	ESTs	8.4
15	302792 AA343696 Hs.46821	ESTs; Weakly similar to putative [H.sapie	4.5
	302820 X04588 Hs.85844	EST duster (not in UniGene) with exon h	6.8
	302838 U66049 Hs.82171 302892 N58545 Hs.42346	EST duster (not in UniGene) with exon h	8.4
	302892 N58545 Hs.42346 302977 AW263124 Hs.315111	histone deacetylase 3	22.8
20	302989 N46406 Hs.84700	EST duster (not in UniGene) with exon h EST cluster (not in UniGene) with exon h	6.8
	303007 AA478876 Hs.317714	pallid (mouse) homolog; pallidin	8.9 10.1
	303052 AF140242 Hs.279926	EST cluster (not in UniGene) with exon h	24.4
	303131 AW081061 Hs.103180	actin-like 6	6.3
25	303132 Al929819 Hs.4055	ESTs	17.7
25	303153 U09759 Hs.246857	mitogen-activated protein kinase 9	11.4
	303387 AA908797 Hs.180799 303499 Al815990 Hs.293515	ESTS	15.8
	303502 AA488528	ESTs EST cluster (not in UniGene) with exon h	7.2
	303576 T07216 Hs.301226	EST cluster (not in UniGene) with exon h	5.3 16.2
30	303620 AA397546 Hs.119151	ESTs	8.9
	303634 Al953377 Hs.28444	ESTs; Weakly similar to predicted using G	12
	303642 AW299459 Hs.111977	EST duster (not in UniGene) with exon h	4.2
	303654 AA436942 Hs.288529 303733 AW502498 Hs.15220	ESTS	8.4
35	303780 Al424014 Hs.18995	ESTs; Weakly similar to zinc finger prote	5.2
55	303792 C75094 Hs.199839	ESTs; Moderately similar to KIAA0456 p ESTs; Highly similar to NG22 [H.sapiens	28.4 4.4
	303842 Al337304 Hs.126268	ESTs; Weakly similar to similar to PDZ d	8.1
	303951 AW475081 Hs.172928	collagen; type 1; alpha 1	7.5
40	304465 AA421948	EST singleton (not in UniGene) with exon	6.5
40	304507 AA456426	EST	5.4
	304591 AA505702 304601 AA507875	EST singleton (not in UniGene) with exon	9.8
	304659 AA533185	EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	7.5
	305040 AA630582 Hs.169476	glyceraldehyde-3-phosphate dehydrogena	7 12.4
45	305134 AA653159 Hs.179661	EST singleton (not in UniGene) with exon	8.7
	305415 AA725116 Hs.78465	EST singleton (not in UniGene) with exon	5.3
	305453 AA738110	EST singleton (not in UniGene) with exon	4.1
	305898 AA872838	keratin 8	7.7
50	305913 AA876109 305950 AA884479	EST singleton (not in UniGene) with exon	6.3
50	306004 AA889992 Hs.2186	EST singleton (not in UniGene) with exon	5.6
	306009 AA894560 Hs.283370	EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	13.2 4.4
	306060 AA906161 Hs.76277	EST singleton (not in UniGene) with exon	4.4
~ ~	306398 AA970548 Hs.297681	EST singleton (not in UniGene) with exon	7.6
55	306505 AA987722 Hs.172928	EST singleton (not in UniGene) with exon	19.7
	306576 AA995761 Hs.276092	EST singleton (not in UniGene) with exon	5.5
	307117 AJ184111 Hs.76067 307138 AJ185516 Hs.172928	heat shock 27kD protein 1	7.7
	307187 Al190870 Hs.276417	collagen; type I; alpha 1 EST singleton (not in UniGene) with exon	8.8
60	307542 Al280859 Hs.62954	EST singleton (not in UniGene) with exon	4.1 6
	307554 Al281603 Hs.172928	EST singleton (not in UniGene) with exon	10.8
	307806 Al351739 Hs.276726	EST singleton (not in UniGene) with exon	4.7
	308079 Al472733 Hs.270208	ESTs	4.2
65	308307 Al581398 Hs.172928 308511 Al687580 Hs.169476	collagen; type I; atpha 1	5.4
JJ	308615 Al738593 Hs.101774	EST singleton (not in UniGene) with exon EST singleton (not in UniGene) with exon	10.1
	308677 AI761173	EST singleton (not in UniGene) with exon	15.1 4.6

				•	
	308852	A1829848	Hs.182937	peptidylprotyl isomerase A (cyclophilin A	5.9
	308974	A1872290	Hs.300697	immunoglobulin gamma 3 (Gm marker)	4.5
	308981	AI873242		EST singleton (not in UniGene) with exon	7.6
	308995	AI880172		EST singleton (not in UniGene) with exon	6.6
5		AI951118		EST singleton (not in UniGene) with exon	24.3
		A1952723	Hs.90207	EST singleton (not in UniGene) with exon	6.1
		AI955915		major histocompatibility complex; class I;	5.6
		AI969897		EST singleton (not in UniGene) with exon	6.2
		AI990102		EST singleton (not in UniGene) with exon	7.9
10		AW170035	;	EST .	64,5
		AW191929		EST	5.3
		AW192764		collagen; type I; alpha 1	6.9
		AW194230		EST	
		AW238461			11.4
15				ribosomal protein; large; P0	4.3
13		AW241170		Homo sapiens clone 24703 beta-tubulin m	11.9
	-,		Hs.148558	ESTs	4.2
		AW450967		ESTs	5.7
		AW080778		ESTs	4.8
20		AW022192	• .	ESTs	39.1
20		A1281848	Hs.194691	ESTs	4.9
		AW205632		ESTs	7
		T47784	Hs.188955	ESTs	4.1
	311067	AI587332	Hs.209115	ESTs	11.2
	311166	A1821294	Hs.118599	ESTs	24.1
25	311199	T57896	Hs.191095	EST cluster (not in UniGene)	5.7
	311465	A1758660	Hs.206132	ESTs	15.7
	311587	Al828254	Hs.271019	ESTs	6.4
	311774	AA700870	Hs.14304	ESTs	6.2
		AI056769	Hs.133512	ESTs	5
30	311923	T60843	Hs.189679	ESTs	5.9
		AA216387	,	EST cluster (not in UniGene)	5.5
		N51511	Hs.188449	ESTs	5.2
		Al435650	Hs.128778	ESTs	4.3
		AA588275		ESTs	14.7
35		T89855	Hs.195648	EST cluster (not In UniGene)	9.8
33		AA759250		cytochrome b-561	27.1
		T92251	Hs.198882	ESTs	
		Al222168	Hs.191168	ESTs	4.2
		A1796815			6.1
40			Hs.199993	ESTs; Weakly similar to ubiquitous TPR	5.5
40		AW451893		ESTs	18.4
		AI080505	Hs.134529	ESTs	11.9
		AA582039		Homo sapiens mRNA; chromosome 1 spe	4
		R46180	Hs.153485	ESTs	13.6
15		AW139117		ESTs	4.1
45		AW451347		ESTs	4.6
		Al417526	Hs.7753	ESTs	15.3
		AA033609		ESTs	12.5
		AI498371	Hs.183526	ESTs	14.6
	312638	AW439195	Hs.256880	ESTs	5.3
50	312754	R99834	Hs.250383	ESTs	8.4
		H63791		EST cluster (not in UniGene)	4.3
	312821	AA699325	Hs.269880	ESTs	8.3
		AW292286		ESTs	7.1
		AA846353		ESTs	5.9
55		AA828713		EST cluster (not in UniGene)	4.1
		AA088446		ESTs	7.3
		AI422367		ESTs	6.1
		AA732534		ESTs	4.2
		AA720887		EST duster (not in UniGene)	18.1
60			Hs.288010	ESTs	17
		Al738851		ESTs	12.9
				ESTS	
		N/4924 AW068358	Hs.182099		7.1
				ESTs ESTs	13.7
65		AW449211			27.9
J		AW292127		ESTS	9.8
		AA741151		ESTS	8.2
	J 1J455	AW081702	HS.985/1	ESTs	6.9

	313590 AA804410 Hs.291677	EST duster (not in UniGene)	5.3
	313663 Al953261 Hs.169813	ESTs	7.6
	313667 U69201 Hs.13684	ESTs; Weakly similar to choline kinase is	12.5
_	313749 AW450376 Hs.119004	ESTs	5.5
5	313832 AW271022 Hs.133294	ESTs	4.3
	313881 AA535580 Hs.16331	ESTs	7.7
	313915 AI969390 Hs.163443	ESTs	27.1
	313955 AI858884 Hs.270647	ESTs	5.7
	313974 Al310151 Hs.173524	ESTs	4.3
10	314097 AA648744 Hs.269493	ESTs	14.5
	314129 AA228366 Hs.115122	ESTs	
			9.5
	314359 AA205569 Hs.194193	ESTs	5.4
	314384 AA535840 Hs.162203	ESTs; Weakly similar to alternatively spli	5.3
15	314394 Al380563 Hs.130816	ESTs	13.2
15	314462 AA347951 Hs.326413	ESTs	6.2
	314465 AA602917 Hs.156974	ESTs	18.1
	314470 Al934422 Hs.30661	ESTs :	4.2
	314488 AA358265 Hs.182890	ESTs	6.1
	314506 AA833655 Hs.206868	ESTs	27.8
20	314510 Al204418 Hs.190080	ESTs	9.5
	314558 Al873274 Hs.190721	ESTs	22.5
	314661 AA436432 Hs.324239	EST duster (not in UniGene)	13.3
	314691 AW207206 Hs.136319	ESTs	21.4
	314754 AW026761 Hs.134374	ESTs	4.4
25	314775 AI149880 Hs.188809	ESTs	4.4
	314943 Al476797 Hs.184572	· · -	
	314961 AW008061 Hs.231994	cell division cycle 2; G1 to S and G2 to M ESTs	18.4
			10.2
	314963 Al689617 Hs.200934	ESTs	5.3
20	315006 Al538613 Hs.298241	ESTs	20.7
30	315010 AA531082 Hs.240049	ESTs	5
	315019 AA532807 Hs.105822	ESTs	6.1
	315033 Al493046 Hs.146133	ESTs	12
	315036 AA534953 Hs.163297	ESTs	8.3
	315037 AW205863 Hs.133988	ESTs; Weakly similar to gene MAC25 pr	6.1
35	315051 AW292425 Hs.163484	EST	12.7
	315054 AI968598 Hs.78768	ESTs	7.6
	315073 AW452948 Hs.257631	ESTs	13.9
	315080 AA744550 Hs.136345	ESTs	4.4
	315083 Al221325 Hs.205442	ESTs	5.1
40	315088 AA557351 Hs.152448	ESTs; Moderately similar to MULTIFUN	4.7
	315175 Al025842 Hs.152530	ESTs	
	315196 AA972756 Hs.44898		11.9
		ESTs	28.8
	315296 AA876905 Hs.125286	ESTs	16.1
15	315303 AW194364 Hs.128022	ESTs; Weakly similar to FIG-1 PROTEIN	25.7
45	315352 AA604799 Hs.136528	ESTs; Moderately similar to IIII ALU SU	12.3
	315364 AA643602 Hs.155485	ESTs; Highly similar to serine protease [H	4.6
	315368 AW291563 Hs.104696	ESTs	4.8
	315390 Al801565 Hs.200113	ESTs; Weakly similar to alternatively spli	4.4
	315408 AW273261 Hs.216292	ESTs	5
50	315458 AA872000 Hs.116104	ESTs	7.6
	315472 AA828850 Hs.165469	ESTs	4.9
	315478 AA665612 Hs.120874	ESTs	5.2
	315498 AA628539 Hs.116252	ESTs; Moderately similar to IIII ALU SU	4.8
	315527 Al791138 Hs.116768	ESTs	4.4
55	315530 Al200852 Hs.127780	ESTs .	22.4
55	315562 AA737415 Hs.152826	ESTs	
			5.9
	315634 AA837085 Hs.220585	ESTs	8.8
	315647 AA648983 Hs.212911	ESTs	15
~ 0	315652 Al521489 Hs.3053	ESTs	6.3
60	315676 AW002565 Hs.124660	ESTs	9.2
	315680 AA814309 Hs.123583	ESTs	8.1
	315735 AI831760 Hs.155111	ESTs	13.4
	315741 AA812168 Hs.122559	ESTs	5.4
	315769 AA744875 Hs.189413	ESTs	4.4
65	315978 AA830893 Hs.119769	ESTs	10.4
	315984 Al015862 Hs.131793	ESTs	5
	316042 AW297979 Hs.170698	ESTs	. 14.7
			. 170

		•	
	316136 AA830808 Hs.124366	ESTs	4
	316177 Al908272 Hs.293102	EST cluster (not in UniGene)	32.6
	316313 AA741300 Hs.202599	ESTs	4.8
5	316405 AA757900 Hs.270823	ESTs	4.8
,	316480 Al749921 Hs.205377	ESTs	12.9
	316564 AI743571 Hs.168799 316714 AA809792 Hs.123307	ESTs; Weakly similar to IIII ALU SUBFA	8.1
	316715 Al440266 Hs.170673	ESTs ESTs	5
	316828 AA828116 Hs.173076	ESTs	4.2 5.2
10	316869 Al954880 Hs.134604	ESTs	13.3
	316905 AW138241 Hs.210846	ESTs	6.2
	316943 AW014875 Hs.137007	ESTs	5.3
	316949 AA856749 Hs.124620	ESTs	7.2
1.0	317008 AW051597 Hs.143707	ESTs -	4.1
15	317028 AA962623 Hs.189144	ESTs; Weakly similar to RENAL SODIU	4.2
	317067 Al805392 Hs.325335	ESTs	4.5
	317069 Al732892 Hs.190489	ESTs	6.4
	317210 AA490718	EST duster (not in UniGene)	4.4
20	317298 Al922374 Hs.158549 317658 AW139077 Hs.202217	ESTs ESTs	5.9
20	317674 AW294909 Hs.132208	ESTS	4.6
	317685 Al798630 Hs.149997	ESTs	5.2 4.3
	317836 AA983913 Hs.128929	ESTs	12.4
	317881 Al827248 Hs.224398	ESTs	12.1
25	317902 AI828602 Hs.211265	ESTs	8.8
	317916 Al565071 Hs.159983	ESTs	12.6
	318042 AW294522 Hs.149991	ESTs	5.6
	318053 A1074465 Hs.133469	ESTs ·	4
20	318064 AW296888 Hs.170939	ESTs	5.2
30	318070 Al024594 Hs.248942	ESTs	4.7
	318073 AW167087 Hs.131562 318146 Al040125 Hs.150521	ESTS	15.7
	318186 AW016773 Hs.3709	ESTS ESTS	5.9 5.3
	318481 Al291584 Hs.145921	ESTs; Weakly similar to HYPOTHETICA	7.6
35	318566 Al335361 Hs.226376	ESTs	5.8
	318617 AW247252 Hs.75514	nucleoside phosphorylase	11.1
	318662 Al285898 Hs.294014	ESTs	16.3
	318691 AW192139 Hs.181307	H3 histone; family 3A	4
40	318740 NM_002543Hs.77729	EST duster (not in UniGene)	21.3
40	318744 AI793124 Hs.144479	ESTs	35
	318948 AA317274 Hs.13996	ESTs	11.7
	319163 F15257 Hs.27	glycine dehydrogenase (decarboxylating;	7
	319478 R06841 Hs.270307 319545 R83716 Hs.14355	EST cluster (not in UniGene)	8.9
45	319545 R83716 Hs.14355 319668 NM_002731Hs.87773	ESTs EST chietor (not in UniGone)	8.2 25.4
	319763 AA460775 Hs.6295	EST cluster (not in UniGene) ESTs	25.4 7
	319913 AA179304 Hs.271586	ESTs; Moderately similar to IIII ALU SU	8.7
	319936 W22152 Hs.282929	EST cluster (not in UniGene)	5.6
	319951 AA307665 Hs.14559	ESTs	4.9
50	319962 H06350 Hs.135056	ESTs	9.2
	319977 AA632632	EST duster (not in UniGene)	4.6
	320074 AA321166 Hs.278233	EST cluster (not in UniGene)	16.7
	320092 AF022799 Hs.113292	calpain 9 (nCL-4)	5.4
55	320107 AA836461 Hs.291712	EST duster (not in UniGene)	5.3
22	320133 D63271	EST cluster (not in UniGene)	5.5
	320167 AA984373 Hs.90790 320187 T99949 Hs.303428	EST cluster (not in UniGene)	15
	320187 T99949 Hs.303428 320211 AL039402 Hs.125783	EST cluster (not in UniGene) DEME-6 protein	6.7
	320401 U90449 Hs.152717	nucleoside diphosphate kinase type 6 (inh	24.3 10
60	320458 Al884396 Hs.24131	ESTs	5.4
	320488 R31386 Hs.191791	EST duster (not in UniGene)	4.9
	320521 N31464 Hs.24743	ESTs	9.5
	320661 AA864846 Hs.115175	EST cluster (not in UniGene)	6.6
<i></i>	320691 R61576 Hs.313951	hypothetical protein	5.9
65	320699 R63161 Hs.118249	EST duster (not in UniGene)	4
	320727 U96044 Hs.181125	EST cluster (not in UniGene)	45.3
	320993 AL050145 Hs.225986	Homo sapiens mRNA; cDNA DKFZp586	7.2

	321012 AA737314 Hs.194324	EST cluster (not in UniGene)	6.
	321050 AW393497	EST duster (not in UniGene)	5
	321051 AF134149 Hs.240395	EST cluster (not in UniGene)	1
5	321171 AI769410 Hs.221461	ESTs	7.
5	321192 AA295304 Hs.297939	ESTs; Weakly similar to neogenin [H.sap	5.
	321354 AA078493	EST cluster (not in UniGene)	16
	321387 H68014 Hs.141278	ESTs; Weakly similar to IIII ALU SUBFA	4.
	321412 AW366305 Hs.22891	EST cluster (not In UniGene)	6.
10	321489 AW392474 Hs.172759	ESTs; Moderately similar to IIII ALU SU	9
10	321539 N98619 Hs.42915	ARP2 (actin-related protein 2; yeast) hom	11
	321593 H84762 Hs.253197	ESTs	10
	321666 D28390 Hs.272897	EST cluster (not in UniGene)	19
	321891 AW157424 Hs.165954	ESTS	5.0
15	321910 H67065 Hs.271530	ESTs; Weakly similar to IIII ALU SUBFA	5.4
13	321953 AW068268 Hs.292833 321978 N77342 Hs.21851	ESTs; Weakly similar to !!!! ALU CLASS	6.:
	321978 N77342 Hs.21851 322017 AA310039 Hs.9192	EST cluster (not in UniGene)	10
	322026 AA233527 Hs.283675	ESTs	9.6
	322035 AL137517 Hs.306201	low density lipoprotein receptor (familial	27
20	322171 AF085968 Hs.48474	EST cluster (not in UniGene)	40
	322175 AF085975	EST cluster (not in UniGene) EST cluster (not in UniGene)	5.7
	322236 AL134970 Hs.104222	follistatin-like 1	7.7
	322303 W07459 Hs.157601	EST duster (not in UniGene)	14
	322735 AA086123 Hs.297856	EST duster (not in UniGene)	13
25	322777 AA679082 Hs.269947	ESTs	7.6 4.4
	322818 AW043782 Hs.293616	ESTs	21
	322882 AW248508 Hs.279727	DiGeorge syndrome critical region gene 2	15.
	322975 C16391	EST cluster (not in UniGene)	21.
	322991 C18965 Hs.159473	ESTs	11.
30	323011 AA580288	EST cluster (not in UniGene)	8.9
	323091 AW014094 Hs.210761	ESTs	10.
	323107 Al301107 Hs.150790	ESTs	6.5
	323136 AL120351 Hs.30177	EST duster (not in UniGene)	5.5
26	323168 AL120862 Hs.124165	ESTs	17.
35	323195 Al064982 Hs.117950	multifunctional polypeptide similar to SA	5.8
	323201 AL049370 Hs.13350	Homo sapiens mRNA; cDNA DKFZp586	11.
	323203 AA203135 Hs.130186	ESTs	6.4
	323243 W44372 Hs.110771	EST duster (not in UniGene)	7.3
40	323244 T70731 Hs.193620	EST cluster (not in UniGene)	15.
+∪	323328 AA228078 Hs.255096	EST duster (not in UniGene)	4.8
	323332 Al829520 Hs.227513 323333 AA228883 Hs.208558	ESTs	20.:
	323570 AL038623 Hs.208752	EST cluster (not in UniGene)	8.8
	323604 Al751438 Hs.41271	ESTs; Weakly similar to IIII ALU SUBFA	5
45	323685 AA344205 Hs,289088	ESTs; Weakly similar to IIII ALU SUBFA	6.5
	323753 AA327102 Hs.70266	EST cluster (not in UniGene) EST cluster (not in UniGene)	7.1
	323817 AA410943	EST cluster (not in UniGene)	6.1
	323845 Al684674 Hs.41127	ESTs; Weakly similar to waclaw [D.melan	16.8
	323930 AA570698 Hs.8173	ESTs	10.1
50	323997 AA844907 Hs.274454	EST duster (not in UniGene)	6.4
	324047 AA378201 Hs.271340	EST cluster (not in UniGene)	8 6.3
	324261 AL044891 Hs.269350	EST duster (not in UniGene)	50.1
	324302 AA543008 Hs.292471	ESTs; Weakly similar to IIII ALU SUBFA	5.7
	324338 AL138357 Hs.145078	ESTs	9.5
55	324344 AW502000 Hs.46677	EST duster (not in UniGene)	4.4
	324432 AA464510 Hs.152812	EST duster (not in UniGene)	16.7
	324495 AW501411 Hs.122489	ESTs; Weakly similar to IIII ALU CLASS	5.5
	324497 AW152624 Hs.136340	ESTs	5.4
CO	324598 AA502659 Hs.163986	ESTs	8.8
60	324603 AW016378 Hs.292934	ESTs	23.1
	324620 AA448021 Hs.94109	EST cluster (not in UniGene)	21.2
	324727 Al610425 Hs.19597	ESTs	5
	324774 Al031771 Hs.132586	ESTs	5
65	324783 AA640770 Hs.200994	EST duster (not in UniGene)	4.1
99	324824 Al826999 Hs.224624 324826 AA704806 Hs.143842	ESTs	6.3
	324902 D31323 Hs.271492	ESTs ESTs	11.7
	UV 1040 113.21 1492	LUID	40

	324961 AA613792		EST cluster (not in UniGene)	13.3
	324987 T06882 324988 T06997	Hs.172634 Hs.121028	ESTs EST cluster (not in UniGene)	19.6 24.5
		Hs.171176	ESTs .	4.6
5	325622		CH.14_hs gij5867000	5.2
•	326213	•	CH.17_hs gij5867224	8.1
	326474		CH.19_hs gij5867405	12.7
	326816		CH.20_hs gi 6552458	9.4
10	326817		CH.20_hs gi 6552458	11.7
10	327110		CH.21_hs gl[6117842	14.7
	327196		CH.01_hs gi[5867446	5.1
	327283		CH.01_hs gi 5867478	4.3 4.8
	327313 327450		CH.01_hs gi 5867501 CH.02_hs gi 5867766	4.0
15	328059		CH.06_hs gi[6117819	6.2
	328304		CH.07_hs gi[6004478	5.4
	328492		CH.07_hs gi 5868455	7
	328857		CH.07_hs gi 6381927	5.2
	32 9367		CH.X_hs gi 5868842	7.6
20	329373		CH.X_hs gi 6682537	12
	329655		CH.14_p2 gi 6448516	4
	329899		CH.15_p2 gi 6563505	4
	329960		CH.16_p2 gij5091594	7.6 4
25	330084 330384 M23263		CH.19_p2 gi[6015302 androgen receptor (dihydrotestosterone re	5.8
23	330385 AA449749		ESTs; Highly similar to secreted apoptosi	10.2
	330387 H14624		ESTs; Highly similar to secreted apoptosi	4.4
	330388 X03363		HER2 receptor tyrosine kinase (c-erbB-2;	17.7
	330409 D50692	Hs.78221	c-myc binding protein	10.1
30	330460 TIGR:HT54		Hs.73946	Endothelial Cell Growth Factor 1 5.5
	330486 M13755	Hs.833	interferon-stimulated protein; 15 kDa	67
	330494 M29696	Hs.237868	interleukin 7 receptor	6
	330500 M34423	Hs.79222	galactosidase; beta 1	13.1
35	330510 M75099	Hs.227729 Hs.180884	FK506-binding protein 2 (13kD)	29 38.5
33	330513 M81057 330541 U22970	Hs.265827	carboxypeptidase B1 (tissue) multiple UniGene matches	7.4
	330542 U23942	Hs.226213	cytochrome P450; 51 (lanosterol 14-alpha	15
	330547 U32989	Hs.183671	tryptophan 2;3-dioxygenase	11
	330551 U39840	Hs.299867	hepatocyte nuclear factor 3; alpha	6.5
40	330562 U49082	Hs.76460	transporter protein	7.7
	330573 U62800	Hs.83393	cystatin E/M	4
	330673 D57823	Hs.321403	Sec23 (S. cerevisiae) homolog A	10.5
	330711 AA164687		mannosyl (alpha-1;3-)-glycoprotein beta-1	24.3
45	330814 AA015730		ESTs; Weakly similar to transformation-r	44.1
40	330850 AA075298 330874 AA127474		ESTs ESTs; Weakly similar to IIII ALU SUBFA	4.4 8.1
	330884 AA133457		ESTs	5.2
	330912 AA195936		general transcription factor IIA; 1 (37kD a	5
	330924 AA232136		Homo sapiens mRNA; cDNA DKFZp434	9.1
50	330997 H55762	Hs.9302	ESTs	7.6
	331014 H98597	Hs.30340	ESTs	13.5
	331024 N32919	Hs.27931	ESTs	9.1
	331046 N66563	Hs.191358	ESTs	10.5
55	331135 R61398 331145 R72427	Hs.4197 Hs.129873	ESTs ESTs; Weakly similar to CYTOCHROME	7.4 41.9
55	331148 R73816	Hs.17385	ESTS Weakly Similar to CT TOOTHOME	4.7
	331222 T98531	Hs.173904	ESTs	4.1
	331230 W69807	Hs.16537	hypothetical protein; similar to (U06944)	4.9
	331306 AA252079		dachshund (Drosophila) homolog	15.1
60	331327 AA281076	Hs.109221	ESTs	4.8
	331337 AA287662		ESTs	7.6
	331341 AA303125		ESTs; Weakly similar to IIII ALU SUBFA	13
	331344 AA357927		ESTs	12.4
65	331362 AA417956 331363 AA421562		ESTs	6.5 28.2
UJ	331376 AA443802		anterior gradient 2 (Xenepus laevis) homo ESTs; Weakly similar to cDNA EST yk47	20.2 15.1
	331384 AA456001		ESTs	7.9

WO 02/059377

PCT/US02/02242

		N26608	Hs.40639	ESTs	7
		N49967	Hs.46624	ESTs	19.8
		N51517	Hs.47282	ESTs	6.5
5		W85712	Hs.119571	collagen; type III; alpha 1 (Ehlers-Danios	13.8
3		W88502	Hs.182258	ESTs	9.9
			Hs.111471	ESTs	5.6
			Hs.143818 Hs.154434	ESTs	5.8
		AA312861		ESTs; Weakly similar to unknown [H.sap	7.4
10			Hs.292882	ESTs ESTs	7.8
		AA432166		succinate dehydrogenase complex; subuni	15.2
		AA454756		ESTs	24.3
			Hs.208800	ESTs; Weakly similar to !!!! ALU CLASS	5 10.5
			Hs.125056	ESTs	11.4
15			Hs.191402	ESTs	13.6
	332071	AA598594	Hs.205293	ESTs	9.1
			Hs.112592	ESTs	8.8
	332139	AA620669	Hs.112879	EST	9
	332219	N22508	Hs.139315	ESTs	7.1
20		N33213	Hs.100425	ESTs	12.2
		N57927	Hs.120777	ESTs; Weakly similar to RNA POLYME	15.6
		N58172	Hs.109370	ESTs	16.9
		N70088	Hs.138467	ESTs .	4
25		N91279	Hs.109654	ESTs; Moderately similar to outer membr	8.2
23		T96130	Hs.137551	ESTs	7.7
		W15495	Hs.129781	chromosome 21 open reading frame 5	14.1
		W60326 W93640	Hs.288684	ESTs	4.4
			Hs.4779 Hs.119004	ESTs; Moderately similar to similar to AD KIAA0665 gene product	16.9
30		M12036	Hs.323910	Human tyrosine kinase-type receptor (HE	4.8
50			Hs.154424	deiodinase; lodothyronine; type II	10.4 5.8
		AA281753		inositoi 1;4;5-triphosphate receptor, type	19
		N63192	Hs.1892	EST; Highly similar to PHENYLETHAN	15.3
		AA234896		E1A binding protein p300	12.3
35		R41791	Hs.36566	LIM domain kinase 1	11.1
	332640	AA417152		protein regulator of cytokinesis 1	18.2
	332694	AA262768	Hs.243901	KIAA1067 protein	15.2
	332702		Hs.75725	transgelin 2	4.7
40	332705		Hs.76293	thymosin; beta 10	5.5
40		AA479968	Hs.88251	arylsulfatase A	9.8
	332927			CH22_FGENES.38_1	17.7
	332929			CH22_FGENES.38_3	4.7
	332930			CH22_FGENES.38_4	7.4
45	332955 332958			CH22_FGENES.48_12	5.4
73	332961			CH22_FGENES.48_15 CH22_FGENES.48_18	17.8
	332983	-		CH22_FGENES.54_5	10.6
	333009			CH22_FGENES.61_1	4.3
	333010			CH22_FGENES.61_2	5.2 8.1
50	333013			CH22_FGENES.61_5	8.5
	333108			CH22_FGENES.79_14	5.6
	333139			CH22 FGENES.83 16	6.3
	333254			CH22_FGENES.118_2	6.8
	333305			CH22_FGENES.137_2	11.4
55	333343			CH22_FGENES.139_12	5.1
	333388			CH22_FGENES.144_3	12.7
	333456			CH22_FGENES.157_5	4.2
	333459			CH22_FGENES.157_8	7.6
60	333517			CH22_FGENES.173_2	8.2
JU	333585			CH22_FGENES.203_4	5
	333679			CH22_FGENES.247_6	4.3
	333743 333758			CH22_FGENES.264_1	13.4
	333767			CH22_FGENES.268_1 CH22_FGENES.271_6	4
65	333768			CH22_FGENES.271_6 CH22_FGENES.271_7	5.6 12.2
	333769			CH22_FGENES.271_8	48.3
	333795			CH22_FGENES.275_1	6.1
				- ·	

	333796	CHOO ECENES 276 2	
		CH22_FGENES.275_3	6.8
	333892	CH22_FGENES.292_14	4.4
	333904	CH22_FGENES.294_2	6.5
_	333905	CH22_FGENES.294_3	9.3
5	333921	CH22_FGENES.296_12	9.6
	333968	CH22_FGENES.307_4	15.9
	334102	CH22_FGENES.327_60	
			7.1
	334222	CH22_FGENES.360_3	6.7
10	334223	CH22_FGENES.360_4	33.5
10	334264	CH22_FGENES.367_15	18.5
	334343	CH22_FGENES.375_25	6.1
	334360	CH22_FGENES.378_5	
			6.1
	334784	CH22_FGENES.432_9	4.8
1.5	334789	CH22_FGENES.432_14	5.1
15	334794	CH22_FGENES.434_2	7
	334889	CH22_FGENES.452_3	12.4
	335004	CH22_FGENES.472_8	
	335115		7.9
		CH22_FGENES.496_2	18.8
20	335287	CH22_FGENES.526_11	4.5
20	335342	CH22_FGENES.536_1	5.3
	335491	CH22_FGENES.570_23	24
	335495	CH22_FGENES.570_28	7
	335498	CH22_FGENES.571_7	
			12.2
25	335544	CH22_FGENES.576_5	8.4
25	335610	CH22_FGENES.583_4	12.9
	335653	CH22_FGENES.590_4	6.7
	335682	CH22_FGENES.595_2	12.1
	335687	CH22_FGENES.596_2	
	335755		13.9
30		CH22_FGENES.604_4	11.5
30	335782	CH22_FGENES.609_4	17.9
	335791	CH22_FGENES.611_7	27.3
	335809	CH22_FGENES.617_6	19.2
	335822	CH22_FGENES.619_7	19.1
	335823	CH22_FGENES.619_8	
35	335824		4.5
55		CH22_FGENES.619_11	40.2
	335825	CH22_FGENES.619_12	34.3
	335895	CH22_FGENES.635_3	10.2
	335917	CH22_FGENES.636_13	6
	335920	CH22_FGENES.636_16	8.8
40	336035	CH22_FGENES.678_6	5.9
•••	336042		
		CH22_FGENES.679_4	5.8
	336093	CH22_FGENES.691_2	11.6
	336096	CH22_FGENES.691_5	7.6
	336150	CH22_FGENES.706_6	6.3
45	336152	CH22_FGENES.706_9	10.5
	336416	CH22_FGENES.823_38	5
	336444		
		CH22_FGENES.827_10	4.8
	336449	CH22_FGENES.829_6	13.6
	336471	CH22_FGENES.829_30	6.9
50	336512	CH22_FGENES.834_7	21.4
	336558	CH22_FGENES.842_3	8.2
	336560	CH22_FGENES.842_5	
			9
	336676	CH22_FGENES.43-4	9.4
	336959	CH22_FGENES.367-13	19
55	337968	CH22_EM.AC005500.GENSCAN.103-2	13.4
	338008	CH22_EM:AC005500.GENSCAN.127-9	15.2
	338057	CH22_EM:AC005500.GENSCAN.160-1	13.9
	338410	. -	
		CH22_EM:AC005500.GENSCAN.341-6	8
60	338451	CH22_EM:AC005500.GENSCAN.359-3	11.6
60	338588	CH22_EM:AC005500.GENSCAN.432-1	10.3
	338665	CH22_EM:AC005500.GENSCAN.464-2	4.8
	338689	· CH22 EM:AC005500,GENSCAN.475-3	6.7
	338832	CH22 DJ246D7.GENSCAN.6-9	
	338980		4.8
65		CH22_DA59H18.GENSCAN.2-4	5.1
U)	339352	CH22_BA354I12.GENSCAN.29-7	6.9
	339373	CH22_BA232E17.GENSCAN.1-29	4.3

TABLE 13A

Table 13 A shows the accession numbers for those pkeys lacking unigeneID's for Table 13. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number CAT number: Gene duster number Accession: Genbank accession numbers 15 Pkev CAT number Accession 123619 371681_1 AA602964 AA609200 2.0 103207 30635_-4 X72790 103349 11052_-2 X89059 110856 19346_14 AA992380 N33063 N21418 H79958 R21911 H79957 113248 328626_1 T63857 AW971220 AA493469 T63699 Al950087 N70208 R97040 N36809 Al308119 AW967677 N35320 Al251473 H59397 AW971573 R97278 W01059 AW967671 123169 44573_2 25

AA908598 AA251875 AI820501 AI820532 W87891 T85904 U71456 T82391 BE328571 T75102 R34725 AA884922 BE328517 AI219788 AA884444 N92578 F13493 AA928794 AI560251 AW874086 AL 134043 AW235363 AA663345 AW008282 AA488964 AA283144 AI890387 AI950344 AI741346 AI689062 AA282915 AW102898 AI872193 AI763273 AW173586 AW150329 AI653832 AI762688 AA988777 AA488892 AI356394 AW103813 AI539642 AA642789 AA856975 AW505512 AI961530 AW629970 BE612881 AW276997 AW513601 AW512843 AA044209 AW856538 AA180099 AA337499 AW961101 AA251669 AA251874 AI819225 AW205862 AI663338 AI858509 AW276905 AI633006 AA972584 AA908741 AW072629 AW513996 AA293273 AA969759 N75628 N22388 H84729 H60052 T92487 AI022058 AA780419 AA551005 W80701 AW613456 AI373032 AI564269 F00531 H83488 W37181 W78802 R66056 AI002839 R67840 AA300207 AW959581 T63226 F04005

123533 genbank_AA608751 AA608751 116480 genbank_C14088 C14088 132225 genbank_AA128980 AA128980 125154 genbank_W38419 W38419 118475 genbank_N66845 N66845 102919 25180_2 M21191_AL035748_AA(

5

10

30

35

40

45

50

55

60

M21191 AL035748 AA021266 AA323126 AA180515 Al613029 D28356 NM_000034 M11560 AW401425 AW248248 AA012956 AA323294 W04965 H38759 AA206622 AA580747 AI541172 AA381075 AA354229 AW402353 AW405575 AW404021 AW406207 AA075752 AW176066 AA287222 AA195818 T20243 R87945 AA295539 AA402533 AA232419 AA224515 AW401583 AA331367 AW402140 AW249079 R31488 AA075757 X05236 AW239490 AA338036 AW239495 AA357262 AA431005 AA306726 R33804 AA216544 AW275288 AA227044 AL038124 AA243300 C03242 AA315615 AL035840 R64336 AA313917 AA018963 AA001385 AA054395 H30840 AW498825 AA086141 AI557324 AA121576 H39128 R77161 AA019688 AA380987 AA348140 AA348257 AW176086 AA362432 AA171389 AA362416 AA299938 AA319093 AA337972 C04921 AA345696 R89640 AA085425 AA481708 AA313637 AL039229 H84490 H86153 F00656 AA326668 AA347304 R65890 H41949 AA339309 AW402002 AW404854 AA192582 AA112802 H09248 N83165 H38367 AA356339 AA455763 R66853 AA294935 H85911 AA310414 H93436 N87014 AA001186 H83640 AA411328 AA317929 C04192 AW406288 U46335 AA323179 AA427649 Al366131 H14328 AA197161 AA379497 AA311816 AA017206 AA001137 AA017420 AA012990 AW163775 AA021397 AA295513 AA355248 AA374921 AW380419 AA345864 AA318058 AA371711 AA363255 AA057094 R88057 AA394045 AW362741 AA479579 AW362789 AW362775 AA223624 AW362809 AW362746 AW362753 AW380412 AA057104 AA295271 X06352 AW362771 X12447 R59553 R87925 AA292864 R83920 F01120 AA496740 AA852551 AL039209 AA093339 AA333961 N86416 C03325 C03831 AA 194750 AA359270 AA359460 AW245492 AA339400 AA330784 AI908970 N89223 AW361938 AI940063 AA134323 AA371741 F01267 AW372970 AA341973 AA346098 AW372969 AA337549 AA327342 H93855 AI074079 F29118 AA852940 F35696 AA345963 AA079578 AA113785 C02989 AA095945 C03145 C05199 AA346024 AA190506 AW361659 Al909845 AW374374 AW374382 AW374401 AW374373 AW374370 Al909831 AW374376 AA53368 F01041 C02843 AA375948 AW374441 AA213946 AI525039 H13744 R31007 AA112044 AA13404 H47935 AW177018 AA429768 AA336873 AA112875 H46393 AA191267 D59131 AW406037 AA055244 AA341880 AA179024 AA308537 AW406985 AW327311 H30301 AA300705 H43788 AW364149 AA806213 AA481936 C04941 AW375299 M21190 AA410818 AA250940 AI354547 AA317422 AA250903 AI865497 AA890603 AA366197 AW498538 M78072 AW406461 C03092 F00308 H56488 AA336320 AW406501 AA354102 AA382942 AA096393 AW376830 AA383446 F01259 AW081388 T94036 AA379643 H43842 AI524063 AA621727 AA379099 AA371417 R66811 H44129 N84794 F01135 AA477852 AA293062 AW361595 H27194 Al831650 H43253 H24797 Al564680 AA380090 W20057 AI921586 AI192549 AW090808 H25967 AA918121 AI626060 H20221 AA812572 H42178 AA887222 H96000 C03180 F00946

	C03986 Al318091 Al860172 AA582179 Al633388 AA557193 R68075 F24105 AW518239 W56622 Al625219 Al925243
	AW468046 AI921828 AA339164 AI144391 AA643334 AA459631 AA873247 AW373432 AA604384 H27600 AI680458 AA159956
	AA610836 AA364298 AW373435 AA604225 W73754 AW087924 AA599776 N89227 Al630871 Al633128 AW514329 AA010455 AA563928 Al571596 Al128394 W73707 Al423575 AA583809 AA657988 Al950837 AA169782 AA600009 Al885540 AA771884
5	A1978829 AA505408 AA533937 AA481469 AA610869 AA775241 AW273870 AW070909 A1905695 AA480115 AA574051
_	AI889185 AA773167 AA331375 AA001437 AA194324 AA194300 AA558632 AI038538 AA411329 AA781570 AI833176
	AA935520 AW074197 AA583063 AW073099 AW001198 AA948025 AA587857 AA191540 AI460085 AA193244 AI538037
	AA515572 AA758587 A1149311 AA508610 AA206409 AA534004 AA994600 AA827543 A1916349 AW245129 AW517804 D25663 AA781985 AA284536 A1819422 H16040 H27531 AA456564 AA845555 A1423596 AA012908 AA889439 AA716311 AA968868
10	AA3 0 1905 AA204330 AIB 19422 M10040 M27331 AA4303004 AA043335 AI423390 AA012900 AR009439 AA7 103 11 AA4300000 AA320508 AA725731 AA834202 AA935997 AA724815 AA769353 AA594803 F00827 AI342442 AI003519 AI002503 AI347597
10	A)040946 AA197162 AA987883 AA292865 AW001944 A)640711 AW244044 AA456784 F30588 AA290829 H24754 A)978683
	AA483686 AA583939 AA121382 AA833831 AA477102 AA977322 AA666379 F35456 AA993537 AI749610 AA226934 AA716204
	AW513025 AA628543 AA583705 F25702 AI368748 AI124097 AI880086 AA477513 AI758834 AI690753 AA477746 F37761
15	AA642243 AA159957 AA250844 AA459406 AA427566 F25054 Al569314 AA961665 Al922050 Al759000 AA555236 AA514432 AA293474 AA001129 AA826789 AA641390 AA134405 F35585 AA477416 AW193359 Al361315 AA284988 F36340 Al361322
13	F26969 AA991922 AA921267 F26973 Al361314 F35891 Al918509 AA250964 AA190992 AA577139 AA865535 AA134324
	AW192842 Al224046 F18975 AA779626 AA856894 AW269997 AW014614 H95554 F31378 AA374868 F26343 AA654007
	AI830942 AA113195 F26432 W56652 AA464690 AA055263 AA340654 AA031448 AA976399 AA972526 AA063476 R83921
20	T16240 AA533290 N91545 H44053 AA883451 AA513761 AA086477 H09249 F20482 F26737 AA054148 AA857063 AA017259 AA179789 AA088908 H43704 AA194320 F35950 A1880127 F20441 F32878 AA962483 H39094 H56489 H44621 F19390
20	AJ302232 F25162 AA826965 AA086052 AA917410 AA454513 R59554 AA196755 AA086369 AA079530 H28106 AA243301
	Al025737 AA101239 AA088887 Al214910 AA974886 F16089 F26054 AA515092 F33436 F32829 M78061 AA235645 F19715
	F37529 Al811549 AA665180 AA708200 F01124 F32382 AA346220 AA627361 F30741 F30010 F28543 AA211715 F20245
25	AA331222 F25634 F21996 W28215 F21911 R65793 A1192566 H20130 H84491 AA719223 AA557435 F16967 F26989 F30353 AA857159 AA291918 F28234 F20840 F25176 F22437 T27904 AA480355 F19528 R87926 H14286 F27532 AW337864 F28411
23	H13692 F25651 AA975454 F24229 F29657 F18024 AA464779 F17588 F34954 AA947328 F18063 AA657777 AA459644 N91455
	F27850 F29608 F27206 F18418 F31459 F18564 F33496 F16376 F29740 F29843 F29904 F29866 F19135 AW276602 T40337
	F24835 F34672 F26474 AI926215 AA464185 F18217 N26193 AL043256 T41197 F33055 F00386 F29500 F34191 F33297
30	AI937207 F22724 F15909 F26232 F18889 AA318627 F29085 AA872104 F17509 F23373 F15660 F17552 F17412 F16863 F34033 F21515 F17364 F18383 F16546 F17561 F17260 AA292000 F15723 T47438 F16798 F18046 F18319 F17978 F17566
50	F34230 F33258 F20860 F17998 Al695701
	118600 genbank_N69222 N69222
	118952 genbank_N92966 N92966 120873 genbank_AA358015 AA358015
35	13702 genbank 197307 197307 197307
	129982 221_267 Z14221 AW381862 M97920 AW401444 Z66542 M29470 AW406502 X61011 M34024 AA327072 Z14166 Z14167 Z14165
	AW403806 Z14200 AA383972 Z14205 Z14201 M18513 Z14202 AW403684 X14584 AF062221 U43760 X65892 X65883 X62107 Z80847 X65885 X65893 AF062142 X65891 X17675 Z47274 Z47277 Z47276 X65888 Z47275 X62109 AF062140 L01278
	AF062134 AF062139 X81723 Z80840 X81733 X81743 X81743 X81732 Z80843 AW402942 AW403516 X65919 AF062190
40	AF062177 AF062222 AF062115 Z47240 AF062263 AF062261 AF062223 AF062211 Z47238 AW401714 AW404008 AW404991
	AF062280 M99595 Z47214 Z47232 Z47218 M26995 AF062184 X65895 L38433 X81731 Z11946 Z47226 AF062205 AF174012
	L01276 AF062168 AF062136 X81755 X81748 AF174019 AF062285 L06924 L11699 AW402665 L09070 L28049 L08090 AW407843 Z14171 AW402944 L08083 AW405627 L33035 L26907 M17750 L28052 M17751 AJ239360 U19885 L14821 X56526
	AB014341 L12087 L12098 U68231 L12184 AF062242 AF022000 U64499 U00570 Al268604 Y15773 X64239 X62969 U00506
45.	X73605 X99360 U00577 D83677 AB021539 AF035796 Z33899 U00588 AJ239353 AF174062 Z33901 X98899 AF174058 X63080
	D83676 AB021529 Z18318 U00488 L01412 X81746 U21262 U21272 U00560 AF174060 U00547 U00561 Z18321 S73957
	M26435 AF115130 AF115117 Z92896 U21254 Z92895 AF115112 AF062290 T28938 Y09386 AF174067 U27189 Y09384 U77373 AF174057 M17749 X69692 AF174038 U64478 U64486 AF174098 X99365 AF174077 AF174083 AF174089 AF015133
	AF127792 AJ006171 U00510 U58144 AF004323 AF115109 AF004324 AF015130 AF090414 AF090418 AB021536 AB021519
50	Z96957 AF021986 Z92898 Z96956 L34164 AF062251 AF052524 U00549 U00541 D83687 AF052522 AF087420 AF052520
	AF022011 L43085 U00536 L19915 L43083 AF090420 AB021530 AB021534 Z96955 Z96954 Z33903 X62964 AF103282 U00509
	AF062298 AF062289 AF062307 AW408326 L33037 L04337 L04328 X81742 L04336 L03385 AF032360 S56184 AF062191 AF191092 AI906954 AF103184 L04343 AW364860 AF001424 AF103163 Z98717 AF103143 AJ008250 L04323 AF103321
	AF103335 L04342 L03818 L03817 AW404978 AW403690 U86801 AF103150 AJ010334 AF035027 AJ007327 AF103115
55	AF017458 AJ008207 AJ008183 AJ008196 AJ008241 AJ008208 AF103210 AF068668 AF068670 AF068671 AF068664
	AF068669 AF068666 AF068665 AF068672 AW371244 AW403670 AW408074 AW404575 AW362153 AW403803 AW406702
	AW351514 D78345 T29140 J00231 NM_002179 AW405146 AA301091 X04646 H64660 AW402990 AW406534 T93007 AI857980 AW368899 AI905833 AW406586 AA482084 AI872299 AA715266 AW404328 AI831674 AI709348 AA603112
	AW514864 AA485775 H64492 AW404789 AA487630 AA715498 AA295885 T27613 T98113
60	115763 genbank_AA421560 AA421560 AA421560
	124357 genbank_N22401 . N22401 108733 504187_1 AA121022 AA126422
	101544 entrez_M31169 M31169
	124447 genbank_N48000 N48000
65	124677 genbank_R01073 R01073
	124777 genbank_R41933 R41933 119302 genbank_T25725 T25725
	1107 Q-1104-114

```
103680 entrez_Z93784Z93784
              135029 H58818_at H58818
              112253 genbank_R51818
                                                               R51818
                          CAT number Accession
   5
              322175 46877_1
                                              AF085975 H53458 H53459
              323011 139750_1
                                              AA580288 AA315655 AA133031 AA377748
              322975 1510563_1
                                              C16391 C16413
              317210 211994_1
                                              AW881145 AA490718 M85637 AA304575 T06067 AA331991
              323817 233566_1
                                              AA410943 AW948953 AA334202 AA332882
10
              309583 1046029_-2 AW170035
              324961 376239_1
                                              AA613792 AW182329 T05304 AW858385
              303502 325188_1
                                              BE174240 AA488528 AL042253
              320133 447553_1
                                              BE151746 BE336853 D63271 T94955 AA774994
              311935 174129_1
                                              AA216387 T63548 AA228676
15
              321050 502195_1
                                              C05928 AW393497
              319977 345248_1
                                              AA534222 AA632632 T81234
              312772 4380_7
                                              AW962299 AA310349 AW962294 H63791 H63751
              321354 116028_-2
                                             AA078493
              336512 CH22_3941FG_834_7_LINK_DJ
20
              336558 CH22_3992FG_842_3_LINK_DJ
              336560 CH22_3994FG_842_5_LINK_DJ
              329367 c_x_hs
             329377 C_X.lis
329373 C_X.lis
336676 CH22_4154FG_43_4_
338008 CH22_6490FG_LINK_EM:AC00
338057 CH22_6558FG_LINK_EM:AC00
25
             329655 c14_p2
336959 CH22_4764FG_367_13_
              329899 c15_p2
            329899 c15_p2
329960 c16_p2
338410 CH22_7067FG_LINK_EM:AC00
338451 CH22_7124FG_LINK_EM:AC00
338588 CH22_7331FG_LINK_EM:AC00
338665 CH22_7438FG_LINK_EM:AC00
338689 CH22_7464FG_LINK_EM:AC00
30
35
              308677 Al761173
             30867/ AI/611/3
338832 CH22_f678FG_LINK_DJ246D7
338980 CH22_7859FG_LINK_DA59H18
333009 CH22_233FG_61_1_LINK_EM:A
333010 CH22_237FG_61_5_LINK_EM:A
333013 CH22_237FG_61_5_LINK_EM:A
40
             308981 Al873242
             308995 AI880172
            303995 Al8017/2

303108 CH22_336FG_79_14_LINK_EM:

303139 CH22_368FG_83_16_LINK_EM:

303254 CH22_495FG_118_2_LINK_EM:

303305 CH22_550FG_137_2_LINK_EM:

303343 CH22_589FG_139_12_LINK_EM:

303388 CH22_589FG_144_3_LINK_EM:
45
50
             326213 c17_hs
             333456 CH22_706FG_157_5_LINK_EM:
333459 CH22_709FG_157_8_LINK_EM:
333517 CH22_773FG_173_2_LINK_EM:
             333585 CH22_846FG_203_4_LINK_EM:
55
             333679 CH22_941FG_247_6_LINK_EM:
             326474 c19_hs
             333743 CH22_1009FG_264_1_LINK_EM
             333758 CH22_1024FG_268_1_LINK_EM
333767 CH22_1034FG_271_6_LINK_EM
            333767 CH22_1034FG_271_6_LINK_EM
333768 CH22_1035FG_271_7_LINK_EM
333769 CH22_1036FG_271_8_LINK_EM
333795 CH22_1063FG_275_1_LINK_EM
333796 CH22_1065FG_275_3_LINK_EM
335004 CH22_2326FG_472_8_LINK_EM
333892 CH22_1163FG_292_14_LINK_EM
333904 CH22_2447FG_496_2_LINK_EM
333904 CH22_1176FG_294_2_LINK_EM
60
65
```

333905 CH22_1177FG_294_3_LINK_EM 333921 CH22_1194FG_296_12_LINK_E 333968 CH22_1245FG_307_4_LINK_EM 328059 c_6_hs 335287 CH22_2629FG_526_11_LINK_E 5 326816 c20_hs 326817 c20_hs 335342 CH22_2689FG_536_1_LINK_EM 335491 CH22_2843FG_570_23_LINK_E 10 335495 CH22_2847FG_570_28_LINK_E 335498 CH22_2850FG_571_7_LINK_EM 328304 c_7_hs 305453 AA738110 335544 CH22_2899FG_576_5_LINK_EM 335610 CH22_2999FG_576_5 LINK_EM 335653 CH22_3013FG_590_4_LINK_EM 335682 CH22_3043FG_595_2_LINK_EM 335687 CH22_3048FG_596_2_LINK_EM 15 335687 CH22_3048FG_596_2_LINK_EM
328492 c_7_hs
335755 CH22_3122FG_604_4_LINK_EM
335762 CH22_3151FG_609_4_LINK_EM
335791 CH22_3160FG_611_7_LINK_EM
335809 CH22_3181FG_617_6_LINK_EM
335822 CH22_3195FG_619_7_LINK_EM
335823 CH22_3195FG_619_11_LINK_EM
335824 CH22_3195FG_619_11_LINK_EM
335825 CH22_3195FG_619_11_LINK_E
335825 CH22_3195FG_619_11_LINK_E
335895 CH22_3272FG_635_3_LINK_EM
335917 CH22_3294FG_636_13_LINK_E
335920 CH22_3297FG_636_16_LINK_E
305898 AA872838
305913 AA876109
305950 AA884479
328857 c_7_hs 20 25 30 328857 c_7_hs 330084 c19_p2 35 337968 CH22_6419FG__LINK_EM:AC00 309177 Al951118 309198 AI955915 309226 Al969897 40 339352 CH22_8317FG__LINK_BA354I1 309279 AJ990102 339373 CH22_8348FG__LINK_BA232E1 325622 c14_hs 334102 CH22_1380FG_327_60_LINK_E 332927 CH22_148FG_38_1_LINK_C20H 45 332929 CH22_150FG_38_3_LINK_C20H 332930 CH22_151FG_38_4_LINK_C20H 332955 CH22_179FG_48_12_LINK_EM: 332958 CH22_182FG_48_15_LINK_EM: 332951 CH22_185FG_48_18_LINK_EM: 50 332983 CH22_207FG_54_5_LINK_EM:A 334222 CH22_1506FG_380_3_LINK_EM 334223 CH22_1507FG_360_4_LINK_EM 334264 CH22_1551FG_367_15_LINK_E 327110 c21_hs 334343 CH22_1636FG_375_25_LINK_E 334360 CH22_1654FG_378_5_LINK_EM 327196 c_1_hs 327283 c_1_hs 327313 c_1_hs 304465 AA421948 60 304507 AA456426 327450 c_2_hs 304591 AA505702 65 304601 AA507875 304659 AA533185 334784 CH22_2096FG_432_9_LINK_EM

334789 CH22_2101FG_432_14_LINK_E
334794 CH22_2106FG_434_2_LINK_E
336035 CH22_3420FG_678_6_LINK_DJ
336042 CH22_3427FG_679_4_LINK_DJ
336093 CH22_3481FG_691_2_LINK_DJ
336096 CH22_3484FG_691_5_LINK_DJ
334889 CH22_2206FG_452_3_LINK_EM
336150 CH22_3540FG_706_6_LINK_DA
336152 CH22_3543FG_706_6_LINK_DA
336154 CH22_3833FG_823_38_LINK_B
336444 CH22_3834FG_827_10_LINK_D
336471 CH22_3894FG_829_30_LINK_D

TABLE 13B

5

Table 13B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 13B. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. *Dunham I. et al.* refers to the publication
	Strand: Nt_position:	entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				
	Pkey	Ref	Strand	Nt_position
	332955	Dunham, I. et.al.	Plus	2508896-2508992
	332958	Dunham, I. et al.	Plus	2516164-2516310
20	332961	Dunham, I. et.al.	Plus	2521424-2521555
	333139		Plus	3369495-3369571
	333254	Dunham, I. et.al.	Plus	2521424-2521555
	333305	Dunham, I. et.al.	Plus	4630388-4630645
	333388	Dunham, I. et.al.	Plus	4913749-4913805
25	333517	Dunham, I. et.al.	Plus	5570729-5570925
	333585	Dunham, I. et al.	Plus	6234778-6234894
	333679	Dunham, I. et al.	Plus	7068795-7068896
	333767	Dunham, I. et.al.	Plus	7694407-7694623
	333768	Dunham, I. et.al.	Plus	7695440-7695697
30	333769	Dunham, I. et.al.	Plus	7696625-7696707
	333795	Dunham, I. et.al.	Plus	7807688-7807795
	333796	Dunham, I. et al.	Plus	7808253-7808319
	333892	Dunham, I. et.al.	Plus	8156825-8157001
	333921	Dunham, I. et.al.	Plus	8380325-8380441
35	333968	Dunham, I. et al.	Plus	8681004-8681241
	334102	Dunham, I. et.al.	Plus	9995140-9996373
	334264	Dunham, I. et.al.	Plus	13234447-13234544
	334343	Dunham, I. et.al.	Plus	13655828-13656307
	334794	Dunham, I. et.al.	Plus	16374312-16374458
40	334889	Dunham, I. et.al.	Plus	19286024-19286515
	335287	Dunham, I. et.al.	Plus	22299047-22299299
	335491	Dunham, I. et.al.	Plus	24128651-24128827
	335495	Dunham, I. et.al.	Plus	24140688-24140872
	335498	Dunham, I. et.al.	Plus	24172082-24172161
45	335653	Dunham, I. et.al.	Plus	25329710-25329802
	335687	Dunham, 1. et.al.	Plus	25445952-25446064
	335809	Dunham, I. et.al.	Plus	26310772-26310909
	335822	Dunham, I. et.al.	Plus	26364087-26364196
~~	335823	Dunham, I. et.al.	Plus	26365925-26366004
50	335824	Dunham, I. et.al.	Plus	26376860-26376942
	335825	Dunham, I. et.al.	Plus	26378175-26378268
	336035	Dunham, I. et.al.	Plus	29016748-29017410
	336093	Dunham, I. et.al.	Plus	29556922-29557002
	336096	Dunham, I. et.al.	Plus	29578878-29579047
55	336444	Dunham, I. et.al.	Plus	34190585-34190718
	336959	Dunham, I. et.al.	Plus	13233040-13233126
	338008	Dunham, I. et.al.	Plus	7697068-7697236
	338057	Dunham, I. et.al.	Plus	8526397-8526522
C O	338410	Dunham, I. et.al.	Plus	19292807-19292916
60	338588	Dunham, I. et.al.	Plus	22896767-22896920
	338665	Dunham, I. et.al.	Plus	24472654-24472853
	338832	Dunham, I. et.al.	Plus	27775128-27775290
	338980	Dunham, I. et.al.	Plus	29896789-29896874
	339352	Ounham, I. et.al.	Plus	33544784-33545121

	332929	Dunham, I. et.al.	Minus	2020758-2020664
	332930	Dunham, I. et.al.	Minus	2022565-2022497
	332983	Dunham, I. et.al.	Minus	2631933-2631797
	333009	Dunham, I. et.al.	Minus	2766043-2765856
5	333010	Dunham, I. et.al.	Minus	2766207-2766119
-	333013	Dunham, I. et.al.	Minus	2772278-2772039
	333108	Dunham, I. et al.	Minus	3240494-3240389
	333343	Dunham, I. et al.	Minus	4692886-4692753
	333456	Dunham, I. et.al.	Minus	2631933-2631797
10	333459	Dunham, I. et.al.	Minus	5144548-5144344
10				
	333743	Dunham, I. et al.	Minus	7573218-7573060
	333758	Dunham, I. et.al.	Minus	7666413-7666091
	333904	Dunham, I. et al.	Minus	8217374-8217261
	333905	Dunham, I. et.al.	Minus	8217796-8217670
15				
13	334222	Dunham, I. et al.	Minus	12732417-12732289
	334223	Dunham, I. et.al.	Minus	12734365-12734269
	334360	Dunham, I. et al.	Minus	13728850-13728751
	334784	Dunham, I. et.al.	Minus	16294548-16294360
20	334789	Dunham, I. et al.	Minus	16306095-16305996
20	335004	Dunham, I. et.al.	Minus	20581911-20581794
	335115	Dunham, I. et.al.	Minus	21388250-21388146
	335342	Dunham, I. et.al.	Minus	22597448-22597284
	335544	Dunham, I. et.al.	Minus	24650505-24650403
	335610	Dunham, I. et.al.	Minus	25068943-25068841
25	335682	Dunham, I. et.al.	Minus	25421215-25421093
	335755	Dunham, I. et al.	Minus	25763806-25763747
			Minus	
	335782	Dunham, I. et.al.		25908578-25908440
	335791	Dunham, I. et.al.	Minus	25948563-25948411
	335895	Dunham, I. et.al.	Minus	26975307-26975239
30	335917	Dunham, I. et.al.	Minus	27028481-27028377
-	335920	Dunham, I. et.al.	Minus	27034927-27034811
		•		
	336042	Dunham, I. et.al.	Minus	29041694-29041500
	336150	Dunham, I. et.al.	Minus	30150423-30150256
	336152	Dunham, I. et.al.	Minus	30156053-30155870
35	336416	Dunham, I. et.al.	Minus	34047408-34047311
33				
	336449	Dunham, I. et.al.	Minus	34204707-34204577
	336471	Dunham, I. etal.	Minus	34215091-34214978
	336512	Dunham, I. et.al.	Minus	34278373-34278275
	336558	Dunham, I. et.al.	Minus	34375825-34375698
40				
40	336560	Dunham, I. et.al.	Minus	34376814-34376596
	336676	Dunham, I. et.al.	Minus	2022565-2022497
	337968	Dunham, I. et al.	Minus	7095797-7095680
	338451	Dunham, I. et.al.	Minus	20174286-20174193
45	338689	Dunham, I. et.al.	Minus	24893073-24892972
45	339373	Dunham, I. et.al.	Minus	33860127-33860047
	325622	5867000	Plus	69994-70075
	329655	6448516	Minus	35565-35843
	329899	6563505	Minus	111058-111783
# 0	329960	5091594	Minus	1031-1162
50	326213	5867224	Minus	60751-60927
	326474	5867405	Plus	16995-18101
	330084	6015302	Minus	57019-59337
	326816	6552458	Plus	198354-198436
	326817	6552458	Plus	199909-200001
55	327110	6117842	Plus	94608-94785
		5867446	Plus	180921-181333
	327196			
	327283	5867478	Minus	567-962
	327313	5867501	Minus	89734-89838
	327450	5867766	Minus	47928-48076
60	328059		Plus	37052-37204
50				
	328492	5868455	Minus	46094-46241
	328304	6004478	Minus	3884-3952
	328857	6381927	Minus	80557-81051
	329367	5868842	Minus	87201-87587
65	329373	6682537	Minus	
U)	323313	0006031	WILLUS	38950-39301

TABLE 14: Table 2 from BRCA 001-5 US

Table 14, a subset of table 13, depicts a preferred group of genes highly upregulated in breast 5 cancer cells.

10	Pkey: ExAcon Unigen Unigen R1:	o: 1 eID; 1 e Title: 1	Exemplar Acces Unigene number Unigene gene tit		
15	Pkey	ExAcon	UniGene ID	Unigene Title	R1
20	100114 100975 101031 101104	M97935 D00596 J02923 J05070 L07615 L12723	Hs.82962 Hs.76506 Hs.151738 Hs.169266 Hs.90093	AFFX control: STAT1 thymidylate synthetase lymphocyte cytosolic protein 1 (L-plastin) matrix metalloproteinase 9 (gelatinase B; 9 Human neuropeptide Y receptor Y1 (NPYY heat shock 70kD protein 4	16.7 15.9 30.1 37.2 18.3 17:4
25	101332 101378 101809 102618 102721	L47276 M13755 M86849 U65932 U79241	Hs.156346 Hs.833 Hs.323733 Hs.81071 Hs.118666	Homo sapiens (cell line HL-6) alpha topois interferon-stimulated protein; 15 kDa Homo sapiens connexin 26 (GJB2) mRNA extracellular matrix protein 1 Human clone 23759 mRNA; partial cds	18.9 18.1 22.5 23.2 15
30	102907 102985 103060 103180	U90904 X06985 X17644 X57766 X69433	Hs.83724 Hs.202833 Hs.2707 Hs.155324 Hs.5337	Human clone 23773 mRNA sequence heme oxygenase (decycling) 1 G1 to S phase transition 1 matrix metalloproteinase 11 (stromelysin 3 isocitrate dehydrogenase 2 (NADP+); mito	15.2 22.7 20.6 17.8 18.9
35	103821 104115 104667	AA428090 AA007234	Hs.77367 Hs.198793 Hs.26102 Hs.30098 Hs.28005	monokine induced by gamma interferon KIAA0750 gene product ESTs ESTs Homo sapiens mRNA; cDNA DKFZp564G	15.1 23.3 28.7 16.6 19.3
40	107151 109415 110189	AA621169	Hs.12094 Hs.8687 Hs.110826 Hs.6278 Hs.5199	ESTs ESTs trinucleotide repeat containing 9 DKFZP586B1621 protein ESTs; Weakly similar to UBIQUITIN-CON	15.4 19 20.1 16.6 19.5
45	110734 110915 111179 111357 112134	H98714 N46252 N67239 N91023 R46025	Hs.24131 Hs.29724 Hs.10760 Hs.87128 Hs.7413	ESTs ESTs ESTs ESTs ESTs	30.2 23.2 37 15 17.4
50	114124 114292 114901 114965	AA250737	Hs.8109 Hs.125019 Hs.184641 Hs.196437 Hs.72472	ESTs ESTs Highly similar to KIAA0886 protein delta-6 fatty acid desaturase ESTs; Weakly similar to R26660_1; partial ESTs	15 22 19.4 16.9 35.1
55	115875 116790 116921 117412 120241	AA433943 H29532 H72948 N26722 Z41815	Hs.38178 Hs.43946 Hs.101174 Hs.821 Hs.42645 Hs.65946	ESTs ESTs; Weakly similar to Weak similarity t microtubule-associated protein tau biglycan ESTs ESTs	16.1 33.5 22.2 20.7 18.1 15.6
60	121596 123619 124006 125852		Hs.104106 Hs.174104 Hs.270016 Hs.76550 Hs.265398	ESTs ESTs ESTs ESTs Homo saplens mRNA; cDNA DKFZp564B ESTs; Wealdy similar to transformation-rel	15.2 22.6 23.1 20.6 25.9 16.4

WO 02/059377

PCT/US02/02242

	127677 AA916752 Hs.264190	ESTs; Highly similar to MEM3 [M.muscul	17.3
	128595 U31875 Hs.152677	short-chain alcohol dehydrogenase family m	27.1
	128717 T30617 Hs.104222	Homo sapiens mRNA; cDNA DKFZp566L	24.5
5	129124 AA234530 Hs.108802 129366 H18027 Hs.184697	N-ethylmaleimide-sensitive factor	20.7
,	129366 H18027 Hs.184697 130455 X17059 Hs.155956	plexin C1	18.2
	130604 X03635 Hs.1657	N-acetyltransferase 1 (arylamine N-acetylt estrogen receptor 1	26.4
	130913 W03592 Hs.21198	translocase of outer mitochondrial membra	39.9 20.9
	130944 M97935 Hs.21486	signal transducer and activator of transcript	18.8
10	131472 AA608962 Hs.27258	calcyclin binding protein	18.1
	131562 U90551 Hs.28777	H2A histone family; member L	18.8
	132180 AA405569 Hs.418	fibroblast activation protein; alpha; seprase	15.4
	132406 F09979 Hs.4774	ESTs	15
15	132465 AA047896 Hs.49169	ESTs	15.4
13	132994 AA505133 Hs.279905 133294 R79723 Hs.69997	solute carrier family 2 (facilitated glucose t	26.4
	133294 R79723 Hs.69997 133634 U24166 Hs.234279	zinc finger protein 238	30.4
	134374 D62633 Hs.8236	microtubule-associated protein; RP/EB fam ESTs	15.2
	134405 J04177 Hs.82772	collagen; type XI; alpha 1	15.2 15.3
20	134470 X54942 Hs.83758	CDC28 protein kinase 2	20.3
	134495 D63477 Hs.84087	KIAA0143 protein	16.1
	134714 U89922 Hs.890	lymphotoxin beta (TNF superfamily; memb	35.7
	135237 AA454930 Hs.9691	ÉSTs	19.5
25	301884 AA312082 Hs.105445	GDNF family receptor alpha 1	20.7
25	302276 NM_004448Hs.323910	EST duster (not in UniGene) with exon hit	21.6
	302290 AL117607 Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N	41.4
	309177 Al951118 309583 AW170035	EST singleton (not in UniGene) with exon	24.3
	310438 AW022192 Hs.200197	EST ESTs	64.5
30	311166 Al821294 Hs.118599	ESTs	39.1
• •	312153 AA759250 Hs.153028	cytochrome b-561	24.1 27.1
	313915 Al969390 Hs.163443	ESTs	27.1
	314506 AA833655 Hs.206868	ESTs	27.8
25	314558 Al873274 Hs.190721	ESTs	22.5
35	314691 AW207206 Hs.136319	ESTs	21.4
	314943 Al476797 Hs.184572	cell division cycle 2; G1 to S and G2 to M	18.4
	315196 AA972756 Hs.44898	ESTs	28.8
	316177 AI908272 Hs.293102 318073 AW167087 Hs.131562	EST cluster (not in UniGene) ESTs	32.6
40	318662 Al285898 Hs.294014	ESTs	15.7
••	318740 NM_002543Hs.77729	EST duster (not in UniGene)	16.3 21.3
	318744 AI793124 Hs.144479	ESTs	35
	319668 NM_002731Hs.87773	EST duster (not In UniGene)	25.4
	320074 AA321166 Hs.278233	EST cluster (not in UniGene)	16.7
45	320211 AL039402 Hs.125783	DEME-6 protein	24.3
	320727 U96044 Hs.181125	EST duster (not in UniGene)	15.3
	322818 AW043782 Hs.293616	ESTs	21
	322882 AW248508 Hs.279727	DiGeorge syndrome critical region gene 2	15.3
50	324261 AL044891 Hs.269350 324432 AA464510 Hs.152812	EST duster (not in UniGene)	50.1
50	324603 AW016378 Hs.292934	EST cluster (not in UniGene) ESTs	16.7
	324620 AA448021 Hs.94109	EST cluster (not in UniGene)	23.1 21.2
	324988 T06997 Hs.121028	EST cluster (not in UniGene)	24.5
	330388 X03363	HER2 receptor tyrosine kinase (c-erbB-2; E	17.7
55	330486 M13755 Hs.833	interferon-stimulated protein; 15 kDa	67
	330814 AA015730 Hs.265398	ESTs; Weakly similar to transformation-rel	44.1
	331145 R72427 Hs.129873	ESTs; Weakly similar to CYTOCHROME	41.9
	331306 AA252079 Hs.63931	dachshund (Drosophila) homolog	15.1
60	331890 AA432166 Hs.3577	succinate dehydrogenase complex; subunit	24.3
60	332526 AA281753 Hs.77515	inositol 1;4;5-triphosphate receptor; type 3	19
	332532 N63192 Hs.1892 332694 AA262768 Hs.243901	EST; Highly similar to PHENYLETHANO	15.3
	332958 AA202766 HS.243901	KIAA1067 protein CH22_FGENES.48_15	15.2
	333769	CH22_FGENES.271_8	17.8 48.3
65	333968	CH22_FGENES.307_4	40.3 15.9
	334223	CH22_FGENES.360_4	33.5
	334264	CH22_FGENES.367_15	18.5

335791	CH22_FGENES.611_7	27.3
336512	CH22_FGENES.834_7	21.4
338008	CH22_EM:AC005500.GENSCAN.127-9	15.2

TABLE 14A

Table 14A shows the accession numbers for those pkeys lacking unigeneID's for Table 14. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Eos probeset Identifier number CAT number: Gene duster number Accession: Genbank accession numbers

15

	Pkey	CAT number Accession
20	336512 338008 333769	10460292 AW170035 CH22_3941FG_834_7_LINK_DJ CH22_6490FG_LINK_EM:AC00 CH22_1036FG_271_8_LINK_EM
25	335791 309177 332958	CH22_1245FG_307_4_LINK_EM CH22_3160FG_611_7_LINK_EM AI951118 CH22_182FG_48_15_LINK_EM: CH22_1507FG_360_4_LINK_EM
	334264	CH22_1551FG_367_15_LINK_E 371681_1

TABLE 14B

Table 14B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 14. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand: Nt_posit	Sequen er Indicate	ue number corresponding to an Eos probeset tence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. ates DNA strand from which exons were predicted. ates nucleotide positions of predicted exons.			
15	Pkey	Ref		Nt_position		
	rkcy	Kei	Suanu	NC position		
	332958	Dunham, I. et.al.	Plus	2516164-2516310		
20	333769	Dunham, I. et.al.	Plus	7696625-7696707		
	333968	Dunham, I. et.al.	Plus	8681004-8681241		
	334264	Dunham, I. et.al.	Plus	13234447-13234544		
	338008	Dunham, I. et.al.	Plus	7697068-7697236		
	334223	Dunham, I. et.al.	Minus	12734365-12734269		
25	335791	Dunham, I. et al.	Minus	25948563-25948411		
	336512	Dunham, I. et.al.	Minus	34278373-34278275		




TABLE 15: Table 3 from BRCA 001-5 US

Table 15 shows genes downregulated in breast cancer cells.

)			
10	Pkey: ExAcon: UnigeneID: Unigene Title: R1:	Exemplar Acce Unigene numbe Unigene gene t	
15	Pkey ExAcc	n UniGene	IDUnigene Title
13	100115 D0063	2 Hs.17215	3 glutathione peroxidase 3 (plasma)
	100499 TIGR:	-T1428 Hs.28310	8 Globin, Beta
	100502 TIGR:1	HT1496 Hs.16922	8 Adrenal-Specific Protein Pg2
	100815 TIGR:	HT4268 Hs.9739	L-Glycerol-3-Phosphate:Nad+ Oxidoreduct

15	Pkey	ExAccn	UniGene I	DUnigene Title	R1
	100115	D00632	Hs.172153	glutathione peroxidase 3 (plasma)	1.7
	100499		Hs.283108	Globin, Beta	1.5
	100502	TIGR:HT1496	Hs.169228	Adrenal-Specific Protein Pg2	2.3
	100815	TIGR:HT4268	Hs.9739	L-Glycerol-3-Phosphate:Nad+ Oxidoreduct	1.7
20		L10373	Hs.82749	transmembrane 4 superfamily member 2	1.5
		M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha po	2.9
		M15856	Hs.180878	lipoprotein lipase	1.6
		M98399	Hs.75613	CD36 antigen (collagen type I receptor, thr	1.6
		U25138	Hs.93841	potassium large conductance calcium-activ	1.6
25		X00129	Hs.76461	retinol-binding protein 4; interstitial	3
		X73079	Hs.288579		1.8
		Y09267	Hs.132821	r-,	1.5
		Z21966	Hs.2815	POU domain; class 6; transcription factor 1	1.8
		AA007629	110.2010	glycerol-3-phosphate dehydrogenase 1 (sol	2.4
30		AA146619	Hs.18791	ESTs; Weakly similar to CALCIUM-BIND	1.7
		AA164519	Hs.15248	ESTs	1.5
		AA417915	Hs.25930	ESTs	1.5
		AA487576	Hs.26530	serum deprivation response (phosphatidyls	1.6
		AA609645	Hs.211568		2.7
35		AA004901	Hs.261164	ESTs	1.6
		AA037388	Hs.82223	Human DNA sequence from clone 141H5 o	1.7
		AA099820	Hs.49696	ESTs	2.4
		N64265	Hs.19515	yz44h12.s1 Morton Fetal Cochlea Homo sa	1.7
		R36447	Hs.24453	ESTs	1.6
40		R70255	110.21100	ESTs	1.9
		R97970	Hs.281022		1.5
		T40652	Hs 209100	DKFZP434C171 protein	1.9
		AA418033	Hs.283559	FSTe	1.6
		AA443800	Hs.43125	ESTs	2
45		AA446661	Hs.173233		2.2
-		N20300	Hs.218707		1.7
		N32174	Hs.44317	SRY (sex-determining region Y)-box 10	1.7
		R15436	Hs.77889	Friedreich ataxia region gene X123	1.7
		R71792		ESTs; Weakly similar to cell death activato	2.8
50			Hs.285681	ESTs; Highly similar to WS basic-helix-loo	1.9
		W73386	Hs.249129	ESTs	3
	120889		Hs.97044	ESTs	1.6
		AA405747	Hs.97984	ESTs; Weakly similar to WASP-family pro	1.8
			Hs.97549	ESTs	1.5
55	122127		Hs.106771		2.5
	122348		Hs.293410		2.1
	122485			phospholemman	1.5
	123443	AA598841	Hs.167382	natriuretic peptide receptor Alguanylate cy	1.8
	123505	AA600135		ESTs; Moderately similar to !!!! ALU SUB	1.5
60	125284	W94688	Hs.103253	perilipin	1.7
		D81972		HUM427D08B Human fetal brain (TFujiw	1.8
			Hs.160318	phospholemman	1.6
	127218		Hs.116017	ESTs; Weakly similar to KIAA0795 protei	1.5
	127357		Hs.75432	zx39g11.r1 Soares_total_fetus_Nb2HF8_9	1.7
				2	

	12763g	AA634405	Hs.122608	ECTe	4 5
		AA972780		ESTs; Weakly similar to IIII ALU SUBFA	1.5 1.5
		Al092391	Hs.134886		1.5
		N44757	Hs.20340	ESTs ·	1.6
5		R71403	Hs.75309	eukaryotic translation elongation factor 2	1.7
•		AA459944		DKFZP586P1422 protein	1.5
		T62068	Hs.11006	ESTs	2.1
		N93465		ESTs; Highly similar to CGI-38 protein [H	1.5
•		M62402		insulin-like growth factor binding protein 6	1.7
10		M25079		hemoglobin; beta	1.7
		AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
		AA131466	Hs.23767	ESTs	1.9
		M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma p	2.2
		AA295848	Hs.25475	aquaporin 7	1.7
15		D49487		leptin (murine obesity homolog)	2.5
	132788	AA045503	Hs.56874	ESTs; Weakly similar to Homo sapiens p2	1.6
	132931	Z41452	Hs.6090	deleted in bladder cancer chromosome regi	1.5
	133120	X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
	133314	U95367	Hs.70725	gamma-aminobutyric acid (GABA) A recep	1.5
20	133507	X74295	Hs.74369	integrin; alpha 7	1.7
	133601	S95936	Hs.284176	transferrin	2.3
		N56898	Hs.75652	glutathlone S-transferase M5	1.9
	134111	N79674	Hs.8022	TU3A protein	4.6
	134699	U56814	Hs.88646	deoxyribonuclease I-like 3	1.5
25	134749	L10955	Hs.89485	carbonic anhydrase IV	1.6
	135173	M72885	Hs.95910	Human G0S2 protein gene; complete cds	1.9
		AW027556	Hs.156286		1.7
		Al369956	Hs.257891		1.5
30		AA514805	Hs.293055		1.8
30		AI807692	Hs.129129		1.6
		AA923549	Hs.224121		2.1
		N77976		hemoglobin; alpha 1	1.8
		V00505	Hs.36977	hemoglobin; delta	1.6
25		T04868	Hs.46780	EST cluster (not in UniGene) with exon hit	1.7
35		U94362	Hs.58589	glycogenin 2	1.5
		H91086		EST singleton (not in UniGene) with exon	1.5
		AA516384		EST singleton (not in UniGene) with exon	1.5
		AA550994	11- 070570	EST singleton (not in UniGene) with exon	1.7
40		AA782347	MS.272572	EST singleton (not in UniGene) with exon	1.5
40		AA923457 AI192534		EST singleton (not in UniGene) with exon	1.5
				EST singleton (not in UniGene) with exon	1.6
		Al222691	Un 951577	EST singleton (not in UniGene) with exon	1.5
		Al452732 Al612774		EST singleton (not in UniGene) with exan	1.9
45		AW296073	Hs.79372	retinoid X receptor; beta	1.5
73		A1720978	Hs.255504		1.5
		AW241947	Hs.232478	ESTs; Moderately similar to alternatively s	1.8
		AW238092	Hs.254759		1.6 2.1
	312082		Hs.118180		1.9
50	312575		Hs.306814		2.3
-		N49684	Hs.143040		1.8
		W32480	Hs.157099		2.2
		AW328672	Hs.132760		1.9
		Al754634	Hs.131987		1.7
55		AA759098	Hs.192007		1.8
••		AA680055	Hs.264885		1.5
		AA948612	Hs.130414		1.6
		Al205077	Hs.294085		1.7
		AA837079	Hs.24647		1.5
60		Al480204	Hs.177131		1.5
		AI650625	Hs.300756		1.6
		AW206520	Hs.129621		1.5
		W26902	Hs.154085		1.7
		H22654	Hs.6382	EST cluster (not in UniGene)	1.5
65		AA021402	Hs.11067	ESTs	1.7
		H45589		EST cluster (not in UniGene)	1.5
	322814	A1824495	Hs.211038	ESTS	2.2

		Al365585	Hs.146246	ESTs	2.3
		AA335715	Hs.200299	ESTs	1.7
	324044	AL045752	Hs.22350	ESTs	1.8
_	324675	AW014734	Hs.157969	ESTs	2.2
5	325272			CH.11_hs gij5866902	1.5
	325558			CH.12_hs gil6056302	1.6
	325656			CH.14_hs gij6056305	1.6
	326120			CH.17_hs gij5867194	1.5
	326139			CH.17_hs gij5867203	1.5
10	326855			CH.20_hs gi 6552460	1.5
	327438			CH.02_hs gij6004454	1.6
	329733			CH.14_p2 gil6065783	1.6
	330931	F01443	Hs.284256		4.6
		N71677	Hs.42146	ESTs	1.9
15		AA621393	Hs.112984	EST	1.5
		W94688	Hs.103253	perilipin	2.1
		H21819	Hs.14896	Homo sapiens clone 24590 mRNA sequenc	1.5
	334175			CH22_FGENES.349_10	1.5
00	334347			CH22_FGENES.375_31	1.8
20	334737			CH22_FGENES.424_12	1.8
	335352			CH22_FGENES.539_5	1.5
	335639			CH22_FGENES.584_19	1.6
	336244			CH22_FGENES.746_2	1.5
0.5	336336			CH22_FGENES.814_8	1.7
25	336865			CH22_FGENES.305-1	1.6
	337494			CH22_FGENES.799-12	1.6
	337764			CH22_EM:AC000097.GENSCAN.119-1	1.8
	337983			CH22_EM:AC005500.GENSCAN.110-1	2
20	338192			CH22_EM:AC005500.GENSCAN.228-1	1.5
30	339366			CH22_BA354I12.GENSCAN.34-2	1.5

TABLE 15A

Table 15A shows the accession numbers for those pkeys lacking unigeneID's for Table 15. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

```
Pkey:
                 Unique Eos probeset identifler number
CAT number:
                 Gene cluster number
```

336336 CH22_3746FG_814_8_LINK_BA

```
Accession:
                       Genbank accession numbers
15
        Pkey CAT number Accession
        126300 250375_2
                            D81972 BE003132
20
        112538 504579_1
                            AA908813 R70255
        123505 genbank_AA600135
                                      AA600135 •
                            AA349096 Al368018 F21390 F17759 R48772 Al421485 Al300352 H43971 Al378525 F33652 R47898 Al264177 F22289 N28263
        104672 6735_7
                            Al276281 R48205 Al245302 Al190036 Al281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375
                            H45809 F33447 AA774528 AA007629 H42537 C01077 F32386
25
       322102 46708_1
                           H45589 H19807 AF075038 H19808 H42437
        336865 CH22_4590FG_305_1_
        338192 CH22_6755FG__LINK_EM:AC00
        329733 c14_p2
        326120 c17_hs
30
        326139 c17_hs
        326855 c20_hs
        335352 CH22_2699FG_539_5_LINK_EM
        335639 CH22_2999FG_584_19_LINK_E
        307206 Al192534
35
       307377 Al222691
        337494 CH22_5727FG_799_12_
       337764 CH22_6115FG__LINK_EM:AC00
337983 CH22_6438FG__LINK_EM:AC00
        339366 CH22_8336FG__LINK_BA354I1
40
       325272 c11_hs
        325558 c12_hs
        325656 c14_hs
       334175 CH22_1455FG_349_10_LINK_E
       304182 H91086
       334347 CH22_1640FG_375_31_LINK_E
       327438 c_2_hs
        304622 AA516384
       334737 CH22_2049FG_424_12_LINK_E
       304682 AA550994
50
       336244 CH22_3642FG_746_2_LINK_DA
        306193 AA923457
```

TABLE 15B

Table 15B shows the genomic positioning for those pkeys lacking unigene ID's and
 accession numbers in Table 15. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref: Strand: Nt_posit	Sequen e Indicate	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entified "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.			
15	Pkey	Ref	Strand	Nt position		
20		Dunham, I. et.al. Dunham, I. et.al.		13663814-13663926 15998517-15998685		

	334347	Dunham, I. et.al.	Plus	13663814-13663926
	334737	Dunham, I. et.al.	Plus	15998517-15998685
20	335639	Dunham, I. et.al.	Plus	25173591-25173696
	337494	Dunham, I. et.al.	Plus	33339024-33339148
	334175	Dunham, I. et.al.	Minus	11668659-11668597
	335352	Dunham, I. et.al.	Minus	22681512-22681384
	336244	Dunham, I. et.al.	Minus	31402729-31402583
25	336336	Dunham, I. et.al.	Minus	33797209-33797076
	336865	Dunham, I. et.al.	Minus	8622405-8622289
	337764	Dunham, I. et.al.	Minus	4035640-4035446
	337983	Dunham, I. et.al.	Minus	7275495-7275271
20	338192	Dunham, I. et.al.	Minus	13248453-13248277
30	339366	Dunham, I. etal.	Minus	33647431-33647293
	325272	5866902	Minus	13247-13312
	325558	6056302	Plus	70930-71030
	325656	6056305	Minus	78190-78707
	329733	6065783	Plus	163237-163450
35	326120	5867194	Plus	36116-36276
	326139	5867203	Minus	218901-218960
	326855	6552460	Minus	111390-111463
	327438	6004454	Minus	199569-199692

TABLE 16: Table 4 from BRCA 001-5 US

Table 16, a subset of table 15, depicts a preferred group of genes highly downregulated in breast cancer cells.

Pkey: Unique Eos probeset identifier number
ExAcon: Exemplar Accession number, Genbank accession number
UnigenelD: Unigene number
Unigene Title: Unigene gene title
R1: Ratio of normal breast tissue to tumor

15	Pkey	ExAccn	UniGene ID	Unigene Title	R1
	100502	TIGR:HT1496	Hs.169228	Adrenal-Specific Protein Pg2	2.3
	101367	M12963	Hs.4	alcohol dehydrogenase 1 (class I); alpha	2.9
•		X00129	Hs.76461	retinol-binding protein 4; interstitial	3
20		AA007629		glycerol-3-phosphate dehydrogenase 1	2.4
		AA609645	Ks.211568	eukaryotic translation initiation factor 4 gam	2.7
		AA099820	Hs.49696	ESTs	2.4
		AA443800	Hs.43125	ESTs	2
0.5		AA446661	Hs.173233	ESTs	2.2
25		R71792	Hs.301002	ESTs; Weakly similar to cell death activator	2.8
		W73386	Hs.249129	ESTs	3
		AA434447	Hs.106771	ESTs	2.5
		AA443695	Hs.293410	ESTs	2.1
20		T62068	Hs.11006	ESTs	2.1
30		AA211776	Hs.2504	myomesin 1 (skelemin) (185kD)	3.8
		M12272	Hs.4	alcohol dehydrogenase 3 (class I); gamma	2.2
	131810		Hs.194236	leptin (murine obesity homolog)	2.5
		X64559	Hs.65424	tetranectin (plasminogen-binding protein)	2
25	133601		Hs.284176	transferrin	2.3
35		N79674	Hs.8022	TU3A protein	4.6
		AA923549	Hs.224121	ESTs	2.1
		AW238092	Hs.254759	ESTs `	2.1
	312575		Hs.306814	ESTs	2.3
40		W32480	Hs.157099	ESTs	2.2
40		Al824495	Hs.211038	ESTs	2.2
	322929	AI365585	Hs.146246	ESTs	2.3
		AW014734	Hs.157969	ESTs	2.2
		F01443	Hs.284256	ESTs	4.6
4.5	332364	W94688	Hs.103253	perilipin	2.1
45	337983			CH22_EM:AC005500.GENSCAN.110-1	2

TABLE 16A

Table 16A shows the accession numbers for those pkeys lacking unigeneID's for Table 16. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

5

Pkey: Unique Ed CAT number: Gene clus

Unique Eos probeset identifier number Gene cluster number Genbank accession numbers

15

Pkey CAT number Accession

104672 6735_7

Accession:

AA349096 AJ368018 F21390 F17759 R48772 AI421485 AJ300352 H43971 AJ378525 F33652 R47898 AJ264177 F22289 N28263 AJ276281 R48205 AJ245302 AJ190036 AJ281050 AW242903 H42892 AA910870 AW473816 H25721 AW451438 F19647 F22375

20

TABLE 17: Table 1 from BRCA 014 P

5 Table 17 shows accession numbers representing 759 sequences of breast cancer genes or fragments thereof encoding breast cancer modulating proteins. For each overexpressed gene identified, a ratio of the relative amount of expression in breast tumors versus normal breast tissue.

15	Unigeneid: Unigene Title: R1:		Unigene number Unigene gene title Ratio of tumor to normal breast tissue				
	Pkey	ExAccn	UnigenelD	Unigene Title	R1		
20		AV65469		interferon-induced, hepatitis C-associat	3		
		AW2915		nldogen 2	3.2		
		AI962060	Hs.118397	AE-binding protein 1	3.6		
		D86983	Hs.118893	Melanoma associated gene	3.2		
2.5		X83300	Hs.289103	SMA4	5.2		
25		J00124	Hs.117729	keratin 14 (epidermolysls bullosa simple	4.3		
		BE38703	6 Hs.1211	acid phosphatase 5, tartrate resistant	3		
		AA44232	4 Hs.795	H2A histone family, member O	3.2		
		L20971	. Hs.188	phosphodiesterase 4B, cAMP-specific (dun	3		
20		U66042	Hs.82171	Homo sapiens clone 191B7 placenta expres	4.1		
30		BE56308		interferon-stimulated protein, 15 kDa	5.3		
		R07566	Hs.73817	small inducible cytokine A3 (homologous	3.9		
		M25809	Hs.64173	ATPase, H+ transporting, lysosomal (vacu	4.5		
		M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9		
25		AA35377		CD48 antigen (B-cell membrane protein)	3.4		
35		NM_0035		H28 histone family, member Q	5.6		
		BE01949		pyrroline-5-carboxylate reductase 1	3.6		
		M81057	Hs.180884	carboxypeptidase B1 (tissue)	12		
		M89907	Hs.152292	SWI/SNF related, matrix associated, acti	3.2		
40		BE26096		midkine (neurite growth-promoting factor	4.1		
40		M97815		cellular retinoic acid-binding protein 2	6.5		
		NM_0020		Interferon, alpha-inducible protein (clo	3		
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	3		
		NM_0015		G protein-coupled receptor 9	3.7		
45		NM_0058		37 kDa leucine-rich repeat (LRR) protein	3.7		
45	102301			tryptophan 2,3-dioxygenase	5.2		
		AL043202 U39840		chromosome segregation 1 (yeast homolog)	3.5		
		U62325		hepatocyte nuclear factor 3, alpha	3.9		
		H16646	MS.324125	amyloid beta (A4) precursor protein-bind	4		
50		AA36302		hypothetical protein PP591	3.5		
50		AF08022		Human clone 23801 mRNA sequence	3.2		
		NM_0023		gb:Human endogenous retrovirus K clone 1	3		
		M73779		lysyl oxidase-like 2	3.2		
		X52509		retinoic acid receptor, alpha tyrosine aminotransferase	3.3		
55		T81656		ribosomal protein S3	12.4		
55		X63578		parvalbumin	4.5		
	103207			gb:Human endogenous retrovirus mRNA for	3		
	100201	A12100		Son minan chandenons tenovitas WKWY IOL	5.9		

Unique Eos probeset identifier number

Unigene number

Exemplar Accession number, Genbank accession number

10

Pkey:

ExAcon:

UnigenelD:

103282 BE390551

103284 AI751601 103329 X85134

103456 AA496425

103364 X90872 103385 NM 007069

60

3.9

3.1 3

3.4 3.2

steroidogenic acute regulatory protein r TNF receptor-associated factor 4

papillary renal cell carcinoma (transloc

Hs.77628 steroidogenic acute regulatory pro Hs.8375 TNF receptor-associated factor 4 retinoblastoma-binding protein 5 Hs.279929 gp25L2 protein similar to rat HREV107

Hs.37189 similar to rat HREV107

Hs.9629

	103498 Y09306	Hs.30148 home	odomain-interacting protein kinase 3	3.4
	103558 BE616547	Hs.2785 keratir	17	3.7
	103563 L02911		A receptor, type ! (ACVR1) (ALK	3.2
_	103612 BE336654		tone family, member A	4.5 4
5	103825 Al571835	Hs.55468 ESTs Hs.88417 ESTs		3.8
	104073 AW779318 104103 AW021102	Hs.88417 ESTs Hs.21509 ESTs		4.3
	104115 AF183810		ite strand to trichorhinophalangeal	7.6
	.104168 AA461618	Hs.31704 ESTs.	Weakly similar to KIAA0227 [H.sapi	3.6
10	104173 AA084273	Hs.76561 ESTs.	Weakly similar to S47072 finger pr	4
	104181 AF173296	Hs.283740 DC6 p	protein	3
	104189 AB040927	Hs.301804 KIAA	494 protein	3.2 4.3
	104269 Al559444	Hs.293960 ESTs	utine slabe	3.1
15	104307 Al929700	Hs.111680 endos	saplens mRNA; cDNA DKFZp586l1420 (f	3.2
13	104518 H20816 104556 AV650851	Hs.96900 hypot	hetical protein; KIAA1830 protein	4.4
	104658 AA360954	Hs.27268 Home	saplens cDNA: FLJ21933 fis, clone H	3.2
	104748 AA015879	Hs.33536 ESTs	•	3.2
	104755 T49951		P434G032 protein	4.5
20	104825 AA035613	Hs.141883 ESTs	L P1	6.9 11.1
	104830 AW294092	Hs.21594 hypot	hetical protein MGC15754 CLL/lymphoma 6, member B (zinc fi	3.5
•	104865 T79340		in kinase domains containing protei	6.5
	104906 BE298684 104961 H78517	Hs.33905 ESTs		3.6
25	105038 AW503733		1488 protein	4.5
23	105088 H58589		sapiens cDNA FLJ11027 fis, done PL	3.8
	105092 AA148982	Hs.29068 ESTs		3
	105093 AL137566		sapiens mRNA; cDNA DKFZp586G0321 (f	4.8 8.2
20	105304 AW134924	Hs.190325 EST:		3.1
30	105397 AA814807	Hs.7395 hypo	thetical protein FLJ23182 orge syndrome critical region gene 8	4.2
	105409 AW505076 105431 AA252033	He 242413 hynn	thetical protein DKFZp434K1421	4.4
•	105552 AA256750		urin-alpha 2 protein	3.2
	105598 AA279439		thetical protein FLJ10504	3.5
35	105650 W16741	Hs.25635 HSP	C003 protein	3.7
	105688 Al299139	Hs.17517 EST		5.5 3.5
	105808 Al133161	Hs.286131 CGI-		3.3
	105809 AW973653		thetical protein FLJ00052 thetical protein FLJ20729	3.2
40	105909 AA195191 105965 AA131657	Hs.5111 hypo Hs.23830 EST	•	3.3
40	106135 AL117474	Hs.41181 Hom	o sapiens mRNA; cDNA DKFZp727C191 (fr	3.2
	106184 W28948	Hs.10762 EST		3.3
	106293 N39842	Hs.301444 KIAA	1673	4.1
	106400 BE397649	Hs.94109 Hom	o sapiens cDNA FLJ13634 fis, clone PL	3.1
45	106474 BE383668	Hs.42484 hypo	thetical protein FLJ10618	3.2 7.8
	106484 AA351978		stocellular carcinoma associated prot	3
	106533 AL134708	Hs.145998 EST	s othetical protein AF301222	3.8
	106614 AA648459 106636 AW958037		somal protein L4	3.3
50	106661 AW499914	Hs.7579 hype	othetical protein FLJ10402	3
50	106743 BE613328	Hs.21938 hyp	othetical protein FLJ12492	4.2
	106844 AA485055	He 158213 sner	m associated antiqen 6	3.4
	106864 Al311928		o89h04_x1 NCI_CGAP_Kid5 Homo sapiens	4.4 3.6
	106865 AW192535	Hs.19479 EST	S -15-45-al ambaia MGC2771	4.1
55	106871 AW472981	Hs.321130 nyp	othetical protein MGC2771 oblastoma-binding protein 7	3.6
	106942 AA995351 106968 AF216751	Hs.26813 CD/	MANAGEMENT PROCESSION P	5.3
	107105 AW963419	Hs 155223 star	niocalcin 2	3.4
	107158 N32849	Hs 31844 hvo	othetical protein FLJ12586	3.1
60	107248 AW263124	He 315111 nuc	ear recentor co-repressor/HDAC3 comp	5.9
	107265 BE379594	Hs.49136 ES	s, Moderately similar to ALU/_HUMAN A	3.9
	107630 AW961576	Hs.60178 ES	S	4.6 3
	107710 Al955040	Hs.265398 ES	rs, Weakly similar to transformation-rrs, Weakly similar to S10590 cysteine	3.
65	107890 AA025386 107985 T40064	Hs.61311 ES Hs.71968 Ho	no sapiens mRNA; cDNA DKFZp564F053 (fr	4.8
O)	108000 Al263307	Hs.239884 H2	3 histone family, member L	3.
	108217 AA058686	Hs.62588 ES		3.

WO 02/059377

PCT/US02/02242


	108435	T82427	Hs.194101	Homo sapiens cDNA: FLJ20869 fis, clone A	3
		AB033073	Hs.43857	similar to glucosamine-6-sulfatases	3.3
		AA121022		gb:zn84f10.r1 Stratagene lung carcinoma	3.9
_	108771	AF068290	Hs.79741	hypothetical protein FLJ10116	6.1
5		AA011449	Hs.271627	ESTs	3.6
		AA136674	Hs.118681	==:	3.9
		AF186114		tumor necrosis factor (ligand) superfami	3.7
		AK000684		hypothetical protein FLJ22104	3.1
10		A1970536 -	Hs.16603	hypothetical protein FLJ13163	3.7
10		N23235 AA196443	Hs.30567	ESTs, Weakly similar to B34087 hypotheti	4.5
		AW504732	Hs.86043 Hs.21275	Homo sapiens cDNA FLJ13558 fis, clone PL hypothetical protein FLJ11011	3.7
		AA232255		ESTs, Moderately similar to A46010 X-lin	4.6 6.4
		AA234087		ESTs, Weakly similar to S72482 hypotheti	4.8
15		R45584	Hs.23025	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.3
		AA325138		hypothetical protein FLJ22672	3
	109644	AW973964		ESTs, Highly similar to 1203217A dehydro	3
		F09609		gb:HSC33H092 normalized infant brain cDN	3.2
20		F06838	Hs.14763	ESTs	3.2
20		R43646	Hs.12422	ESTs	3.8
		AW818436	Hs.23590	solute carrier family 16 (monocarboxylic	3.3
		AK001680 AW973152	Hs.30488	DKFZP434F091 protein	3.6
		AA379597	Hs.31050 Hs.5199	ESTs HSPC150 protein similar to ublquitin-con	4.2
25		H89355		adrenergic, alpha-2A-, receptor	5.1 5.3
		AI239832	Hs.15617	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.7
		BE092285	Hs.29724	hypothetical protein FLJ13187	3.7
•		N64683	Hs.290943		4
••		N66563	Hs.191358	ESTs	3.1
30		AI767435	Hs.29822	ESTs	4.5
		AI457338	Hs.29894	ESTs	5.4
		R07856	Hs.16355	ESTs	3.2
		R08440	U= nanca	gb:yf19f09.s1 Soares fetal liver spleen	3.1
35		AA602004 R35252	Hs.23260	ESTs Worlds similar to 21007504 B call	3.2
33		R38239	Hs.24944	ESTs, Weakly similar to 2109260A B cell ESTs, Weakly similar to putative p150 [H	3.3
		AA421081	Hs.12388	ESTs	3.1 3.4
		AF070526	Hs.13429	Homo sapiens clone 24787 mRNA sequence	3.3
		AW379029		ESTs, Weakly similar to unnamed protein	4.4
40		BE246743		hypothetical protein FLJ22635	7.3
		AB033064		KIAA1238 protein	3.2
		H24334	Hs.26125	ESTs	4.4
•		R54797		gb:yg87b07.s1 Soares infant brain 1NIB H	3.4
45		R66067	Hs.28664	ESTS	8.2
40		AI791493 R82040	HS.1298/3	ESTs, Weakly similar to A36036 cytochrom	5.5
		R82331	Hs.164599	gb:yj06b06.s1 Soares placenta Nb2HP Homo	3.9
		AW844878	Hs.19769	hypothetical protein MGC4174	5.4 3.2
		Al418466	Hs.33665	ESTs	4.7
50		AA082465		choline/ethanolaminephosphotransferase	3.7
		AB032977	Hs.6298	KIAA1151 protein	3.1
	113095	AA828380	Hs.126733		3.4
	113117	AW813731	Hs.159153	ESTs, Moderately similar to \$65657 alpha	3.4
		BE613410	Hs.31575	SEC63, endoplasmic reticulum translocon	3.2
55	440000	T57773	Hs.10263	ESTs	3.5
		BE262470	H\$.2414/1		6.2
		T79925 U54727	Hs.191445	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
		T91451	Hs.86538	ESTs	3 3.4
60		AW367788		postmeiotic segregation increased 2-like	3.4
•		AI702609	Hs.15713	hypothetical protein MGC2776	3.1
		NM_004585	Hs.17466	retinoic acid receptor responder (tazaro	3.9
	113835	Al912410	Hs.27475	Homo sapiens cDNA FLJ12749 fis, clone NT	3
		W81598		gb:zd88g02.s1 Soares_fetal_heart_NbHH19W	4.6
65		W84768		gb:zh53d03.s1 Soares_fetal_liver_spleen_	3.1
		W27249	Hs.8109	hypothetical protein FLJ21080	6.9
	174086	AA378776	ris.288049	hypothetical protein MGC3077	4.3

PCT/US02/02242

WO 02/059377

	114148 AW470411	Hs.288433		4.1
	114424 AW780192	Hs.267596	ESTS	3.4 3.1
	114518 AW163267	Hs.105469	suppressor of var1 (S.cerevisiae) 3-like	4.8
e	114563 Al979168		glycoprotein (transmembrane) nmb BMP-R1B	10.1
5	114965 AI733881	Hs.72472 Hs.193657		3.6
	114995 AA769266 115121 Al634549		ESTs	3.2
	115134 AW968073	He 194331	ESTs, Highly similar to A55713 inositol	4.2
	115167 AA749209	Hs.43728	hypothetical protein	3
10	115253 BE149845	Hs 289038	hypothetical protein MGC4126	3.6
10	115277 AA814100		ESTs	3.9
	115327 N46436	Hs.109221		3.4
	115354 AA281636	Hs.334827		4.8
	115657 AA405620	Hs.55158	ESTs, Weakly similar to T29520 hypotheti	3.5
15	115676 AA953006	Hs.88143	ESTs	9.3
	115709 AW293849	Hs.58279	ESTs, Weakly similar to ALU7_HUMAN ALU S	3.4
	115729 AA417812	Hs.38775	ESTs	4
	115787 Al126772	Hs.40479	ESTs	3.1
	115830 AW970529	Hs.86434	hypothetical protein FLJ21816	3.6
20	115835 AA521410	Hs.41371	ESTs	3.1
	115850 NM_014937	Hs.52463	KIAA0966 protein	3 3.2
	115900 AK001500		hypothetical protein FLJ13852	3.2
	115935 AA354549	Hs.41181	Homo sapiens mRNA; cDNA DKFZp727C191 (fr	3.1
25	115948 AL042465	Hs.43445	poly(A)-specific ribonuclease (deadenyla NM_016931:Homo sapiens NADPH oxidase 4 (6.7
25	116092 AB041035	Hs.93847 Hs.70202	WD repeat domain 10	3.6
	116115 AL042355 116184 AW450737		CGI-09 protein	3.1
	116192 AA464976	Hs.62528	ESTs, Moderately similar to A46010 X-lin	3.3
	116208 Al219083	Hs.42532	ESTs, Moderately similar to ALU8_HUMAN A	3.2
30	116246 AF265555		baculoviral IAP repeat-containing 6	3.6
50	116443 AW962196		LBP protein 32	4.1
	116470 Al272141	Hs.83484	SRY (sex determining region Y)-box 4	4.1
	116726 AK001114	Hs.53913	hypothetical protein FLJ10252	8.6
	116845 AA649530		gb:ns44f05.s1 NCI_CGAP_Alv1 Homo sapiens	3.2
35	117026 H88256	Hs.50456	ESTs, Moderately similar to ZN75_HUMAN Z	3.5
	117216 Al569804	Hs.42792		3.1 3.2
	117296 AL133427	Hs.42506	Homo sapiens mRNA full length insert cDN	3.2 4.7
	117403 H84455	Hs.40639	ESTs	3
40	117691 AB040959	Hs.93836	DKFZP434N014 protein hypothetical protein DKFZp566l133	3.3
40	118229 AW968941		hypothetical protein FLJ21802	4.3
	118363 AI183838	Hs.48938 Hs.49105		3.1
	118416 N66028 118470 AW970584	Hs.291033		3.4
	118502 AL157488	Hs.50150	Homo sapiens mRNA; cDNA DKFZp564B182 (fr	5.2
45	118695 AK000465	Hs.50081	KIAA1199 protein	3.4
73	118925 N92293	Hs.206832	ESTs. Moderately similar to ALU8_HUMAN A	3.3
	119025 BE003760	Hs.55209		19.7
	119036 R95872	Hs.117572	chemokine binding protein 2	3.7
	119063 R16833	Hs.53106		4.1
50	119075 M10905) fibronectin 1	3.2
	119620 W47620	Hs.56009		3.3 · 3.1
	119741 AF041853	Hs.43670		5
	119747 AI970797	Hs.64859		3.8
	119754 AL037824	HS.194693	5 ras homolog gene family, member l 1 collagen, type III, alpha 1 (Ehlers-Dani	3.1
55	119905 AW449064	MS.1190/	ESTs, Moderately similar to ALU1_HUMAN A	8.4
	120084 W94472	He 32117	6 ESTs, Weakly similar to S65824 reverse t	3.6
	120241 AA825686 120326 AA196300	Hs.21145		3.2
	120742 AA225084	113,21140	gb:nc21d06.r1 NCI_CGAP_Pr1 Homo sapiens	3.6
60	120870 AA357172	Hs.29258	1 ESTs. Moderately similar to ALU1_HUMAN A	5.8
UU	120885 AA365515	Hs.30187	2 hypothetical protein MGC4840	3
	120970 AA398118	Hs.97579		3.7
	121054 AW976570	Hs 97387	ESTs	5.3
	121095 AA320134	Hs.19602	9 Homo sapiens mRNA for KIAA1657 protein,	4 .
65	121103 AA398936	Hs.97697	EST	3.5
	121121 AA399371		5 similar to SALL1 (sal (Drosophila)-like	6.3 4.7
	121337 AW885727	Hs.30157	U ESIS	4.7

		AW206227	Hs.287727	hypothetical protein FLJ23132	5
	121611	M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	3.6
		AA640987	Hs.193767	ESTs	5.6
-	121770	NM_015902	Hs.278428	progestin induced protein	3.4
5		AK000492	Hs.98806	hypothetical protein	4.1
		AA443311	Hs.98998	ESTs	3
	122417	AA446965	Hs.112092	ESTs	4.7
	122513	AI767879	Hs.99214	ESTs	3.8
4.0	122544	AW973253	Hs.292689	ESTs ·	3
10	122655	AA323296	Hs.97837	Homo sapiens mRNA; cDNA DKFZp547J047 (fr	5.6
	122805	AA526911	Hs.82772	collagen, type XI, alpha 1	3.2
		AW205931	Hs.99598	hypothetical protein MGC5338	8.6
	123105	AA487809	Hs.166011	catenin (cadherin-associated protein), d	3
		AA228776	Hs.191721	ESTs	6.9
15	123249	AA371307	Hs.125056	ESTs .	3.6
	123273	AA491253	Hs.173611	Empirically selected from AFFX single pr	7
	123385	BE149685	Hs.17767	KIAA1554 protein	3.1
		T66087	Hs.112482	Homo sapiens unknown mRNA sequence	3.4
	123485	Al308876	Hs.103849	hypothetical protein DKFZp761D112	3.1
20		AI675944	Hs.188691	Homo sapiens cDNA FLJ12033 fis, clone HE	3.8
	123819	AA580082	Hs.112264	ESTs	4.7
	124012	AA352723	Hs.241471	RNB6	3.8
	124243	H69125	Hs.133525	ESTs	4.1
		N22401		gb:yw37g07.s1 Morton Fetal Cochlea Homo	4.1
25	124359	N22508	Hs.139315	Homo saplens cDNA: FLJ21479 fis, clone C	3.6
	124567	AW451645	Hs.151504	Homo sapiens cDNA FLJ11973 fis, clone HE	3.1
		N34151		interferon Induced transmembrane protein	3.5
	124972	R41396	Hs.101774	hypothetical protein FLJ23045	4.3
••	125006	BE065136		splicing factor (CC1.3)	6
30		178906	Hs.269432	ESTs, Moderately similar to ALU1_HUMAN A	8.1
	125 184	W60326		Homo sapiens cDNA FLJ11750 fis, clone HE	4.7
	125243	AW970536	Hs.105413	ESTs	3.1
		AF086534	Hs.187561	ESTs, Moderately similar to ALU1_HUMAN A	3.3
0.5	125304	AL359573		GTP-binding protein	3
35		AW880562	Hs.114574		3
		Al422996	Hs.161378	ESTs	3.2
	125685	A1924630	Hs.4943	hepatocellular carcinoma associated prot	3.2
		N99638		gb:za39g11.r1 Soares fetal liver spleen	4
40		AW975814		Homo sapiens clone IMAGE:713177, mRNA se	4
40		AA648886	Hs.151999	ESTs	3.8
		AW450979		gb:UI-H-BI3-ala-a-12-0-UI.s1 NCI_CGAP_Su	3
		AW771958		ESTs, Moderately similar to PC4259 ferri	3.6
		AA961459	Hs.125644		4.1
15		AW068311		Homo sapiens mRNA full length insert cDN	3.3
45		AA650274	Hs.41296	fibronectin leucine rich transmembrane p	4.6
		NM_003616		survival of motor neuron protein interac	3.9
		Y13153		kynurenine 3-monooxygenase (kynurenine 3	3.1
		AA775076		Homo sapiens, Similar to PRO0478 protein	3.9
50		D56365	Hs.63525	poly(rC)-binding protein 2	3.3
50		AA357185		ras homolog gene family, member H	3.1
		AF182277	Hs.330780	cytochrome P450, subfamily IIB (phenobar	3.9
		AA172106		Rag C protein	6.2
		AA209534		tetraspan NET-6 protein	3.4
E E		AK000398	Hs.11747	hypothetical protein FLJ20391	3
55	129725		Hs.1219	alcohol dehydrogenase 4 (class II), pi p	3.2
		AI754813		collagen, type V, alpha 1	5.4
		X03363		v-erb-b2 avian erythroblastic leukemia v	4.4
		AI347487		class I cytokine receptor	4.6
60		NM_003450		zinc finger protein 174	5.6
60		Al582291	Hs.16846		3
		R77776	Hs.18103	ESTs .	3.8
		AA809875	Hs.25933	ESTs	4.2
		AB014544	Hs.21572	KIAA0644 gene product	4.7
65		Al399653	Hs.22917	ESTs	4.3
65		H09048	Hs.23606	ESTs	3.8
	131253		Hs.24853	ESTs	3.5
	1513/2	AW293399	ms.144904	nuclear receptor co-repressor 1	3.6



					٠
	302892	AW176909	Hs.42346	calcineurin-binding protein calsarcin-1	3.4
		W05608		ESTs, Weakly similar to A49019 dynein he	5.1
	303271	AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	3.7
_	303289	AL121460		hypothetical protein FLJ20508	4.1
5	303357	AW006352		ESTs, Weakly similar to T32554 hypotheti	4.2
	303540	AA355607		ESTs, Weakly similar to putative WHSC1 p	4.3
		AA367699	Hs.10082	potassium Intermediate/small conductance	3.3
		AW299459		gbxs50d08.x1 NCI_CGAP_Kid11 Homo sapien	4.2
10		Al424014	Hs.18995	KIAA1304 protein	3.6
10		AW629759		gb:hh70e05.y1 NCI_CGAP_GU1 Homo sapiens	4.9
		R53434	Hs.90207	hypothetical protein MGC11138	3.7
		AA149951	Hs.62112	zinc finger protein 207	3
		AA582081		gb:nn32h08.s1 NCI_CGAP_Gas1 Homo sapiens	4.1
15		AA876109		gb:nx24h01.s1 NCI_CGAP_GC3 Homo sapiens	3
13		AA876469 Al140014		gb:oe48b04.s1 NCI_CGAP_Pr25 Homo sapiens	3.1
_		Al144243		gb:qa68f09.x1 Soares_fetal_heart_NbHH19W .	3.5
		AI476803		gb:qb85b12.x1 Soares_fetal_heart_NbHH19W	3.9
		Al581398	He 172028	gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S collagen, type I, alpha 1	4.3
20		AK000142		hypothetical protein FLJ23045	4.6 4.4
		Al951118		Homo sapiens breast cancer antigen NY-BR	17,3
		AW024348		EST, Weakly similar to A27217 glucose tr	3.2
		AW168083		gb:xg59g04.x1 NCI_CGAP_Ut4 Homo sapiens	3.1
		AW170035	Hs.326736	Homo sapiens breast cancer antigen NY-BR	57.6
25	310064	Al199712		ESTs, Weakly similar to 1917210A Pro/Arg	4.6
	310098	Al685841	Hs.161354		3.6
	310438	AW022192	Hs.200197	ESTs	4.6
	310683	Al939456	Hs.160870	ESTs	3.2
20		AK000703		Homo sapiens mRNA for KIAA 1551 protein,	3.6
30		Al380797	Hs.158992		10.2
		AI955121		N-acetylgalactosamine-4-O-sulfotransfera	3.4
		AI476732	Hs.263912		10.9
		Al671439		Homo sapiens mRNA for KIAA1657 protein,	3.1
35		AI821005	Hs.118599		10.8
55		AA641098 AI758660	Hs.206132	ESTs, Moderately similar to ALU1_HUMAN A	4.3
		Al828254			4.4
		AW023595	Hs.232048	ESTs, Weakly similar to A47582 B-cell gr	5.1 5.8
		AA700870		ESTs	3.3
40		AI056769	Hs.133512		3.9
		R12375	Hs.194600		3.3
	311889	AA767342		ESTs, Weakly similar to PSF_HUMAN PTB-AS	3
	311913	AI358522	Hs.270188		3
4.0	311923	T60843	Hs.189679	ESTs	5.6
45		AA216387		gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
		AA373630	Hs.188750		3
		AA759263		ESTs	3,4
	312067		Hs.14411	ESTs	3.5
50	312090			similar to rat nuclear ubiquitous casein	3.8
20		Al633744 BE261944	Hs.190048	ESTs, Weakly similar to I38022 hypotheti hexokinase 1	4.4
	312168		Hs.198882		5.2
	312182		Hs.326263		3.3 3.3
		AA700439	Hs.188490		3.4
55		AW438602	Hs.191179		3.9
	312219		Hs.117874		4
		AA315703		ESTs, Weakly similar to ALUB_HUMAN IIII	4.9
		AA972712	Hs.269737		5.7
		AA516420	Hs.183526	ESTs, Weakly similar to 138022 hypotheti	6.3
60		AW439195	Hs.256880	ESTs, Weakly similar to S65657 alpha-1C-	4.9
		AW291545	Hs.185018		4.9
		AW292286	Hs.255058		4.4
		AA497043	Hs.115685		3.1
65		AI422023	Hs.161338		4.3
65	313079			proteolipid protein 1 (Pelizaeus-Merzbac	3.3
		AF026944 AW073310	Hs.293797		5.8
	3 13030	V4401 23 10	115.103333	Homo sapiens cONA FLJ14142 fis, clone MA	4.5

	313126	AA746503	Hs.283313	I ESTs	10
	313166	AI801098	Hs.151500		3.5
		AW979008	Hs.222487		3.3
_	313280	AW960454	Hs.222830	ESTs .	4.7
5	313325	AI420611	Hs.127832	FSTe	3.4
-		AW449211			
			HS. 105445	GDNF family receptor alpha 1	12.4
	313352	AW150945	Hs.144758	ESTs	4.1
	313385	AI032087	Hs.269819	FSTe	
					3
10		A1674685	Hs.200141	ESIS	5.2
10	313417	AA741151	Hs. 137323	ESTs	3.5
	313434	W92070		gb:zh48g05.r1 Soares_fetal_fiver_spleen_	
			11- 405440	do-si-Hodoori i godiez leiaf inei zbiesif	3.7
		Al273419	HS.135146	hypothetical protein FLJ13984	3
	313591	AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	5.6
		AI540978	He 201007	hypothetical protein FLJ13033	
15			113.301331	hypothetical protein PLJ 13033	3.2
IJ		C18863	HS.163443	Homo sapiens cDNA FLJ11576 fis, done HE	26.3
	313975	AW175896	Hs.65114	keratin 18	3
	313970	AI535895	Hs.221024		
					4.9
		AV657317	Hs.288649	hypothetical protein MGC3077	3.9
	314043	AA827082	Hs.291872	ESTs	3.1
20		AW129357	Hs.329700		
20					8.3
		AA648744	Hs.269493	ESTs	6.6
	314121	AI732083	Hs.187619	FSTs	6.2
		AA228366	Hs.115122		
			DS. 115122		4
~ -		AA740616		gb:ny97f11.s1 NCI_CGAP_GCB1 Homo sapiens	5.9
25	314236	AA743396	Hs.189023		3.1
		AL036450	Hs.103238		
					4
		Al280112	Hs.125232	Homo sapiens cDNA FLJ13266 fis, clone OV	8
	314306	AI697901	Hs.192425	FSTs	3.7
		AA907153	Hs.190060		
20					3.3
30		AW961597	Hs.130816	ESTs, Moderately similar to 138022 hypot	4.2
	314401	Al660412	Hs.234557		3.3
		AA602917			
			Hs.156974		4.7
	374506	AA833655	Hs.206868	Homo sapiens cDNA FLJ14056 fis, done HE	8.5
	314510	Al204418	Hs.190080	FSTs	4
35		AW007211			
55			Hs.16131		3.4
	314547	AA399272	Hs.144341	ESTs	6.7
	314558	AI873274	Hs.190721	ESTs	27.4
		AA425310			
			118, 1557 00	ESTs, Weakly similar to A47582 B-cell gr	4.4
40		AW979268		gb:EST391378 MAGE resequences, MAGP Homo	4.6
40	314691	AW207206	Hs.136319	ESTs	20.7
		AA457367	Hs.191638		
					3.6
	314/54	AW026761	Hs.134374	ESTs	3.6
	314814	BE350122	Hs.157367	ESTs, Weakly similar to 178885 serine/th	4.9
		AW971198	Hs.294068		
45					4.3
43	314881	AI095087	Hs.152299	ESTs, Moderately similar to S65657 alpha	3.7
	314882	AA828032	Hs.189076	ESTs	3.1
		AW972359	Hs.293334		
					3
		AI538613		Transmembrane protease, serine 3	10.9
	315021	AA533447	Hs.312989		5.3
50	315051	AW292425	Hs.163484	ECTo	
50					12.9
		AA551104	HS.189048	ESTs, Moderately similar to ALUC_HUMAN !	5.8
	315073	AW452948	Hs.257631	ESTs	4.2
	315080	AA744550	Hs.136345		
					3.7
~ ~		AI025842	Hs.152530	ESIS	6
55	315183	AW136134	Hs.220277	ESTs	3.9
	315193	AI241331		ESTs, Moderately similar to I38937 DNA/R	
			13- 44000	Cors, moderately summar to 100507 Divort	4.4
		AI367347		Homo sapiens done TCCCTA00151 mRNA sequ	8.2
	315198	AI741506	Hs.165900	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.6
	315240		Hs 172610	myelin transcription factor 1-like	
60					3.4
OU.		AW510994	Hs.220740		3.4
	315282	Al222165	Hs.144923	ESTs	4.9
	315296	AA876905	Hs.125286		4
		AB037745			
				KIAA1324 protein	4.7
	315397	AA218940	Hs.137516	fidgetin-like 1	3.1
65	315489	A1378817	Hs.191847		
		AA628539			3.1
				ESTs, Moderately similar to ALU1_HUMAN A	3.2
	315526	Al193043	Hs.128685	ESTs, Weakly similar to T17226 hypotheti	4.1

				•	
	315530	AW015415	Hs.127780	ESTs	8.9
	315562	AA737415	Hs.152826	FSTs	5.5
		AA837085	Hs.220585		6.3
-		AA648983	Hs.212911		3.6
5	315707	Al418055	Hs.161160	ESTs	5.1
	315772	AW515373	Hs.271249	Homo sapiens cDNA FLJ13580 fis, clone PL	3.1
		AW270550	Hs.116957		3.8
		AA737345	Hs.294041		5
10	315878	AA683336	Hs.189046	ESTs	3.1
10	315977	AW865916	Hs.151206	ESTs	4.7
	315978	AA830893	Hs.119769	ESTs	4.1
		AI217477	Hs.194591		4.1
		AA764950	Hs.119898		7
	316042	AI469960	Hs.170698	ESTs	4.9
15	316052	A1962796	Hs.136754	ESTs	4.1
		AW517524		NOD2 protein	3.2
		AW975114	Hs.293273		3.8
		AW203986	Hs.213003	=	3.2
	316133	Al187742	Hs.125562	ESTs	3.7
20 .	316177	A1904982	Hs.293102	ESTs, Moderately similar to ALU1_HUMAN A	30.7
	316186	AI433540		gb:ti69g05.x1 NCI_CGAP_Kid11 Homo sapien	3.1
		AI640761	Hs.224988		3.5
		AA740994	Hs.209609		3.8
	316313	AA741300	Hs.202599	ESTs, Weakly similar to I38022 hypotheti	4.4
25	316364	AA747807	Hs.149500	ESTs	3.2
		AA938198		poly(A) polymerase gamma	9.4
					4.4
		AW293174	Hs.252627		
		A1440266		ESTs, Weakly similar to T24832 hypotheti	3
	316868	A1660898	Hs.195602	ESTs	3.2
30	316869	A1954880	Hs.134604	ESTs	3.2
		AA836331	Hs.134981		4.4
		AA838114	Hs.221612		
					3.7
		AW014875	Hs.137007		4.6
	317069	A1732892	Hs.190489	ESTs	5.9
35	317194	AW445167	Hs.126036	ESTs	4.1
		Al125252	Hs.126419		3.5
		AI806867	Hs.126594	· · -	5.1
		AA972965	Hs.135568		6.9
	317501	AI822034	Hs.137097	ESTs ·	4.6
40	317674	AW294909	Hs.132208	ESTs	4.3
	317803	AW664964	Hs.128899	FSTs	6.1
		X56348			
				ret proto-oncogene (multiple endocrine n	3.1
		A1681545		hypothetical prolein FLJ13117	3.4
	317881	A1827248	Hs.224398	Homo sapiens cDNA FLJ11469 fls, clone HE	9.6
45	317902	AW102941	Hs.211265	ESTs	4.1
		AI565071	Hs.159983		10.3
		AW294522	Hs.149991		3.1
		AI077540	Hs.134090		3.9
	318327	AW294013	Hs.200942		3
50	318332	A1093930	Hs.163440	Homo sapiens cDNA: FLJ21000 fis, clone C	4.4
		AF107493		Homo sapiens LUCA-15 protein mRNA, splic	5.4
					4.4
		AW402677		RNA binding motif protein, X chromosome	
		AA526235		Homo saplens cDNA FLJ11983 fis, clone HE	5.9
	318634	T49598	Hs.156832	ESTs	4
55	318740	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	7.3
		AJ793124	Hs.144479		17.8
			Hs.6818		
		F11802		ESTs	3
		NM_012391	Hs.79414	prostate epithelium-specific Ets transcr	3.6
	319478	AI524124	Hs.270307	ESTs	4.6
60		W88532	Hs.254562	ESTs	3.3
		AA761668		gb:nz24c08.s1 NCI_CGAP_GCB1 Homo sapiens	3.2
			Un 100250		
		T79366	115.100238	actin binding protein; macrophin (microf	3.3
		AA071267		gb:zm61g01.r1 Stratagene fibroblast (937	6.2
	319840	C19035	Hs.164259		3.3
65		AA534222		gb:nj21d02.s1 NCI_CGAP_AA1 Homo sapiens	4.3
		AA321166	Hs.278233		3.4
		AA984373	Hs.90790	Homo sapiens cDNA: FLJ22930 fis, clone K	4.1
	32010/	~~30-313	113.301 30	Fromo Sapiena Guiter, i Escasou na, Gune N	7.1

	320187	T99949	Hs.303428	Homo sapiens cDNA FLJ14832 fis, clone OV	5.3
	320211	AL039402		DEME-6 protein	9.2
	320416	A1026984	Hs.293662		3.1
_	320588	U78082	Hs.167738	RNA polymerase II transcriptional regula	3.1
5	320635	N50617 .	Hs.80506	small nuclear ribonucleoprotein polypept	6.1
		Al160015	Hs.118112		3.5
		A1601188	Hs. 120910	ESTs	3
		AA214584	Hs.290167		3.7
10		AI359144		Homo sapiens cDNA: FLJ23031 fis, clone L	3.1
10		BE144167	Hs.49994		3.3
		AI732643	Hs.144151		12.
		A(769410	Hs.221461		3.3
		AA610649	Hs.333239		3
15		AB033041		vang (van gogh, Drosophila)-like 2	3.9
13		Al432199 AW975944	Hs.247084 Hs.237396		3
		A1471598	Hs.197531		11.3 3.8
		U29112	Hs.196151		4.4
		D80630	113.130131	gb:HUM091D02B Human fetal brain (TFujiwa	3.2
20		R59890	Hs.83623	nuclear receptor subfamily 1, group I, m	3.1
		H67065		ESTs, Weakly similar to ALU7_HUMAN ALU S	4.7
		AL049351		Homo sapiens mRNA; cDNA DKFZp566C093 (fr	3.5
		N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5
	322035	AL137517		hypothetical protein DKFZp564O1278	19
25	322136	AF075083		gb:Homo sapiens full length insert cDNA	3.6
		BE265745	Hs.194359	ESTs, Weakly similar to ALUC_HUMAN !!!!	3
		W76326		gb:zd60d04.r1 Soares_fetal_heart_NbHH19W	4.4
		Al357412	Hs.157601		11.
20		AW963372	Hs.46677	PRO2000 protein	3
30		T55958		gb:yb35f05.r1 Stratagene fetal spleen (9	3
		AF147347	Un 000450	gb:Homo sapiens full length insert cDNA	4.2
		AF155108 W92147	Hs.118394	Homo sapiens, Similar to RIKEN cDNA 2810	4
		AA017656	HS.110394	gb:ze39h01.r1 Soares retina N2b4HR Homo	5.4 3.1
35		AW068805	He 288467	Homo saplens cDNA FLJ12280 fis, clone MA	5.2
55		AW043782	Hs.293616		7.6
		AW248508		Homo sapiens cDNA FLJ14035 fis, clone HE	5.9
		C16391		gb:C16391 Clontech human aorta polyA mRN	16.5
		AI902456	Hs.210761	ESTs, Weakly similar to 138022 hypotheti	4
40	323131	AK002088		Homo sapiens cDNA FLJ11226 fis, clone PL	3.3
	323168	AL120862	Hs.124165	programmed cell death 9 (PDCD9)	6.3
		AW675572	Hs.193620		4.6
		AL133990	Hs.190642		10.5
15		A1829520		gb:w119c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2
45		AV651680	Hs.208558		4.3
		AI655499	Hs.161712		9.2
		AW445014	Hs.197746		3.1
		BE081058 AA317962	Hs.243023		4
50		AW961560	Hs.97600	ESTs, Moderately similar to PC4259 femi ESTs	3 3.2
50		AA410943	113.37000	BMP-R1B	8.4
		AL043683	Hs.8173	hypothetical protein FLJ10803	3.3
		AI825204	Hs.211408		4.5
		AL044949	Hs.116298		4.5
55		Al472078	Hs.303662		8.4
	324261	BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4
	324285	AA431159	Hs.122954	ESTs	3
		AI524039	Hs.192524	ESTs	3
.		AA642007	Hs.116369		3.3
60		AA464510	Hs.152812		16.5
		AI823969	Hs.132678		3.3
		AW972227		Homo sapiens cDNA: FLJ22765 fis, clone K	5
		AW993522	Hs.292934		10.4
65		AA937116 BE169746	Hs.12504	ESTs, Weakly similar to 154374 gene NF2	3.3
UJ.		AW974941		likely ortholog of mouse Arkadia ESTs, Weakly similar to 178885 serine/th	3.2 3
		AA631739	Hs 335440		3

	324774 AII 324823 AV		Hs.132586 Hs.208726		4.2 3.4	
	324824 Al		Hs.224624		3.1	
	324826 AA			ESTs, Weakly similar to 2004399A chromos	4.4	
5	324961 AA			gb:no97h03.s1 NCI_CGAP_Pr2 Homo saplens	3.9	
	324987 At	375572	Hs.172634	ËSTs	18.8	
	324994 Al		Hs.213897		3.3	
	325146 Al	064690	Hs.171176		4.2	
10	325372			Phase 2 & 3 Exons	4.4	
10	325544			Phase 2 & 3 Exons	5.7	
	327075			Phase 2 & 3 Exons	3.8	
	332798			C22000007:gi 12314195 emb CAB99338.1 (A	4.3	
	334223			NM_005080*:Homo sapiens X-box binding pr	26.2	
15	334447		•	NM_012429*:Homo saplens SEC14 (S. cerevi	3.9	
13	335809 335824			NM_014509*:Homo sapiens kraken-like (BK1 ENSP00000249072*:DJ222E13.1 (N-TERMINAL	10.1 20	
	338255				9	
	409430 R2	21045	He 166975	NM_014323*:Homo saplens zinc finger prot splicing factor, arginine/serine-rich 5	4	
	428046 AV			ESTs, Moderately similar to 138022 hypot	4.6	
20	432558 R9		Hs.177269		3.2	
	436808 AA		Hs.120266		3.9	
	448569 BE			signal transducer and activator of trans	4.1	
	453542 AV			Homo sapiens mRNA expressed only in plac	3.7	
		97935		AFFX control: STAT1	3.2	
25	MS	97935		AFFX control: STAT1	3	
	M	55150		fumarylacetoacetate	3	
	M1	13755		interferon stimulated protein; 15 kDa	4.5	
		052047		ESTs	6.7	
20	AA	A252033		ESTs; Weakly similar to !!!! ALU SUBFAMILY J	3.2	
30		N401739		ESTs	3.3	
		18459		hepatocellular carcinoma associated protein;	3	
		18744		ESTs	4.2	
		31682		inhibin; beta B (activin AB beta polypeptide)	3	
35		416873		ESTS	3	
33		30240 10500		HUM5G11A Human fetal brain (TFujiwara) Homo	4	
	144	19590		ESTS	3.2	
				CH22_FGENES.678_5 CH22_FGENES.619_7	16.8 12.9	
				CH22_FGENES.619_12	11.3	
40				CH22_EM:AC005500.GENSCAN.127 9	9.2	
				CH22_EM;AC005500.GENSCAN.304 2	8.5	
				CH22_FGENES.271_8	8.4	
				CH22_FGENES.619_13	8	
				CH22_FGENES.271_7	7.3	
45				CH22_FGENES.617_7	7.2	
				CH.07_hs gi 6004473	7.1	
				CH22_FGENES.264_1	6.8	
	X	03363		HER2 receptor tyrosine kinase (c erbB 2; ERBB2; n		
50				CH22_FGENES.617_9	6.5	
30				CH.07_hs gi 5868264	5.8	
				CH.19_hs gi 5867439	5.7	
				CH22_FGENES.6 3 CH.17_hs gl 5867230	5.3 5.1	
				CH.20_hs gi[6552458	5.1	
55				CH22_EM:AC005500.GENSCAN.148 22	4.7	
••				CH22_FGENES.669_10	4.6	
	AA	A034918		KIAA1028 protein	4.6	
				CH22_FGENES.48_12	4.5	
				CH22_FGENES.118_2	4.5	
60		049569		ESTs	4.4	
	M1	13955		multiple UniGene matches	4.3	
				CH22_FGENES.619_8	4.3	
			•	CH22_FGENES.13 7	4.3	
65	He	34126 HT439	b	CHAS FORMES 368 3	Zinc Finger Protein Hzf4	4.3
65				CH22_FGENES.360_3	4.3	
				CH22_FGENES.706_9 CH.21_hs gi[6531965	4.3	
				OLIVE 1-112 Aff000 1300	4.2	

		CH.17_hs gi 5867215	4.1	
	11000441170740	CH22_FGENES.669_8	4.1	
	HG2614 HT2710	CH20 FOENED 40 40	Collagen, Type Viii, Alpha 1 4.1	
5	X83535	CH22_FGENES.48_18	4.1	
3	V07222	matrix metalloproteinase 14 (membrane Inserted)	4	
		CH22_FGENES.271_6	3.9	
		CH22_FGENES.617_3	3.9	
	HG4716 HT5158	CH22_FGENES.290_8	3.8	
10	11047 10 1113 130	CH22_FGENES.13.5	Guanosine 5' Monophosphate Synthase	3.8
10			3.8	
		CH22_FGENES.13 2	3.8	
		CH.14_hs gi 6682474 CH.02_hs gi 5867750	3.8	
		CH.02_IIS 9IJ5667750 CH22_FGENES.617_8	3.8	
15	HG4677 HT5102	CH22_FGENES.017_0	3.7	
13	1104077 1113102	CH22_DJ32I10.GENSCAN.23 39	Oncogene Ret/Ptc2, Fusion Activated	3.7
		CH22_FGENES.543_20	3.7 3.7	
		CH22_FGENES.545_20 CH22_EM:AC005500.GENSCAN.96 1	3.7	
		CH22_FGENES.204_2	3.5	
20		CH22_FGENES.619_4	3.5	
		CH.16_hs gi 5867087	3.5	
	AA714311	EST cluster (not in UniGene)	3.4	
		CH22_EM:AC005500.GENSCAN.149 9	3.4	
		CH22_EM:AC005500.GENSCAN.421 5	3.4	
25		CH22_FGENES.13.4	3.3	
		CH.07_hs gij6004478	3.3	
		CH22_FGENES.360_1	3.3	
	HG2465 HT4871		Ona Binding Protein Ap 2, Alt. Splice 3	3.3
		CH22_FGENES.6_2	3.3	0.0
30		CH22_C20H12.GENSCAN.16 2	3.2	
		CH22_C65E1.GENSCAN.8 1	3.2	
	AA707750	ESTs; Weakly similar to cis Goloi matrix	3.1	
		CH22_FGENES.307_4	3.1	
		CH22_EM:AC005500.GENSCAN.248 14	3.1	
35		CH.06_hs gi 5902482	3.1	
		CH22_FGENES.669_5	3.1	
		CH22_DJ32I10.GENSCAN.198	3.1	
		CH22_FGENES.527_6	3.1	
40		CH22_FGENES.330_10	3.1	
40		CH22_FGENES.14 2	3.1	
	AA976074	ESTs	3	
		CH22_FGENES.226 7	3	
•		CH22_FGENES.13 3	3	
15		CH22_EM:AC005500.GENSCAN.209 12	3	
45	÷	CH22_FGENES.271_3	3	

TABLE 17A

Table 17A shows the accession numbers for those pkeys lacking unigeneID's for Table 17. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Unique Eos probeset identifier number

CAT number: Accession:

319977 345248_1

314138 179960_1

313591 103087_1

AA534222 AA632632 T81234

AA740616 AA654854 AA229923 AA046309 AI263500 AA046397

Gene duster number Genbank accession numbers

```
15
        Pkev
               CAT number Accession
        116845 393481 1
                            AA649530 AA659316 H64973
20
        103207 30635_-4
                            X72790
                            N99638 AW973750 AA328271 H90994 AA558020 AA234435 N59599 R94815
        126257 182217 1
                            AF080229 AF080231 AF080230 AF080232 AF080233 AF080234 BE550633 Al636743 AW614951 BE467547 Al680833
        102791 37186 1
                            AI633818 N29986 U87592 U87593 U87590 U87591 S46404 U87587 AA463992 AW206802 AI970376 AI583718 AI672574
                            N25695 AW665466 AIB1B326 AA126128 AI480345 AW013827 AA248638 AI214968 AA204735 AA207155 AA206262 AA204833
25
                            AW003247 AW496808 Al080480 Al631703 Al651023 Al867418 AW818140 AA502500 Al206199 Al671282 Al352545 BE501030
                            Al652535 BE465762 AA206331 AW451866 AA471088 AA206342 AA204834 AA206100 AW021661 AA332922 N66048
                            AA703396 H92278 AW139734 H92683 U87589 U87595 H69001 U87594 BE466420 AI624817 BE466611 AI206344 AA574397
                            AA348354 AI493192
        126872 142696_1
                            AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359
30
                            BE011367 BE011368 BE011362 BE011215 BE011365 BE011363
        112631 1746257 1
                            R82040 R70934
        120742 176835_1
                            AA225084 AA302713
                           Al311928 AA936030 T51931 AA609816 AA487195 AA664207
        106864 324239 1
        109700 genbank_F09609
                                     F09609
35
        111532 genbank_R08440
                                     R08440
        113938 genbank_W81598
                                     W81598
        113947 genbank_W84768
                                     W84768
        124357 genbank_N22401
                                     N22401
        108733 504187_1
                           AA121022 AA126422
40
        112303 genbank_R54797
                                     R54797
                            AF075083 H52291 H52528
        322136 46802_1
        322296 47334_1
                            W76326 AF086341 W72300
        321811 1527481_1
                            D80630 D80896 D80895
        314648 293660_1
                            AW979268 AA878419 AA431342 AA431628
45
        322520 38916_1
                            T55958 T57205 AF147346
        322521 38917_1
                            AF147347 T55426 T55503
        322675 86787_1
                            AA017656 AA017374 AA019761
        323332 179142_1
                            AI829520 AI791832 AA228414 AI791823 AA229211 AA229315
                            Al433540 AA728984 AA804981
        316186 425440_1
50
        322975 1510563_1
                            C16391 C16413
        324261 273265_1
                            BE069341 AW748403 AL044891 Al908240 AA393080
                            AA410943 AW948953 AA334202 AA332882
        323817 233566_1
        301976 128835_1
                            T97905 AA101672
        324961 376239_1
                            AA613792 AW182329 T05304 AW858385
        303642 284260_1
                            AW299459 AA417112
                            AW629759 AW749955 AA633408 AI651005
        303797 386364_1
        319551 357371_1
                            AA761668 AA573621 R92814 R09670
        311935 174129_1
                            AA216387 T63548 AA228676
                            AA071267 T65940 T64515 AA071334
        319834 112523_1
```

308106 AI476803
338255 CH22_6856FG__LINK_EM:AC00
335809 CH22_3181FG_617_6_LINK_EM
335842 CH22_3197FG_619_11_LINK_E

5 307010 AI140014
307041 AI144243
305917 AA876469
309574 AW168083

10 325372 c12_hs
325544 c12_hs
332798 CH22_14FG_6_5_LINK_C4G1.G
334223 CH22_1507FG_360_4_LINK_EM
327075 c21_hs
15 33447 CH22_1746FG_387_7_LINK_EM
304782 AA582081
313434 441798_1 W92070 AW019952 W92053

TABLE 17B

Table 17B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 17. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
		Dunham, I. et.al.		14308764-14308824
20	335809	Dunham, I, et.al.	Plus	26310772-26310909
20	335824	Dunham, I. et.al.	Plus	26376860-26376942
	332798	Dunham, I. et.al.	Minus	232147-231974
	334223	Dunham, I. et al.	Minus	12734365-12734269
	338255	Dunham, I. et.al.	Minus	15242294-15242231
	325372	5866920	Minus	1117061-1117304
25	325544	6682452	Plus	171228-171286
	327075	6531965	Plus	4041318-4041431

TABLE 18: Table 2 from BRCA 014 P

Table 18 shows genes with atleast five times the expression in breast tumor tissue than is expressed in normal body tissues.

	Pkey:	Unique Eos probeset identifier number
	ExAcon:	Exemplar Accession number, Genbank accession number
10	UnigenelD:	Uninene number

Unigene Title: Unigene gene title
R1: Ratio of turnor to normal body tissue

5

15	6 1				
13	Pkey	ExAccn	UnigeneID	Unigene Title	R1
		BE563085	Hs.833	interferon-stimulated protein, 15 kDa	5.3
	101530	M29874	Hs.1360	cytochrome P450, subfamily IIB (phenobar	9
	101767	M81057	Hs.180884	carboxypeptidase 81 (tissue)	12
20		M97815	Hs.183650	cellular retinoic acid-binding protein 2	6.5
		X52509	Hs.161640	tyrosine aminotransferase	12.4
		AF183810		opposite strand to trichorhinophalangeal	7.6
		AA035613		ESTs	6.9
0.0		AW963419		stanniocalcin 2	5.3
25		AA011449		ESTs	6.1
		AB033064	Hs.334806	KIAA1238 protein	7.3
		A1791493	Hs.129873	ESTs, Weakly similar to A36036 cytochrom	8.2
		R82331	Hs.164599	ESTs	5.4
20		BE262470	Hs.241471	RNB6	6.2
30		W27249	Hs.8109	hypothetical protein FLJ21080	6.9
		A1733881	Hs.72472	BMP-R1B	10.1
		N92293	Hs.206832	ESTs, Moderately similar to ALU8_HUMAN A	19.7
		AW449064		collagen, type III, alpha 1 (Ehlers-Danl	8.4
25		M31669	Hs.1735	inhibin, beta B (activin AB beta polypep	5.6
35		AF182277		cytochrome P450, subfamily IIB (phenobar	6.2
		Al908165	Hs.169946	GATA-binding protein 3 (T-cell receptor	6.2
		D89377	Hs.89404	msh (Drosophila) homeo box homolog 2	5.8
		AW183618		solute carrier family 30 (zinc transport	9.9
40		AA312082		GDNF family receptor alpha 1	5.7
40				KIAA0904 protein	7.7
		BE542706		CEGP1 protein	7.3
		AW057736		HER2 receptor tyrosine kinase (c-erb-b2,	5.4
		AA179949		Homo sapiens mRNA; cDNA DKFZp564N0763 (f 34.1
45		AL117406		ATP-binding cassette transporter MRP8	6.7
43		AJ224172		Ilpophilin B (uteroglobin family member)	13.8
			Hs.326736	Homo sapiens breast cancer antigen NY-BR	17.3
		AW170035		Homo sapiens breast cancer antigen NY-BR	57.6
			Hs.158992	ESTs	10.2
50		AI821005 AA216387	Hs.118599	ESTs	10.8
50		BE261944	Un 44000c	gb:nc16b02.s1 NCI_CGAP_Pr1 Homo sapiens	5.2
		AW449211		hexokinase 1	5.2
			Hs.163443	GDNF family receptor alpha 1	12.4
		AA648744		Homo sapiens cDNA FLJ11576 fis, done HE	26.3
55		AA740616	H5.209493	ESTs	6.6
<i>J J</i>		AA833655	u. ancoco	gb:ny97f11.s1 NCL_CGAP_GCB1 Homo sapiens	
			Hs.190721	Homo sapiens cDNA FLJ14056 fis, clone HE	8.5
		AW207206		ESTs	27.4
			Hs.298241	ESTs	20.7
60		AA533447		Transmembrane protease, serine 3 ESTs	10.9
50		AW292425		ESTS	5.3
		AA551104		ESTs, Moderately similar to ALUC_HUMAN!	12.9
	J.0000		· ~. 100070	CO13, MODERATELY SHIRLAR TO ALUU_TUMAN I	5.8

		AI36/34/	HS.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	u8.2	
	315530	AW015415	Hs.127780	ESTs	8.9	
	315634	AA837085	Hs.220585	ESTs	6.3	
_	316012	AA764950	Hs.119898	ESTs	7	
5		A1904982		ESTs, Moderately similar to ALU1_HUMAN A	30.7	
		AA938198		poly(A) polymerase gamma	9.4	
	317803	AW664964	Hs.128899	ESTs	6.1	
	317881	A1827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	9.6	
	318740	NM_00254	3Hs.77729	oxidised low density lipoprotein (lectin	7.3	
10	318744	A1793124	Hs.144479	ESTs	17.8	
	320211	AL039402	Hs.125783	DEME-6 protein	9.2	
	321107	A1732643	Hs.144151	ESTs	12.3	
	321644	AW975944	Hs.237396	ESTs	11.7	
	321978	N77342	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	5	
15	322035	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	19	
	322766	AW068805	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.2	
	322818	AW043782	Hs.293616	ESTs	7.6	
	322975	C16391		gb:C16391 Clontech human aorta polyA mRN	16.5	
••		AL133990	Hs.190642	ESTs	10.5	
20		AI829520		gb:wl19c06.x1 NCI_CGAP_Ut1 Homo sapiens	6.2	
	323817	AA410943		BMP-R1B	8.4	
	324261	BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	49.4	
		AA464510		ESTs	16.5	
~~		AW972227		Homo sapiens cDNA: FLJ22765 fis, clone K	5	
25	324603	AW993522	Hs.292934	ESTs	10.4	
		AI375572	Hs.172634	ESTs	18.8	
	325544			Phase 2 & 3 Exons	5.7	
	330388		Hs.46	HER2 receptor tyrosine kinase (c-erb-b2,	6.6	
	334223			NM_005080*:Homo sapiens X-box binding pr	26.2	
30	335809			NM_014509*:Homo sapiens kraken-like (BK1	10.1	
	335824			ENSP00000249072*:DJ222E13.1 (N-TERMINAL		2
		A1052047			6.7	
		R72427		CH22_EM:AC005500.GENSCAN.127 9	5.5	
25					9.2	
35			•		8	
					6.5	
					7.3	
				CH22_FGENES.271_8	12.9	
40				CH22_FGENES.619_12	8.4	
40 -					11.3	
					8.5	
					7.1	
				CH22_FGENES.678_5	7.2	
				CH22 EGENES 678 5	16.8	

280

TABLE 18A

Table 18A shows the accession numbers for those pkeys lacking unigeneID's for Table 18.

For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset Identifier number

CAT number: Gene cluster number
Accession: Genbank accession numbers

15

Pkey CAT number Accession

335824 CH22_3197FG_619_11_LINK_E 325544 c12_hs 334223 CH22_1507FG_360_4_LINK_EM

TABLE 18B

Table 18B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 18. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Ref: Sequence source. entitled "The Strand: Indicates DNA strand:			responding to an Eos probeset The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495. Ind from which exons were predicted.		
15	Nt_posi	tion: Indicate	s nucleotide	positions of predicted exons.		
	Pkey	Ref	Strand	Nt_position		
20	335824 334223	Dunham, I. et.al. Dunham, I. et.al. Dunham, I. et.al. 6682452	Plus	26310772-26310909 26376860-26376942 12734365-12734269 171228-171286		

TABLE 19: 1045 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES

Table 19 shows 1045 genes up-regulated in breast cancer compared to normal adult tissues. These were selected from 59680 probesets on the Affymetrix/Eos-Hu03 GeneChip array such that the ratio of "average" breast cancer to "average" normal adult tissues was greater than or equal to 2.5. The "average" breast cancer level was set to the 90th percentile value. The "average" normal adult tissue level was set to the 90th percentile value amongst 144 nonmalignant tissues. In order to remove gene-specific background levels of non-specific

malignant tissues. In order to remove gene-specific background levels of non-specific hybridization, the 15th percentile value amongst the 144 non-malignant tissues was subtracted from both the numerator and the denominator before the ratio was evaluated.

15	Pkey:	Unique Eos probeset identifier number
	ExAccn:	Exemplar Accession number, Genbank accession number
	UnigenelD:	Unigene number
	Unigene Title:	Unigene gene title
	R1:	Ratio of tumor to normal body tissue

20

	Pkey	ExAccn	UnigenelD	UnigeneTitle	R1
	408591	AF015224	Hs.46452	mammaglobin 1	137.6
25	406964			gb:Human alpha satellite and satellite 3	71.0
	400291	AA401369	Hs.190721		68.4
		AW170035		Homo saplens breast cancer antigen NY-BR	54.2
		Al668594	Hs.176588	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	
		BE069341		gb:QV3-BT0381-270100-073-c08 BT0381 Homo	
30	400292	AA250737	Hs.72472	BMP-R1B	37.4
	427585		Hs.179729	collagen, type X, alpha 1 (Schmid metaph	32.9
	408045	AW138959	Hs.245123	ESTs	31.9
		AA195651	Hs.104106		30.4
	407377			gb:C16391 Clontech human aorta polyA mRN	27.7
35	450705		Hs.25351	iroquois homeobox protein 5	24.8
	407212	AA412108	Hs.269350	ESTs	22.0
		NM_000230	Hs.194236	leptin (murine obesity homolog)	21.9
	404561			trichorhinophalangeal syndrome I (TRPS1)	21.8
	407980	AA045309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	19.8
40	447350	Al375572	Hs.172634	ESTs	17.3
	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	16.6
	422109	S73265	Hs.1473	gastrin-releasing peptide	16.5
	435496	AW840171	Hs.265398	ESTs, Weakly similar to transformation-r	16.0
	453160	A1263307	Hs.239884	H2B histone family, member L	15.8
45	420813	X51501	Hs.99949	prolactin-induced protein	15.8
	415989	A1267700	Hs.317584	ESTs	15.5
	422505	AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.8
	424399	Al905687	Hs.2533	aldehyde dehydrogenase 9 family, member	14.5
	423575	C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	13.7
50	429441	AJ224172	Hs.204096	fipophilin B (uteroglobin family member)	13.6
	431474	AL133990	Hs.190642	ESTs	13.5
	448595	AB014544	Hs.21572	KIAA0644 gene product	13.0
	427217	AA399272	Hs.144341		12.8
	402578			C1001134:gij2117372 pir jl65981 fatty ac	12.6
55	422805	AA436989		H2A histone family, member A	12.2
	424634	NM_003613	Hs.151407	cartilage intermediate layer protein, nu	12.0
	456207	AA193450		gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	11.9
	424086	Al351010	Hs.102267	lysyl oxidase	11.9
	459587	AA031956	•	gb:zk15e04.s1 Soares_pregnant_uterus_NbH	11.5

		AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	11.5
		NM_001394	Hs.2359	dual specificity phosphatase 4	11.5
		AI951118		Homo sapiens breast cancer antigen NY-BR	11.4
5		AW137148		Homo sapiens cDNA FLJ11382 fis, clone HE	11.3
		AL035414	Hs.21068	hypothetical protein	11.1
		NM_007115 Al684808	Hs.29352	tumor necrosis factor, alpha-induced pro	11.0
		N78223		programmed cell death 9 (PDCD9) transcription factor	10.9
		AW873596		calmodulin 2 (phosphorylase kinase, delt	10.7 10.6
10		H87879		lysyl oxidase	10.5
	402606			NM_024626:Homo sapiens hypothetical prot	10.4
		AA576953	Hs.22972	hypothetical protein FLJ13352	10.4
		Al370413	Hs.36563	hypothetical protein FLJ22418	10.3
	447033	Al357412	Hs.157601		10.2
15		W72838	Hs.2533	aldehyde dehydrogenase 9 family, member	10.1
		NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	10.1
		AW292425	Hs.163484		9.9
		AI873274	Hs.190721		9.9
20		H23789	Hs.144530		9.8
20		BE218705 D90041		metallothionein-like 5, testis-specific	9.7
		W20027	Hs.23439	N-acetyttransferase 1 (arylamine N-acety ESTs	9.7
		AL360204		Homo sapiens mRNA full length insert cDN	9.6 9.6
		AI624342	Hs.170042		9.5
25		Al907673	110.170012	gb:IL-BT152-080399-004 BT152 Homo sapien	9.3
		AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	
	432596	AJ224741	Hs.278461		9.1
	400297	AI127076	Hs.334473	hypothetical protein DKFZp564O1278	9.1
20		D60730	Hs.57471	ESTs	9.1
30		AA410943		gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
	406348	1104075		Target Exon	9.0
		U31875		short-chain alcohol dehydrogenase family	9.0
		U23752 AF026944	Hs.32964	SRY (sex determining region Y)-box 11	9.0
35	405654		Hs.293797	C12001521:gi[7513934[pir]]T31081 cca3 pr	8.8
<i>JJ</i>		AA279490	Hs.86368	calmegin	8.8 8.8
		A1955040		ESTs, Weakly similar to transformation-r	8.7
		AW732573	Hs.47584	potassium voltage-gated channel, delayed	8.5
		AB033025	Hs.50081	KIAA1199 protein	8.4
40	442353	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	8.3
	451561	N52812	Hs.177403	ESTs	8.2
		W67883	Hs.137476	paternally expressed 10	8.2
		NM_007050		protein tyrosine phosphatase, receptor t	8.1
15		AL080207	Hs.134585	DKFZP434G232 protein	8.1
45	405095			Target Exon	8.1
		AA236115	Hs.120785		8.0
		AF026941 BE242870	Hs.17518 Hs.75379	Homo sapiens cig5 mRNA, partial sequence solute carrier family 1 (glial high affl	8.0
		AW876523	Hs.15929		8.0 8.0
50		R17798	Hs.7535	COBW-like protein	7.9
		AI811202		Homo sapiens cDNA: FLJ23523 fis, clone L	7.9
		AF044197			7.9
	406687	M31126		matrix metalloproteinase 11 (MMP11; stro	7.8
	400285	NA		Eos Control	7.7
55	437207	T27503	Hs.15929	hypothetical protein FLJ12910	7.6
	427119	AW880562	Hs.114574		7.5
		AW976987			7.5
		H69125	Hs.133525		7.5
60		A1222020			7.4
30		H59846 Al380797	Hs. 128355 Hs. 158992	ESTs, Moderately similar to ALU7_HUMAN A	7.4
		AA948033	Hs.130853		7.3 7.2
		AW602166			7.2
		AW368397		• • • • • • • • • • • • • • • • • • • •	7.1
65		AW242243		• • • • • • • • • • • • • • • • • • • •	7.0
		AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	6.9
		A1734009	Hs.127699	KIAA1603 protein	6.9

		2 Al678059	Hs.202676	synaptonemal complex protein 2	6.9
		Al375672	Hs.165028	B ESTs	6.9
		3 AI732643	Hs.144151	· · •	6.9
5		AA808229	Hs.167771		6.8
5		Al793124	Hs.144479		6.8
	404253		11- 474004	NM_021058*:Homo sapiens H2B histone fami	6.8
		Al015591 AW963419	MS.131004	ESTs, Weakly similar to T17227 hypotheti	6.7
		AA321649	Hs.2248	stanniocalcin 2	6.6
10		BE545072		small Inducible cytokine subfamily B (CX hypothetical protein FLJ10461	6.6
		AW818127	113.122313	gb:CM1-ST0277-061299-059-b07 ST0277 Home	6.6
		AI418055	Hs.161160		6.6
		A1733682	Hs.130239		6.6
		Al970394	Hs.197075		6.6
15	408000	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	6.5
	420757	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	6.5
	431089	BE041395	Hs.283676	ESTs, Weakly similar to unknown protein	6.5
		X03635	Hs.1657	estrogen receptor 1	6.5
20		AW023482	Hs.97849	ESTs	6.5
20		U79293	Hs.159264	Human clone 23948 mRNA sequence	6.4
		W29092	Hs.7678	cellular retinoic acid-binding protein 1	6.4
		NM_003866	HS.153687	inositol polyphosphate-4-phosphatase, ty	6.4
		AW004854 AL137517	MS.228320	hypothetical protein FLJ23537	6.4
25		NM_014398		hypothetical protein DKFZp564O1278	6.2
23		AA586894	Hs.10887	similar to lysosome-associated membrane S100 calcium-binding protein A7 (psorias	6.1
		Al240665	Hs.8895	ESTs Calcium-busing protest A7 (psores	6.1
		M13509	Hs.83169		6.0
	441233	AA972965	Hs.135568		6.0
30	418092	R45154	Hs.106604	ESTs	6.0
		AA464510	Hs.152812	ESTs	5.9
	432837	AA310693	Hs.87329	HSPC072 protein	5.9
		AW975944	Hs.237396		5.9
25		H39960		Homo sapiens cDNA FLJ12280 fis, done MA	5.9
35		AF115402	Hs.11713		5.9
		AW803341	455500	gb:IL2-UM0079-090300-050-D03 UM0079 Homo	
		AL049689	HS.156369	hypothetical protein similar to tenascin	5.9
		X72755 R20991	Hs.77367	monokine induced by gamma interferon	5.8
40		N28519	Lie 125101	gb:yg06h01.r1 Soares infant brain 1NIB H	5.8
40		AL031224	Hs.33102	ESTs, Weakly similar to unnamed protein	5.8
		W52854	Hs.27099	transcription factor AP-2 beta (activati hypothetical protein FLJ23293 similar to	5.8 5.7
		AW162916		hypothetical protein PRO2577	5.7
		AI733881	Hs.72472	BMP-R18	5.6
45	438199	AW016531	Hs.122147		5.6
	417866	AW067903	Hs.82772	collagen, type XI, alpha 1	5.5
	430019	AA463893	Hs.220933		5.5
		R41396			5.5
50		AW299598		homeo box C4	5.4
50		AW748078	Hs.214410	ESTs, Weakly similar to MUC2_HUMAN MUCIN	
		AI742605	Hs.193696		5.4
		AL121278 BE246919			5.4
		BE167434	Hs.10290 Hs.98471		5.4
55		AI879148			5.4
-		AW067800			5.4
		AA291553	Hs.190086		5.3 5.3
		AW970060		gb:EST382140 MAGE resequences, MAGK Home	
		AA421081		Tam	5.3
60	452838				5.3
		AB028945		i i i i i i i i i i i i i i i i i i i	5.3
	456938				5.3
	422867			cartilage oligomeric matrix protein (COM	5.2
65	438167			ESTs	5.2
65		AW207084	HS.132816	hypothetical protein MGC14801	5.2
	449765				5.2
	416276	U41000	Hs.79136	LIV-1 protein, estrogen regulated	5.2

	400300	X03363		HER2 receptor tyrosine kinase (c-erb-b2,	5.2
		U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	5.2
		AW449211		GDNF family receptor alpha 1	5.2
5		AB028992	Hs.193143	KIAA1069 protein	5.2
)		AW852530 AW851980	Un 202240	gb:PM1-CT0243-071099-001-g06 CT0243 Homo	5.2
		AI916269		ESTs, Weakly similar to S72482 hypotheti ESTs, Weakly similar to ALU5_HUMAN ALU S	5.1
		AA032279	Hs.61635	six transmembrane epithelial antigen of	5.1
		Al283133	Hs.297420		5.1
10		Al791495		calmodulin-like skin protein	5.1
	427718	A1798680	Hs.25933		5.1
	434531	AA642007	Hs.116369		5.1
		AW207206	Hs.136319		5.1
15	405494			C2001837*:gi 12697903 db BAB21770.1 (A	5.1
15		AW195285	HS. 194097	ESTs, Weakly similar to I38022 hypotheti	5.1
		Al201849 X70697	Hs.553	gb:qs76g04.x1 NCI_CGAP_Pr28 Homo saplens	5.0
		BE387335		solute carrier family 6 (neurotransmitte ESTs, Weakly similar to S64054 hypotheti	5.0
		R43646	Hs.12422		5.0
20		W02414	Hs.38383		5.0
	438504	AW665281	Hs.224625		5.0
	416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h	5.0
		AK000713		hypothetical protein FLJ20706	5.0
26		AW512260	Hs.87767	ESTs	4.9
25		X82125	Hs.25040	zinc finger protein 239	4.9
		AJ003029 M30703	Hs.65792	syntrophin, gamma 2	4.9 4.9
		Al655499	Hs.161712	amphiregulin (schwannoma-derived growth	4.8
		AI820662	Hs.129598		4.8
30		AF220050		uncharacterized hematopoietic stem/proge	4.8
	400286	NA		C16000922:gi[7499103 pir][T20903 hypothe	4.8
	407506	U71600		gb:Human zinc finger protein zfp31 (zf31	4.8
		AI831190	Hs.166676	- : -	4.8
25		BE218239	Hs.202656		4.8
35		Al217477 AW997556	Hs.194591 Hs.78521		4.8
		BE440042	Hs.83326	KIAA1717 protein matrix metalloproteinase 3 (stromelysin	4.8 4.7
		AI349764	Hs.217081		4.7
		AA191493	Hs.48778	niban protein	4.7
40	400284			estrogen receptor 1	4.7
	410102	AW248508	Hs.279727	Homo saplens cDNA FLJ14035 fis, clone HE	4.7
		R42185	Hs.274803		4.7
		BE062109		chloride channel, calcium activated, fam	4.7
45		AW961489	Hs.154116		4.7
40		NM_003462 AF077345	Hs.33846 Hs.177936	dyneln, axonemal, light intermediate pol	4.7 4.6
		AW813731		ESTs, Moderately similar to S65657 alpha	4.6
		R63503	Hs.28419	ESTs	4.6
	405718			C4000799*:gi[6330365 dbj]BAA86508.1 (AB	4.6
50	444649	AW207523	Hs.197628		4.6
		240313		Homo sapiens done IMAGE:23371, mRNA seq	4.6
		M81057		carboxypeptidase B1 (tissue)	4.6
		Al199268	Hs.19322	Homo saplens, Similar to RIKEN cDNA 2010	4.6
55		AK000282	MS.239681	hypothetical protein FLJ20275 gb:RC1-CT0279-081299-013-b01 CT0279 Homo	4.6
55		AW855717 AA242758	Hs.79136	LIV-1 protein, estrogen regulated	4.6
		AA808189	Hs.272151		4.6
		AW936273		gb:QV0-DT0020-090200-107-g07 DT0020 Homo	
		AL036877	Hs.282878		4.6
60		AA514660	Hs.128443	ESTs	4.6
		H15261	Hs.21948	ESTs	4.6
-		AW246333	Hs.17901	Homo sapiens, clone IMAGE:3937015, mRNA,	4.6
		AJ245671	Hs.12844	EGF-like-domain, multiple 6 (EGFL6) hypothetical protein FLJ20086	4.5 4.5
65		AW966399 W68815	Hs.46821 Hs 301885	Homo sapiens cDNA FLJ11346 fis, clone PL	4.5
55		AW503329	. 5.55 1000	gb:UI-HF-BN0-akx-e-02-0-UI.r1 NIH_MGC_50	4.5
		AI925153	Hs.217493	annexin A2	4.5

	412102	H56435		gb:yq98e09.r1 Soares fetal liver spleen	4.5
	431716	D89053	Hs.268012	fatty-acid-Coenzyme A ligase, long-chain	4.5
		AW814902		gb:MR1-ST0206-120400-022-f08 ST0206 Homo	
_	401418			C14000338*:gij7459502[plr] S74665 outer	4.5
5		AK001074		Homo sapiens cDNA FLJ10212 fis, clone HE	4.5
		AK001581		hypothetical protein FLJ10719; KIAA1794	4.4
		AA135257		B aggressive lymphoma gene	4.4
		AA335497		ESTs, Weakly similar to 138022 hypotheti	4.4
10		AW419196 AW664964		hypothetical protein FLJ 13782	4.4 4.4
10		BE463857	Hs.128899	hypothetical protein FLJ21062	4.4
		R31178		fibronectin 1	4.4
		AW905138	113.20/020	gb:QV0-NN1071-280400-207-g07 NN1071 Homo	
	405196			C2000662*:gi 7512792 pir T12482 hypothe	4.4
15		N47863	Hs.336901	ribosomal protein S24	4.4
	401793			C17001545:gij5360127[gb]AAD42882.1]AF155	4.4
		AA381209		gb:EST94257 Activated T-cells I Homo sap	4.4
	423679	AB007975	Hs.131454	KIAA0506 protein	4.4
	400238	NA		C19000274*:gi]12741327]ref[XP_008833.2]	4.4
20	425627	AF019612	Hs.297007	membrane-bound transcription factor prot	4.4
	400608			C10001899:gi[7508633 pir T25392 hypothe	4.4
		AV657310	Hs.282898		4.3
		AL138272	Hs.62713	ESTs	4.3
25	405906			Target Exon	4.3
25	405925		11 400070	Target Exon	4.3
		BE247684	Hs.103070		4.3
		H57646 N63855	Hs.42586	KIAA1560 protein	4.3
		AA603305	NS. 142034	zinc finger protein gb:np12d11.s1 NCI_CGAP_Pr3 Homo sapiens	4.3
30		N71277		gb:za36e03.s1 Soares fetal liver spleen	4.3
50		AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto	4.2
		A1266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein	4.2
		AA291377	Hs.50831	ESTs	4.2
		AA033714		hypothetical protein FLJ14260	4.2
35		NM_001898		cystatin SN	4.2
	413043	BE158766		gb:lL2-HT0397-071299-024-F02 HT0397 Homo	4.2
	413499	BE144884		gb:CM0-HT0182-041099-065-e11 HT0182 Homo	4.2
	444619	BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-lin	4.2
40		AF123050	Hs.44532	diubiquitin	4.2
40		S82472		gb:beta -pol=DNA polymerase beta (exon a	4.2
	404285			C6001909:gij704441 dbj BAA18909.1 (D298	4.2
		NM_005940		matrix metalloproteinase 11 (MMP11; stro	4.2
		AW812795		ESTs, Moderately similar to I38022 hypot	4.2
45		AA026880	Hs.25252	prolactin receptor	4.2
43		AW592167 Al908165	Hs.293299		4.2
		AW821113	Hs.72402	GATA-binding protein 3 (T-cell receptor ESTs	4.2
		AA024538		Human DNA sequence from clone RP1-28H20	4.2
		AW378065	Hs.8687	ESTs	4.2
50		Al085198	Hs.164226		4.2
		AB007948		KIAA0479 protein	4.1
		J05070		matrix metalloproteinase 9 (gelatinase B	4.1
		AA894564	Hs.22242	ESTs	4.1
	434469	AA634806		gb:ab28c02.r1 Stratagene lung (937210) H	4.1
55	451381	BE241831	Hs.172330	hypothetical protein MGC2705	4.1
	450229	R18717	Hs.8929	hypothetical protein FLJ11362	4.1
		BE068115		gb:CM1-BT0368-061299-060-g07 BT0368 Homo	
		AK000850		Homo sapiens cDNA FLJ20843 fis, clone AD	4.1
<i>c</i> 0		AI886558	Hs.184987		4.1
60	401451	.1005151		NM_004496*:Homo sapiens hepatocyte nucle	4.1
		A1685464	He 170000	gb:tt88f04.x1 NCI_CGAP_Pr28 Homo sapiens	4.1
		Al735283	Hs.172608 Hs.57773	ESTs	4.1
		W60379 AI220547	Hs.135223		4.1
65		AW057736		HER2 receptor tyrosine kinase (c-erb-b2,	4.1
05		U85658	Hs.61796	transcription factor AP-2 gamma (activat	4.1
		BE007371	Hs.200313		4.1

PCT/US02/02242

WO 02/059377

	400-05			Year of France	
	403585	A12044E4	Un 27022	Target Exon ESTs	4.1 4.1
		Al394151 AA640891	Hs.37932 Hs.102406		4.1
		BE264901		carbonic anhydrase VIII	4.1
5		NM_004354	Hs.79069		4.1
_		AA296520	Hs.89546	selectin E (endothelial adhesion molecul	4.1
	400555			Target Exon	4.1
		U94362	Hs.58589	glycogenin 2	4.0
10		NM_003528	Hs.2178	H2B histone family, member Q	4.0
10		AA448460		GE36 gene	4.0
		AL359055		Homo saplens mRNA full length insert cDN	4.0
		AL117406	Hs.103253	ATP-binding cassette transporter MRP8	4.0
		NM_002666 AA228776	Hs.191721		4.0
15		AW954552		zinc finger protein	4.0
		AW938484		gb:CM0-DT0057-290200-253-d06 DT0057 Homo	4.0
	404142			Target Exon	4.0
	441143	Al027604	Hs.159650	ESTs	4.0
20		Al693927	Hs.265165	_	4.0
20		AA165232	Hs.222069		4.0
		N75582	HS.2128/5	ESTs, Weakly similar to DYH9_HUMAN CILIA	4.0 4.0
		BE390440	Hs.28792	gb:601283601F1 NIH_MGC_44 Homo sapiens c Homo sapiens cDNA FLJ11041 fis, clone PL	4.0
	452281	AA417383	Hs.82582	Integrin, beta-like 1 (with EGF-like rep	4.0
25		A1281848		retinolc acid induced 3	4.0
		X77343		transcription factor AP-2 alpha (activat	4.0
		AL119723		gb:DKFZp761A2124_r1 761 (synonym: hamy2)	4.0
	446140	AA356170	Hs.26750	hypothetical protein FLJ21908	4.0
20		AJ591147	Hs.61232	ESTs	4.0
30		A1741122	Hs.101810	Homo sapiens cDNA FLJ14232 fis, clone NT	4.0 4.0
		N99626	Ua 200275	gb:za39d11.r1 Soares fetal liver spleen ESTs, Weakly similar to ALUA_HUMAN IIII	4.0
		Al199738 Al948607	Hs.264680		4.0
		AF153330	Hs.30246	solute carrier family 19 (thiamine trans	3.9
35		AA263143	Hs.24596	RAD51-interacting protein	3.9
	406554			Target Exon	3.9
		AA573006	Hs.19173	ESTs	3.9
		Z42023	Hs.106576	alanine-glyoxylate aminotransferase 2-ll	3.9
40		AA442176	11. 75040	gb:zw63b08.r1 Soares_total_fetus_Nb2HF8_	3.9 3.9
40		M86153	Hs.75618	RAB11A, member RAS oncogene family Target Exon	3.9
	401781	F05086	Hs.328142		3.9
		AA026777	113.320142	gb:ze93c11.r1 Soares_fetal_heart_NbHH19W	3.9
		AI819068	Hs.209122		3.9
45		Z21336	Hs.135411	actin related protein	3.9
	424638	AI472106	Hs.49303		3.9
		AF086534		ESTs, Moderately similar to ALU1_HUMAN A	3.9
		AA419529	Hs.76391		3.9
50		AB037791	Hs.29716	hypothetical protein FLJ10980 ESTs	3.9 3.9
30		BE537217 BE568414	Hs.30343	Homo sapiens cDNA: FLJ22097 fis, clone H	3.9
		AI073512	Hs.133916		3.9
		BE152428	113.133310	gb:CM0-HT0323-151299-126-b04 HT0323 Home	
	401785	02.02.120		NM_002275*:Homo sapiens keratin 15 (KRT1	3.9
55		M86699	Hs.169840	TTK protein kinase	3.9
		AI989885	Hs.231926		3.9
		H75391	Hs.255748		3.9
		BE172186		gb:MR0-HT0559-110300-005-h11 HT0559 Hom	03.8 3.8
60		AA236645 AI184268	Hs.98274 Hs.339665	ESTs	3.8
00		AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	3.8
	403593		113.10023	Target Exon	3.8
		AW016669	Hs.29190	ESTs	3.8
	419854	AW664873	Hs.87836		3.8
65		W02410	Hs.205555		3.8
		Al217928	Hs.144762		3.8
	409542	AA503020	Hs.36563	hypothetical protein FLJ22418	3.8

	443162	T49951	Hs.9029	DKFZP434G032 protein	3.8
		AW383618		ESTs, Moderately similar to ALU2_HUMAN A	3.8
		AL359938	Hs.117313	Meis (mouse) homolog 3	3.8
_		AA904244	Hs.153205		3.8
5		Al476732	Hs.263912	·	3.8
	403426	44470450		Target Exon	3.8
		AA470158	Hs.98202	ESTs	3.8
		BE222648 AW206942	Hs.253594	ESTs, Highly similar to c380A1.1b [H.sap	3.8
10		AW105231	Hs.192035		3.8
10		AW794600	115.152000	gb:RC6-UM0014-170300-022-C05 UM0014 Hon	
		NM_005756	Hs.184942	G protein-coupled receptor 64	3.8
		BE622641	Hs.38489	ESTs, Weakly similar to I38022 hypotheti	3.8
	447995	Al742618	Hs.181733	ESTs, Weakly similar to nitrilase homolo	3.7
15	401747			Homo saplens keratin 17 (KRT17)	3.7
		NM_014581		odorant-binding protein 2A	3.7
		AP000692		chromosome 21 open reading frame 5	3.7
		AB029496	Hs.59729	semaphorin sem2	3.7
20		BE005346	Hs.116410		3.7
20		AK001666 AA018534		similar to SALL1 (sal (Drosophila)-like	3.7 3.7
	402696		Hs.103334	C3002523:gij6686211 sp Q27533 YH2M_CAEE	
		AV660737	Hs.135100		3.7
		AW816379	Hs.335018		3.7
25		U80736		trinucleotide repeat containing 9	3.7
	419440	AB020689	Hs.90419	KIAA0882 protein	3.7
		AA312082		GDNF family receptor alpha 1	3.7
		N62840	Hs.48648	ESTs	3.7
20	401508			NM_024817:Homo sapiens hypothetical prot	3.7
30		AA324597	Hs.21851	Homo sapiens cONA FLJ12900 fis, clone NT	3.7
		U79734	Hs.97206 Hs.124244	huntingtin interacting protein 1	3.7
		AI021992 AA629065	Hs.116301	· -	3.7 3.7
		R55373	Hs.20864	ESTs	3.7
35		BE623004	113.20007	gb:601441282F1 NIH_MGC_72 Homo sapiens c	
		Al347502	Hs.107872	hypothetical protein FLJ20761	3.7
	433404	T32982	Hs.102720	ESTs	3.7
	405232			NM_015832:Homo sapiens methyl-CpG bindln	3.7
40		AL109791	Hs.241559	Homo sapiens mRNA full length insert cDN	3.7
40		BE011668		gb:CM3-BN0223-100500-177-a04 BN0223 Home	
		AI239923	Hs.30098	ESTs	3.7
		Al970797 Al248584	Hs.64859	ESTs Homo sapiens cDNA: FLJ21326 fis, clone C	3.7 3.7
	401049		113.130743	Target Exon	3.6
45		D31771	Hs.89404	msh (Drosophila) homeo box homolog 2	3.6
		N74530	Hs.21168	ESTs	3.6
	458663	AV658444	Hs.280776	tankyrase, TRF1-interacting ankyrin-rela	3.6
	437259	Al377755	Hs.120695		3.6
50		M97815	Hs.183650	cellular retinoic acid-binding protein 2	3.6
50		A1698839		gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo s	
		AL120173	Hs.301663		3.6
		AW901456 AA352111		gb:RC0-NN1012-270300-031-c07 NN1012 Homo gb:EST60061 Activated T-cells XX Homo sa	აა.ი 3.6
		A1142095	Hs.143273		3.6
55		BE164500	110.1102.10	gb:RC4-HT0469-230300-014-e10 HT0469 Homo	
		AA157291	Hs.21479	ubinuclein 1	3.6
	409064	AA062954	Hs.141883	ESTs	3.6
		Y12735	Hs.38018	dual-specificity tyrosine-(Y)-phosphoryl	3.6
~		AK000054	Hs.12347	hypothetical protein FLJ20047	3.6
60	404091			Target Exon	3.6
		AA125985	Hs.56145	thymosin, beta, Identified in neuroblast	3.6
	405153	AA380177	He 125045	Target Exon ribulose-5-phosphate-3-epimerase	3.6 3.6
	403639		130.120040	ENSP0000233023*:CDNA FLJ12662 fis, clon	3.6
65	404360			C7001385:gi]12082809[gb]AAG48618.1[AF315	3.6
-		AA766296	Hs.99200	ESTs	3.6
		AB007961		KIAA0492 pmtein	36

	424202	BE350295	Hs.15032		3.6
		AA514986	Hs.283705		3.6
		AA853978	Hs.124577		3.6
5		AA441838	Hs.62905	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.6 3.6
5	406446	AA315308	He 105870		3.6
		AW015415	Hs.127780	7.	3.6
		W87707	Hs.82065		3.6
	440132	Al697121	Hs.202466		3.6
10		AW291095	Hs.21814		3.6
	440671	AW297920	Hs.130054		3.5
		AW860158		gb:RC0-CT0379-290100-032-b04 CT0379 Homo	
		AW968226	Hs.60798		3.5
16	402820		11-044744		3.5 3.5
15		AA191719	Hs.314714		3.5
		AW393080 Al806335			3.5
		AA420683	Hs.98321		3.5
		NM_015368	Hs.30985		3.5
20	400610			Target Exon	3.5
	417843	W07361	Hs.22545	Homo sapiens cDNA FLJ12935 fis, clone NT	3.5
	419335	AW960146		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.5
		AI805416	Hs.213897		3.5
25		NM_004272			3.5
25		AW392342	Hs.197030	• • • • • • • • • • • • • • • • • • • •	3.5 3.5
		AW448937 AW753967	ns. 197030	gb:RC2-CT0304-080100-011-h12 CT0304 Homo	
		NM_000288	Hs.79993		3.5
		R20893			3.5
30		AL043002		ESTs, Moderately similar to unnamed prot	3.5
		H84847	Hs.49391	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	3.5
		AW316843	Hs.66309		3.5
		N32536	Hs.42645		3.5
35		AI917494 AI057094	Hs.9812 Hs.96867		3.5
ככ		Al370876	Hs.79090		3.5
		AW850178	1 10.7 5050	gb:IL3-CT0219-271099-022-H12 CT0219 Homo	
		AA314337	Hs.301547	ribosomal protein S7	3.5
	421106	AA877124	Hs.172844	ESTs	3.5
40		N25521	Hs.25275	and the state of the second section of the second section second section second	3.5
		Al935016	Hs.216639		3.5
		BE145808	11. 400040	gb:MR0-HT0208-101299-103-f11 HT0208 Homo	3.
		AW295151	Hs.163612	· ·	3.5
45		AW167087 Z50158	Hs.131562	ESTs, Weakly similar to MMHUB1 laminin b	3.
73		AW474547	Hs.53565		3.5
•		BE614743		prostaglandin E synthase	3.5
		AW505021	Hs.88414	BTB and CNC homology 1, basic leucine zi	3.9
		AI908400	Hs.143789		3.9
50	439405	AF086224	Hs.55238	ESTs	3.
	405917			C17000675:gij7290703 gb AAF46150.1 (AE0	3.
		AW993582	Hs.176220		3.
		W47595		transforming growth factor, beta 2	3.4
55		AA283185 AW904466	Hs.19327	ESTs PDZ domain protein (Drosophila inaD-like	3.
55		BE252383		SBBI31 protein	3.
		BE064962	120,10,1000	gb:RC1-BT0313-130400-016-c02 BT0313 Homo	
		U92649	Hs.64311	a disintegrin and metalloproteinase doma	3.
	447754	AW073310	Hs.163533	Homo sapiens cDNA FLJ14142 fis, done MA	3.
60		AW749855		gb:QV4-BT0534-281299-053-c05 BT0534 Hamo	
	404097		11- 000000	C5000242*:gij9369379jgbjAAF87128.1jAC006	3.
		AF119861	Hs.283032 Hs.89113	hypothetical protein PRO2015 ESTs	3.
	402421	A1215069 ·	4 13.03 1 13	C1001578*:gij6759903[gb]AAF28099.1] (AF1	3.
65	405248			Target Exon	3.
		AJ404672	Hs.334483	hypothetical protein FLJ23571	3.
		DE2/7275	He 151787	115 snRNP-specific omtein 116 kD	3

		AF038564	Hs.98074	itchy (mouse homolog) E3 ubiquitin prote	3.4
		X81334	Hs.2936	matrix metalloproteinase 13 (collagenase	3.4
		BE618395		hypothetical protein DKFZp761J1523	3.4
_		R41823	Hs.7413	ESTs; calsyntenin-2	3.4
5		AA210765		gb:zr90c06.r1 NCI_CGAP_GCB1 Homo saplens	3.4
		AI346468	Hs.145789	ESTs	3.4
		A1613276	Hs.5662	guanine nucleotide binding protein (G pr	3.4
		Al247716	Hs.232168	ESTs	3.4
		AA164366	Hs.151973	hypothetical protein FLJ23511	3.4
10	435202	Al971313	Hs.170204	KIAA0551 protein	3.4
	410467	AF102546	Hs.63931	dachshund (Drosophila) homolog	3.3
	405460			Target Exon	3.3
	441826	AW503603	Hs.129915	phosphotriesterase related	3.3
	453472	AL037925		gb:DKFZp564M037_r1 564 (synonym: hfbr2)	3.3
15	447078	AW885727	Hs.301570		3.3
	441690	R81733	Hs.33106	ESTs	3.3
	420092	AA814043	Hs.88045	ESTs	3.3
	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.3
	408908	BE296227		serine/threonine kinase 15	3.3
20	414737	Al160386	Hs.125087		3.3
		AF055575	Hs.23838	calcium channel, voltage-dependent, L ty	3.3
		NM_000685	Hs.89472		3.3
		AA160079		Homo sapiens mRNA for partial 3'UTR, seq	3.3
		AW503857	Hs.4007	Sarcolemmal-associated protein	3.3
25		NM_005982	Hs.54416	sine oculis homeobox (Drosophila) homolo	3.3
		AW138872	Hs.135288		3.3
		AA280627	Hs.57846	ESTs	3.3
		AA296961	113.07010	gb:EST112514 Adrenal gland tumor Homo sa	3.3
		AI936450	Hs.147482		3.3
30	402892		113.141402	Target Exon	3.3
50		AA994896	Hs.22514	ESTs	3.3
		AA741545		ESTs, Weakly similar to T24961 hypotheti	3.3
		R21945		splicing factor, arginine/serine-rich 5	3.3
		AI954968	He 270000	matrix Gla protein	3.3
35		AV653771	115.215005		3.3
J		AA121686	Hs.10592	gb:AV653771 GLC Horno sapiens cDNA done ESTs	3.3
	406151		FIS. 10032		3.3
		AW511956	Un 202264		
		AW820260	Hs.293261		3.3
40		T16971	Un 200014	gb:QV2-ST0296-150200-040-c10 ST0296 Homo	
70		AF086120			3.3
	401575		Hs.102793		3.3
			U- 44000		3.3
		AL045633 Al344166	Hs.44269		3.3
45			Hs.155743		3.3
45		AW369771	Hs.52620		3.3
		AW204610	Hs.22270		3.3
		AA976718	Hs.202242		3.3
		AA206186	Hs.79889		3.3
50		AW043921	Hs.130526		3.3
50		T70874	Hs.207636		3.2
		T10213			3.2
		AI824009	Hs.44577		3.2
		R60336	Hs.52792	Homo sapiens mRNA; cDNA DKFZp586I1823 (f	
		W88774	Hs.118370		3.2
55		BE336654	Hs.70937		3.2
		AA863360	Hs.26040		3.2
		BE311926	Hs.15830	hypothetical protein FLJ12691	3.2
	403637	NA		C3001106*:gij10047201 dbj BAB13394.1 (A	3.2
	405547			NM_018833*:Homo sapiens transporter 2, A	3.2
60		C05766	Hs.181022		3.2
		AI821005	Hs.118599		3.2
	410313	R10305	Hs.185683		3.2
	416856	N27833	Hs.269028		3.2
		AI652777	Hs.197069	ESTs	3.2
65		NM_004460	Hs.418	fibroblast activation protein, alpha	3.2
	440684	AI253123	Hs.127356	ESTs, Highly similar to S21424 nestin (H	3.2
	459055	N23235	Hs.30567		3.2

PCT/US02/02242

	452400	LIGGTOR	Un 01000	Hama anaigna dana PD1409 unknown mPNA	3.2
	452190		Hs.91668 Hs.154918	Homo sapiens clone PP1498 unknown mRNA	3.2
	405394	AA489732	ms. 1349 10	Target Exon	3.2
		BE169810	Hs.47557	ESTs	3.2
5	454265			ESTs, Weakly similar to thyroid hormone	3.2
,		AA765917	Hs.122840		3.2
		AK000684		hypothetical protein FLJ22104	3.2
		AL121282	Hs.257786		3.2
		AW856552		gb:RC1-CT0294-080100-012-a04 CT0294 Homo	
10		NM_005429	Hs.79141	vascular endothelial growth factor C	3.2
	437488	AA758239	Hs.180330	ESTs	3.2
	428398	AI249368	Hs.98558	ESTs	3.2
		H38857		Homo sapiens cDNA FLJ20738 fis, clone HE	3.2
• ~		AI904743		hypothetical protein FLJ10292	3.2
15		AI016377	Hs.131693		3.2
		AB033052	Hs.22151	KIAA1226 protein	3.2
		AI198719	Hs.176376	NM_014112*:Homo saplens trichorhinophala	3.2 3.2
	404580	AA326187	Hs.17170	G protein-coupled receptor 4	3.2
20		AW974903	Hs.291231		3.1
20		AW904907	Hs.30732	hypothetical protein FLJ13409; KIAA1711	3.1
		Al204995		gb:an03c03.x1 Stratagene schizo brain S1	3.1
	400195			NM_007057*:Homo sapiens ZW10 interactor	3.1
	417860	AW408557	Hs.235498	hypothetical protein FLJ14075	3.1
25	417995	AW974175	Hs.188751	ESTs, Weakly similar to MAPB_HUMAN MICRO	
	422589	AA312735	Hs.30512	Homo sapiens mRNA for KIAA0556 protein,	3.1
		AA701327	Hs.17949	ESTs	3.1
		AA906366	Hs.190535		3.1
20		D38122	Hs.2007	tumor necrosis factor (ligand) superfami	3.1 3.1
30		AW891294 R82331	Hs.164599	solute carrier family 4, sodium bicarbon	3.1
		A1638627		KIAA1688 protein	3.1
		AA503653		ESTs, Moderately similar to ALU2_HUMAN A	3.1
		AA339449	Hs.82285	phosphoribosylglycinamida formyltransfer	3.1
35		AA470519		gb:nc71f10.s1 NCI_CGAP_Pr1 Homo saplens	3.1
	418827	BE327311	Hs.47166	HT021	3.1
	410835	AW806906		gb:QV4-ST0023-160400-172-d12 ST0023 Homo	
		H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (
40	405336			Target Exon	3.1
40		A1683150		ESTs, Weakly similar to ALU1_HUMAN ALU S	3.1 3.1
		A1583052	Hs.270058	gb:PM1-HT0422-291299-002-c08 HT0422 Homo	
		BE160636 AI768801	He 180043	Homo sapiens cDNA FLJ13569 fis, clone PL	3.1
	405848		113.103343	Target Exon	3.1
45		BE066976		gb:PM0-BT0340-211299-003-c12 BT0340 Homo	
		M29994		gb:Human alpha-I spectrin gene, exon 12.	3.1
	409602	W26713	Hs.256972	ESTs	3.1
	423518	D45027		R3H domain (binds single-stranded nuclei	3.1
		AI065104		ESTs, Weakly similar to A46010 X-linked	3.1
50		BE165753		Homo sapiens, clone IMAGE:4098694, mRNA,	3.1
		AA706910	Hs.112742		3.1
		AL050027	Ua 40770	gb:Homo saplens mRNA; cDNA DKFZp566C032 niban protein	3.1
		AI541305 AW407181	Hs.48778	Homo sapiens cDNA FLJ11927 fis, clone HE	3.1
55		AF026942	113.210311	gb:Homo saplens cig33 mRNA, partial sequ	3.1
55		AW807227		gb:MR4-ST0062-180200-001-e10 ST0062 Home	3.1
		NM_002914	Hs.139226	replication factor C (activator 1) 2 (40	3.1
	416790	R83066	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	3.1
	420020	BE295866	Hs.94382	adenosine kinase	3.1
60		W94997	Hs.189917		3.1
		U07616		amphiphysin (Stiff-Mann syndrome with br	3.1
		AL117431		Homo sapiens cDNA FLJ12198 fis, clone MA	3.1
		BE466639	Hs.61779	Homo sapiens cDNA FLJ13591 fis, done PL ATP-binding cassette, sub-family C (CFTR	3.1 3.1
65		AW138413 AA382814	113.133330	gb:EST96097 Testis I Homo saplens cDNA 5	3.1
0,5		AI248013	Hs.106532	ESTs, Weakly similar to 138588 reverse t	3.1
		AW135274	Hs.12433	ESTs	3.1
	10, 000				

		H38026	Hs.308	arrestin 3, retinal (X-arrestin)	3.1
		BE219794	Hs.293471		3.1
		AK001423	Hs.94694	Homo saplens cDNA FLJ10561 fis, clone NT	3.0
_		AB033035	Hs.51965	KIAA1209 protein	3.0
5		BE153855	Hs.61460	lg superfamily receptor LNIR	3.0
		AA232658		UDP-glucose:glycoprotein glucosyltransfe	3.0
		AI830417	Hs.44143	polybromo 1	3.0
		N93266	Hs.40747	ESTs	3.0
10		AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	3.0
10		NM_005357	Hs.95351	lipase, hormone-sensitive	3.0
	405609	NA		ENSP00000241065*:CDNA	3.0
	404274			NM_002944*:Homo sapiens v-ros avian UR2	3.0
	449777	Al971362	Hs.231945	ESTs	3.0
	415459	H07118	Hs.6099	ESTs	3.0
15	415245	N59650	Hs.27252	ESTs	3.0
	406291	NA		Target Exon	3.0
	414210	BE383592		gb:601297871F1 NIH_MGC_19 Homo sapiens c	3.0
	432055	AW972359	Hs.293334	ESTs	3.0
		A1791988	Hs.129115	ESTs	3.0
20	451353	N21043	Hs.42932	ESTs	3.0
	451177	Al969716	Hs.13034	ESTs	3.0
	418026	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte	3.0
	401326	NA	•	C10000447*:gi[1168375 sp P43467 AGA1_PED	3.0
	409920	BE169746	Hs.12504	likely ortholog of mouse Arkadia	3.0
25	432887	AI926047	Hs.162859	ESTs	3.0
	411789	AF245505	Hs.72157	DKFZP564I1922 protein	3.0
	401045			C11001883*:gij6753278 ref NP_033938.1 c	3.0
	432162	AA584062	Hs.272798	hypothetical protein FLJ20413	3.0
	434627	Al221894	Hs.39311	ESTs	3.0
30	442611	BE077155	Hs.177537	hypothetical protein DKFZp761B1514	3.0
	425477	AW958879	Hs.270535	ESTs	3.0
	457183	H91882	Hs.118569	Dvl-binding protein IDAX (inhibition of	3.0
	433014	NM_014711		KIAA0419 gene product	3.0
0.5		R13474	Hs.290263	ESTs, Weakly similar to I38022 hypotheti	3.0
35		R52782		gb:yg99d09.r1 Soares Infant brain 1NIB H	3.0
		AB014528	Hs.43133	KIAA0628 gene product	3.0
		AW004683	Hs.78934	mutS (E. coli) homolog 2 (colon cancer,	3.0
		AI754212	Hs.21951	Homo sapiens Xq pseudoautosomal region;	3.0
40		AW021173	Hs.18612	Homo sapiens cDNA: FLJ21909 fis, clone H	3.0
40		AW901879	Hs.314453		3.0
		D31118		hypothetical protein MGC10520	3.0
		AW294795	Hs.198529		3.0
		AA878939	Hs.125406		3.0
4.5		A1375957		F-box only protein 22	3.0
45		AA281279	Hs.23317	hypothetical protein FLJ14681	3.0
		NM_014400	Hs.11950	GPI-anchored metastasis-associated prote	3.0
		AA701259	Hs.189299		3.0
		AI041793	Hs.42502	ESTs	3.0
50		BE175605		gb:RC5-HT0580-100500-022-H07 HT0580 Home	
50		AW295923		KIAA1843 protein	3.0
		M31659		solute carrier family 25 (mitochondrial	3.0
		AA397658	Hs.60257	Homo sapiens cDNA FLJ13598 fis, done PL	3.0
		W01938		ESTs, Weakly similar to ALU7_HUMAN ALU S	2.9
<i>E E</i>		W57554		lymphoid nuclear protein (LAF-4) mRNA	2.9
55		U22376	Hs.1334	v-myb avian myeloblastosis viral oncogen	2.9
		BE246743	Hs.288529	hypothetical protein FLJ22635	2.9
	403677			C4001462:gi 4887715 gb AAA79329.2 (L088	2.9
		BE067650		gb:MR4-BT0358-090300-003-e01 BT0358 Homo	
<i>6</i> 0		W87434		ESTs, Moderately similar to ALU1_HUMAN A	2.9
60		BE568102		mitochondrial ribosomal protein S16	2.9
		A1674818		Homo sapiens cDNA FLJ11375 fis, clone HE	2.9
		AA179949		Homo sapiens mRNA; cDNA DKFZp564N0763 (
		AW365665	Hs.120388		2.9
65		A1633559	Hs.310359		2.9
03	402109	N34128	Hs.145268	Target Exon ·	2.9 2.9
		BE501732	Hs.30622	Homo sapiens cDNA FLJ13010 fis, clone NT	2.9
	723023	DE30113E	. 13.00022	Tromo appena aprez i ca ton to naj diona Mi	2.3

442295 AB27248	20
Mail	2.9 2.9
S	2.9
March Marc	2.9
40566 AA481282	2.9
445517 Al839339 Hs.146883 ESTS 447691 AWP3406 Hs.149006 ESTS 401458 401458 Hs.246358 ESTS, Weakly similar to T32250 hypotheli Target Exon 421039 NM_003478 459504 BE514127 424962 NM_012288 15 409617 BE003760 Hs.55209 416331 045371 Hs.80485 409673 NM_016122 Hs.55209 43340 Al193043 Hs.246358 454529 245439 Hs.270425 45221 AF015592 Hs.28653 454529 245439 Hs.270425 45221 AF015592 Hs.103982 small inducible cytokine subfamily B (Cy 45221 AF015592 Hs.33526 HER2 receptor byrosine kinase (c-erb-b2, 449051 AM257264 Hs.238936 ESTS, Weakly similar to T32250 hypotheli 41831 045371 Hs.80485 adjoose most abundant gene transcript 1 gb:/PM0-HT0425-141299-001-F08 HT0425 Hom NY-REN-58 antigen gb:/pxy7g01.s1 NCI_CGAP_D18 Homo sapiens 454529 245439 Hs.270425 ESTS 45251 AF015592 Hs.303526 HER2 receptor byrosine kinase (c-erb-b2, 449051 AM257264 Hs.238936 ESTS, Weakly similar to ALUS_HUMAN ALUS gb:/li> 400761 AA057284 Hs.238937 ESTS, Weakly similar to ALUS_HUMAN ALUS gb:/li> 401933 C12000586*:giji5330167]dbjjBAA86477.1] (A 452836 AA295331 Hs.133554 HER2 receptor byrosine kinase (c-erb-b2, 449340 AW235786 Hs.195339 hypothetical protein MGC10954 42836 AA243837 Hs.303662 ESTs 42836 AAV29687 Hs.33662 ESTs 44837 AW206453 Hs.3782 ESTs 44837 AW206453 Hs.3782 ESTs 44837 AW206453 Hs.3782 ESTs 44838 AW26454 Hs.58006 ESTs, Weakly similar to ALUS_HUMAN ALU S gb:/li> 452554 AW452434 Hs.58006 ESTs, Weakly similar to ALUS_HUMAN ALU S gb:/li> 45454 AW806899 Hs.132413 ESTs 45452 AW806899 Hs.132413 ESTs 45462 AA486224 Hs.58000 AU33588 Hs.132921 ESTs 454624 AA502490 Hs.336655 ESTs, Weakly similar to ALUS_HUMAN ALU S gb:/li> 455482 AA486224 Hs.336655 ESTs 4000250 NA 50 449168 NM_016206 Hs.331695 ESTs 4000250 NA 51 440400 AA934364 Hs.336655 ESTs 40004 AA934364 Hs.336655 ESTs 40004 AA934364 Hs.32691 Hs.32691 FSTs, Weakly similar to RC2_DB Homo sapiens cDNA flucible cytokine subfamily A (Cy gb:/QV4-ST0023-160400-172-c12 ST0023 Hom sapiens cDNA directed) lota Target Exon	2.9
445563 AW873606 Hs. 149006 ESTs 427691 AW194426 Hs. 20726 401458 421039 NM_003478 Hs. 140263 ESTs, Weakly similar to T32250 hypotheli Target Exon 416350 485514127 424962 NM_012288 Hs. 153954 41631 045371 Hs. 55209 41631 045371 Hs. 55209 41632 D85161151 409732 NM_016122 433667 AA743991 40732 NM_016122 424562 AV4529 AF015592 Hs. 207425 425291 AF015592 Hs. 207425 457402 AW452648 Hs. 130582 457402 AW452648 Hs. 149342 408761 AA057264 Hs. 23893 408761 AA057264 Hs. 23893 408761 AA057264 Hs. 23893 ESTs, Weakly similar to define not ava crizonosade cylidine dearninase 408761 AA057264 Hs. 23893 ESTs, Weakly similar to define not ava crizonosade cylidine dearninase 411995 BE265067 405933 NA 420854 AW296927 454365 AA846811 42835 AA295331 Hs. 183861 442861 AA24387 Hs. 130554 Homo saplens cDNA FLJ20042 fis, clone CO 445450 AL039852 Hs. 139342 400 412248 BE176480 449450 AL039852 Hs. 139351 442861 AA24387 Hs. 130554 Homo saplens cDNA FLJ20042 fis, clone CO 44545 AW606699 45454 AW606699 45454 AW606699 45546 AA468224 4604 AA303450 NA 400250 NA 50 449180 NM_016206 449180 NM_01620	2.9
427691 AW194426	2.9
10	2.9
401458	2.9
421039 NM_003478 42950 NM_01288 459504 BE514127 42962 NM_01288 45.153954 TRAM-like protein 409617 BE003760 416931 D45371 413221 BE161151 409732 NM_016122 433687 AA743991 434340 Al193043 454529 Z45439 421379 Y15221 452291 AF015592 457402 AW452648 401093 435061 Al651474 447985 Al681475 447985 Al681475 447985 Al681475 447985 Al681476 405953 NA 411905 BE265067 405953 NA 420854 AW235786 42385 AA243837 42866 AA243837 42866 AA243837 42866 AA243837 448337 AW206453 448337 AW206453 448337 AW206453 448337 AW206453 44903 Al79490 449450 AL039852 437475 Al038897 40903 T37490 454545 AW806899 45 A3842 Al910896 46 Al020490 47 A2004 Al020490 48 Al91080 4	2.9
## 459504 BE514127 ## 424962 MM_012288 ## 153954 Hs.153954 ## 15903760 ## 16931 D45371 ## 155299 ## 155299 ## 155299 ## 15521 ## 1556148 ## 1656147 ## 1556148 ## 1556148 ## 1656147 ## 1556148 ## 1656148 ## 1656147 ## 1556148 ## 1656148 ## 1656147 ## 1556148 ## 1656148 ## 1656147 ## 1556148 ## 1656148 ## 1656147 ## 1556148 ## 1556148 ## 176425 ## 1656148 ## 1656148 ## 1656147 ## 1556148 ## 1656146 ## 1656148 ## 1656146 ## 1666146 ## 1666146 ## 1666	2.9
15	
15	2.9
416931 D45371 Hs.80485 adipose most abundant gene transcript 1 409732 NM_016122 Hs.56148 NY-REN-58 antigen gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens 454529 Z45439 Hs.270425 ESTs weakly similar to T17226 hypotheti Hs.128655 ESTs, Weakly similar to T17226 hypotheti Hs.128655 ESTs, Weakly similar to T17226 hypotheti Hs.128652 STs, Weakly similar to Cleffine not ava crizonoss6* gij6330167 jdbijBAA86477.1] (A Hs.128936 ESTs, Weakly similar to define not ava crizonoss6* gij6330167 jdbijBAA86477.1] (A Hs.128936 ESTs, Weakly similar to define not ava crizonoss6* gij6330167 jdbijBAA86477.1] (A Hs.128936 ESTs, Weakly similar to define not ava crizonoss6* gij6330167 jdbijBAA86477.1] (A Hs.128936 ESTs, Weakly similar to define not ava crizonoss6* gij6330167 jdbijBAA86477.1] (A Hs.128936 ESTs, Weakly similar to Rearch subramia spines (Claricos) hypothetical protein MGC10954 Hs.303662 ESTs with subramia spines con gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su Hs.18361 Homo sapiens cDNA FLJ23089 fis, clone CO Hs.57787 ESTs ESTs ESTs STs, Weakly similar to ALU7_HUMAN ALU S gb:C3-H17585-160300-022-c02 HT0585 Hom ESTs, Weakly similar to ALU7_HUMAN ALU S gb:C3-H17585-160300-022-c02 HT0585 Hom ESTs, Weakly similar to ALU7_HUMAN ALU S gb:C3-H17585-160300-022-c02 HT0585 Hom ESTs, Weakly similar to ALU7_HUMAN ALU S gb:C3-H17585-160300-022-c02 HT0585 Hom ESTs, Moderately similar to ALU7_HUMAN ALU S gb:C3-B17585 Hom ESTs, Moderately similar to ALU7_HUMAN ALU S gb:C3-B17585 Hom ESTs, Weakly similar to T17226 hypotheti Hs.128193 ESTs, Weakly simil	2.9
413221 BE161151 409732 NM_016122 433687 AA743991 434340 Al193043 454529 Z45439 45291 AF015592 457402 AW452648 457402 AW452648 401093 435061 AA057264 401093 435061 AI651474 447885 AI661475 447985 AI661475 42684 AI472078 411905 BE265067 409593 NA 422865 AA296331 442861 AA243837 442861 AA243837 44837 AW206453 449450 Al039852 457540 AW52648 41248 BE176480 412248 BE176480 412248 BE176480 412248 BE176480 41248 BE176480 41248 BE176480 449450 Al039852 458682 AA485224 42604 AA502490 400550 NA 50 449168 NM_016205 449168 NM_016205 449684 AA383550 449168 NM_016205 449168 NM_016205 449604 AA502490 449168 NM_016205 456482 AA485244 42604 AA502490 431854 AA383550 405873 NA 55 44004 OA994364 458265 AI075375 44300 AA994364 458265 AI075375 44300 AA994364 458265 AI075375 44300 AP944364 458265 AI075375 44300 AA994364 458265 AI075375 443708 BE158791	2.9
409732 NM_016122 433687 AA743991 43487 AA743991 454529 Z45439 454529 Z45439 452291 AF015592 452291 AF015592 452801 AW951400 408761 AA057264 401093 435661 AI651474 44785 AI661475 426384 AI472078 41905 BE265067 409933 NA 420854 AW296927 35 434265 AA24837 442861 AA243837 442863 AA243837 44837 AW206453 452554 AW452434 45856 AI038852 400933 T97490 454545 AW866899 455462 AW852684 411086 BE070800 409030 NA 409030 T97490 456482 AA485224 426044 AA502490 409030 A3994364 458265 AI075375 448365 AA294364 458265 AI075375 448365 AI075375 448365 AI075375 448366 AA294364 458265 AI075375 448365 AI075375 448366 AA294364 458265 AI075375 4513708 BE158791 4512886 ESTs, Weakly similar to (deffine not ava C12000586*:gij6330167 dbj BAA86477.1 (A	2.9
434340 Al193043 Hs.128685 ESTs, Weakly similar to T17226 hypothetic 454545 Z45439 Hs.270425 ESTs at 151379 Y15221 Hs.103982 small inducible cytokine subfamily B (Cy 452291 AF015592 Hs.2853 CDC7 (cell division cycle 7, S. cerevisi activation-induced cytidine deamlnase Hs.335526 Hs.335526 Hs.335526 Hs.238936 ESTs, Weakly similar to Geffine not ava C12000586*:gij6330167 [dbj]BAA86477.1] (A 45786 Al681475 Hs.2853 Hs.200949 ESTs Al681475 Hs.303662 ESTs Hs.303669 Hs.303664 Hs.303664 Hs.303669 Hs.303664 Hs.3036664 Hs	2.9
454529 Z45439	2.9
## 421379 Y15221 ##s.103982 small inducible cytokine subfamily B (Cy 452291 AF015592 #s.28853 CDC7 (cell division cycle 7, S. cerevisi 457402 AW452648 #s.149342 activation-induced cytidine deamlase #s.333526 HER2 receptor tyrosine kinase (c-erb-b2, 408761 AA057264 #s.238936 ESTs, Weakly similar to (deffine not ava C1200586*:gij6330167 dbj BAA86477.1 (A 47985 AI681475 #s.20094) ESTs #s.195359 hypothetical protein MGC10954 #s.303662 ESTs gb:601193893F1 NIH_MGC_7 Homo sapiens cd Target Exon gb:U1-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su Hs.130554 #s.3782 ESTs #s.378	2.9
452291 AF015592	2.9
457402 AW452648 Hs.149342 activation-induced cytidine deamlnase 449051 AW961400 Hs.238936 HERZ receptor tyrosine kinase (c-erb-b2, 401093 435061 Al651474 Hs.163944 ESTs 447985 Al681475 Hs.163944 ESTs 447985 Al681475 Hs.195359 hypothetical protein MGC10954 Hs.200949 ESTs 411905 BE265067 405953 NA 420854 AW296927 434265 AA846811 Hs.130564 Hs.183661 442861 AA243837 Hs.183661 442861 AA243837 AW206453 442864 AA295331 Hs.183661 Homo sapiens cDNA: FLJ20042 fis, clone CO 442685 AU39592 Hs.3952 ESTs Hs.58006 Hs.3782 ESTs Hs.58006 A429450 AL039852 Hs.49136 ESTs, Weakly similar to ALU5_HUMAN ALU S gb:RC3-HT0585-160300-022-c02 HT0585 Hom Sapiens cDNA: FLJ20042 fis, clone CO 454545 AW806899 Hs.132921 ESTs Hs.50002 454545 AW806899 Hs.132921 ESTs Hs.132413 ESTs Hs.132413 ESTs Hs.132413 ESTs Hs.13203 MyoD family inhibitor gb:RC3-BT0502-251199-011-c07 BT0502 Hom Eos Control A00250 NA Hs.23142 Hs.23142 ESTs Hs.23169 AA383550 Hs.23169 ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies Colon carcinoma related protein gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies Colon carcinoma related protein gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic gb:ra24fb12.s1 NCL_CGAP_GCB1 Homo sapies ESTs, Weakly similar to T25472 hypothetic Hs.128193 ESTs, Weakly similar to	2.9
Ady	2.9
408761 AA057264 Hs.238936 ESTs, Weakly similar to (defline not ava C12000586*:gi[6330167 db] BAA86477.1] (A 47936 Al651474 Hs.163944 ESTs Hs.200949 Hs.133897 Hs.130554 Homo sapiens cDNA: FLJ23089 fis, clone CO ESTs, Weakly similar to ALU5_HUMAN ALU S Grace Hs.30006 Hs.30000 Hs.30000 Hs.30000 Hs.30000 Hs.30000 Hs.30000 Hs.30000 Hs.300000 Hs.300000 Hs.300000 Hs.300000 Hs.300000 Hs.300000 Hs.300000 Hs.300000 Hs.3000000 Hs.300000 Hs.3000000 Hs.3000000 Hs.3000000 Hs.3000000 Hs.30000000 Hs.3000000 Hs.30000000 Hs.300000000 Hs.30000000 Hs.3000000000000000000000000000000000000	2.9
401093 435061 Al651474 Hs.163944 ESTs 447985 Al681475 Hs.200949 ESTs 449340 AW235786 Hs.195359 hypothetical protein MGC10954 426384 Al472078 Hs.303662 ESTs 411905 BE265067 405953 NA Target Exon 9b:01193893F1 NIH_MGC_7 Homo sapiens of Target Exon 155	2.9
435061 AI651474 Hs.163944 ESTs 447985 AI681475 Hs.200949 ESTs 449340 AW235786 Hs.195359 hypothetical protein MGC10954 42634 AI472078 Hs.303662 ESTs 411905 BE265067 405953 NA 420854 AW296927 35 434265 AA243837 Hs.130554 Homo sapiens cDNA: FLJ23089 fs, done L 428365 AA295331 Hs.183861 Homo sapiens cDNA: FLJ23089 fs, done L 428365 AA295331 Hs.183861 Homo sapiens cDNA: FLJ23089 fs, done L 428365 AA295331 Hs.183861 Homo sapiens cDNA: FLJ23089 fs, done L 428437 AW452434 Hs.58006 ESTs 452554 AW452434 Hs.58006 ESTs, Weakly similar to ALU5_HUMAN ALU S 41248 BE176480 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN ALU S 434757 AI038997 Hs.132921 Hs.50002 454545 AW806899 45 439842 AI910896 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN A 450404 AA502490 Hs.183243 ESTs 411086 BE070800 400250 NA 50 449168 NM_016206 Hs.23142 cell division cycle 2, G1 to S and G2 to 449168 NM_016206 Hs.23142 Colon carcinoma related protein 65 456482 AA485224 Hs.336695 ESTs 426044 AA502490 Hs.23142 FSTs 436265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti	2.9
447985 AI681475 Hs.200949 ESTs 449340 AW235786 Hs.195359 hypothetical protein MGC10954 426384 AI472078 Hs.303662 ESTs 411905 BE265067 405953 NA 420854 AW296927 35 434265 AA846811 Hs.183651 428865 AA295331 Hs.183861 Homo sapiens cDNA: FLJ23089 fis, clone L 428861 AA243837 Hs.57787 ESTs 448337 AW206453 Hs.3782 ESTs 452554 AW452434 Hs.58006 449450 AL039852 Hs.49136 434757 AI038997 Hs.132921 ESTs 409038 T97490 Hs.132921 ESTs 428479 Y00272 Hs.184572 ESTs 428479 Y00272 Hs.182921 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.49136 ESTs 411086 BE070800 400250 NA 50 449168 NM_016206 Hs.23142 cell division cycle 2, G1 to S and G2 to 431854 AA383550 Hs.23142 Cell division cycle 2, G1 to S and G2 to 431854 AA383550 Hs.23142 Cell division cycle 2, G1 to S and G2 to 456482 AA4652249 Hs.23142 colon carcinoma related protein 456482 AA465249 Hs.23142 Colon carcinoma related protein 456482 AA465249 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) tota 55 440400 AA994364 Hs.12594 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti	2.9
Addition	2.9
426384 AI472078 411905 BE265067 405953 NA 420854 AW296927 420854 AW296927 428365 AA295331 Hs.130554 Homo sapiens cDNA: FLJ23089 fis, clone L 428461 AA243837 Hs.57787 448337 AW206453 Hs.57787 448337 AW206453 Hs.57787 448337 AW206453 Hs.58006 452554 AW452434 Hs.58006 412248 BE176480 439450 AL039852 Hs.49136 439842 AI910896 Hs.49136 454545 AW806899 454546 AA482244 Hs.58006 45682 AA485224 42604 AA502490 Hs.23142 42604 AA502490 400250 NA 50 449168 NM_016206 45682 AA485224 42604 AA502490 400250 NA 51 449168 NM_016206 45682 AA485224 42604 AA502490 405573 NA 52 440400 AA994364 458265 AI075375 413708 BE158791 Hs.303662 ESTs gb:501193893F1 NIH_MGC_7 Homo sapiens cd Target Exon gb:01193893F1 NiH_MGC_7 Homo sapiens cd Target Exon gb:0114-BW0-ajc-c-07-0-Ul.s1 NCI_CGAP_Su Hs.13081 Hs.13081 Homo sapiens cDNA: FLJ23089 fis, clone L Hs.3768 ESTs ESTs ESTs ESTs, Weakly similar to ALU5_HUMAN ALU S gb:RC3-HT0585-160300-022-c02 HT0585 Homo ESTs, Weakly similar to T25472 hypotheti Hs.132619 ESTs, Weakly similar to T25472 hypotheti Hs.126193 ESTs, Weakly similar to T25472 hypotheti ESTs, Weakly similar to T25472 hypotheti Hs.126193 ESTs, Weakly similar to T25472 hypotheti Hs.126193 ESTs, Weakly similar to T25472 hypotheti	2.9 2.9
411905 BE265067 405953 NA 420854 AW296927 434265 AA846811 428365 AA295331 Hs.183861 Homo sapiens cDNA: FLJ23089 fs, clone CO 42861 AA243837 AW206453 Hs.57787 48337 AW206453 Hs.57787 452554 AW452434 40 412248 BE176480 49450 AL039852 Hs.58006 ESTs, Weakly similar to ALU5_HUMAN ALU S gb:RC3-HT0585-160300-022-c02 HT0585 Hom Alo39857 Hs.132921 454545 AW806899 454545 AW806899 454545 AW806899 454545 AW806899 454545 AW806899 454545 AW806899 455454 AW806899 45545 AW806899 45545 AW806899 45545 AW806899 45545 AW806899 45545 AW806899 45545 AW806899	2.9
405953 NA 420854 AW296927 35 434265 AA846811 Hs.130554 Homo sapiens cDNA: FLJ23089 fis, clone CO 42866 AA295331 Hs.183861 Homo sapiens cDNA: FLJ20042 fis, clone CO 48337 AW206453 Hs.57787 48337 AW206453 Hs.58006 Hs.57787 484837 AW206453 Hs.58006 452554 AW452434 Hs.58006 449450 AL039852 Hs.49136 ESTs, Weakly similar to ALU5_HUMAN ALU S 9b:RC3-HT0585-160300-022-c02 HT0585 Hom 25 A34757 Al038997 Hs.132921 409038 T97490 Hs.132921 ESTs 409038 T97490 Hs.132921 ESTs 409038 T97490 Hs.132921 ESTs 43842 Al910896 Hs.132413 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.153203 MycD family Inhibitor 424800 AL035588 Hs.153203 MycD family Inhibitor 455482 AA485224 Hs.23142 Colon carcinoma related protein 456482 AA485224 Hs.336695 ESTs 431854 AA383550 Hs.23142 Colon carcinoma related protein 456482 AA485224 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) lota 50 440400 AA994364 Hs.125594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to T872_HUMAN IROQU 4518	
35 420854 AW296927 434265 AA846811 Hs.130554 Homo sapiens cDNA: FLJ23089 fis, clone L Homo sapiens cDNA: FLJ23089 fis, clone L Homo sapiens cDNA: FLJ23089 fis, clone L Homo sapiens cDNA: FLJ23089 fis, clone CO Hs.3782 ESTs Hs.3782 ESTs Hs.3782 ESTs Hs.38061 Hs.49136 ESTs, Weakly similar to ALU5_HUMAN ALU S gb:RC3-HT0585-160300-022-c02 HT0585 Hom ESTs, Moderately similar to ALU7_HUMAN A ESTs, Moderately similar to ALU7_HUMAN A ESTs, Moderately similar to ALU7_HUMAN A ESTs Hs.30002 Hs.132921 ESTs Hs.30002 Hs.13203 MyoO family inhibitor gb:RC3-BT0502-251199-011-c07 BT0502 Hom Eos Control Glorido Glorid	2.8
35	2.8
428365 AA295331 Hs.183861 Homo sapiens cDNA FLJ20042 fis, clone CO 442861 AA243837 Hs.57787 ESTs 452554 AW452434 Hs.58006 ESTs, Weakly similar to ALU5_HUMAN ALU S 470 412248 BE176480 449450 AL039852 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN ALU S 470 454545 AW806899 454545 AW806899 454545 AW806899 455 439842 A910896 Hs.132413 ESTs 428479 Y00272 Hs.132413 ESTs 428479 Y00272 Hs.132413 ESTs 428480 AL035588 Hs.184572 cell division cycle 2, G1 to S and G2 to 471086 BE070800 400250 NA 50 449168 NM_016206 Hs.23142 Color acricmoma related protein 4756482 AA485224 426044 AA502490 Hs.336695 ESTs 478004 AA994364 Hs.271699 polymerase (DNA directed) iota 47968 Ts.78696 Ts.78696 Polymerase (DNA directed) iota 47978 Hs.128193 ESTs, Weakly similar to 125472 hypotheti 47978 Hs.128193 ESTS, Weakly similar to 1725472 hypotheti 47978 Hs.128193 ESTS, Weakly similar to 1725472 hypotheti 47978 Hs.128193 ESTS, Weakly similar to 1725472 hypotheti	2.8
442861 AA243837 Hs.57787 Hs.3782 ESTs 448337 AW206453 Hs.3782 ESTs 452554 AW452434 Hs.58006 ESTs, Weakly similar to ALU5_HUMAN ALU S 9th:RC3-HT0585-160300-022-c02 HT0585 Hom 449450 AL039852 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN A 43757 Al038997 Hs.132921 ESTs 49938 797490 Hs.132921 ESTs 49938 797490 Hs.132921 ESTs 439842 Al910896 Hs.132413 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.153203 MyoD family inhibitor 400250 NA Eorotrop division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.153203 MyoD family inhibitor 400250 NA Eorotrop division cycle 2, G1 to S and G2 to 431854 AA383550 Hs.23142 Colon carcinoma related protein 456482 AA485224 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) iota 55 440400 AA994364 Hs.125594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU 45182 95	2.8
448337 AW206453	2.8
452554 AW452434 412248 BE176480 449450 AL039852 Hs.49136 4394757 Al038997 499038 T97490 Hs.132921 ESTs, Moderately similar to ALU7_HUMAN ALUS 454545 AW806899 454545 AW806899 454545 AW806899 454545 AW806899 454546 AW806899 454546 AW806899 454546 AW806899 45546 A	2.8
40 412248 BE176480 449450 AL039852 Hs. 49136 ESTs, Moderately similar to ALU7_HUMAN A Hs. 132921 ESTs 409038 T97490 Hs. 50002 Physical Processing Structure of Author Author Structure of Author Author Structure of Author Author Structure of Author Au	2.8
449450 AL039852 Hs.49136 ESTs, Moderately similar to ALU7_HUMAN A Hs.132921 Hs.50002 small inducible cytokine subfamily A (Cy small inducible cytokine subfamily inducible cytokine	2.8
434757 Al038997 Hs.132921 ESTs 499038 T97490 Hs.50002 small inducible cytokine subfamily A (Cy 454545 AW806899 439842 Al910896 Hs.132413 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.153203 MyoD family inhibitor 400250 NA Eos Control 499168 NM_016206 Hs.23142 colon carcinoma related protein 456482 AA485224 Hs.336695 ESTs 431854 AA383550 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) iota 755 440400 AA994364 Hs.12594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
454545 AW806899 439842 AJ910896 Hs.132413 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.153203 MyoD family inhibitor 411086 BE070800 400250 NA 50 449168 NM_016206 Hs.23142 colon carcinoma related protein 456482 AA485224 426044 AA502490 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) iota 755 440400 AA994364 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
45 439842 Al910896 Hs.132413 ESTs 428479 Y00272 Hs.184572 cell division cycle 2, G1 to S and G2 to 424800 AL035588 Hs.184572 cell division cycle 2, G1 to S and G2 to 41086 BE070800 400250 NA 50 449168 NM_016206 Hs.23142 color carcinoma related protein 6456482 AA485224 426044 AA502490 Hs.231695 ESTs 640040 AA994364 Hs.271699 polymerase (DNA directed) tota 6573 NA 65873 N	2.8
428479 Y00272	2.8
424800 AL035588 Hs.153203 MyoD family inhibitor gb:RC3-BT0502-251199-011-c07 BT0502 Hom Eos Control 409168 NM_016206 Hs.23142 colon carcinoma related protein gb:aa41b12.s1 NCL_CGAP_GCB1 Home sapies 426044 AA502490 Hs.336695 ESTs Hs.271699 polymerase (DNA directed) iota Target Exon 431854 AA383550 Hs.125594 ESTs, Weakly similar to T25472 hypotheti Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU gb:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
411086 BE070800 400250 NA Eos Control 50 449168 NM_016206 Hs.23142 colon carcinoma related protein gb:aa41b12.s1 NCL_CGAP_GCB1 Homo sapie 426044 AA502490 Hs.336695 ESTs Hs.271699 polymerase (DNA directed) tota Target Exon 55 440400 AA994364 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU gb:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
50 449168 NM_016206 Hs.23142 colon carcinoma related protein gb:aa41b12.s1 NCL_CGAP_GCB1 Homo sapie 426044 AA502490 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) iota Target Exon 440400 AA994364 Hs.128193 ESTs, Weakly similar to T25472 hypotheti Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IRQQU gb:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
50	
456482 AA485224 426044 AA502490 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) tota 405873 NA 404040 AA994364 Hs.125594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to IRX2_HUMAN IRQQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
426044 AA502490 Hs.336695 ESTs 431854 AA383550 Hs.271699 polymerase (DNA directed) tota 45873 NA Target Exon 458265 AI075375 Hs.128193 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
431854 AA383550 Hs.271699 polymerase (DNA directed) tota 405873 NA 55 440400 AA994364 Hs.125594 ESTs, Weakly similar to T25472 hypotheti 458265 AI075375 Hs.128193 ESTs, Weakly similar to IRX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	
55 440400 AA994364 Hs.125594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs.128193 ESTs, Weakly similar to TRX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
55 440400 AA994364 Hs. 125594 ESTs, Weakly similar to T25472 hypotheti 458265 Al075375 Hs. 128193 ESTs, Weakly similar to 1RX2_HUMAN IROQU 9b:IL2-HT0397-091299-025-D02 HT0397 Home	2.8 2.8
458265 Al075375 Hs.128193 ESTs, Weakly similar to IRX2_HUMAN IROQU 413708 BE158791 gb:IL2-HT0397-091299-025-D02 HT0397 Home	2.8
413708 BE158791 gb:IL2-HT0397-091299-025-D02 HT0397 Home	
	2.8
423739 AA398155 Hs.97600 ESTs	2.8
424408 Ai754813 Hs.146428 collagen, type V, alpha 1	2.8
60 453096 AW294631 Hs.11325 ESTs	2.8
421825 AA298758 Hs.183747 ESTs, Moderately similar to CALB_HUMAN C	2.8
417742 R64719 gb:EST22d11 WATM1 Homo sapiens cDNA ck	n 2.8
402765 C1003621*:gi 12407405 gb AAG53491.1 AF22	2.8
444378 R41339 Hs.12569 ESTs	2.8
65 419172 AW338625 Hs.22120 ESTs	2.8
401497 Target Exon	2.8
402376 C19000763*:gi 1363912 pir JC4296 ring f	2.8

408758 MM_003686 Hs.47504 exonuclease 1 peripheral myelin protein 437583 AA761190 Hs.2868 Hs.244627 ESTs Weakly similar to 1 gb:Homo sapiens full lend pb:Homo sapiens full lend pb:Homo sapiens, clone ll myb:Qv4-ST0212-091199-growth factor receptor-bo Hs.135684 Hs.194293 ESTs Weakly similar to 1 gb:Homo sapiens, clone ll myb:Qv4-ST0212-091199-growth factor receptor-bo Hs.135684 Hs.86859 Hs.86859 Hs.86859 Hs.135684 Hs.14661 T97401 Hs.86850 Hs.135684 Hs.14661 T97401 Hs.25589 Al650633 Hs.143688 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.13668 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.13688 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.13688 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.13688 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.13688 Homo sapiens cDNA: FL Hs.211577 kinectin 1 (kinesin receptor-bo Hs.211929 ESTs koderately similar hypothetical protein FL11 Hs.26339 ESTs kinectin 1 (kinesin receptor-bo kinesin rec	2 14374 gene NF2 th insert cDNA 80-E06 UM0077 Homo GE:3682908, mRNA 123-110 ST0212 Homo ind protein 7	2.1
437583 AA761190 Hs.244627 ESTs Weakly similar to ighthomo sapiens full lend transpet for public of the publ	14374 gene NF2 th insert cDNA 80-E06 UM0077 Homo GE:3682908, mRNA 123-f10 ST0212 Homo ind protein 7	2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1
Signature Sign	4374 gene NF2 th insert cDNA 80-E06 UM0077 Homo GE:3682908, mRNA)23-410 ST0212 Homo ind protein 7	2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1
458094 AF086325 401283 NA 410784 AW803201 417601 NM_014735 435532 AW291488 Hs.337534 ESTs 435532 AW291488 Hs.117305 Homo sapiens, clone IM- 456714 AW815098 418629 BE247550 Hs.86859 growth factor receptor-bo 442101 Al651930 Hs.135684 ESTs 405080 AK000375 Hs.88820 HDCMC28P protein 425589 Al650633 Hs.143688 Homo sapiens cDNA: FL 42568 Al650633 Hs.143688 Homo sapiens cDNA: FL 428824 W23624 Hs.173059 ESTs 445961 BE386870 Hs.21929 ESTs 440868 R79707 Hs.263339 ESTs, Moderately similar 452943 BE247449 Hs.31092 Hs.19358 ESTs 430375 AW371048 Hs.93758 H4 histone family, membe 406504 NA 423279 AW371048 Hs.29943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-tel 405604 NA 423279 AW371048 Hs.339322 Homo sapiens, clone MG 423279 AW959861 Hs.290343 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-tel 415752 BE314524 Hs.78776 putative transmembrane p 416495 X69970 Hs.94070 steemodulin 7arget Exon 7bt:12-100077-0705004 40868 R79707 Hs.263339 ESTs 4266182 NA 423279 AW371048 Hs.290943 ESTs 42671 NM_004525 Hs.153595 low density lipoprotein-tel 453619 H87648 Hs.33922 Homo sapiens, clone MG 423279 AW959861 Hs.280472 BSTs 408171 AA301228 Hs.36679 ESTs 408171 AA301228 Hs.36679 ESTs 408171 AA301228 Hs.36679 ESTs 408171 AA301228 Hs.363679 ESTs 408171 AA301228 Hs.363679 ESTs 408171 AA301228 Hs.36379 ESTs 408171 AA301228 Hs.36379 ESTs 408171 AA301228 Hs.36679 ESTs 408181 M31158 Hs.77439 protein finase, cAMP-dep 44953 W74653 Hs.274591 ESTs 408184 Hs.19597 Hs.271593 ESTs, Moderately similar 4566153 Hs.284245 Hs.78739 ESTs 45749 Hs.19597 Hs.271593 ESTs, Moderately similar 45749987 Hs.19597 Hs.271593 ESTs, Moderately similar 45749987 H	th insert cDNA 80-E06 UM0077 Homo GE:3682908, mRNA 23-110 ST0212 Homo Ind protein 7	2.1 2.1 2.1 2.1 2.1 2.1 2.1
401283 NA 410784 AW803201 417601 NM_014735 Hs.82292 KlAA0215 gene product 418236 AW994005 Hs.337534 ESTs Horno sapiens, clone IM-gb:QV4-ST0212-091199-growth factor receptor-bo 42101 Al651930 Hs.135684 ESTs Horno sapiens cDNA: FL. 435589 Al650633 Hs.88820 HDCMC28P protein Hs.21929 ESTs Hs.135684 ESTs Horno sapiens cDNA: FL. 425589 Al650633 Hs.135688 ESTs HDCMC28P protein Hs.21929 ESTs Hs.135688 HDCMC28P protein Hs.21929 ESTs Hs.13568 Hborno sapiens cDNA: FL. 40868 R79707 Hs.263339 ESTs, Moderately similar hs.263339 ESTs, Moderately similar hs.263339 ESTs, Moderately similar hs.263339 ESTs, Moderately similar hs.263339 ESTs hdomo sapiens, clone MG Hs.23279 AW959861 Hs.233652 Hs.153595 Hd histone family, member Advance Hs.23279 AW959861 Hs.233629 Hs.33362 Hs.33624 Hs.33624 Hs.33624 Hs.33624 Hs.33624 Hs.33624 Hs.33624 Hs.33624 Hs.33666 Hs.33669 ESTs hypothetical protein Fl.11 Hs.36679 ESTs hypothetical protein IMPA Hs.303781 ESTs	80-E06 UM0077 Homo GE:3682908, mRNA 23-f10 ST0212 Homo Ind protein 7	2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0
10784 AW803201 417601 NM_014735 Hs.82292 KIAA0215 gene product A18236 AW994005 Hs.337534 ESTs Homo sapiens, clone IM/gb:QV4-ST0212-091199 growth factor receptor-bo 442101 Al651930 Hs.135684 ESTs Homo sapiens cDNA: FL 405080 AK000375 Hs.88820 HDCMC28P protein Hs.21929 ESTs 425589 Al650633 Hs.143688 HDCMC28P protein Hs.21959 ESTs Homo sapiens cDNA: FL Alexandra Hs.17305 ESTs Hs.1395 EsTs Homo sapiens cDNA: FL Alexandra Hs.17305 ESTs Hs.1395 EsTs Homo sapiens cDNA: FL Alexandra Hs.17305 ESTs Hs.1395 ESTs Moderately similar Hs.282872 ESTs Hs.159585 ESTs Hs.159585 ESTs Hs.153955 ESTs Hs.153955 Hs	80-E06 UM0077 Homo GE:3682908, mRNA 123-f10 ST0212 Homo Ind protein 7	2.1 2.1 2.1 2.1 2.1 2.1
17601 NM_014735	GE:3682908, mRNA 023-f10 ST0212 Homo ind protein 7	2.1 2.1 2.1 2.1 2.1 2.1
18236 AW994005	GE:3682908, mRNA)23-f10 ST0212 Homo Ind protein 7	2.1 2.1 2.1 2.1
435532 AW291488 Hs.117305 Horno sapiens, clone IM- 454714 AW815098 418629 BE247550 Hs.88859 growth factor receptor-bo 442101 Al651930 Hs.135684 ESTs 445589 Al650633 Hs.135688 ESTs 425589 Al650633 Hs.13688 Horno sapiens cDNA: FL. 425589 Al650633 Hs.13688 Horno sapiens cDNA: FL. 42638 Al916662 Hs.211577 kinectin 1 (kinestin receptor-bo) 440868 R79707 Hs.263339 ESTs Moderately similar 452943 BE247449 Hs.31082 Hs.28272 ESTs 432361 Al378562 Hs.13958 ESTs Moderately similar 452943 BE247449 Hs.31082 ESTs 430375 AW371048 Hs.93758 H4 histone family, memborately alternative from the factor of	GE:3682908, mRNA 123-f10 ST0212 Homo Ind prolein 7	2.0 2.0 2.0 2.0
454714 AW815098 418629 BE247550 Hs.88859 growth factor receptor-bo 442101 Al651930 Hs.135684 ESTs 405080 AK000375 Hs.88820 HDCMC28P protein 425589 Al650633 Hs.135688 Homo sapiens cDNA: FL. 425589 Al650633 Hs.13688 Homo sapiens cDNA: FL. 428624 W23624 Hs.173059 ESTs 421566 NM_000399 Hs.1395 ESTs 421566 NM_000399 Hs.1395 ESTs 440868 R79707 Hs.263339 ESTs, Moderately similar 452943 BE247449 Hs.31082 ESTs 432361 Al378562 Hs.159585 ESTs 432361 Al378562 Hs.159585 ESTs 406504 NA 423279 AW959861 Hs.293758 H4 histone family, membe 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-rel 453619 H87648 Hs.39322 Homo sapiens, clone MG 42316 NA 423279 NM_005014 Hs.94070 sapiens, clone MG 42316 NA 406182 NA 416495 X69970 Hs.78350 RYK receptor-like tyrosine 416495 X69970 Hs.78350 RYK receptor-like tyrosine 414831 M31158 Hs.36679 ESTs 408171 AA301228 Hs.386679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ1: 408171 AA301228 Hs.3830 interferon-stimulated protein flags and flag	023-f10 ST0212 Homo and protein 7	2.8 2.8 2.8
18629 BE247550 Hs.86859 growth factor receptor-bo 442101 Al651930 Hs.135684 ESTs 405080 AK000375 Hs.88820 HDCMC28P protein 414661 T97401 Hs.21929 ESTs 425589 Al650633 Hs.143688 Homo sapiens cDNA: FL 429638 Al916662 Hs.211577 Kinectin 1 (kinesin recept 42868 Kry9707 Hs.26339 ESTs Marctin 1 (kinesin recept 440868 R79707 Hs.26339 ESTs Moderately similar 452948 BE247449 Hs.31082 Hypothetical protein FLJ1 43772 AV646449 Hs.282872 ESTs 430375 AW371048 Hs.93758 Hs.159585 ESTs 430375 AW371048 Hs.93758 Hs.159585 ESTs 430375 AW371048 Hs.93758 Hs.153935 hd. histone family, member 406504 NA 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153935 hd. histone family, member 423961 D13666 Hs.136348 ds.156348 ds.	nd protein 7	2.8 2.8
15		2.8
15	:	
141661		2.8
425589 Al650633 Hs.143688 Homo sapiens cDNA: FL 429638 Al916662 Hs.211577 kinectin 1 (kinesin recept 428824 W23624 Hs.173059 ESTs 421566 NM, 000399 Hs.1395 early growth response 2 { 9b:601275271F1 NIH_M 452943 BE247449 Hs.31082 hypothetical protein FLJ1 43772 AV646449 Hs.282872 ESTs 430375 AW371048 Hs.29387 ESTs 430375 AW371048 Hs.93758 H4 histone family, membe 406504 NA 423279 AW959861 Hs.290943 ESTs 424871 NM, 004525 Hs.153958 low density lipoprotein-rel 423961 013666 Hs.136348 osteoblast specific factor 422156 N34524 415752 BE314524 Hs.78776 419987 NM_005014 Hs.94070 steomodulin 406182 NA 416495 X69970 Hs.79350 RYK receptor-like tyrosine 44701 Al916512 Hs.336879 ESTs 433132 AM268128 Hs.33679 ESTs 433132 AB026264 Hs.833 433132 AB026264 Hs.833 433132 AB026264 Hs.284245 hypothetical protein FLJ1 45 439031 AF075079 449532 W74653 Hs.333781 EST 406153 406153 4066625 Y13647 Hs.19597 stearoyl-CoA desaturase I 44698 Al188139 Hs.147050 ESTs 432328 AI572739 Hs.195471 6-phosphofructo-2-kinase 429628 H09604 Hs.13268 ESTs 433349 BE379623 Hs.27693 peptidylprolyl isomerase (6 43304 Al050073 Hs.135338 ESTs		
429638 Al916662 Hs.211577 klnectin 1 (kinestin recept		2.8
428824 W23624 Hs. 173059 ESTs		2.8
20 421566 NM_000399 414595 Hs.1395 early growth response 2 (gb:601275271F1 NIH_M 440868 R79707 Hs.263339 ESTs, Moderately similar hypothetical protein FLJ1 452943 BE247449 Hs.263339 ESTs hypothetical protein FLJ1 433772 AV646449 Hs.282872 ESTs 433375 AW371048 Hs.298785 ESTs 406504 NA Hs.93758 H4 histone family, membership, members		2.7
414596 BE386870 440868 R79707 Hs.263339 ESTs. Moderately similar 452943 BE247449 Hs.31082 hypothetical protein FLJ1 433772 AV646449 Hs.282872 ESTs 430375 AW371048 Hs.93758 H4 histone family, member C5000558:gl 4504675 ref 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-ref 423961 D13666 Hs.136348 osteoblast specific factor gb:yy56d10.s1 Soares_m putative transmembrane putative		2.7
440868 R79707 Hs.263339 ESTs, Moderately similar 452943 BE247449 Hs.31082 hypothetical protein FLJ1 437752 AV646449 Hs.282872 ESTs 430375 AW371048 Hs.93758 H4 histone family, member 406504 NA 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-rel Hs.31082 hypothetical protein FLJ1 Hs.3092 Hs.33921 Hs.33922 Homo saplens, clone MG 423961 D13666 Hs.33922 Homo saplens, clone MG 422156 N34524 Hs.78776 putative transmembrane post-open distribution of the folial strains of the		2.7
452943 BE247449 Hs.31082 hypothetical protein FLJ1 43772 AV646449 Hs.282872 ESTs 430375 AW371048 Hs.93758 ESTs 430375 AW371048 Hs.93758 H4 histone family, member C5000558:gl 4504675 rel 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153935 low density lipoprotein-rel 423961 D13666 Hs.136348 osteoblast specific factor gb:yy56d10.s1 Soares_m putative transmembrane putative transmembran		
43772 AV646449 Hs.282872 ESTs 432361 AJ378562 Hs.159585 ESTs 430375 AW371048 Hs.93758 H4 histone family, member C5000558:gil4504675[ref 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-ref Hs.33922 Homo saplens, clone MG 423961 D13666 Hs.36348 described has specific factor gb:yy56d10.s1 Soares_rm putative transmembrane putative tran		2.7
25 432361 Al378562 Hs.159585 ESTs		2.7
430375 AW371048 Hs.93758 H4 histone family, member 406504 NA 423279 AW959861 Hs.290943 ESTs 424871 NM, 004525 Hs.153955 low density lipoprotein-rel 423961 D13666 Hs.33922 Homo saplens, clone MG 422156 N34524 Hs.78776 putative transmembrane putative tra		2.7
406504 NA C5000558:gil 4504675 ref 423279 AW959861 Hs.290943 ESTs 424871 NM_004525 Hs.153595 low density lipoprotein-ref 423961 D13666 Hs.33922 Homo saplens, clone MG 423961 D13666 Hs.136348 osteoblast specific factor gb:yy56d10.s1 Soares_m putative transmembrane j osteomodulin Target Exon 416495 X69970 Hs.79350 RYK receptor-like tyrosine 444701 Al916512 Hs.43299 hypothetical protein FLJ1: 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 408171 AA301228 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ1: 41831 M31158 Hs.77439 interferon-stimulated protein 437030 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.281459 Hs.281459 hypothetical protein IMPA 45 439031 AF075079 449532 W74653 Hs.28159 ESTs, Moderately similar 406153 Hs.271593 ESTs, Moderately similar 406153 Hs.271593 ESTs, Moderately similar 44698 A188139 Hs.271593 ESTs 432328 A1572739 Hs.195471 G-phosphofructo-2-kinase 420149 AA255925 Hs.88095 ESTs 438394 BE379623 Hs.28095 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (6		2.7
423279 AW959861 Hs.290943 ESTs with depretation of the component of the co		2.7 2.7
424871 NM_004525 Hs.153595 low density lipoprotein-rel 453619 H87648 Hs.33922 Homo saplens, clone MG 423161 D13666 Hs.136348 osteoblast specific factor 422156 N34524 415752 BE314524 Hs.78776 putative transmembrane p 406182 NA 416495 K69970 Hs.79350 RYK receptor-like tyrosine 444701 Al916512 Hs.38399 ESTs 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 430153 AW968128 Hs.74399 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated protein 433132 AB026264 Hs.284245 hypothetical protein IMPA 430153 W74653 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 44698 Al188139 Hs.147050 ESTs 432328 AI572739 Hs.195471 6-phosphofructo-2-kinase 420149 AA255920 Hs.88005 ESTs 431207 AA495925 Hs.28394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (comparison of the comparison of the comparis		2.1 2.7
453619 H87648		2.7 2.7
423961 D13666 Hs.136348 osteoblast specific factor gb:yy56d10.s1 Soares_m gb:yy56d10.s1 Soa		2.7 2.7
422156 N34524 gb:yy56d10.s1 Soares_m 419987 NM_005014 Hs.94070 osteomodulin 419987 NM_005014 Hs.94070 osteomodulin 416495 X69970 Hs.79350 RYK receptor-like tyrosine 444701 Al916512 Hs.198394 ESTs 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 408171 AA301228 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ1: 414831 M31158 Hs.77439 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated prote 437030 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 406153 Hs.271593 ESTs, Moderately similar 406625 Y13647 Hs.119597 stearoyl-CoA desaturase i 44698 A188139 Hs.147050 ESTs 40625 Y13647 Hs.19597 stearoyl-CoA desaturase i 44698 A188139 Hs.147050 ESTs 420149 AA255920 Hs.8035 ESTs 431207 AA495925 Hs.8035 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (e	faction	2.7 2.7
415752 BE314524 Hs.78776 putative transmembrane page of the second dulin transport of the second		2.7 2.7
19987 NM_005014 Hs.94070 osteomodulin Target Exon		2.7 2.7
August A		2.7
416495 X69970 Hs.79350 RYK receptor-like tyrosine 444701 Al916512 Hs.198394 ESTs 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 430153 AW968128 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ1: 41831 M31158 Hs.77439 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated protein flyorite fiction and flyorite flyorite fine from the flyorite fine from the flyorite fine from the flyorite flyorite fine from the flyorite fine from the flyorite		2.7
444701 Al916512 Hs.198394 ESTs 408171 AA301228 Hs.43299 hypothetical protein FLJ1: 430153 AW968128 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ1: 414831 M31158 Hs.77439 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated protein FLJ1: 430730 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 406153 Hs.271593 ESTs, Moderately similar 444698 A188139 Hs.179597 stearoyl-CoA desaturase in Hs.19597 Hs.19597 Hs.195471 G-phosphofructo-2-kinase 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.88095 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (in the first of		2.7
430153 AW968128 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ14 414831 M31158 Hs.77439 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated protein IMPA 433132 AB026264 Hs.284245 hypothetical protein IMPA 437030 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 7 arget Exon 406625 Y13647 Hs.119597 stearoyl-CoA desaturase in Hs.147050 ESTs 44698 Al188139 Hs.147050 ESTs 432328 AI572739 Hs.195471 6-phosphofructo-2-kinase 420149 AA255920 Hs.8095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (in the state of the sta		2.7
40 430153 AW968128 Hs.336679 ESTs 413383 AA128978 Hs.154706 hypothetical protein FLJ14 413278 BE565085 Hs.833 interferon-stimulated protein Agrosso AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar Target Exon 406153 Hs.119597 stearoyl-CoA desaturase (Hs.119597 Hs.119597 Hs.119597 Stearoyl-CoA desaturase (Hs.119597 Hs.119597 Hs.119597 Stearoyl-CoA desaturase (Hs.119597 Hs.119597 Hs.119597 Hs.119597 Hs.119597 Hs.119597 Hs.119597 Stearoyl-CoA desaturase (Hs.119597 Hs.119597 Hs.119		2.7
414831 M31158 Hs.77439 protein kinase, cAMP-dep days interferon-stimulated protein kinase, cAMP-dep interferon-stimulated protein kinase, cash cash cash cash cash cas		
414831 M31158 Hs.77439 protein kinase, cAMP-dep 413278 BE563085 Hs.833 interferon-stimulated protein 437030 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 406153 Hs.271593 ESTs, Moderately similar 406625 Y13647 Hs.119597 stearoyl-CoA desaturase 444698 A188139 Hs.147050 ESTs 432328 A1572739 Hs.195471 6-phosphofructo-2-kinase 420149 AA255920 Hs.8095 ESTs 431207 AA495925 Hs.8095 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase 443304 Al050073 Hs.135338 ESTs		2.7
413278 BE563085 Hs.833 interferon-stimulated protein additional protein and pr	2	2.7 2.7
433132 AB026264 Hs.284245 hypothetical protein IMPA 437030 AA742577 Hs.303781 EST 439031 AF075079 449532 W74653 Hs.271593 ESTs, Moderately similar 406153 Target Exon 444698 Al188139 Hs.119597 stearoyl-CoA desaturase if 444698 Al188139 Hs.147050 ESTs 432328 AI572739 Hs.195471 6-phosphofructo-2-kinase, 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (if	917 2	2.7
437030 AA742577 Hs.303781 EST 439031 AF075079 gb:Homo saplens full leng 449532 W74653 Hs.271593 ESTs, Moderately similar 406625 Y13647 Hs.119597 stearoyl-CoA desaturase (444698 Al188139 Hs.147050 ESTs 432328 Al572739 Hs.195471 6-phosphofructo-2-kinase. 429528 H09604 Hs.13268 ESTs 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (43304 Al050073 Hs.135338 ESTs	917 2 endent, regulato 2	2.7 2.7
449532 W74653 Hs.271593 ESTs, Moderately similar Target Exon 406153 Hs.119597 stearoyl-CoA desaturase (44698 A188139 Hs.147050 ESTs 432328 A1572739 Hs.195471 6-phosphofructo-2-kinase (420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.28095 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (420149 A425925 Hs.135338 ESTs	917 2 endent, regulato 2 in, 15 kDa 2	2.7
406153 Target Exon 406625 Y13647 Hs.119597 stearoyl-CoA desaturase (444698 Al188139 Hs.147050 ESTs 429628 H09604 Hs.195471 6-phosphofructo-2-kinase. 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (438394 BE379623 Hs.27693 peptidylprolyl isomerase (917 2 endent, regulato 2 in, 15 kDa 2	2.7 2.7 2.7
406625 Y13647 Hs.119597 stearoyl-CoA desaturase (44698 Al188139 Hs.147050 ESTs 432328 Al572739 Hs.195471 6-phosphofructo-2-kinase 429628 H09604 Hs.135471 6-phosphofructo-2-kinase 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (45504) Hs.135338 ESTs	917 2 endent, regulato 2 in, 15 kDa 2	2.7 2.7 2.7 2.7
50 444698 Al188139 Hs.147050 ESTs 432328 Al572739 Hs.195471 6-phosphofructo-2-kinase. 429628 H09604 Hs.13268 ESTs 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (comparison of the comparison of the comp	917 Indent, regulato In, 15 kDa CT 2 h insert cDNA	2.7 2.7 2.7 2.7 2.7
50 432328 Al572739 Hs.195471 6-phosphofructo-2-kinase. 429628 H09604 Hs.13268 ESTs 420149 AA255920 Hs.8095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (company)	917 endent, regulato a, 15 kDa CT 2 h insert cDNA 5 A47582 B-cel	2.7 2.7 2.7 2.7 2.7 2.7
429628 H09604 Hs.13268 ESTs 420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (d 43304 Al050073 Hs.135338 ESTs	917 endent, regulato in, 15 kDa T T T T T A T A T S T T T T T T T T T T	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
420149 AA255920 Hs.88095 ESTs 431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (443304 Al050073 Hs.135338 ESTs	917 indent, regulato in, 15 kDa T h insert cDNA b A47582 B-cel delta-9-desatur	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
431207 AA495925 Hs.9394 ESTs 438394 BE379623 Hs.27693 peptidylprolyl isomerase (443304 Al050073 Hs.135338 ESTs	917 indent, regulato in, 15 kDa T h insert cDNA o A47582 B-cel delta-9-desatur ructose-2,6-bi	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
438394 BE379623 Hs.27693 peptidylprolyl isomerase (443304 Al050073 Hs.135338 ESTs	917 endent, regulato a, 15 kDa CT h insert cDNA b A47582 B-cel delta-9-desatur cructose-2,6-bl	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
55 443304 AI050073 Hs.135338 ESTs	917 endent, regulato in, 15 kDa T T A h insert cDNA D A47582 B-cel Jelta-9-desatur riuctose-2,6-bi	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 Indent, regulato In, 15 kDa IT	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 indent, regulato in, 15 kDa T h insert cDNA D A47582 B-cel delta-9-desatur ructose-2,6-bl 2 yclophilin}-1	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 indent, regulato in, 15 kDa T h insert cDNA b A47582 B-cel delta-9-desatur ructose-2,6-bi yclophilin)-l	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
408460 AA054726 Hs.285574 ESTs	917 endent, regulato in, 15 kDa 2.7 Thinsert cDNA to A47582 B-cel delta-9-desatur ructose-2,6-bi 22 yclophilin)-1 23228 fis, clone C	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
416515 N91716 Hs.194140 ESTs, Weakly similar to I3 429922 Z97630 Hs.226117 H1 histone family, membe	917 endent, regulato in, 15 kDa Thisert cDNA in A47582 B-cel delta-9-desatur ructose-2,6-bi yclophilin)-I	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 indent, regulato in, 15 kDa it in, 15 kDa it it in insert cDNA in A47582 B-cel delta-9-desatur inuctose-2,6-bi inuctose-2,	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 endent, regulato in, 15 kDa 2.7 2.7 3.15 kDa 3	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
	917 endent, regulato in, 15 kDa CT h insert cDNA to A47582 B-cel delta-9-desatur ructose-2,6-bi 22 cyclophilin)-1 23228 fis, clone C 20 2022 hypotheti 0	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
450496 AW449251 Hs.257131 ESTs	917 endent, regulato in, 15 kDa 2.7 h insert cDNA to A47582 B-cel delta-9-desatur ructose-2,6-bi 2.3228 fis, clone C 2.3022 hypotheti 0 2.22	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
451963 Al825440 Hs.224952 ESTs	917 Indent, regulato In, 15 kDa IT	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
65 457938 AI373638 Hs.133900 ESTs	917 endent, regulato In, 15 kDa CT A h insert cDNA In A47582 B-cel Idelta-9-desatur Inuctose-2,6-bl 22 23228 fis, clone C 23022 hypotheti O 24 A FLJ10922 fis, clon	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
441541 AA938663 Hs.199828 ESTs	917 endent, regulato In, 15 kDa ET A h insert cDNA D A47582 B-cel Jelta-9-desatur ructose-2,6-bi 22 cyclophilin)-I 23228 fis, clone C 2022 hypotheti 0 24 A FLJ10922 fis, clon	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7
441111 AI806867 Hs.126594 ESTs	917 endent, regulato in, 15 kDa 2.7 2.7 2.8 3.15 h insert cDNA 5.0 A47582 B-cel 2.9 delta-9-desatur inuctose-2,6-bi 2.2 2.2 2.2 2.2 2.2 2.3 2.2 2.3 2.4 2.5 2.5 2.6 2.6 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7	2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7 2.7

	423020	AA383092	Hs.1608	replication protein A3 (14kD)	2.7
	445354	AV653485	Hs.6390	Homo sapiens clone FLB3344 PRO0845 mRNA,	2.7
		AW293165	Hs.143134		2.7
_		X91662	Hs.66744		2.7
5		AW137636	Hs.146059		2.7
	413903	AA496493	Hs.23136	ESTs	2.7
	406069	NA		Target Exon	2.7
	447410	AI470235	Hs.172698		2.7
	401256				2.7
10		AW975942	Un 40504		2.7
10			Hs.48524		
		AW958037	Hs.286		2.7
		BE144762		gb:CM0-HT0180-041099-065-b04 HT0180 Homo	
	438825	BE327427	Hs.79953	ESTs	2.6
	409564	AA045857	Hs.54943	fracture callus 1 (rat) homolog	2.6
15	452837	AL121053	Hs.5534		2.6
		AF160477	Hs.61460		2.6
		AK001122			2.6
		AW893940	Hs.59698		2.6
20	430785			·	2.6
20		D38299			2.6
	433068	NM_006456	Hs.288215	sialyltransferase	2.6
	421952	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 1 H	2.6
	429208	AA447990	Hs.190478	ESTs	2.6
		AW975920	Hs.283361		2.6
25		AI346487	Hs.28739		2.6
		Al123555	Hs.81796		2.6
		AW451645		Homo sapiens cDNA FLJ11973 fis, clone HE	2.6
		AW754311	113.131304		
			U- 400004	gb:CM1-CT0337-141299-068-f07 CT0337 Homo	
20		AI675944		· · · · · · · · · · · · · · · · · · ·	2.6
30		M25809	Hs.64173		2.6
		AK002016			2.6
	425071	NM_013989	Hs.154424		2.6
	408868	AW292286	Hs.255058	ESTs	2.6
	451531	AA018311	Hs.114762	ESTs ·	2.6
35	405822				2.6
		AW976201	Hs.53913		2.6
		Al080042			2.6
		AA643687			2.6
40		AW205878	Hs.29643		2.6
40	405638			Target Exon	2.6
	452542	AW812256		gb:RC0-ST0174-191099-031-a07 ST0174 Homo	2.6
	403943			C5000355:gij4503225[ref]NP_000765.1] cyt	2.6
	404535	Z25884	Hs.121483	chloride channel 1 , skeletal muscle (Th	2.6
	402800	NA			2.6
45		A1989503	Hs.233405		2.6
		AW846080	Hs.314324		2.6
		H03754		wingless-type MMTV integration site fami	2.6
					2.6
		AW974476			
50		AA418187	Hs.330515		2.6
50	450638	AK001826	Hs.25245	hypothetical protein FLJ11269	2.6
	453034	BE246010	Hs.271468	Homo sapiens mRNA for FLJ00038 protein,	2.6
	455097	AW855802		gb:RC1-CT0279-170200-023-d08 CT0279 Homo	2.6
	427317	AB028955	Hs.175780	KIAA1032 protein	2.6
		NM_015434	Hs.48604	DKFZP434B168 protein	2.6
55		Z47542		small nuclear RNA activating complex, po	2.6
55		NM_000163	He 125190	arouth hermone recenter	
		14141_000 102	HS. 120100		2.6
	406271	DESCOOL	11. 7000	Target Exon	2.6
		BE566962	Hs.7063	Homo sapiens cDNA: FLJ20913 fls, done A	2.6
~ 0		AW016892	Hs.100855		2.6
60		AI928513	Hs.59203	ESTs	2.6
		AA121098	Hs.3838	serum-inducible kinase	2.6
	455708	BE069326		gb:QV3-BT0381-170100-060-g03 BT0381 Homo	2.6
	439347	W24320	Hs.102941	Homo sapiens cDNA: FLJ21531 fis, done C	2.6
		X64984		gb:H.saplens mRNA HTPCRX10 for olfactory	2.6
65		AA830431	Hs.180811		2.6
		AA668763	Hs.291939		2.6
		AI681917	Hs.3321	ESTs, Highly similar to IRX1_HUMAN IROQU	2.6
	,55,65		. 10.0021	To an indial anima to until tour at utodo	

	455100	BE160198		gb:QV1-HT0413-010200-059-h03 HT0413 Homo	2.6
	414612	BE274552	Hs.76578	protein inhibitor of activated STAT3	2.6
	440283	A1732892	Hs.190489	ESTs	2.6
	423025	AA831267	Hs. 12244	hypothetical protein FLJ20097	2.6
5	431473	AA825686	Hs.321176	ESTs, Weakly similar to \$65824 reverse t	2.6
	404440			NM_021048:Homo sapiens melanoma antigen,	2.6
	403388	NA		C3001398*:gi[12248917]dbj[BAB20375.1] (A	2.6
	403775	NA		Target Exon	2.6
	405037	NA		NM_021628*:Homo sapiens arachidonate lip	2.6
10	407447	AF290544		gb:Homo sapiens aminopeptidase mRNA, par	2.6
	420952	AA282067	Hs.88972		2.6
		AI872932		gb:wm72e03.x1 NCI_CGAP_Ut2 Homo sapiens	
		AW516211	Hs.125300	ring finger protein 21, Interferon-respo	2.6
		AI702885	Hs. 145568		2.6
15		BE391727		general transcription factor IIH, polype	2.6
		N72264		KIAA1204 protein	2.6
		AW085961	Hs.130093		2.6
		Y08565		UDP-N-acetyl-atpha-D-galactosamine:polyp	2.6
	404443	100505	113.131070	C8001428*:gi 6572242 emb CAB62951.1 (Z9	2.6
20		NM_003512	Hs.28777		2.6
20		Al073913		ESTs, Weakly similar to JE0350 Anterior	2.6
		Al192105	Hs.147170		2.6
		AW963372			
			Hs.46677	•	2.6
25		F13036	Hs.27373		
23		R36075	Un pennea	gb:yh88b01.s1 Soares placenta Nb2HP Homo	2.6
		AW081681		ESTs, Weakly similar to T42689 hypotheti	2.6
		NM_000169	Hs.69089	galactosidase, alpha	2.6
		S70284	11- 454400	gb:stearoyl-CoA desaturase [human, adipo	2.6
20		H62943	Hs.154188		2.6
30		BE065837	404007	gb:RC2-BT0318-110100-012-g12 BT0318 Homo	
		NM_012247		SELENOPHOSPHATE SYNTHETASE; Human	
		Al538613		Transmembrane protease, serine 3	2.5
		AF012023		integrin cytoplasmic domain-associated p	2.5
25		AK001058		Homo sapiens cDNA FLJ10196 fis, clone HE	2.5
35		BE245652		zinc finger protein 266	2.5
		1.22524	Hs.2256	matrix metalloproteinase 7 (MMP7; uterin	2.5
		AB020641	Hs.57856		2.5
		NM_000909		neuropeptide Y receptor Y1	2.5
40		AW973708		Homo sapiens cDNA FLJ13446 fis, clone PL	2.5
40		AA767881	Hs.122897		2.5
		AK001741	Hs.8739	hypothetical protein FLJ10879	2.5
		AL042306		VASA protein	2.5
		AW628666		ESTs, Weakly similar to 138022 hypotheti	2.5
	431956	AK002032	Hs.272245	Homo sapiens cDNA FLJ11170 fis, clone PL	2.5
45	455732	BE080908		gb:QV1-BT0631-280200-084-h07 BT0631 Homo	2.5
	458624	Al362790		KIAA1684 protein; likely homolog of mous	2.5
	428257	BE394723	Hs.275243	S100 calcium-binding protein A6 (calcycl	2.5
		NM_002318	Hs.83354	lysyl oxidase-like 2	2.5
		AW375610	Hs.117102	hypothetical protein FLJ13046 similar to	2.5
50	458012	Al424899	Hs.188211		2.5
	422996	BE091089		gb:PM4-BT0724-130400-006-c07 BT0724 Homo	
		U64820	Hs.66521	Machado-Joseph disease (spinocerebellar	2.5
	457211	AW972565	Hs.32399	ESTs, Weakly similar to S51797 vasodilat	2.5
~ ~	440029	AW089705		ESTs, Weakly similar to S64329 probable	2.5
55	448141	A1471598	Hs.197531	ESTs	2.5
	409163	AA065081		gb:zm13a03.s1 Stratagene pancreas (93720	2.5
	431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	2.5
	414569	AF109298	Hs.118258	prostate cancer associated protein 1	2.5
	439963	AW247529	Hs.6793	platelet-activating factor acetylhydrola	2.5
60	455935	BE158687		gb:CM0-HT0395-280100-169-b09 HT0395 Homo	2.5
		AW953168	Hs.12407	ESTs	2.5
		AA652687	Hs.96151	Human DNA sequence from clone RP5-1103G7	2.5
	404826			Target Exon	2.5
	422938	NM_001809	Hs.1594	centromere protein A (17kD)	2.5
65		NM_014918	Hs.110488	KIAA0990 protein	2.5
		NM_007350	Hs.82101	pleckstrin homology-like domain, family	2.5
		AW898595		gb:RC1-NN0073-260400-011-g09 NN0073 Homo	2.5

	402250	414		ENCROSSISSISSISSISSISSISSISSISSISSISSISSISSI	25
	403356 404983	NA		ENSP00000251525*:Hypothetical protein Kl ENSP00000252242*:Keratin, type II cytosk	2.5 2.5
	_	AA215535	Hs.98133	ESTs	2.5
		AW467143		actin related protein	2.5
5		AF186114		tumor necrosis factor (ligand) superfami	2.5
•		AW071349	Hs.215937		2.5
		AW582962	Hs.102897	CGI-47 protein	2.5
	439217	AF086041	Hs.42975	ESTs	2.5
	400925			Target Exon	2.5
10	404552		04070	ENSP00000220888*:ZINC FINGER TRANSCRIF	
		AL133117	Hs.81376	Homo sapiens mRNA; cDNA DKFZp586L1121 (f	
		NM_002332	Hs.89137	tow density lipoprotein-related protein baculoviral IAP repeat-containing 4	2.5 2.5
		U32974 NM_000318		peroxisomal membrane protein 3 (35kD, Ze	2.5
15		AA501760	Hs.15806	Homo sapiens mRNA; cDNA DKFZp434H2019 (I	
13		AI271898	Hs.164866		2.5
		AW813428		gb:MR3-ST0192-010200-210-c05 ST0192 Homo	2.5
	434657	AA641876	Hs.191840		2.5
	402077	NA		Target Exon	2.5
20	400289	X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	2.5
		AW885757	Hs.257862		2.5
		T27308	Hs.16986	hypothetical protein FLJ11046	2.5
		A1807894	Hs.47274	Homo sapiens mRNA; cDNA DKFZp564B176 (fr	2.5 2.5
25		A1024353	Hs. 131755 Hs. 22607	hypothetical protein FLJ14298 ESTs	2.5
23		AA059013 AA122393	Hs.70811		2.5
		AW162919		RAB2, member RAS oncogene family-like	2.5
		Al126772	Hs.40479		2.5
		A(580090	Hs.48295	RNA helicase family	2.5
30	423504	N80077	Hs.24792		2.5
		AA449644		Homo sapiens cDNA FLJ14201 fis, clone NT	2.5
		AW297921	Hs.255703		2.5
		AA256769	Hs.94949		2.5 2.5
35		AW086180	Hs.37636 Hs.83190	ESTs, Weakly similar to KIAA1392 protein fatty acid synthase	2.5
33		U29344 AA356923		nuclear cap binding protein subunit 2, 2	2.5
		AL039402		DEME-6 protein	2.5
		N52639	Hs.32683		2.5
		A1743977	Hs.205144	ESTs	2.5
40	409239	AA740875	Hs.44307	ESTs, Moderately similar to I38022 hypot	2.5
		AW500507		KIAA1600 protein	2.5
		Al920783	Hs.191435		2.5
		AA479033		ESTs, Weakly similar to A47582 B-cell gr	2.5 2.5
45		AI446747 AA116021	Hs.38260	olfactory receptor, family 7, subfamily ubiquilin specific protease 18	2.5
43		NM_007069	Hs.37189		2.5
		H00820	Hs.30977		2.5
		AA236255	Hs.298419		2.5
	429118	H20669	Hs.35406	ESTs, Highly similar to unnamed protein	2.5
50	440331	AL046412	Hs.202151		2.5
		AI640355	Hs.312691		2.5
-		AW298631	Hs.27721	Wolf-Hirschhorn syndrome candidate 1-lik	2.5 2.5
		A1937547	HS.124915	hypothetical protein MGC2601 gb:QV2-LT0038-270300-108-d12 LT0038 Homo	
55		AW837349	Hs.122341		2.5
))	406414	AA843719	113.122341	C5000506*:gi[124941 sp[P18614 ITA1_RAT I	2.5
		AB033043	Hs.149377	hypothetical protein DKFZp761L0424	2.5
		BE548446	Hs.5167	Homo sapiens mRNA; cDNA DKFZp434F152 (fi	2.5
		AA347746	Hs.9521	ESTs, Weakly similar to ZN43_HUMAN ZINC	2.5
60	440304	BE159984	Hs.125395	ESTs	2.5
		AA635062	Hs.50094	Homo sapiens mRNA; cDNA DKFZp434O0515	
		D86983		Melanoma associated gene	2.5
		AL135623	Hs.193914 Hs.795	KIAA0575 gene product H2A histone family, member O	2.5 2.5
65		. AA442324 : D13752		cytochrome P450, subfamily XIB (steroid	2.5
QJ		AA081395	Hs.42173	Homo sapiens cDNA FLJ10366 fis, clone NT	2.5
	403133			Target Exon	2.5

WO 02/059377

5

PCT/US02/02242

400346 435509	Al458679	Hs.272263 Hs.181915		2.5 2.5
458145	A1239457	Hs.130794	ESTs	2.5

TABLE 19A

Table 19A shows the accession numbers for those pkeys lacking unigeneID's for Table 19. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

l	

5

Pkey:	Unique Eos probeset identifier number
CAT number:	Gene duster number
Accession:	Genbank accession numbers

15

15	7100000		
	Pkey	CAT number	Accessions
20	407647	1007366_1	AW86D158 AW862385 AW860159 AW862386 AW862341 AW821869 AW821893 AW062660 AW062656
20	407980 408254	103087_1 1049346_1	AAQ46309 Al263500 AAQ46397 AW807227 AW807576 AW807137 AW807157 AW807495 AW807494 AW807417 AW807083 AW845786 AW845801 AW807130 AW807335 AW807081 AW807349 AW807339 AW807164 AW807341 AW807224 AW845903 AW177424 AW807159 AW807123 BE141576 AW807340 AW807334 AW807520 AW807205 AW807505 BE141574 AW807390
25			AW807395 AW807595 AW807501 AW807089 AW807395 AW807395 AW807595 AW807505 AW807505 AW807505 AW807505 AW807501
			AW807120 AW807168 AW807121 AW807527 AW807151 AW807203 AW807489 AW807511 AW807158 AW845800 AW807507 AW845793 AW845796 AW807296 AW845781 AW807444 AW845871 AW807512 AW807242 AW807141
30			AW807522 AW807487 AW807514 AW807142 AW807232 AW807379 AW807114 AW807518 AW807199 AW807211 AW807498 AW807086 AW807492 AW807218 AW807082 AW807525 AW807493 AW807523 AW807087 AW845784 AW807037 AW807128 AW807080 AW807118 AW845807 AW807524 AW845803 AW807249 AW845795 AW807160
50			AW807343 AW807515 AW807233 AW807288 AW177102 AW807352 AW807394 AW177105 AW807176 AW177103 AW845870 AW177099 AW177101 AW807528 AW807336 AW807038 AW177100 AW807411 AW807088 AW845865 AW807226 AW807517 AW807397 AW807303 AW807177 AW807154 AW807136 AW807146 AW807085 AW807521
			AW807488 AW807385 AW807355 AW807223 AW807155
35	409163	110418_1	AA065081 AA075017 AA084791 AA071015 AA081560 AA071459 AA545727 AA083100 AA085366 AA115845 AA075457 AA064704 AA082878 AA075742 AA069162
	409695	114876_1	AA296961 AA296889 AA076945 AA077528 AA077497
	410534	1207247_1 1214882_1	AW905138 AW753008 R13818 Z43519
40	410672 410784	1221005 1	AW794600 AW794730 AW803201 BE079700 BE062940
40	410785	1221055_1	AW803261 6E019700 6E002940 AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
	410835	1223785_1	AW806906 AW806915 AW866460 AW866475 AW866462 AW866448 AW866372 AW866604
	411050	1230330_1	AW814902 BE156656 BE156667 BE156590 BE156441 BE156447
	411086	1231500_1	BE070800 AW875226 BE149115
45	411093	1231970_1	BE067650 AW817053
	411111	1232669_1	AW818127 AW818161 R09719
	411171	1234393_1	AW820260 AW820332 R94406
	411337 411514	1239217_1 1248638_1	AW837349 AW837355 AW882717 AW850178 AW850233 AW850445 AW850446
50	411670	1253680_1	AW850552 AW861101 AW856574 AW861099 AW861100 AW856573 AW856576 AW856562
50	411905	1265181_1	BE265067 BE264978 AW875420
	412102	1277395 1	H56435 H56572 AW892929
	412209	1283610_1	AW901456 AW901450 AW901441
	412248	1285000_1	BE176480 AW903298 AW903313
55	413043	1346556_1	BE158766 BE061699 BE147360 BE147362 BE061666 BE061697 BE061647 BE061678
	413111	1349546_1	BE065837 BE065805 BE065799 BE065818 BE065839 BE065831 BE065894 BE065789 BE065792
	413189	1352723_1	BE070231 BE070229 BE070255
	413221 413499	1353887_1 1373910_1	BE161151 BE162495 BE161002 BE072205 BE160989 BE162482 BE144884 H97942
60	413499	1384140 1	BE158791 BE158806 BE158748 BE158744 BE158740 BE158739 BE158811 BE158700 BE158741 BE158683 BE158685
00	414210	1426051_1	BE383592 BE261671
	414596	1465004_1	BE386870 Z41986 H08501
		_	

	414605	14657901	BE390440
	415747	155189_1	AA381209 AA381245 AA167683
	416173	1574973_1	R52782 R17313 H24192 R19876
_	417742	1696282_1	R64719 Z44680 R12451
5	417974	171237_1	AA210765 T95700 H94407
	418636	177402_1	AW749855 AA225995 AW750208 AW750206
	419536	185688_1	AA603305 AA244095 AA244183
	420854	197072_1	AW296927 Al684514 Al263168 AA281079
	422156	212379_1	N34524 AA305071 AW954803 AA502335 AI433430 AI203597 AW026670 AW265323 AW850787 AA317554 AW993643
10		2.20.0	AW835572 AW385512 Al334966 W32951 H62656 H53902 R88904 AW835732
- 0	422996	223666_1	BE091089 BE091123 AA319959
	423833	232451_1	AW503329 N46610 AA331571
	423841	232507_1	AW753967 AA370795 AA331630 AW962550
	423945	233566_1	AA410943 AW948953 AA334202 AA332882
15	425201		
13	426650	247933_1	AA352111 AW962247 AA429595
		270283_1	AA382814 AA402411 AA412355
	426878	273265_1	BE069341 AW748403 AL044891 Al908240 AA393080
	430264	315008_1	AA470519 BE303010 BE302954 BE384120
20	430785	323486_1	Z30201 AA486132 T72025
20	431676	336411_1	Al685464 AW971336 AA513587 AA525142
	433687	373061_1	AA743991 AA604852 AW272737
	434338	383982_1	AW754311 AA630185 AW803285
	434469	387447_1	AA634806 C18732 AA729161 AA729860
25	435447	406400_1	Al872932 AA682306 BE220163 W88695 T81307 H91447
25	437152	43386_1	AL050027 BE089051 .
	437854	44418_1	AL119723 AL119874 Al909018 U50537
	439031	46798_1	AF075079 H48601 H48795
	439255	470321_1	BE164500 AA832198 BE164502
	444910	624951_1	Al201849 BE069007 AW946544
30	445432	63943_1	AV653771 BE089370
	446922	69865_1	BE175605 Z43529 F06610 BE175602 AV661027
	447197	711623_1	R36075 Al366546 R36167
	448420	76273_1	BE623004 AA380669 BE263627 BE246433
	448516	766241_1	AW898595 AW898588 AW898590 AW898663 AW898592 AI525093
35	450522	837264_1	A1698839 A1909260 A1909259
	450736	844652_1	AW970060 AI732366 AI792313 AW839644
	451024	85565_1	AA442176 AA259181
	451067	85759_1	BE172186 AA059279 AA020815 AA013437
	451340	86640_1	AW936273 AW340350 AA017208
40	452542	921410_1	AW812256 AW812257 AI906423 AI906422
	452564	92227_1	AA026777 N50065 R09961 N54721
	453472	968371_1	AL037925 AL037931 AL037957
	454307	1106070_1	AW855717 AW362452 AW362443
	454359	1130674_1	N71277 AW390764
45	454545	1223779_1	AW806899 AW866451 AW866393 AW866297 AW817869
	454693	1229132_1	AW813428 AW813444 AW813367 AW813368 AW813429 AW813424
	454714	1230493_1	AW815098 BE154843 BE154831
	455047	1250536_1	AW852530 AW852527 AW852526
	455092	1252971_1	BE152428 AW855572 AW855607
50	455097	1253130_1	AW855802 AW855794 AW855797 AW855806 AW855796 AW855808 AW855793 AW855807
-	455100	1253334_1	BE160198 AW935898 T11520 AW935930 AW856073 AW861034
	455431	1289854_1	AW938484 BE001245 BE001190
	455511	1321229_1	BE144762 AW979091
	455609	1337548_1	BE011668 BE011689 BE011627 BE011679 BE011699 BE011678 BE011696 BE011675 BE011622 BE011635
55	455651	1348732_1	BE064962 BE064979 BE064853 BE064857 BE064856 BE064977 BE064960 BE064860 BE064815 BE064957 BE064804
	100001		BE064816 BE064850 BE064806 BE064796 BE064818 BE064819 BE064819 BE064810 BE064668 BE065059
	455685	1350393_1	BE066976 BE066928 BE066927
	455700	1351264_1	BE068115 BE068104 BE068102 BE068096 BE068103 BE068154 BE068198
	455708	1352232_1	BE069326 BE069290 BE069352
60	455732	1353874_1	BE080908 BE072258 BE072190 BE072236
00	455838	1374605_1	BE145808 BE145807 BE181883
	455935	1384144_1	BE158687 BE158688
	455945	1385588_1	BE160636 BE160606 BE160703
	456207	1650781	AA193450
65	456482	192289_1	AA485224 AA287308 AA258121
55	458094	47311_1	AF086325 W72956 W73221 AA219112
	458673	679507_1	N99626 Al302701
	100010	2,000/_1	1100000 / Nobel & 1

TABLE 19B

Table 19B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 19. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. *Dunham I. et al.* refers to the publication
		entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand: Indicates DNA strand from which exons were predicted.

	ouuna,	more production with the state production and the p
	Nt_position:	Indicates nucleotide positions of predicted exons.
15		
13		
13		

	Pkey	Ref	Strand	Nt_position
	400555	9801191	Minus	134694-134817
20		9887666	Minus	96756-97558
		9887671	Minus	117606-117928,124040-124147
		7651921	Plus	38183-38391.43900-44086
		8117619	Plus	90044-90184,91111-91345
		7232177	Plus	149157-150692
25		8516137	Minus	22335-23166
		9796573	Minus	45482-45620
	401283	9800093	Minus	47256-47456
		9212516	Minus	226246-227505
		7452889	Minus	124865-125075
30	401451	6634068	Minus	119926-121272
		9187886	Plus	76485-77597
		7381770	Plus	92607-92813
	401508	7534110	Minus ·	110779-110983
		7229804	Minus	76253-76364
35		9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-
- '				131258,131866-131932,132451-132575,133580-134011
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
		7249190	Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401793	7263888	Minus	102945-103083
40	401987	4406829	Minus	72893-73021,76938-77049
		8117414	Plus	65014-65195
		8131678	Minus	171722-171859,173197-173303
	402184	8576001	Minus	112844-112986,113505-113636
		9625329	Minus	21753-22385
45		9796341	Minus	46609-46662,46758-46811,86293-86346,89776-89829,90048-90101,102817-102924
		9884928	Plus	66350-66496
	402606	9909429	Minus	81747-82094
		7328818	Minus	23600-23731
		9367757	Plus	109588-109726
50		6010175	Plus	43921-44049,46181-46273
	402820	6456853	Minus	82274-82443
		8086844	Minus	194384-194645
	403133	7331427	Plus	38314-38634
		8569930	Plus	92839-93036
55	403388	9438331	Plus	112733-113001,114599-114735
	403426	9719529	Minus	157156-158183
	403585	8101208	Minus	131266-131769
	403593	6862650	Minus	62554-62712,69449-69602
		8671936	Minus	142647-142771,145531-145762
60	403639	8671948	Plus	113234-113326,115186-115287,119649-119786
		7331517	Minus	55008-55083,62860-63051
	403775	7770580	Minus	102247-102326,103095-103148
	403943	7711864	Plus	100742-100904,101322-101503

```
404091 7684554
                          Minus
                                     82121-83229
         404097 7770701
                          Plus
                                     55512-55781
         404142 9856692
                          Minus
                                     80316-80459
         404253 9367202
                          Minus
                                     55675-56055
  5
         404274 9885189
                          Plus
                                     104127-104318
         404285 2326514
                          Plus
                                     32282-32416
         404360 9858450
                                     122873-122966,151324-151469,153093-153253
                          Minus
         404440 7528051
                          Plus
                                     80430-81581
         404443 7579073
                                     87198-87441
                          Minus
10
        404552 7243881
                                     19854-20010
                          Plus
         404561 9795980
                          Minus
                                     69039-70100
         404580 6539738
                          Minus
                                     240588-241589
         404721 9856648
                                     173763-174294
                          Minus
         404826 6572184
                          Pius
                                     47726-48046
15
        404983 4432779
                                    51178-51374,52000-52173
                          Minus
         405037 7543748
                                     127374-127578
                          Minus
         405041 7547195
                                     121230-121714
                          Plus
         405095 8072599
                          Plus
                                     138877-139066
         405153 9965565
                                     175317-175500
                          Minus
20
         405196 7230083
                          Minus
                                     135716-135851
         405232 7249042
                          Plus
                                     125904-126063
         405248 7259728
                          Plus
                                     637-777
         405336 6094635
                                    33267-33563
                          Plus
         405394 6624123
                                     31900-32373
                          Minus
25
         405460 7684569
                                     52223-52389
                          Minus
         405494 8050952
                          Minus
                                     70284-70518
        405547 1054740
                                     124361-124520,124914-125050
                          Plus
                                     42814-43010,43583-43783,44863-45033,46429-46554,47815-48018,49961-50153,51624-51727,51823-51959,52702-
        405609 5757553
                          Minus
                                    52918,55469-55601,57111-57307,58169-58296,60215-60332,61482-61727
30
        405638 6289229
                          Plus
                                     199260-199372,199826-199929
         405654 4895155
                                    53624-53759
                          Minus
         405718 9795467
                                     113080-113266
                          Plus
                                     154660-154974,155203-155379
         405822 6273498
                          Minus
         405848 7651809
                          Minus
                                    28135-28244
35
         405873 6758747
                                    32129-32764
                          Minus
        405906 7705124
                          Minus
                                     10835-11059
         405917 7712162
                                     106829-107213
                          Minus
         405925 6758795
                          Plus
                                     129935-130282
         405953 7960374
                          Minus
                                    65101-65574
40
         406069 9117732
                                    68880-69374
                          Plus
        406151 7144806
                                    94087-94285
                          Minus
         406153 9929734
                                    12902-13069
                          Minus
         406182 5923650
                                    28256-28935
                          Minus
         406271 7534217
                          Plus
                                    36179-36692
45
         406291 5686274
                          Plus
                                    9562-9867
        406348 9255985
                                    71754-71944
                          Minus
         406414 9256407
                          Plus
                                    49593-49850
         406446 9454509
                          Minus
                                    116424-116527,118721-118859,121187-121364
        406504 7711360
                                    107068-107277
                          Minus
50
        406554 7711566
                                    106956-107121
                          Plus
```

TABLE 20: 544 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EXTRACELLULAR OR CELL-SURFACE PROTEINS

Table 20 shows 544 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode extracellular or cell-surface proteins. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85th percentile value amongst 144 non-malignant tissues, and the 96th percentile value amongst the 73 breast cancer specimens was greater than or equal 100 units, and the predicted protein contained a structural domain that is indicative of extracellular localization (e.g. ig, fn3, egf, 7tm domains, signal sequences, transmembrane domains). The predicted protein domains are noted.

15

5

Pkey: Unique Eos probeset Identifier number

ExAccn: Exemplar Accession number, Genbank accession number

UnigenelD: Unigene number

20 Pred.Prot.Domains: Predicted Protein Domains

Unigene Title: Unigene gene title

R1: Ratio of 93rd percentile of tumor to 85th percentile of normal body tissue

25	Pkey	ExAccn	UnigenelD	Pred.Prot.Domains	UnigeneTitle	R1
		AF015224			mammaglobin 1	168.6
		AA401369		• • • • • • • • • • • • • • • • • • • •	ESTs	73.2
		AI668594		,SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
		AW170035		TM .	Homo sapiens breast cancer antigen NY-BR	57.6
		AA250737		death,ZU5,TM,Activin_recp,pkinase,	BMP-R18	55.9
	424735		Hs.272499	,SS,TM	short-chain alcohol dehydrogenase family	53.8
		BE069341		TM	gb:QV3-BT0381-270100-073-c08 BT0381 Homo	50.3
26		NM_000230		SS,Leptin,SS,Leptin,	leptin (murine obesity homolog)	40.8 39.3
		AA195651		,SS,Dihydroorotase,	ESTs	39.3 37.3
	408000		Hs.620	Plectin_repeat,SH3,spectrin,SS,Plectin_r	bullous pemphigoid antigen 1 (230/240kD)	37.3 35.2
			Hs.179729	SS,C1q,Collagen,SS,C1q,Collagen,	collagen, type X, alpha 1 (Schmid metaph	30.0
			Hs.204096	,SS,Uteroglobin,	lipophilin B (uteroglobin family member)	25.7
40		AA009647		,SS,TM,disintegrin,Pep_M12B_propep,Repro		25.2
40		AF044197	Hs.1473	SS,ILB,SS	small inducible cytokine B subfamily (Cy gastrin-releasing peptide	24.8
	422109	A1624342		SS,Bombesin,SS	ESTs	24.1
		AI955040		,SS,TM,Cation_efflux SS	ESTs. Weakly similar to transformation-r	24.0
		AI127076		TM	hypothetical protein DKFZp564O1278	23.8
45			Hs.99949	SS.SS	prolactin-induced protein	22.8
40		A1267652		,SS,TM,GNS1_SUR4,cNMP_binding,Rlla	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	22.6
		NM_00361		ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
			Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
			Hs.2533	SS	aldehyde dehydrogenase 9 family, member	20.3
50			Hs.172634	.pkinase.	ESTs	19.2
50		AA193450	113.172004	,SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
		AL137517	Hs.334473	TM	hypothetical protein DKFZp564O1278	18.2
		AA399272		SS	ESTs	18.2
		X52509	Hs.161640	,SS,TM,aminotran_1_2,Cadherin_C_term,cad	tyrosine aminotransferase	18.1
55			Hs.265398	SS	ESTs. Weakly similar to transformation-r	17.9
	402578			SS,p450,SS,TM,p450	C1001134:gi 2117372 pir 165981 fatty ac	17.8
		AI263307	Hs.239884	SS	H2B histone family, member L	17.8
			Hs.124165	SS	programmed cell death 9 (PDCD9)	17.7
	444342	NM_01439	3Hs.10887	Lamp, SS, TM, Lamp,	similar to lysosome-associated membrane	17.5
					•	

		N92293	Hs.206832	SS	ESTs, Moderately similar to ALU8_HUMAN A	17.3
	428227	AA321649	Hs.2248	SS,ILB,	small inducible cytokine subfamily B (CX	17.0
	425692	D90041	Hs.155956	,SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
	424001	W67883	Hs.137476	,pkinase,	paternally expressed 10	16.5
5	448595	AB014544	Hs.21572	LRRCT,LRR,SS,LRRCT,serine_carbpept	KIAA0644 gene product	16.3
	449448	D60730	Hs.57471		ESTs	16.2
		M13509	Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase_		15.7
		AA296520			selectin E (endothelial adhesion molecul	15.5
		AA441838		SS	hypothetical protein FLJ14834	15.5
10						15.0
10		NM_00711			tumor necrosis factor, alpha-induced pro	
		H44186	Hs.15456		PDZ domain containing 1	14.9
		AA236115			ESTs	14.8
		U65011	Hs.30743	SS,SS	preferentially expressed antigen in mela	14.7
	422805	AA436989	Hs.121017	histone, SS, histone, histone	H2A histone family, member A	14.3
15	448390	AL035414	Hs.21068	SS	hypothetical protein -	14.2
	447342	Al199268	Hs.19322	,SS,lipocalin	Homo sapiens, Similar to RIKEN cDNA 2010	14.2
	411869	W20027	Hs.23439		ESTs	13.9
		AI082692			ESTs	13.7
		AA031956			gb:zk15e04.s1 Soares_pregnant_uterus_NbH	13.7
20		AI733682	Uc 420220		ESTs	13.5
20		X07820			- · ·	13.5
			Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1		
		BE336654			H3 histone family, member A	13.3
		AA948033			ESTs	13.2
		AA706910			ESTs .	13.1
25	407276	AI951118	Hs.326736	TM	Homo sapiens breast cancer antigen NY-BR	13.1
	443348	AW873596	Hs.182278	,SS,DENN	calmodulin 2 (phosphorylase kinase, delt	13.0
	421037	AI684808	Hs.197653	SS	programmed cell death 9 (PDCD9)	12.9
		Al351010			lysyl oxidase	12.8
		W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
30		N78223	Hs.108106	- -	transcription factor	12.5
50		AI873274			ESTs	12.4
		AF026944			ESTs	12.3
		AA576953			hypothetical protein FLJ13352	12.0
25		AJ224741			matrilin 3	11.9
35	408771	AW732573	Hs.47584		potassium voltage-gated channel, detayed	11.9
	432912	BE007371	Hs.200313	,SS,TM,Folate_carrier	ESTs	11.9
	447033	Al357412	Hs.157601	SS	ESTs	11.8
		H87879	Hs.102267		lysyl oxidase	11.8
	424905	NM_002497			NIMA (never in mitosis gene a)-related k	11.7
40		AL049689			hypothetical protein similar to tenascin	11.6
		R28363	Hs.24286		ESTs	11.5
		AI907673	113.24200		gb:IL-BT152-080399-004 BT152 Homo sapien	11.5
		AA410943			gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
45		AL360204	HS.283853		Homo sapiens mRNA full length insert cDN	11.4
45	402606				NM_024626:Homo sapiens hypothetical prot	11.3
	445263		Hs.42586		KIAA1560 protein	11.2
	430217	N47863	Hs.336901	,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S24	e,ribosomal protein S24	11.1
	447164	AF026941	Hs.17518	,TM,IBR	Homo sapiens cig5 mRNA, partial sequence	11.1
	431385	BE178536	Hs.11090		membrane-spanning 4-domains, subfamily A	11.1
50		AL080207			DKFZP434G232 protein	10.9
•		R17798	Hs.7535		COBW-like protein	10.9
	425704		Hs.159264		Human clone 23948 mRNA sequence	10.7
		NM_007050				10.4
					protein tyrosine phosphatase, receptor t	
55		AB007948			KIAA0479 protein	10.3
55		BE440042		SS,Peptidase_M10,hemopexin,SS,Peptidase_		10.3
		NM_000685			angiotensIn receptor 1	10.3
		U80736	Hs.110826	\$\$	trinudeotide repeat containing 9	10.3
	451952	AL120173	Hs.301663	,SS,pkinase,	ESTs	10.3
	438199	AW016531	Hs.122147	,SS,ArfGap,	ESTs	10.2
60	400608			SS,TM,SS,TM	C10001899:gi[7508633 plrf T25392 hypothe	10.1
		BE242870	Hs.75379	SS	solute carrier family 1 (glial high affi	10.0
		W68815	Hs.301885		Homo sapiens cDNA FLJ11346 fis, clone PL	9.9
	402408				NM_030920*:Homo saplens hypothetical pro	9.8
			Hs.12844		EGF-like-domain, multiple 6 (EGFL6)	9.7
65		AI879148	Hs.26770		fatty acid binding protein 7, brain	9.6
0,5	405654			BTB,SS	C12001521:gi[7513934]pir [T31081 cca3 pr	
		AI418055	No 161160			9.6
	434300	VI-10022	110.101100	SS	ESTs	9.6

				•		
	416220	N49776	Hs.170994	,SS,TM	hypothetical protein MGC10946	9.5
	431808	M30703	Hs.270833	SS,TM,EGF,SS	amphiregulin (schwannoma-derived growth	9.5
		AW368397			Homo saplens cDNA FLJ14438 fis, clone HE	9.4
		AA032279		TM	six transmembrane epithelial antigen of	9.4
5		AA279490		SS,TM,calreticulin,SS,TM,calreticulin,	calmegin	9.4
-		AI733881		death,ZU5,TM,Activin_recp.pkinase,	BMP-R1B	9.4
		AA291377		TM	ESTs .	9.3
		AI678059		SS	synaptonemal complex protein 2	9.3
		AI820662		SS	ESTs	9.1
10		X73114	Hs.169849	,SS,TM,fn3,ig,	myosin-binding protein C, slow-type	9.1
		M31126		SS,Peptidase_M10,hemopexin,SS,Peptidase	matrix metalloproteinase 11 (MMP11: stro	9.1
		AW004854		SS	hypothetical protein FLJ23537	9.1
		AB041035		Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo saplens NADPH oxidase 4 (9.1
		H59846	Hs.128355		ESTs, Moderately similar to ALU7_HUMAN A	9.0
15		A1798680		,SS,TM,histone,Sec1,histone,sugar_tr	ESTs	8.9
13			Hs.77367	SS,IL8,SS,IL8	monokine induced by gamma interferon	8.8
	400285		130.77001	,TM,ABC_tran,ABC_membrane,	Eos Control	8.8
		D30783	He 115263	SS,TM,EGF,SS,TM	epiregulin	8.8
		NM_004354		cyclin,SS	cyclin G2	8.8
20		AW512260		SS	ESTs	8.7
20		T93500	Hs.28792	,SS,TGF-beta,TGFb_propeptide,	Homo sapiens cDNA FLJ11041 fis, clone PL	8.7
		AA642007		SS	ESTs	8.6
		AF123050		,SS,TM,ubiquitin,7tm_3,ANF_receptor,sush	diubiquitin	8.6
					ESTs	8.6
25		AI732643		TM ee ee	CocoaCrisp	8.5
23		A1222020		SS,SS	mis_reESTs, Weakly similar to I38022 hypotheti	8.5
		BE622641			ESTs	8.5
		H69125	Hs.133525	,SS,TM	low density tipoprotein-related protein	8.4
		NM_00452		SS,EGF,ldl_recept_a,ldl_recept_b,SS,TM,E	stanniocalcin 2	8.4
30		AW963419		SS		8.4
30		AA635062		TM	Homo sapiens mRNA; cDNA DKFZp434O0515 (f	8.3
		AI831297		TM	ESTs cytochrome P450, subfamily IVB, polypept	8.3
		AA780473		SS,p450,SS,p450		8.3
		NM_003866		SS,SS	inositol polyphosphate-4-phosphatase, ty Nome disease (pseudoglioma)	8.3
25		X65724	Hs.2839	SS,Cys_knot,SS	ESTs	8.3
35		R45154	Hs.106604	,death,ZU5,pkinase,Activin_recp,		8.2
		AW449211		SS	GDNF family receptor alpha 1	8.2
		M81057		SS,Zn_carbOpept,Propep_M14,SS,Propep_N		8.2
		AA280627		SS,cpn10	ESTs	8.2
40		W47595	Hs.169300	SS,TGF-beta,TGFb_propeptide,SS	transforming growth factor, beta 2	8.1
40		AW885727		,SS,kazal,	ESTs	8.1
		AW419196		SS .	hypothetical protein FLJ13782	8.0
		AW248508	HS.2/9/2/	SS	Homo sapiens cDNA FLJ14035 fis, clone HE	8.0
	404347	~		SS	Target Exon	8.0
45		AA743991		TM	gb:ny57g01.s1 NCI_CGAP_Pr18 Homo sapiens	8.0
45		AA808229		,SS,IMPDH_C,IMPDH_N,CBS	ESTs	7.9
		NM_01601		SS THE PROPERTY OF THE PROPERT	CGI-62 protein	7.9 7.9
		X70697	Hs.553	TM,SNF,SS,TM,SNF.	solute carrier family 6 (neurotransmitte	7.9 7.8
		N39015	Hs.190368	,SS,TM	ESTs	7.8
50		AL138272		,TM,cpn60_TCP1,Sema,	ESTS	7.8 7.8
50		AI085198		,TSPN,vwc,tsp_1,EGF,thiored,	ESTS	7.7
		AI754693		,TM,cadherin,Cadherin_C_term,	ESTs ·	7.7 7.6
		AW207523		,SS,rm,	ESTS	7.6 7.6
		AL133731		,TM,SDF,UPAR_LY6,	Homo sapiens mRNA; cDNA DKFZp761C1712 (f	7.6
<i></i>		AI742605		TM	ESTS	7.6
55		AW207206		SS	ESTs	
		AK000713		,SS,UDPGT	hypothetical protein FLJ20706	7.5
		AL031224		SS,SS	transcription factor AP-2 beta (activati	7.5
		R41396	Hs.101774	SS .	hypothetical protein FLJ23045	7.5
		AA157291		SS	ubinuclein 1	7.5
60		U41060	Hs.79136	SS,TM,TM	LIV-1 protein, estrogen regulated	7.5
		AW378065		,SS,Pep_M12B_propep,Reprolysin,tsp_1,	ESTS	7.4
		AI742170		,SS,TM	duodenal cytochrome b	7.4
		Al240665	Hs.8895	,SS,TM,disintegrin,Pep_M12B_propep,Repro		7.3
		U22376	Hs.1334	SS,NA,myb_DNA-binding	v-myb avian myeloblastosis viral oncogen	7.3
65		R43646	Hs.12422	SS	ESTs	7.2
		L32137	Hs.1584	SS,EGF,tsp_3,SS,E2F_TDP,	cartilage oligomeric matrix protein (COM	7.2
	418004	U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	7.2

	120101	A10004CE	Un 400040	PO CATA	CATA bladles assists 2 (7 cell seconds)	74
		Al908165 H39960	Hs. 288467	SS,GATA, ,SS,LRR	GATA-binding protein 3 (T-cell receptor	7,1 7,1
		Al198719		,55,LAA \$\$	Homo sapiens cDNA FLJ12280 fis, clone MA ESTs	7.1
		U92649	Hs.64311	,TM,disIntegrin,Reprotysin,	a disintegrin and metalloproteinase doma	7.1
5		AB029496		SS,ig,Sema,SS,Sema,efhand	semaphorin sem2	7.0
•		AA102670		SS,TM,SS,TM	gamma-aminobutyric acid (GABA) A recepto	7.0
		W87707	Hs.82065	,TM,fn3,	interleukin 6 signal transducer (gp130,	7.0
	417275	X63578	Hs.295449	SS,efhand,SS,efhand,ras	parvalbumin	7.0
	432731	R31178	Hs.287820	,SS,fn3,fn1,fn2,fn2,fn1	fibronectin 1	6.9
10		AK001741	Hs.8739	WD40,SS	hypothetical protein FLJ10879	6.9
		AF026942		,TM,IBR	gb:Homo sapiens dg33 mRNA, partial sequ	6.8
		AF077345	Hs.177936	SS,lectin_c,SS	ESTs	6.8
		AW803341		SS	gb:IL2-UM0079-090300-050-D03 UM0079 Homo	6.7
15	401045	044004000	*	ICE_p20,SS,ICE_p10,ICE_p20,ICE_p10,ICE_		
15	449000			INP_033938.1 c	6.7 ESTs	67
		AI123555 R41823	Hs.7413	,SS,Reprolysin,tsp_1, ,TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7 6.7
		AA243837		SS	ESTs	6.6
		A1655499		,TM,Activin_recp,pkinase,death,ZU5,	ESTs	6.6
20		R20893	Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	6.6
		BE387335		,SS,mito_carr	ESTs, Weakly similar to S64054 hypotheti	6.6
	404091			,TM,7tm_3,ANF_receptor,	Target Exon	6.6
	417866	AW067903	Hs.82772	SS,Collagen,COLFI,TSPN,SS,TSPN	collagen, type XI, alpha 1	6.6
~-		AL135623	Hs.193914	SS,SS	KIAA0575 gene product	6.5
25		U85658	Hs.61796	,SS,Ribosomal_S4e	transcription factor AP-2 gamma (activat	6.4
		AW067800		SS	stanniocalcin 2	6.2
		NM_00502		,SS,serpin,	serine (or cysteine) proteinase inhibito	6.2
		AI815601		SS,TM,ig,SS,TM	CD83 antigen (activated B lymphocytes, i	6.2
30		AA219691 AW167087		,SS,kinesin,	RAB6 interacting, kinesin-like (rabkines ESTs	6.2 6.2
50		AA026880		,SS,ig,Sema,pkinase, ,SS,TM,fn3,	protactin receptor	6.1
		T49951	Hs.9029		DKFZP434G032 protein	6.1
		W26713	Hs.256972		ESTs	6.1
		Y00272	Hs.184572	SS,pkinase,pkinase	cell division cycle 2, G1 to S and G2 to	6.1
35	400300			,SS,TM,pkinase,Recep_L_domain,SH2,PH,Ft		6.1
	433404		Hs.102720	SS	ESTs	6.1
	410079	U94362	Hs.58589	Glyco_transf_8,SS	glycogenin 2	6.1
	401781			,SS,filament,Pribosyltran,filament,Armad	Target Exon	6.1
40		NM_012093	3Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1
40	402230			,SS,TM,p450,	Target Exon	6.1
		NM_003528		histone, SS, histone,	H2B histone family, member Q	6.1
		A1249368		,SS,TM	ESTs · matellathiansis 15 (functions)	6.0 6.0
		BE550224 X04430	Hs.93913	SS SS,IL6,IL6,	metallothionein 1E (functional) interleukin 6 (interferon, beta 2)	6.0
45		N32536	Hs.42645	,SS,TM	solute carrier family 16 (monocarboxylic	6.0
-13		AI793257		,SS,zf-C2H2,	ESTs	5.8
	424687		Hs. 151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe		5.8
		AI823951		SS	tollold-like 1	5.8
		NM_002666		SS	perilipin	5.8
50	442117	AW664964	Hs.128899	,SS,TM	ESTs	5.7
		AA242758		,SS,TM	LIV-1 protein, estrogen regulated	5.7
		AB020689		SS	KIAA0882 protein	5.7
		AI199738		SS	ESTs, Weakly similar to ALUA_HUMAN !!!!	5.7
55		X81334		SS,Peptidase_M10,hemopexin,SS,Peptidase		5.6
23	400286	AA904244		TM	ESTs C16000922:gij7499103 pirljT20903 hypothe	5.6 5.6
	446466		Hs.308	SS,TM,ABC_tran,ABC_membrane,SS arrestin,SS	arrestin 3, retinal (X-arrestin)	5.5
		NM_000163		SS,TM,fn3,SS	growth hormone receptor	5.5
		W57554	Hs.125019	SS	lymphold nuclear protein (LAF-4) mRNA	5.5
60		AF086332		,SS,TM,Syntaxin	ESTs	5.4
		NM_005940		SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
		NM_001898		,SS,cystatin,	cystatin SN	5.4
	425292	NM_005824	Hs.155545	SS	37 kDa leucine-rich repeat (LRR) protein	5.4
<i>-</i>		AJ297436		,SS,TM	prostate stem cell antigen	5.4
65		AF153330		,SS,TM	solute carrier family 19 (thiamine trans	5.3
		AL355715		SS CONTROLL CONTROL CONTROL	programmed cell death 9	5.3
	439310	AF086120	⊓S.102/93	,SS,TM,UDPGT,casein_kappa	ESTs	5.2
				307	•	
				501		

			Hs.126594	,SS,TM,Phosphodiest,	ESTs	5.2
	452355	N54926	Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
	427711	M31659	Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
	418636	AW749855		,SS,TM,HECT	gb:QV4-BT0534-281299-053-c05 BT0534 Homo	5.2
5	429353	AL117406	Hs.200102	,SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
		R81733	Hs.33106	SS,HECT,zl-UBR1,PABP,14-3-3,	ESTs	5.1
		W17064	Hs.332848	SS	SWI/SNF related, matrix associated, acti	5.1
		AI685086		,SS,ras,	ESTs, Weakly similar to S21348 probable	5.1
	425325		Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_1		J. 1
10	440040		nolamine N-met		5.1	•
10	423600		Hs.310359	SS	ESTs	5.1
				SS		
		A1160386	HS.123007	•	ESTs Towns 15 to 1	5.1
	403593		II. 0000F	,CIDE-N,pkinase	Target Exon	5.1
1.5		D50915	Hs.38365	SS,SS	KIAA0125 gene product	5.0
15		AW137636		,SS,TM	ESTs	5.0
		NM_000169		SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo		4.9
			1Hs.274480	SS,tipocalin,SS,tipocalin	odorant-binding protein 2A	4.9
		W88559	Hs.1787	,TM,ion_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
••		AA206186	Hs.79889	SS,TM,TM	monocyte to macrophage differentiation-a	4.9
20	401093			TM,LRRCT,TM,LRRCT,	C12000586*:glj6330167 db] BAA86477.1] (A	4.9
	411096	U80034	Hs.68583	Peptidase_M3,	mitochondrial intermediate peptidase	4.9
	457411	AW085961	Hs.130093	TMLRRCT,TMLRRCT, Peptidase_M3, SS SS adh_zinc	ESTs	4.9
	436007	AI247716	Hs.232168	,SS,adh_zinc,	ESTs	4.9
	450506	NM_004460	0Hs.418	SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV_	N fibroblast activation protein, alpha	4.9
25		AA641836		,SS,trypsin	hypothetical protein FLJ23186	4.9
		AI215069		SS	ESTs	4.8
		AF012023		,SS,14-3-3	Integrin cytoplasmic domain-associated p	4.8
		M73700	Hs.105938	SS,transferrin,7tm_1,transferrin,	lactotransferrin	4.8
	403199		113.100000	SS,TM,Folate_carrier,SS,TM,Folate_carrie	NM_025243*:Homo saplens solute carrier f	4.8
30		AW057736	He 323010	,SS,TM,pkinase,Recep_L_domain,SH2,PH,Fi	urlED2 recentor tyrocina kinasa (a art. h2	4.8
50		AF070526		,SS,Ca_channel_B,		4.7
					Homo sapiens clone 24787 mRNA sequence	
			Hs.75182	SS,TM,lectin_c,fn2,Ricin_B_lectin,SS,TM	mannose receptor, C type 1	4.7
		AA526235		SS	Homo saplens cDNA FLJ11983 fis, clone HE	4.7
35		BE093589		SS	hypothetical protein FLJ23468	4.6
22		AA447453		,SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
		AW016669		,SS,TM,CBS,voltage_CLC	ESTs	4.6
		A1668605		,TM,Glyco_hydro_1	ESTs, Moderately similar to ALU6_HUMAN A	4.6
		AA687376		,SS,pkinase,RhoGEF,lg,PH,SH3,	ESTs	4.6
40		AA339449		AIRS,formyl_transf,GARS,SS,GARS,AIRS,for		4.6
40		AI860021		,pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
	445413	AA151342	Hs.12677	SS,UPF0099,SS,UPF0099.	CGI-147 protein	4.6
	424420	BE614743	Hs.146688	,SS,TM,MAPEG,	prostaglandin E synthase	4.5
	432378	Al493046	Hs.146133	,SS,TM,UDPGT	ESTs	4.5
	452190	H26735	Hs.91668	,SS,TM,PH,SH2,Furin-like,pkinase,Recep_L	Homo sapiens clone PP1498 unknown mRNA	4.5
45	434674	AA831879	Hs.136985	,SS,Hist_deacetyl,	ESTs	4.5
	419986	A1345455	Hs.78915	pkinase,OPR,	GA-binding protein transcription factor,	4.5
		Al910275		SS,trefoil,SS,TM,Idl_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
		BE391804		SS,TM,GBP,TM,GBP	guanylate binding protein 1, Interferon-	4.5
			Hs.44898	SS	Homo sapiens clone TCCCTA00151 mRNA segu	4.5
50		M97711		SS,SS,ig,	gb:Human T-cell receptor (V beta 18.1, J	4.5
-		AI638627	He 105685	,SS,DEAD,Fork_head	KIAA1688 protein	4.5
		AA179949		SS	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	4.4
		AA863360				4.4
		AA976718		,SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	
55				,ig,Sema,	ESTs	4.4
55		AA312082		SS	GDNF family receptor alpha 1	4.4
		AW294092		,SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
•		BE466639		,SS,HMG_box,filament,	Homo sapiens cDNA FLJ13591 fis, clone PL	4.4
		AK000136		SS,LRR,SS	asportn (LRR class 1)	4.4
60	453619		Hs.33922	SS	Homo saplens, clone MGC:9084, mRNA, comp	4.3
60		NM_000248		SS,LRR,	MHC class II transactivator	4.3
		A1472078		,SS,ArfGap,	ESTs	4.3
		AW935490		,SS,BIR	Human chromosome 5q13.1 clone 5G8 mRNA	4.3
	416931		Hs.80485	SS,C1q,Collagen,SS,C1q,	adipose most abundant gene transcript 1	4.3
	420854	AW296927		,SS,TM,Peptidase_M1,	gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
65	418867		Hs.89404	SS,homeobox,homeobox,	msh (Drosophila) homeo box homolog 2	4.3
		BE464288		,SS,TM,MIP,	ESTS	4.3
		AW262580		.SS,TM,cadherin,cadherin	protocadherin beta 16	4.3
					•	

	441560 F13386 Hs.7888	,pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
	409064 AA062954 Hs.141883	,SS,CUB,	ESTs	4.3
	422667 H25642 Hs.133471	,SS,TM,FMO-like	ESTs	4.3
	454032 W31790 Hs.194293	,SS,TM	ESTs, Wealdy similar to 154374 gene NF2	4.3
5	432663 Al984317 Hs.122589	TM	ESTs	4.3
,	401747	,SS,filament,filament	Homo sapiens keratin 17 (KRT17)	4.3
				4.2
	432882 NM_013257Hs.279696	pkinase,pkinase_C,	serum/glucocorticoid regulated kinase-li	
	437036 Al571514 Hs.133022	,SS,TM	ESTs	4.2
10	447754 AW073310 Hs.163533	,pkinase,	Homo saplens cDNA FLJ14142 fis, done MA	4.2
10	443194 Al954968 Hs.279009	,SS,TM	matrix Gla protein	4.2
	451871 Al821005 Hs.118599	,SS,GDNF,	ESTs	4.2
	457211 AW972565 Hs.32399	WH1,WH1	ESTs, Weakly similar to S51797 vasodilat	4.2
	421566 NM_000399Hs.1395	zf-C2H2,SS	early growth response 2 (Krox-20 (Drosop	4.2
	431657 Al345227 Hs.105448	,SS,TM,pkinase	ESTs, Wealdy similar to B34087 hypotheti	4.1
15	427899 AA829286 Hs.332053	,SS,SAA_proteins,ABC_membrane,ABC_tran		4.1
	444779 Al192105 Hs.147170	SS SS	ESTs	4.1
	442295 AI827248 Hs.224398	,COLFI,vwc,Collagen,	Homo sapiens cDNA FLJ11469 fis, clone HE	4.1
	436396 Al683487 Hs.152213	wnt	wingless-type MMTV integration site famil	4.1
			ESTs	4.1
20	446039 Al150491 Hs.90756	,TM,Glyco_hydro_1		4.1
20	422938 NM_001809Hs.1594	,SS,TM,thiolase,	centromere protein A (17kD)	4.1
	406922 S70284	SS,TM,Desaturase,SS	gb:stearoyl-CoA desaturase [human, adlpo	
	439285 AL133916 Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	4.1
	424800 AL035588 Hs.153203	HLH,SS	MyoD family inhibitor	4.1
~ ~	429922 Z97630 Hs.226117	,SS,TM,linker_histone,7tm_1	H1 histone family, member 0	4.1
25	447178 AW594641 Hs.192417	,SS,TM	ESTs	4.0
	409038 T97490 Hs.50002	SS,IL8,SS,IL8	small inducible cytokine subfamily A (Cy	4.0
	452747 BE153855 Hs.61460	,SS,HLH	ig superfamily receptor LNIR	4.0
	420139 NM_005357Hs.95351	,SS,TM,p450,	lipase, hormone-sensitive	4.0
	408877 AA479033 Hs.130315	,SS,TM	ESTs, Weakly similar to A47582 B-cell gr	4.0
30	403329 NA	SS,SS	Target Exon	4.0
•	439926 AW014875 Hs.137007	SS	ESTs	4.0
	430832 Al073913 Hs.100686	SS	ESTs, Weakly similar to JE0350 Anterior	4.0
	432481 AW451645 Hs.151504	,SS,Collagen,COLFI,TSPN,	Homo sapiens cDNA FLJ11973 fis, clone HE	4.0
	452410 AL133619 Hs.29383	,SS,TM,ras	Homo sapiens mRNA; cDNA DKFZp434E2321 (f	4.0
35		SS	E2F transcription factor 3	4.0
55	418661 NM_001949Hs.1189	SS,TM,Cadherin_C_term,cadherin,SS,TM,ca		4.0
	431958 X63629 Hs.2877			4.0
	425071 NM_013989Hs.154424	SS,T4_delodinase,T4_deiodinase,	deiodinase, iodothyronine, type II	
	447197 R36075	,TM,SDF,	gb:yh88b01.s1 Soares placenta Nb2HP Homo	4.0
40	428722 U76456 Hs.190787	,SS,TIMP,	tissue inhibitor of metalloproteinase 4	3.9
40	428330 L22524 Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo		3.9
	423242 AL039402 Hs.125783	SS	DEME-6 protein	3.9
•	449048 Z45051 Hs.22920	SS,SS,TM	similar to S68401 (cattle) glucose induc	3.9
	414831 M31158 Hs.77439	,SS,cNMP_binding,RIIa,HMG_box	protein kinase, cAMP-dependent, regulato	3.9
	413589 AW452631 Hs.313803	,SS,abhydrolase	ESTs, Highly similar to AF157833 1 nond	3.8
45	408875 NM_015434Hs.48604	SS	DKFZP434B168 protein	3.8
	418629 BE247550 Hs.86859	SS,SH2,PH,SS,TM,PH,SH2,Furln-like,pkinas		3.8
	450787 AB006190 Hs.25475	SS,TM,MIP,SS,TM,MIP,	aquaporin 7	3.8
	414870 N72264 Hs.300670	SS	KIAA1204 protein	3.8
	450325 Al935962 Hs.26289	SS	ESTs	3.8
50	407633 NM_007069Hs.37189	TM,TM	similar to rat HREV107	3.8
20		.SS.DENN	ESTs	3.8
	426172 AA371307 Hs.125056	*		3.8
	442262 BE170651 Hs.8700	,SS,START,	deleted in liver cancer 1	
	427961 AW293165 Hs.143134	SS	ESTs	3.8
~ ~	445563 AW873606 Hs.149006	,SS,WH1,WH1	ESTs	3.8
55	403943	p450,SS,p450	C5000355:gi 4503225 ref NP_000765.1 cyt	3.8
	408761 AA057264 Hs.238936	,SS,TM,7tm_1,	ESTs, Wealdy similar to (defline not ava	3.8
	-423279 AW959861 Hs.290943	SS	ESTs	· 3.8
	420440 NM_002407Hs.97644	,SS,SRCR,Uteroglobin	mammaglobin 2 (MGB2; mammaglobin B; lip	3.8
	445107 Al208121 Hs.147313	,SS,TM	ESTs, Wealdy similar to l38022 hypotheti	3.7
60	428303 AW974476 Hs.183601	SS,RGS,RGS,RGS	regulator of G-protein signalling 16	3.7
	411667 BE160198	TM	ab:QV1-HT0413-010200-059-h03 HT0413 Homo	3.7
	427809 M26380 Hs.180878	,SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase	3.7
	418203 X54942 Hs.83758	CKS,SS,CKS.	CDC28 protein kinase 2	3.7
	430376 AW292053 Hs.12532	SS	chromosome 1 open reading frame 21	3.7
65	444190 Al878918 Hs.10526	SS	cysteine and glycine-rich protein 2	3.7
03	433495 AW373784 Hs.71	SS,lg,MHC_I,connexin,SCAN,SS,TM	alpha-2-glycoprotein 1, zinc	3.7
	429638 Al916662 Hs.211577	SS,TM,SS	kinectin 1 (kinesin receptor)	3.7
	723030 M3 10002 H3.2 (13/1	00,1111,00	varicons s (varicons secrebos)	J.,

		Al041793		,TM,7tm_1,	ESTs	3.7
			Hs.252938	,SS,TM,EGF,IdI_recept_a,Idi_recept_b,EGF	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.7
	420281	Al623693	Hs.191533	,SS,AAA,	ESTs	3.7
_	427691	AW194426	Hs.20726	,SS,Glycos_transf_2,	ESTs	3.7
5	428824	W23624	Hs.173059	SS	ESTs	3.7
	424676	Y08565	Hs.151678	Glycos_transf_2,Ricin_B_lectin,SS,Glycos	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
	418026	BE379727	Hs.83213	lipocalin,SS,lipocalin,lipocalin,ferriti	fatty acld binding protein 4, adipocyte	3.7
	457465	AW301344	Hs.122908	,SS,Pribosyltran,Sulfatase	DNA replication factor	3.7
	417601	NM_01473	5Hs.82292	PHD,pkinase,SS	KIAA0215 gene product	3.7
10		Al126271		SS	ESTs, Weakly similar to YZ28_HUMAN HYPOT	3.7
		AA890023		SS,TM,fn3,SS,TM,fn3,	prolactin receptor	3.7
		AU076643		,SS,TM,efhand,ion_trans	secreted phosphoprotein 1 (osteopontin,	3.7
		AA676939		SS,TM,CUB,F5_F8_type_C,MAM,SS,TM,CUI		3.6
		Y13647		SS,TM,Desaturase,SS	stearoyi-CoA desaturase (delta-9-desatur	3.6
15			Hs.119597		chordin-like	3.6
13		AL049176		SS CC 74 4 CDDV		3.6
		AW207175	HS. 10677 1	,SS,7tm_1,SPRY,	ESTs	
		T97307		,SS,TM,GDA1_CD39	gb:ye53h05.s1 Soares fetal liver spleen	3.6
	401866			,SS,filament,	Target Exon	3.6
••			Hs.438	SS,homeobox,Ets,SS,homeobox,	mesenchyme homeo box 1	3.6
20		AA502490		SS	ESTs	3.6
	426310	NM_000909	9Hs.169266	SS,TM,7tm_1,	neuropeptide Y receptor Y1	3.6
	440029	AW089705	Hs.293711	SS	ESTs, Weakly similar to S64329 probable	3.6
	408573	AA284775	Hs.43148	,SS,TM,PMP22_Claudin,	ESTs	3.6
	431830	Y16645	Hs.271387	,SS,TM,IL8	small inducible cytokine subfamily A (Cy	3.6
25		NM_014400		,SS,PH,lactamase_B	GPI-anchored metastasis-associated prote	3.6
		AI791493		,SS,p450,p450	ESTs, Weakly similar to A36036 cytochrom	3.6
		AI308876		,TM,hemopexin,Peptidase_M10,hemopexin,P		3.6
		AF245505		ig,LRRCT,	DKFZP56411922 protein	3.6
				,SS,TM	ESTs .	3.5
30		AI417828			Homo sapiens, clone IMAGE:3351295, mRNA	3.5
20		AA847843		,SS,HMG_box, ,SS,TM,SH2,PH,pkinase,Recep_L_domain,Fo		3.5
		S57296	Hs.323910			
		AW961400		SS	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
		AA121098		pkinase,POLO_box,SS,pkinase,POLO_box,		3.5
~ ~			Hs.172572	,SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLJ20093	3.5
35		AA808940		,SS,TM,KRAB,SCAN,zf-C2H2,ig	EST	3.5
	414998	NM_002543	3Hs.77729	,SS,TM	oxidised low density lipoprotein (lectin	3.5
	407756	AA116021	Hs.38260	SS,UCH-1,UCH-2,SS,TM,G_glu_transpept	ubiquitin specific protease 18	3.5
	442101	Al651930	Hs.135684	SS	ESTs	3.5
		BE280074		cyclin,SS,TM,cyclin,	cyclin B1	3.5
40		AW452434		SS	ESTs, Weakly similar to ALU5_HUMAN ALU S	3.5
. •		NM_01491		SS .	KIAA0990 protein	3.4
		AK001423		SS	Homo sapiens cDNA FLJ10561 fis, clone NT	3.4
			Hs.159499	SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.4
				,TM,ABC_membrane,ABC_tran,Ribosomal_S		3.4
45		AA426202				3.4
40			Hs.9739		PEglycerol-3-phosphate dehydrogenase 1 (so	
		AA250970		,SS,rm,PABP,pkinase,14-3-3,rm	poly(A)-binding protein, cytoplasmic 1-l	3.4
		NM_00231		,SS,TM,mito_carr,Lysyl_oxidase	tysyl oxidase-like 2	3.4
		BE390551		SS,START,SS,START,NNMT_PNMT_TEMT,	, steroidogenic acute regulatory protein r	3.4
	452268	NM_00351	2Hs.28777	SS,histone,Calc_CGRP_IAPP,lg,MHC_I,SPR	Y,H2A histone family, member L	3.4
50		NM_00034		SS,HMG_box,	SRY (sex determining region Y)-box 9 (ca	3.4
	412520	AA442324	Hs.795	histone,SS,histone,BolA	H2A histone family, member O	3.4
	410530	M25809	Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	3.4
	401780			filament, SS, filament, filament	NM_005557*:Homo sapiens keratin 16 (foca	3.4
		NM_00458	5Hs.17466	TM	retinoic acid receptor responder (tazaro	3.4
55		AA319233		,SS,TM,Ribosomal_L27e,	ESTs	3.4
••		C18356		,Kunltz_BPTI,	tissue factor pathway inhibitor 2	3.4
		AF182277		SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
		AA825686		SS	ESTs, Weakly similar to S65824 reverse t	3.4
		Y15221		SS,IL8,	small inducible cytokine subfamily B (Cy	3.4
60			Hs.103982		signal transducer and activator of trans	3.4
60		NM_00541		SH2,STAT,SS,STAT		
		AW968504	HS.123073	,pkinase,	CDC2-related protein kinase 7	3.4
	405366			RhoGEF,PH,SS,RhoGEF,PH,	NM_003371*:Homo sapiens vav 2 oncogene (3.4
		BE274552		SAP,SS,FG-GAP,vwa	protein inhibitor of activated STAT3	3.4
~~		AW797437		SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
65		H73505	Hs.117874	,SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	. 3.3
	416406	D86961	Hs.79299	,SS,TM	Ilpoma HMGIC fusion partner-like 2	. 3.3
	433068	NM_00645	6Hs.288215	,SS,Pribosyltran,	sialyltransferase	3.3

	445400 440000000000			
	445462 AA378776 Hs.28864	•	hypothetical protein MGC3077	3.3
	439452 AA918317 Hs.57987		B-cell CLL/lymphoma 11B (zinc finger pro	3.3
	452017 AF109302 Hs.27495		prostate cancer associated protein 7	3.3
_	409099 AK000725 Hs.50579		hypothetical protein FLJ20718	3.3
5	452106 Al141031 Hs.21342		ESTs	3.3
	447519 U46258 Hs.33966		ESTs	3.3
	426928 AF037062 Hs.17291		retinol dehydrogenase 5 (11-cis and 9-ci	3.3
	438825 BE327427 Hs.79953	,SS,TM,histone,ANF_receptor,guanylate_cy	ESTs	3.3
	414575 H11257 Hs.22968	,SS,pkinase,lg,	Homo saplens clone IMAGE:451939, mRNA se	3.3
10	417837 AL079905 Hs.1103	SS,TGFb_propeptide,TGF-beta,SS	transforming growth factor, beta 1	3.3
	422128 AW881145	SS	gb:QV0-OT0033-010400-182-a07 OT0033 Homo	3.3
	445941 Al267371 Hs.17263	SS,SS,lipoxygenase,PLAT	ESTs	3.3
	429973 Al423317 Hs.164686		ESTs	3.3
	444542 Al161293 Hs.280386	SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi	aminopeptidase	3.3
15	459561 Al547306 Hs.13498	1 SS	ESTs	3.3
	425741 AF052152 Hs.159413		Homo saplens clone 24628 mRNA sequence	3.3
	426501 AW043782 Hs.293610		ESTs	3.3
	456508 AA502764 Hs.123469		ESTs, Weakly similar to AF208855 1 BM-01	3.3
	434228 Z42047 Hs.283978		Homo sapiens PRO2751 mRNA, complete cds	3.3
20	415752 BE314524 Hs.78776	TM	putative transmembrane protein	3.3
	400419 AF084545	,SS,Peptidase_M1,	Target	3.3
	439750 AL359053 Hs.57664		Homo sapiens mRNA full length insert cDN	3.3
	423858 AL137326 Hs.133483		Homo sapiens mRNA; cDNA DKFZp434B0650 (f	3.3
	428514 AW236861 Hs.193139		ESTs	3.3
25	428698 AA852773 Hs.334838		KIAA1866 protein	3.3 3.3
	448988 Y09763 Hs.22785		•	
	432072 N62937 Hs.269109		gamma-aminobutyric acid (GABA) A recepto	3.3
	417433 BE270266 Hs.82128		ESTS	3.3
	452194 Al694413 Hs.332649	SS,TM,LRRCT,LRRNT,LRR,TM,LRRCT,	5T4 oncofetal trophoblast glycoprotein	3.3
30	444051 N48373 Hs.10247		olfactory receptor, family 2, subfamily	3.2
50	420042 AW015140 Hs.161723	,SS,ig,	activated leucocyte cell adhesion molecu	3.2
	457292 Al921270 Hs.334882		ESTs	3.2
			hypothetical protein FLJ14251	3.2
	421458 NM_003654Hs.104576		carbohydrate (keratan sulfate Gal-6) sul	3.2
35	431104 AW970859 Hs.313503		ESTS	3.2
55	443767 BE562136 Hs.9736	,SS,PCI,RasGEF,hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
	419589 AW973708 Hs.201925		Homo sapiens cDNA FLJ13446 fis, clone PL	3.2
	415447 Z97171 Hs.78454	SS,OLF,OLF,OLF,Ribosomal_L4	myodlin, trabecular meshwork inducible	3.2
	443464 BE548446 Hs.5167	SS,TM,SSF,SS,TM	Homo sapiens mRNA; cDNA DKFZp434F152 (fr	3.2
40	423431 AA326062	,SS,p450,p450	gb:EST29171 Cerebellum II Homo saplens c	3.2
40	413278 BE563085 Hs.833	,SS,TM,ubiquitin,lamInIn_G,laminin_EGF,k	interferon-stimulated protein, 15 kDa	3.2
	458451 AW297181 Hs.195922	·	ESTs	3.2
	440449 AA885430 Hs.201925	•	Homo saplens cDNA FLJ13446 fls, clone PL	3.2
	413753 U17760 Hs.75517	SS,laminin_EGF,laminin_Nterm,adh_short,S		3.2
15	434876 AF160477 Hs.61460	,SS,HLH	lg superfamily receptor LNIR	3.2
45	435575 AF213457 Hs.44234	SS,lg,SS,TM	triggering receptor expressed on myeloid	3.2
	415773 R21651 Hs.324725		ESTs, Moderately similar to A47582 B-cel	3.2
	446440 AV658411 Hs.42656	SS	KIAA1681 protein	3.2
	450847 NM_003155Hs.25590	,SS,homeobox,	stanniocalcin 1	3.2
50	426075 AW513691 Hs.270149		ESTs, Weakly similar to 2109260A B cell	3.2
50	452110 T47667 Hs.28005	,SS,TM,Activin_recp,pkinase	Homo sapiens cDNA FLJ11309 fls, clone PL	3.2
	439963 AW247529 Hs.6793	,TM,p450,Ets	platelet-activating factor acetylhydrola	3.2
	402837 NA	\$S	ENSP00000241312*:DJ947L8.1.8 (novel Sush	3.2
	439451 AF086270 Hs.278554		heterochromatin-like protein 1	3.1
	406664 L34041 Hs.9739	,SS,TM,transport_prot,SWIB,RhoGAP,DAG_I	PEglycerol-3-phosphate dehydrogenase 1 (so	3.1
55	417315 Al080042 Hs.336901	,SS,RNA_pol_A,RNA_pol_A2,Ribosomal_S2	4e,ribosomal protein S24	3.1
	413011 AW068115 Hs.821	SS,LRR,LRRNT,SS,LRRNT,LRR,	biglycan	3.1
	414987 AA524394 Hs.294022	.SS,connexin,hormone_rec,zf-C4,connexin	hypothetical protein FLJ14950	3.1
	429197 H24471 Hs.26930	,SS,Gelsolin,	ESTs, Weakly similar to T20272 hypotheti	3.1
	448030 N30714 Hs.325960	,SS,TM	membrane-spanning 4-domains, subfamily A	3.1
60	407604 AW191962 Hs.249239	,SS,TM,C1q,	collagen, type VIII, alpha 2	3.1
	419092 J05581 Hs.89603	SS,TM,SEA,	mucin 1, transmembrane	3.1
	456672 AK002016 Hs.114727	,SS,PK,PK	Homo saplens, clone MGC:16327, mRNA, com	3.1
	443171 BE281128 Hs.9030	SS,TM,7tm_1,rrm,SS	TONDU	3.1
	452256 AK000933 Hs.28661	,TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
65	432201 Al538613 Hs.298241		Transmembrane protease, serine 3	3.1
	406642 AJ245210	SS	gb:Homo sapiens mRNA for immunoglobulin	3.1
	400903 NA	SS	Target Exon	3.1

	434400	AI031771	Hs.132586	,SS,Glyco_hydro_2	ESTs	3.1
		AW962597			KIAA1547 protein	3.1
					class I cytokine receptor	3.1
			Hs.201189		ESTs, Weakly similar to G01763 atrophin-	3.1
5		A1936442		UBACT_repeat,SS,UBACT_repeat,ThiF_famil	vhypothetical protein FLJ10808	3.1
,		T29618	Hs.89640	,TM,pkinase,fn3,	TEK tyrosine kinase, endothelial (venous	3.1
		AA587773		,SS,SRCR,	Homo saplens, Similar to RIKEN cDNA 5830	3.1
			Hs.104211	"Sema,ig,	ESTs	3.1
		BE568452		,SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
10			Hs.201619	SS	ESTs. Weakly similar to S38383 SEB4B pro	3.1
10		AA196241		SS,Troponin,Hemagglutinin,SS,TM,C2,Tropo		3.1
			Hs.241493	"SS, pro_isomerase,	natural killer-tumor recognition sequenc	3.1
		AA809875		,TM,histone,Sec1,histone,sugar_tr	ESTs	3.1
			Hs.199754	,SS,TM,7tm_2,GPS	ESTs	3.1
15		AJ278120		,SS,WD40	putative ankyrin-repeat containing prote	3.1
13		AW630534		,SS,TM,rrm,oxidored_q6,oxidored_q6	Homo sapiens, clone MGC:9381, mRNA, comp	3.1
			NS./02//	SS	gb:ye79c02.s1 Soares fetal liver spleen	3.0
		R00866	Hs.298241	,SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
			Hs.126730	.TM.PH.	ESTs, Weakly similar to KIAA1214 protein	3.0
20			Hs.325823	,SS,TM,CD36	ESTs, Moderately similar to ALU5_HUMAN A	3.0
20			HS.323023	,SS,Ran_BP1,LIM,Ran_BP1,GRIP,TPR,LIM		3.0
		R91600	Hs.162209	SS,TM,SS,TM,PMP22_Claudin,PMP22_Claudin	dindaudin R	3.0
		H58373	Hs.332938	.SS,TM	hypothetical protein MGC5370	3.0
		H203/3	NS.332930	af,af,	ENSP00000229263*:HSPC213.	3.0
25	401197	A14/2042EC	Hs.291887	wnt,	ESTs	3.0
23			Hs.336432	,SS,rrm,zf-RanBP,pkinase,C2,pkinase_C,DA		3.0
		AA381807			hypoxia-inducible protein 2	3.0
				SS,SS SS	hypothetical protein FLJ21080	3.0
	404826	W27249	NS.0109	,SS,TM	Target Exon	3.0
30		1.170004	11- 4C04E0		ESTs, Weakly similar to FPHU alpha-fetop	3.0
30		H70284	Hs.160152	,SS,RA HMG_box,pkinase,zf-CCHC,SS,TM,HMG_bo		3.0
		AL034548			ribonucleotide reductase M2 polypeptide	3.0
		AW977653		,SS,ribonuc_red_sm,	ESTs	3.0
			Hs.193465	,death,ZU5,pkinase,Activin_recp,	hypothetical protein FLJ22704	3.0
35			Hs.282804	SS,Cu-oxidase,SS,Cu-oxidase,Cu-oxidase	hypothetical protein FLJ13593	. 3.0
22		C05837	Hs.145807	,SS,TM	ESTs	3.0
			Hs.179808	SS.TGF-beta,TGFb_propeptide,SS,TGF-beta		3.0
		AW103364		SS, disintegrin, Reprolysin, Pep_M12B_prope	a disintegrin and metalloproteinase doma	3.0
		AU077005			ESTs, Moderately similar to 2109260A B c	3.0
40			Hs.127698	SS Similar Fo SS The Edward Fo	frizzled (Drosophila) homolog 4	3.0
40		AB032417		Frizzled,Fz,SS,TM,Frizzled,Fz,	cocaine- and amphetamine-regulated trans	3.0
		U20325	Hs.1707	SS,SS SS TM Sharahadiant	ectonucleotide pyrophosphatase/phosphodi	3.0
		AW385224		,SS,TM,Phosphodiest,	ESTs	3.0
			Hs.131257	,SS,TM,G-gamma	ESTS	3.0
	432284	AA532807	Hs.105822	,SS,TM,pkinase,	EOIS	0.0

TABLE 20A

Table 20A shows the accession numbers for those pkeys lacking unigeneID's for Table 20. 5 For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	U	

Pkey:	Unique Eos probeset identifier number
CAT number	Gene duster number

Accession: 15

Genbank accession numbers

Pkev	CAT number

	Pkey	CAT number	Accessions
20	410785 411667 418636 420854	1221055_1 1253334_1 177402_1 197072_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355 BE160198 AW935898 T11520 AW935930 AW856073 AW861034 AW749855 AA225995 AW750208 AW750206 AW296927 AI684514 AI263168 AA281079
25	422128	211994_1	AW881145 AA490718 M85637 AA304575 T05067 AA331991
	423431	228162_1	AA326062 AA325758 AW962182
	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	426878	273265_1	BE069341 AW748403 AL044891 Al908240 AA393080
	433687	373061_1	AA743991 AA604852 AW272737
30	447197	711623_1	R36075 AJ366546 R36167
	451631	878098_1	R00866 R01523 Al806815
	456207	1650781	AA193450
	456592	202684_1	R91600 T87079 AA291455

TABLE 20B

Table 20B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 20. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

	Pkey:		Unique nur	nber corresponding to an Eos probeset				
10	Ref:		Sequence : entiti	urce. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.				
	Strand:			NA strand from which exons were predicted.				
	Nt_pasit	ion:	Indicates n	ucleotide positions of predicted exons.				
	-							
15								
	Pkey	Ref	Strand	Nt_position				
	400608	9887666	Minus	96756-97558				
	400903	2911732	Plus	59112-59228				
20	401045	8117619	Plus	90044-90184,91111-91345				
	401093	8516137	Minus	22335-23166				
	401197	9719705	Plus	176341-176452				
	401747	9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-				
				131932,132451-132575,133580-134011				
25	401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573				
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814				
	401866	8018106	Plus	73126-73623				
	402230	9966312	Minus	29782-29932				
	402408	9796239	Minus	110326-110491				
30	402578	9884928	Plus	66350-66496				
		9909429		81747-82094				
		9369121		2013-2186,9570-9758,11136-11309,19429-19677,21210-21455,23368-23562,24342-24527,29132-29320				
		9958183		58895-59036,66618-66789				
0.5		8516120		96450-96598				
35		6862650		62554-62712,69449-69602				
		7711864		100742-100904,101322-101503				
		7684554		82121-83229				
	-	9838195		74493-74829				
40		6572184		47726-48046				
40		2182280		22478-22632				
	405654	4895155	Minus	53624-53759				

TABLE 21: 210 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT TISSUES THAT ARE LIKELY TO ENCODE EITHER ENZYMES OR PROTEINS AMENABLE TO MODULATION BY SMALL MOLECULES

Table 21 shows 210 genes up-regulated in breast cancer compared to normal adult tissues that are likely to encode either enzymes or proteins amenable to modulation by small molecules. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the "average" normal adult tissue level was set to the 85th percentile value amongst 144 non-malignant tissues, and the 96th percentile value amongst 73 breast cancers was greater than or equal 80 units, and the predicted protein contained a structural domain that is indicative of enzymatic function or of being modulatable by small molecules (e.g. pkinase, peptidase, phosphatase, ATPase, or ion_transporter domains). The predicted protein domains are noted.

Pkey: Unique Eos probeset identifier number 20 Exemplar Accession number. Genbank

ExAccn: Exemplar Accession number, Genbank accession number

UnigeneiD: Unigene number Unigene Title: Unigene gene title

5

10

15

R1: Ratio of 93rd percentile turnor to 85th percentile of normal body tissue

25						
	Pkey	ExAccn	UnigenelD	Predicted Protein Domains	UnigeneTitle	R1
		AI668594		SS,p450	ESTs, Weakly similar to CP4Y_HUMAN CYTOC	65.7
20		AA250737		death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	55.9
30		U31875	Hs.272499	ŞS,TM	short-chain alcohol dehydrogenase family	53.8
		AA195651		SS,Dihydroorotase,	ESTs	39.3
		AW138959		Phosphodiest,Somatomedin_B,	ESTs	34.9
		AA009647		SS,TM,disintegrin,Pep_M12B_propep,Reprol	a disintegrin and metalloproteinase doma	25.7
25		NM_00139		DSPc,Rhodanese,	dual specificity phosphatase 4	24.9
35		A1624342		SS,TM,Cation_efflux	ESTs	24.1
		NM_00361	3Hs.151407	ig,tsp_1,SS,AAA	cartilage intermediate layer protein, nu	21.7
		X78592	Hs.99915	hormone_rec,Androgen_recep,zf-C4,	androgen receptor (dihydrotestosterone r	21.7
		Al905687		SS	aldehyde dehydrogenase 9 family, member	20.3
40		Al375572	Hs.172634	pkinase,	ESTs	19.2
40		AA193450		SS,TM,p450,p450	gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sapi	18.3
		X52509	Hs.161640	SS,TM,aminotran_1_2,Cadherin_C_term,cadi	htyrosine aminotransferase	18.1
	402578			SS,p450,SS,TM,p450	C1001134;gij2117372[pir] 65981 fatty ac	17.8
		D90041	Hs.155956	SS,Acetyltransf2,	N-acetyltransferase 1 (arylamine N-acety	16.7
4.5		W67883	Hs.137476	pkinase,	paternally expressed 10	16.5
45		M13509	Hs.83169	SS,hemopexin,Peptidase_M10,SS,Peptidase	_matrix metalloproteinase 1 (MMP1; Inters	15.7
		Y13153	Hs.107318		kynurenine 3-monooxygenase (kynurenine 3	15.3
		W20027	Hs.23439	SS,Peptidase_M1,	ESTs	13.9
		X07820	Hs.2258	hemopexin,Peptidase_M10,SS,Peptidase_M1	Omatrix metalloprotelnase 10 (MMP10; str	13.5
C O		AW873596			calmodulin 2 (phosphorylase kinase, delt	13.0
50		Al351010			lysyl oxidase	12.8
		W72838	Hs.2533	SS	aldehyde dehydrogenase 9 family, member	12.7
		AW732573		TM,K_tetra,ion_trans,SS,TM,K_tetra,ion_t	potassium voltage-gated channel, delayed	11.9
		H87879	Hs.102267	SS,Lysyl_oxidase,Aldose_epim,Epimerase,S	fysyl oxidase	11.8
		NM_002497			NIMA (never in mitosis gene a)-related k	11.7
55		R28363	Hs.24286	SS,TM,7tm_1,p450,rrm	ESTs	11.5
		AI907673			gb:iL-BT152-080399-004 BT152 Homo sapien	11.5
		AA410943			gb:zt32h03.r1 Soares ovary tumor NbHOT H	11.4
	445263	H57646	Hs.42586	SS,Acyltransferase,	KIAA 1560 protein	11.2

						400
		AL080207		SS,TM,BRCT,ank,ABC_tran,ABC_tran	DKFZP434G232 protein	10.9
	429859	NM_007050	0Hs.225952	SS,TM,Y_phosphatase,MAM,fn3,	protein tyrosine phosphatase, receptor t	10.4
	428368	BE440042	Hs.83326	SS,Peptidase_M10,hemopexin,SS,Peptidase	_matrix metalloproteinase 3 (stromelysin	10.3
	418912	NM_00068	5Hs.89472	SS,TM,7tm_1,SS,TM,7tm_1,	angiotensin receptor 1	10.3
5		AL120173		SS,pkinase,	ESTs	10.3
-	402408			SS,carb_anhydrase	NM_030920*:Homo sapiens hypothetical pro	9.8
		AI733881	Hs.72472	death,ZU5,TM,Activin_recp,pkinase,	BMP-R1B	9.4
		M31126	Hs.272620	SS,Peptidase_M10,hemopexin,SS,Peptidase		9.1
		AB041035		Ferric_reduct,TM,Ferric_reduct,	NM_016931:Homo sapiens NADPH oxidase 4 (9.1
10	400285		110.00011	TM,ABC_tran,ABC_membrane,	Eos Control	8.8
10			U= 44522		diubiquitin	8.6
		AF123050		SS,TM,ubiquitin,7tm_3,ANF_receptor,sushi		8.3
		AA780473		SS,p450,SS,p450	cytochrome P450, subfamily IVB, polypept	
		NM_00386		SS,SS	inositol polyphosphate-4-phosphatase, ty	8.3
		X65724	Hs.2839	SS,Cys_knot,SS	Norrie disease (pseudoglioma)	8.3
15	418092	R45154	Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs	8.3
	427811	M81057	Hs.180884	SS,Zn_carbOpept,Propep_M14,SS,Propep_N	/14carboxypeptidase B1 (tissue)	8.2
	423554	M90516	Hs.1674	GATase_2,SIS,	glutamine-fructose-6-phosphate transamin	8.1
	426261	AW242243	Hs.168670	SS,TM,WD40,ubiquitin,E1-E2_ATPase,Cation	peroxisomal famesylated protein	7.8
		NM_00103		SS	ribonucleotide reductase M2 polypeptide	7.6
20		NM_00448		SS,TM,Glycos_transf_2,Ricin_B_lectin,DPP	UDP-N-acetyl-alpha-D-galactosamine:polyp	7.6
20		D38299	Hs.170917	SS,TM,7tm_1,	prostaglandin E receptor 3 (subtype EP3)	7.5
				SS,TM,disintegrin,Pep_M12B_propep,Reprol		7.3
		A1240665			dual-specificity tyrosine-(Y)-phosphoryl	7.2
		Y12735	Hs.38018	pkinase,		7.2
~ -		U37519	Hs.87539	SS,aldedh,SS,aldedh,	aldehyde dehydrogenase 3 family, member	
25		U92649	Hs.64311	TM, disintegrin, Reprolysin,	a disintegrin and metalloproteinase doma	7.1
	443695	AW204099	Hs.337720		ESTs, Weakly similar to AF126780 1 retin	6.9
	423545	AP000692	Hs.129781	GAF,PDEase	chromosome 21 open reading frame 5	6.8
	401045			p10,ICE_p20,ICE_p10,ICE	_p	
		C11001883	3*:qi 6753278 re	ef[NP_033938.1] c	6.7	
30	442082	R41823	Hs.7413	TM,EPH_lbd,pkinase,SAM,fn3,	ESTs; calsyntenin-2	6.7
			Hs.161712	TM, Activin_recp, pkinase, death, ZU5,	ESTs	6.6
	404091		110.101712	TM,7tm_3,ANF_receptor,	Target Exon	6.6
			Hs.106532	zf-C2H2	ESTs, Weakly similar to I38588 reverse t	6.5
				SS,AAA,Viral_helicase1,rm,	replication factor C (activator 1) 2 (40	6.5
35		NM_00291			calcium channel, voltage-dependent, L ty	6.4
22		AF055575		TM,ion_trans,SS,TM,ion_trans,	ESTs	6.2
		AA932186		TM,7tm_1,		6.2
		NM_00502		SS,serpin,	serine (or cysteine) proteinase inhibito	
			' Hs.131562	SS,ig,Sema,pklnase,	ESTs	6.2
	428795	R45503	Hs.97469	SS,TM	ESTs, Highly similar to A39769 N-acetyll	6.1
40	428479	Y00272	Hs.184572	SS,pkinase,pkinase	cell division cycle 2, G1 to S and G2 to	6.1
	400300	X03363		SS,TM,pkinase,Recep_L_domain,SH2,PH,Fu	riHER2 receptor tyrosine kinase (c-erb-b2,	6.1
		NM_01209	3Hs.18268	SS,adenylatekinase,	adenylate kinase 5	6.1
	402230			SS,TM,p450,	Target Exon	6.1
		J05070	Hs.151738	SS,Peptidase_M10,fn2,hemopexin,SS,TM,Pe	enmatrix metalloproteinase 9 (gelatinase B	5.8
45		AI572739	Hs.195471	6PF2K,PGAM,	6-phosphofructo-2-kinase/fructose-2,6-bi	5.8
73		X81334	Hs.2936	SS,Peptidase_M10,hemopexin,SS,Peptidase		5.6
			115.2550		C16000922:glj7499103 pirt T20903 hypothe	5.6
	400286		011-455004	SS,TM,ABC_tran,ABC_membrane,SS		5.4
			0Hs.155324	SS,Peptidase_M10,hemopexin,SS	matrix metalloproteinase 11 (MMP11; stro	5.4
~^			Hs.291884	UCH-1,pkinase,OPR,Rhodanese,AMP-bindin		5.2
50			Hs.102793	SS,TM,UDPGT,casein_kappa	ESTs	
	441111	A1806867	Hs.126594	SS,TM,Phosphodiest,	ESTs	5.2
	452355	N54926	Hs.29202	TM,7tm_1,TM	G protein-coupled receptor 34	5.2
	427711	M31659	Hs.180408	SS	solute carrier family 25 (mitochondrial	5.2
	429353	AL117406	Hs.200102	SS,TM,ABC_tran,ABC_membrane,	ATP-binding cassette transporter MRP8	5.1
55		X52730	Hs.1892	SS,NNMT_PNMT_TEMT,SS,NNMT_PNMT_	TEMT.STAR	
55	120020			thyltransferase	5.1	
	449700	AW291095	1000111110 14-4410	SS.TM.pkinase.	interleukin 20 receptor, alpha	5.1
			115.21014	CIDE-N,pkinase	Target Exon	5.1
		NA .	11- 000477		ESTs	5.0
~ 0			Hs.269477	alpha-amylase,		4.9
60			Hs.194691	SS,TM,7tm_3,Ribosomal_L13	retinoic acid induced 3	4.9
		NM_00016		SS,Melibiase,BTK,PH,pkinase,SH2,SH3,Ribo		
		W88559	Hs.1787	TM.lon_trans,K_tetra,	proteolipid protein 1 (Pelizaeus-Merzbac	4.9
		U80034	Hs.68583	Peptidase_M3,	mitochondrial intermediate peptidase	4.9
	450508	NM_00446	60Hs.418	SS,DPPIV_N_term,Peptidase_S9,SS,DPPIV		4.9
65	417975	AA641836	Hs.30085	SS,trypsin	hypothetical protein FLJ23186	4.9
	447752	M73700	Hs.105938	SS,transferrin,7tm_1,transferrin,	lactotransferrin	4.8
	427122	AW057736	6 Hs.323910	SS,TM,pkinase,Recep_L_domain,SH2,PH,Fi	uriHER2 receptor tyrosine kinase (c-erb-b2,	4.8
			- '		• •	

	400404	***		60 714 60 4 440		
	400181			SS,TM,3Beta_HSD,	ENSP00000171555:CDNA FLJ10727 fis, clone	4.6
•		AA447453		SS,TM,7tm_1,	Homo sapiens mRNA; cDNA DKFZp586M0723 (f	4.6
			Hs.269533	SS,pkinase,RhoGEF,ig,PH,SH3,	ESTs	4.6
5		AA339449	Hs.270651	AIRS,formyl_transf,GARS,SS,GARS,AIRS,for		4.6
,			Hs.146688	pkinase	ESTs, Moderately similar to A47582 B-cel	4.6
		H26735	Hs.91668	SS,TM,MAPEG,	prostaglandin E synthase	4.5
		Al345455		55,1M,PA,SAZ,FUND-like,pkinase,Recep_L_	Homo sapiens clone PP1498 unknown mRNA	4.5
		Al910275		pkinase,OPR,	GA-binding protein transcription factor,	4.5
10		AA863360		SS,trefoil,SS,TM,ldl_recept_a,SRCR,tryps	trefoil factor 1 (pS2)	4.5
10		AW294092		SS,TM,p450,	ESTs, Weakly similar to fatty acid omega	4.4
	400205		113,21334	SS,ras,Y_phosphatase,ras	hypothetical protein MGC15754	4.4
		AW296927		SC TM Postidoro M1	NM_006265*:Homo sapiens RAD21 (S. pombe)	4.4
			Hs.278627	SS,TM,Peptidase_M1, SS,pyr_redox,SS,Ribosomal_L39	gb:UI-H-BW0-ajc-c-07-0-UI.s1 NCI_CGAP_Su	4.3
15		F13386	Hs.7888	pkinase,	prenylcysteine lyase	4.3
15		AL043004		SS,pkinase,	Homo sapiens clone 23736 mRNA sequence	4.3
		R96696	Hs.35598	SS,TM,trypsin,vwd,ig	KIAA0135 protein	4.3
			7Hs.279696		ESTs	4.3
			Hs.163533	pkinase,pkinase_C, pkinase,	serum/glucocorticold regulated kinase-li	4.2
20		NM_00291			Homo saplens cDNA FLJ14142 fis, clone MA	4.2
20			Hs.105448	SS,AAA,PI3_PI4_kinase,PI3Ka,PI3K_rbd,PI3		4.2
			Hs.332053	SS,TM,pkinase	ESTs, Weakly similar to B34087 hypotheti	4.1
		NM_00180		SS,SAA_proteins,ABC_membrane,ABC_tran,	serum amyloid A1	4.1
		U38945	Hs.1174	SS,TM,thiolase,	centromere protein A (17kD)	4.1
25		S70284	NS.1174	ank,ank	cyclin-dependent kinase inhibitor 2A (me	4.1
23			Hs.172572		gb:stearoyl-CoA desaturase [human, adipo	4.1
	429922		Hs.226117		hypothetical protein FLJ20093	4.1
					H1 histone family, member 0	4.1
		NM_00535			lipase, hormone-sensitive	4.0
30			9Hs.154424		delodinase, lodothyronine, type II	4.0
50			Hs.193557		ESTs, Moderately similar to ALU7_HUMAN A	4.0
	428722 428330		Hs.190787		tissue inhibitor of metalloproteinase 4	3.9
			Hs.2256	SS,Peptidase_M10,SS,Peptidase_M10,hemo;		3.9
		M31158	Hs.77439		protein kinase, cAMP-dependent, regulato	3.9
35			Hs.313803	SS,abhydrolase	ESTs, Highly similar to AF157833 1 noncl	3.8
22		BE247550		SS,SH2,PH,SS,TM,PH,SH2,Furin-like,pkinas		3.8
		AA12904U	Hs.128065		ESTs	3.8
	403943	ALICENTOE	11- 470004		C5000355:gi 4503225 ref NP_000765.1 cyt	3.8
			Hs.173334		ELL-RELATED RNA POLYMERASE II, ELONGATIO	3.8
40			Hs.238936		ESTs, Weakly similar to (defline not ava	3.8
40		M26380	Hs.180878	SS,lipase,PLAT,Sec7,PH,	lipoprotein lipase	3.7
		X54942	Hs.83758		CDC28 protein kinase 2	3.7
		A1041793			ESTs	3.7
	424676		Hs.151678		UDP-N-acetyl-alpha-D-galactosamine:polyp	3.7
45			Hs.122908		DNA replication factor	3.7
45		NM_014735			KIAA0215 gene product	3.7
		AU076643			secreted phosphoprotein 1 (osteopontin,	3.7
	406625		Hs.119597	SS,TM,Desaturase,SS	stearoyl-CoA desaturase (delta-9-desatur	3.6
			Hs.106771	<u>-</u> - ' :	ESTs	3.6
50		NM_000909			neuropeptide Y receptor Y1	3.6
50		NM_003157		SS,pkinase,vwa,vwa,Glyco_transf_8	serine/threonine kinase 2	3.6
		NM_014400			GPI-anchored metastasis-associated prote	3.6
		AI791493			ESTs, Weakly similar to A36036 cytochrom	3.6
			Hs.194687	The home and Double - area.	cholesterol 25-hydroxylase	3.6
55		AI308876 AW895719	ns. 103049	TM,hemopexin,PeptIdase_M10,hemopexin,Pe	phypothetical protein DKFZp761D112	3.6
55			Un 2442	TM,ion_trans,K_tetra,	gb:QV4-NN0039-290300-154-f06 NN0039 Homo	3.6
	425320	NM_003816			a disIntegrin and metalloproteinase doma	3.6
				Acyl_transf,adh_zinc,ketoacyl-synt,pp-bi	fatty acid synthase	3.5
				IMS,SS	polymerase (DNA directed) lota	3.5
60	407104		Hs.323910 Hs.333526	SS,TM,SH2,PH,pkinase,Recep_L_domain,Fur	iv-ero-oz avian erytnroblastic leukemia v	3.5
V U		AA121098		SS phinasa BOLO, how SS akinesa BOLO, how	HER2 receptor tyrosine kinase (c-erb-b2,	3.5
	454042		Hs.172572	pkinase,POLO_box,SS,pkinase,POLO_box,	serum-inducible kinase	3.5
		AA116021		SS,ig,pkinase,LRRNT,LRRCT,	hypothetical protein FLI20093	3.5
		AF039241		SS,UCH-1,UCH-2,SS,TM,G_glu_transpept Peptidase M24.	ubiquitin specific protease 18	3.5
65				DSPc,Myosin_tail,	histone deacetylase 5	3.5
55	412049			SS,adenylatekinase,	dual specificity phosphatase 10 adenylate kinase 5	3.5
	425776			SS,TM,7tm_2,SS,TM,7tm_2	parathyroid hormone receptor 2	3.5
	.20110		100403	عال المنظم المنظ	haranthour noumble tecebiot 5	3.4

	407846	AA426202	De 40403	TM,ABC_membrane,ABC_tran,Ribosomal_S	AcCholo300 interaction transactivator wit	3.4
		L34041	Hs.9739	CC TM transport prot CMIP PhoCAP DAG 5	PE-glycerol-3-phosphate dehydrogenase 1 (so	3.4
		AA250970		SS,rm,PABP,pkinase,14-3-3,rm	poly(A)-binding protein, cytoplasmic 1-l	3.4
		NM_00231			lysyl oxidase-like 2	. 3.4
5		AA833930		SS,TM,mito_carr,Lysyt_oxidase	tRNA isopentenylpyrophosphate transferas	3.4
3				SS,IPPT,		3.4
		M25809	Hs.64173	ATP-synt_ab,SS,7tm_1,ATP-synt_ab	ATPase, H transporting, lysosomal (vacuo	
		U52077			gb:Human mariner1 transposase gene, comp	3.4
		AF182277		SS,p450,SS	cytochrome P450, subfamily IIB (phenobar	3.4
10		AA825686		SS	ESTs, Weakly similar to S65824 reverse t	3.4
10		AW968504		pkinase,	CDC2-related protein kinase 7	3.4
			1Hs.111256	lipoxygenase,PLAT,	arachidonate 15-lipoxygenase, second typ	3.3
		AW797437		SS,sushi,trypsin,vwa,rrm,fibrinogen_C,fn	B-factor, properdin	3.3
		H73505	Hs.117874	SS,Peptidase_S8,P,Peptidase_S8,P	ESTs	3.3
		NM_00645		SS,Pribosyltran,	sialyltransferase	3.3
15	426928	AF037062	Hs.172914	SS,adh_short,TGF-beta,TGFb_propeptide	retinal dehydrogenase 5 (11-cls and 9-ci	3.3
	414575	H11257	Hs.22968	SS,pkinase,ig,	Homo sapiens clone IMAGE:451939, mRNA se	3.3
	445941	Al267371	Hs.172636	SS,SS,lipoxygenase,PLAT	ESTs	3.3
	444542	Al161293	Hs.280380	SS,SS,Peptidase_M1,EGF,ig,lectin_c,sushi	aminopeptidase	3.3
	425741	AF052152	Hs.159412	pkinase,	Homo saplens clone 24628 mRNA sequence	3.3
20	434228	Z42047	Hs.283978	SS,TM,7tm_1	Homo sapiens PRO2751 mRNA, complete cds	3.3
	433264	D85782	Hs.3229		cysteine dioxygenase, type I	3.3
		AF084545		SS,Peptidase_M1,	Target	3.3
		AL359053	Hs.57664	TM,integrin_B,Ricln_B_lectin,rrm	Homo sapiens mRNA full length insert cDN	3.3
		R19897	Hs.106604	death,ZU5,pkinase,Activin_recp,	ESTs	3.3
25		Al694413		SS,TM,7tm_3,ANF_receptor,sushi	olfactory receptor, family 2, subfamily	3.2
		NM_00365		SS	carbohydrate (keratan sulfate Gal-6) sul	3.2
		BE562136		SS.PCI.RasGEF.hormone_rec,zf-C4,	proteasome (prosome, macropain) 26S subu	3.2
		D86983	Hs.118893	peroxidase,LRRCT,	Melanoma associated gene	3.2
		AA326062	113.110000	SS,p450,p450	gb:EST29171 Cerebellum II Homo sapiens c	3.2
30		A1768235		SS.Trehalase	gb:wg82g08.x1 Soares_NSF_F8_9W_OT_PA_P_S	3.2
50		T47667	Hs.28005	SS,TM,Activin_recp,pkinase	Homo saplens cDNA FLJ11309 fis, clone PL	3.2
		AW247529		TM,p450,Ets	platelet-activating factor acetylhydrola	3.2
		U39817	Hs.36820	SS,DEAD,HRDC,helicase_C,	Bloom syndrome	3.1
		L34041	Hs.9739	SS,TM,transport_prot_SWIB,RhoGAP,DAG_F		glycerol-3-
35		ite dehydrog		3.1		91,00101-0-
55		R31770	Hs.23540	TM,7tm_1,	ESTs	3.1
		U77413		11V1,7 U11_1,	O-linked N-acetylglucosamine (GlcNAc) tr	3.1
		BE281128		CC 7M 7km 4 CC	TONDU	3.1
				SS,TM,7tm_1,rrm,SS		3.1
40		AK000933		TM,GDI,7tm_1,	Homo sapiens cDNA FLJ10071 fis, clone HE	3.1
40		AI538613		SS,TM,trypsin,SS,TM,trefoil,trypsin,tref	Transmembrane protease, serine 3	3.1°
		T29618	Hs.89640	TM,pkinase,fn3,	TEK tyrosine kinase, endotheliai (venous	
		Al149286		SS	rab6 GTPase activating protein (GAP and	3.1
		NM_00393			kynureninase (L-kynurenine hydrolase)	3.1
A =		BE568452		SS,abhydrolase,	protein regulator of cytokinesis 1	3.1
45		AA418204		SS,pro_isomerase,	natural killer-tumor recognition sequenc	3.1
		AW137691		SS,TM,7tm_2,GPS	ESTs	3.1
		AW591433		SS,TM,trefoil,trypsin,trefoil	Transmembrane protease, serine 3	3.0
	452560	BE077084	Hs.336432	SS,rrm,zf-RanBP,pkinase,C2,pklnase_C,DAC	SESIS	3.0

TABLE 21A

Table 21 A shows the accession numbers for those pkeys lacking unigeneID's for Table 21. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

1	U	

Pkey: Unique Eos probeset Identifier number CAT number: Gene cluster number

Accession:

Genbank accession numbers

15

20

Pkey	CAT number	Accessions
420854	197072_1	AW296927 Al684514 Al263168 AA281079
423431	228162 1	AA326062 AA325758 AW962182
423945	233566 1	AA410943 AW948953 AA334202 AA332882
451264	863988 1	AI768235 R31400 H29082 H23107
455325	1279475 1	AW895719 N31451 N41451
456207	165078 -1	A A 103 / FO

TABLE 21B

Table 21B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 21. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt. position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15	Pkey	Ref	Strand	Nt_position
	401045 402230	8117619 9966312	Plus Minus	90044-90184,91111-91345 29782-29932
20	402408	9796239	Minus	110326-110491
	402578	9884928	Plus	66350-66496
	403593	6862650	Minus	62554-62712,69449-69602
	403943	7711864	Plus	100742-100904,101322-101503
	404091	7684554	Minus	82121-83229

TABLE 22: 739 GENES UP-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

5

Table 22 shows 739 genes up-regulated in breast cancer compared to normal adult breast. These were selected as for Table 19, except that the ratio was greater than or equal to 3.0, the denominator was the 85th percentile value for 12 non-malignant breast specimens, and the 96th percentile value amongst the 73 breast cancers was greater than or equal 100 units.

10

E	Pkey: ExAccn: UnigenelD:		Unique Eos probeset Identifier number Exemplar Accession number, Genbank accession number Uniquene number				
Ų	inigene	Title:	Unigene gen	e title			
F	R1:		Ratio of 90th percentile tumor to 85th percentile normal breast tissue				
ŧ	key	ExAccn	Unigenel	D UnigeneTitle	R1		
4	00292	AA25073	7 Hs.72472	BMP-R1B	51.5		
4	24735	U31875	Hs.27249	9 short-chain alcohol dehydrogenase family	38.3		
4	00297	Al127076		3 hypothetical protein DKFZp564O1278	29.9		
4	31448	AL137517		3 hypothetical protein DKFZp564O1278	26.9		
4	51110	AI955040		8 ESTs, Weakly similar to transformation-r	25.8		
	24244	1490940		2 man innation analoin hate 2 OCLD (see	02.0		

		AA250/3/	HS./24/2	BMP-R1B	51.5
		U31875	Hs.272499	short-chain alcohol dehydrogenase family	38.3
	400297	Al127076	Hs.334473	hypothetical protein DKFZp564O1278	29.9
	431448	AL137517	Hs.334473	hypothetical protein DKFZp564O1278	26.9
25	451110	AI955040	Hs.265398	ESTs, Weakly similar to transformation-r	25.8
	431211	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	23.2
	418203	X54942	Hs.83758	CDC28 protein kinase 2	22.6
	407980	AA046309		gb:zf12f01.s1 Soares_fetal_heart_NbHH19W	
	414646	AA353776	Hs.901	CD48 antigen (B-cell membrane protein)	18.9
30	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	18.0
	409041	AB033025	Hs.50081	KIAA1199 protein	17.6
	412140	AA219691	Hs.73625	RAB6 Interacting, kinesin-like (rabkines	17.6
	407824	AA147884	Hs.9812	Homo sapiens cDNA FLJ14388 fis, clone HE	17.1
	453160	AI263307	Hs.239884		17.0
35	407137	T97307		gb:ye53h05.s1 Soares fetal liver spleen	16.1
	425692	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	16.1
	438533	AJ440266	Hs.170673		16.0
	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (CX	15.5
	444342	NM_01439	8Hs.10887	similar to lysosome-associated membrane	15.1
40	422505	AL120862	Hs.124165	programmed cell death 9 (PDCD9)	14.9
	430515	AA746503	Hs.283313	ESTs	14.7
	417308	H60720	Hs.81892	KIAA0101 gene product	14.4
	452744	AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082	(fr14.4
	412446	AI768015	Hs.92127	ESTs	14.2
45	415539	AI733881	Hs.72472	BMP-R1B	14.1
	435496	AW840171	Hs.265398	ESTs, Weakly similar to transformation-r	13.8
	438209	AL120659	Hs.6111	aryl-hydrocarbon receptor nuclear transl	13.8
	400205			NM_006265*:Homo sapiens RAD21 (S. pomb	e)13.5
~ 0		AA489732	Hs.154918	ESTs	13.4
50		AA948033	Hs.130853	ESTs	13.3
		AL120173	Hs.301663	ESTs	13.2
		BE280074	Hs.23960	cyclin B1	13.2
	406685			gb:Human nonspecific crossreacting antig	13.0
		M29540	Hs.220529	carcinoembryonic antigen-related cell ad	12.8
55			5Hs.226213	cytochrome P450, 51 (lanosterol 14-alpha	12.8
		U33632	Hs.79351	potassium channel, subfamily K, member 1	12.7
		Al493046	Hs.146133	ESTs	12.5
		BE218239	Hs.202656	ESTs	12.5
		AA193450		gb:zr40e07.r1 Soares_NhHMPu_S1 Homo sa	pi12.4
60		AA436989		H2A histone family, member A	12.2
	407811			cysteine knot superfamily 1, BMP antagon	12.2
	407178	AA195651	Hs.104106	ESTs	12.2

	420931	AF044197	Hs.100431	small Inducible cytokine B subfamily (Cy	12.1
		Y13153	He 107318	kynurenine 3-monooxygenase (kynurenine 3	12.0
		Al031771	Hs.132586		12.0
					11.9
_		H44186			
5		BE178536			11.8
		AW873596		calmodulin 2 (phosphorylase kinase, delt	11.7
	416602	NM_006159	Hs.79389	nel (chicken)-like 2	11.7
	433365	AF026944	Hs.293797	ESTs	11.6
		AA156781		metallothionein 1E (functional)	11.5
10		AW975398			11.4
10					11.3
		H15261	Hs.21948	ESTs	
		AW600291			11.3
	420757	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	11.3
	411598	BE336654	Hs.70937	H3 histone family, member A	11.2
15	423600	AI633559	Hs.310359	ESTs	11.2
		AA765694	Hs 123296	ESTs	11.0
		AI684808		programmed cell death 9 (PDCD9)	10.9
				transcription factor	10.7
		N78223			10.6
20		AA576953		hypothetical protein FLJ13352	
20		AW965339			10.6
	447268	Al370413	Hs.36563	hypothetical protein FLJ22418	10.4
	424001	W67883	Hs.137476	paternally expressed 10	10.4
		Al199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	10.4
	424905	NM 00249	7He 153704	NIMA (never in mitosis gene a)-related k	10.1
25		H87648	Hs.33922	Homo sapiens, clone MGC:9084, mRNA, com	
25					10.1
	442942	AW167087	MS. 131002	E315	
				Homo sapiens cDNA FLJ11382 fis, clone HE	
	427217	AA399272	Hs.144341	ESTs	10.1
	445730	AI624342	Hs.170042	ESTs	10.0
30	432887	A1926047	Hs.162859	ESTs	10.0
•	452243	AL355715	Hs.28555	programmed cell death 9	9.9
		AW966399		hypothetical protein FLJ20086	9.9
		Y00971	Hs.2910	phosphoribosyl pyrophosphate synthetase	9.9
			Hs.144530		9.9
25		H23789			
35		Al655499			9.8
	430291	AV660345		CGI-49 protein	9.8
	444665	BE613126	Hs.47783	B aggressive lymphoma gene	9.7
	407377	C16391		gb:C16391 Clontech human aorta polyA mRN	9.7
		AA151342	Hs.12677	CGI-147 protein	9.7
40		AI064690	Hs.171176		9.7
-10		AI022650	Hs.8117	erbb2-Interacting protein ERBIN	9.7
				uncharacterized bone marrow protein BM04	9.7
		AL360204		Homo sapiens mRNA full length insert cDN	9.6
	428966	AF059214	Hs.194687	cholesterol 25-hydroxylase	9.6
45	449448	D60730	Hs.57471	ESTs	9.6
	433929	Al375499	Hs.27379	ESTs .	9.5
		R31178		fibronectin 1	9.3
				leucine-rich repeat-containing 2	9.3
		R17798	Hs.7535	COBW-like protein	9.3
50					9.2
20		U80736		trinucleotide repeat containing 9	9.2
,		AJ224741	Hs.278461		
	439451	AF086270	Hs.278554	heterochromatin-like protein 1	9.2
	423945	AA410943		gb:zt32h03.r1 Soares ovary tumor NbHOT H	9.1
	442432	BE093589	Hs.38178	hypothetical protein FLJ23468	9.1
55		Al337735	Hs.173919		9.0
-	408771			potassium voltage-gated channel, delayed	9.0
				ECT-	9.0
		AI076089	Hs.292239		8.9
		Y00272		cell division cycle 2, G1 to S and G2 to	
~~		A1767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	8.9
60	402408			NM_030920*:Homo sapiens hypothetical pro	
	418601	AA279490	Hs.86368	calmegin	8.8
		W03242	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA s	equ8.8
		Al198719	Hs.176376		8.8
		AW296024			8.8
65		A1754693	Hs.145968		8.8
			Hs.26549	KIAA1708 protein	8.7
	418196	AI/40049			Q.7

		D31152		collagen, type X, alpha 1 (Schmid metaph	8.6
			Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	8.6
		AI651474	Hs.163944		8.6
5				CTP synthase	8.4
5		AW067903		collagen, type XI, alpha 1	8.4
		AA382207 AA767373		ecotropic viral integration site 2B	8.3
		AL080207		ESTs, Moderately similar to ALU1_HUMAN A DKFZP434G232 protein	8.2
		BE268362		COBW-like protein	8.2
10				protein tyrosine phosphatase, receptor t	8.2
	410193	AJ132592	Hs.59757	zinc finger protein 281	8.2
		X65724	Hs.2839	Norrie disease (pseudoglioma)	8.1
	446258	A1283476	Hs.263478		8.1
		AW876523	Hs.15929	hypothetical protein FLJ12910	8.1
15		Ai811202		Homo sapiens cDNA: FLJ23523 fis, clone L	8.1
			Hs.122587		8.0
	429534	AW976987	Hs.163327	ESTs, Weakly similar to 2109260A B cell	8.0
				DNA replication factor	8.0
20			Hs.143134		8.0
20		AA379597		HSPC150 protein similar to ubiquitin-con AF15q14 protein	8.0
		U29926	Hs.83918	adenosine monophosphate deaminase (isofo	8.0 7.0
	400285		113.05510	Eos Control	7. 9 7.9
		AF039241	Hs.9028	histone deacetylase 5	7.9
25		M18728		gb:Human nonspecific crossreacting antig	7.8
	422232	D43945	Hs.113274	transcription factor EC	7.8
	454024	AA993527		hypothetical protein FLJ23403	7.8
		AI161293		aminopeptidase	7.8
20		A1683487		wingless-type MMTV integration site fami	7.7
30		AL110216	Hs.12285		7.6
		H69912	Hs.48269		7.6
		T27503	Hs.15929		7.6
		AK001741			7.6 7.6
35	424687				7.5 7.5
33		NM_01629			7.5 7.5
		H69125	Hs.133525		7.5
		M97711			7.5
	420077	AW512260	Hs.87767		7.4
40	457332	AA961694	Hs.105187	kinesin protein 9 gene	7.4
		NM_001809			7.4
		Al391662		Homo sapiens, done MGC:12318, mRNA, cor	
		AV653785		ELL-RELATED RNA POLYMERASE II, ELON	
45		BE391804	HS.62661		7.3
40	400268	AF086332	He 50214	NM_003292:Homo sapiens translocated prom ESTs	
		AL138272			7.3 7.3
		N58172	Hs.109370		7.3
			Hs.282975		7.2
50	422094	AF129535	Hs.272027		7.1
		A1073913			7.1
	430287	AW182459	Hs.125759	ESTs, Weakly similar to LEU5_HUMAN LEUK	E7.0
		AA398155	Hs.97600		7.0
<i>E E</i>		AJ475858		gb:tc87d07.x1 NCI_CGAP_CLL1 Homo sapier	
55	40/2//	AW1/0035	Hs.326736	Homo sapiens breast cancer antigen NY-BR	
		BE062906 AK001468			7.0
			Hs.167771		7.0 6.0
			Hs.301927		6.9 6.9
60					6.8
		AW500106			6.8
					6.8
		AA135257			6.8
		A1767056	Hs.193002		6.7
65		AF123050		diubiquitin	6.7
	422956	BE545072	Hs.122579		6.7
	446651	AA393907	HS.9/1/9	ESTs	6.7

	419839	U24577	Hs.93304	phospholipase A2, group VII (platelet-ac	6.7
		AA810265			6.7
		AI910275	Hs.1406	trefoll factor 1 (pS2)	6.7
_		AW023482		ESTS	6.6
5		NM_003816		a disintegrin and metalloproteinase doma	6.6
		Al215069		CGI-62 protein	6.6 6.5
		Al798680	Hs.89113 Hs.25933	ESTs ESTs	6.5
		N40449			6.5
10		Al151418		protein phosphatase 3 (formerly 2B), cat	6.4
••		NM_001898			6.4
		AF026941		Homo sapiens cig5 mRNA, partial sequence	6.4
		X52509		tyrosine aminotransferase	6.4
	418848	AI820961	Hs.193465		6.4
15	424902	NM_003866	Hs.153687	inositol polyphosphate-4-phosphatase, ty	6.4
		U65011	Hs.30743	preferentially expressed antigen in mela	6.4
		AA918317	Hs.57987	B-cell CLL/lymphoma 118 (zinc finger pro	6.4
		AJ235664	11- 400004	gb:Homo sapiens mRNA for immunoglobulin	6.3
20		AI222020		CocoaCrisp	6.3 6.3
20		AF217513 Al193043		clone HQ0310 PRO0310p1 ESTs, Weakly similar to T17226 hypotheti ,	6.2
		AA394183		ESTs, Weakly Simular to 11/220 hypothet ,	6.2
	402578		113.20073	C1001134:gi 2117372 plr l65981 fatty ac	6.2
		AW161391	Hs.709	deoxycytidine kinase	6.1
25		W17064		SWI/SNF related, matrix associated, acti	6.1
	432415			ESTs, Weakly similar to A43932 mucin 2 p	6.1
	443709	AI082692	Hs.134662	ESTs	6.1
	420929	Al694143	Hs.296251	programmed cell death 4	6.1
20		BE440042		matrix metalloproteinase 3 (stromelysin	6.1
30		AI126772	Hs.40479	ESTs	6.0
		BE463721		putative G protein-coupled receptor	6.0
		U23752	Hs.32964	SRY (sex determining region Y)-box 11	6.0 6.0
		J04088 M13509	Hs.83169	topoisomerase (DNA) li alpha (170kD) matrix metalloprotelnase 1 (MMP1; inters	6.0
35				KIAA0403 protein	6.0
<i>J J</i>		AA761605		ESTs, Weakly similar to ALU1_HUMAN ALU	
		AA583206		RAR-related orphan receptor A	6.0
		M31126		matrix metalloproteinase 11 (MMP11; stro	6.0
2.2	418092	R45154	Hs.106604	ESTs	6.0
40	447051	AW139130	Hs.160951	ESTs, Weakly similar to Con1 [H.saplens]	6.0
		AA972965			6.0
		X81334	Hs.2936	matrix metalloproteinase 13 (collagenase	6.0
		AA100847		ESTs, Highly similar to AF174600 1 F-box	5.9
45		AI831297	Hs.123310		5.9 5.9
43		AW972512 AW803341	NS.20900	sin3-associated polypeptide, 30kD gb:IL2-UM0079-090300-050-D03 UM0079 Ho	
			He 118554	CGI-83 protein	5.9
		AI793124	Hs.144479		5.9
				hypothetical protein FLJ22624	5.8
50		AI005043	Hs.24143	Wiskott-Aldrich syndrome protein interac	5.8
	416636	N32536	Hs.42645	solute carrier family 16 (monocarboxylic	5.8
	447350	Al375572	Hs.172634	ESTs	5.8
				hypothetical protein PRO2013	5.8
~ ~		AA306105		SEC22, veside trafficking protein (S. c	5.8
55		Al571940	Hs.7549	ESTs	5.8
		T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	5.8
		Al299139	Hs.17517	ESTs sterol-C4-methyl oxidase-like	5.8 5.8
		Al033965 X07820	Hs.2258	matrix metalloproteinase 10 (MMP10; str	5.7
60	440527	AV657117	He 184184	ESTs, Moderately similar to S65657 alpha	5.7
00		AA831879			5.7
		W47595		transforming growth factor, beta 2	5.7
	452401	NM_00711	5Hs.29352	tumor necrosis factor, alpha-induced pro	5.7
	448663	BE614599	Hs.106823	hypothetical protein MGC14797	5.7
65	438199	AW016531	Hs.122147	ESTs	5.7
	446203	Z47553	Hs.14286	flavin containing monooxygenase 5	5.7
	428336	AA503115	Hs.183752	microseminoprotein, beta-	5.6

	430379	AF134149	Hs.24039	5 potassium channel, subfamily K, member 6	5.6
	42283	5 BE21870	5 Hs.12137	8 metallothioneln-like 5, testis-specific	5.6
	444750	3 ALO44878	3 Hs.11899	3-hydroxy-3-methylglutaryl-Coenzyme A re	5.6
-	443426	AF098158	3 Hs.9329	chromosome 20 open reading frame 1	5.6
5		X03635	Hs.1657	estrogen receptor 1	5.6
	447078	AW88572	7 Hs.30157	D ESTs	5.6
	432015	AL157504	Hs.15911	Homo sapiens mRNA; cDNA DKFZp586O07	24 (f5.5
	438691	AA906288	Hs.21218	ESTs	5.5
10	43900	R41396	HS.101//4	hypothetical protein FLJ23045	5.5
10	456373	BE247706	D MS.20/924	hypothetical protein FLJ13782	5.5
	401645		1 C/60'SU	membrane-spanning 4-domains, subfamily A	5.5
		BE277414	He 5047	C16001440*:gi 12330704 gb AAG52890.1 AF	
		AI734009		mel transforming oncogene (derived from KIAA1603 protein	5.5
15		AI742605			5.4
		NM_01598		cytokine receptor-like molecule 9	5.4 5.4
		X91221	Hs.144465		5.4
		R28363	Hs.24286	ESTs	5.4
				Homo sapiens cDNA FLJ11344 fis, clone PL	5.4
20	426214	H59846	Hs.128355	ESTs, Moderately similar to ALU7_HUMAN A	5.4
	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	5.4
		L32137	Hs.1584	cartilage oligomeric matrix protein (COM	5.4
		N34895	Hs.44648	ESTs	5.4
25	446382	AW205168	3 Hs.150823	ESTs	5.4
25	422406	AF025441	Hs.116206	Opa-interacting protein 5	5.3
		AA576635		CGI-48 protein	5.3
		AA814100			5.3
		U91616	Hs.91640		5.3
30		H39960	HS.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	5.3
50	440061	AF070526	HS.13429	Homo sapiens clone 24787 mRNA sequence	
	443031 449769	A14/050244	1 115.333320	HER2 receptor tyrosine kinase (c-erb-b2,	5.2
	410730	ANADSTE	115.172012	hypothetical protein DKFZp434J037 transcription factor 19 (SC1)	5.2
	417070	U65590	Hs.81134	introduction 4 seconds enterpried	5.2
35		AF013758		interleukin 1 receptor antagonist polyadenylate binding protein-interactin	5.2
-	428804	AK000713	Hs 193736	hypothetical protein FLJ20706	5.2 5.2
	427427	AF077345	Hs.177936	ESTs	5.2
	403485		110.111.000	***************************************	5.2
	422168	AA586894	Hs.112408	\$100 calcium-binding protein A7 (psorias	5.1
40	421937	A1878857	Hs.109706	hematological and neurological expressed	5.1
	426752	X69490	Hs.172004	titin	5.1
		X70697	Hs.553	solute carrier family 6 (neurotransmitte	5.1
		M81933	Hs.1634		5.1
4.5	412281	Al810054	Hs.14119	ESTs	5.1
45	447513	AW955776	Hs.313500	ESTs, Moderately similar to ALU7_HUMAN A	5.1
	453931	AL121278	Hs.25144	ESTs	5.1
	404347			Target Exon	5.1
		M30703	Hs.270833	amphiregulin (schwannoma-derived growth	5.1
50		D28235	Hs.196384		5.1
50		BE568452			5.1
	450603	AK000796	Hs.12422		5.1
	435981		Hs.188620	# C = 1	5.0
					5.0
55	431689	AA305688	He 267605		5.0
	405348	NΔ	113.201033	C7001664:gi 12698061 dbj BAB21849.1 (AB	5.0
	436196	AK001084	Hs 333498	Homo sapiens cDNA FLJ10222 fis, clone HE	5.U 5.N
	437065	AL036450	Hs.103238		5.0 5.0
		AI936442	Hs.59838		5.0 5.0
60		NM_006235	Hs.2407		5.0
		AU076643	Hs.313		4.9
	403329			Target Exon	4.9
		BE623003	Hs.23625	Homo sapiens done TCCCTA00142 mRNA se	au4.9
		AI820662	Hs.129598	ESTs	4.9
65		AW371048	Hs.93758	H4 histone family, member H	4 Q
	424128	AW966163		ab:EST378236 MAGE reseguences MAGI No.	mo4.9
	408873	AL046017	Hs.182278		1.9

	(00010			et	4.0
		AA650274		fibronectin leucine rich transmembrane p	4.9
		NM_002104		granzyme K (serine protease, granzyme 3;	4.9 4.8
		R10799	Hs.191990	ESTS, Weakly similar to AT2A_HUMAN POTE	
5		Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	4.8
,		R38438		solute carrier family 15 (H??? transport	4.8
				dynein light chain-A	4.8
		C18863	Hs 163443	Homo sapiens cDNA FLJ11576 fis, clone HE	
		H93281	Hs.10710		4.8
10				GDNF family receptor alpha 1	4.8
••		AI571835	Hs.55468	ESTs	4.8
		AL135173		sorbitol dehydrogenase	4.8
	456086	AL161999	Hs.77324	eukaryotic translation termination facto	4.8
	419078	M93119	Hs.89584	insulinoma-associated 1	4.8
15	418973	AA233056	Hs.191518		4.8
		Al357412	Hs.157601		4.8
		A1879148	Hs.26770		4.7
		X04430	Hs.93913	Interleukin 6 (Interferon, beta 2)	4.7
20				disintegrin protease	4.7
20				hypothetical protein FLJ10326	4.7 4.7
				Homo sapiens cDNA: FLJ22463 fis, clone H	4.7
		AW192307	_	dolichyl-P-Glc:Man9GlcNAc2-PP-dolichylgl KIAA0942 protein	4.7
		NM_015314 Al675749		nucleoporin 153kD	4.7
25				glutathione reductase	4.7
23	405801	NI 220104	113.121024	NM_000390:Homo sapiens choroideremia (R	
		BF218886	Hs.282070		4.6
		W26354	Hs.28891	hypothetical protein FLJ11360; artemis p	4.6
		U62027		complement component 3a receptor 1	4.6
30	436027	A1864053	Hs.39972	ESTs, Weakly similar to I38588 reverse t	4.6
	424623	AW963062	Hs.337404	ESTs	4.6
	403366	NA		Target Exon	4.6
	402542			Target Exon	4.6
25		AI916071	Hs.15607	Homo sapiens Fanconi anemia complementa	
35		AI907114	Hs.71465	squalene epoxidase	4.6 4.6
		Al264155 Al459306	Hs.152961 Hs.24908	CDP-diacylglycerol synthase (phosphatida ESTs	4.5
			Hs.245123		4.5
		A1472209			4.5
40			Hs.76277		
. •		AF146761		BCM-like membrane protein precursor	4.5
		Al692181		KIAA1634 protein	4.5
	425331	AW962128		gb:EST374201 MAGE resequences, MAGG	Homo4.5
	428801	AW277121	Hs.254881	ESTs	4.5
45		Al815395		fatty acid desaturase 2	4.5
				ESTs, Weakly similar to 2109260A B cell	4.4
		Al377755	Hs.120695		4.4 4.4
				Homo sapiens winged helix/forkhead trans	4.4
50	_	AA121673		zinc finger protein 281 ESTs	4.4
30	420969	AI815206	NS.33333	Target Exon	4.4
			Hs.191721		4.4
	406348		16.151121	Target Exon	4.4
		AW895387	,	qb:QV4-NN0038-300300-157-c10 NN0038 H	lomo4.4
55		AW297880		ESTs	4.4
	411743	AW862214	}	gb:QV4-CT0361-301299-074-b05 CT0361 H	omo4.4
	429966	BE081342	Hs.283037	HSPC039 protein	4.4
	423291	NM_00412	9Hs.126590	guanylate cyclase 1, soluble, beta 2	4.4
C C				DKFZP586D0824 protein	4.4
60	452190	H26735	Hs.91668	Homo sapiens clone PP1498 unknown mRN	
				i low density lipoprotein-related protein	4.3
		AA706003		ESTs	4.3 4.3
		Z97630		' H1 histone family, member 0 2 small Inducible cytokine subfamily B (Cy	4.3 4.3
65		Y15221 X03363	na. 100302	HER2 receptor tyrosine kinase (c-erb-b2,	4.3
05		AL041243	Hs.174104		4.3
		T57448	Hs.15467	hypothetical protein FLJ20725	4.3
	, 10000				_

	403011		ENSP00000215330*:Probable serine/threoni	4.3
		Al365384 Hs.11571	Homo sapiens cDNA FLJ11570 fis, clone HE	
		NM_001949Hs.1189	E2F transcription factor 3	4.3
5		AA687538 Hs.38972	tetraspan 1	4.3
J		AB014604 Hs.197955		4.3
		AW188551 Hs.99519 Al091795 Hs.179246	hypothetical protein FLJ14007	4.3
			olfactory receptor, family 2, subfamily	4.3 4.3
		M63835 Hs.77424	Fc fragment of IgG, high affinity Ia, re	4.2
10			Homo sapiens cONA FLJ14035 fis, clone HE	42
		T47667 Hs.28005	Homo sapiens cDNA FLJ11309 fis, clone PL	
	442007	AA301116 Hs.142838	nucleolar phosphoprotein Nopp34	4.2
	417318	AW953937 Hs.12891	ESTs	4.2
	431818	AW510444 Hs.191705	ESTs, Weakly similar to T47184 hypotheti	4.2
15	443646	Al085198 Hs.164226	ESTs	4.2
	419169	AW851980 Hs.262346	ESTs, Weakly similar to S72482 hypotheti	4.2
		BE091926 Hs.16244	mitotic spindle coiled-coil related prot	4.2
	423242	AL039402 Hs.125783	DEME-6 protein	4.2
20		AA902953 Hs.308538		4.2
20		T97490 Hs.50002	small inducible cytokine subfamily A (Cy	4.2
	445025 425130	AW630488 Hs.325820	hypothetical protein FLJ22635	4.2 4.2
		BE247676 Hs.18442	E-1 enzyme	4.2
		AK001376 Hs.59346	hypothetical protein FLJ10514	4.1
25		AW779318 Hs.88417	ESTs	4.1
			chloride channel, calcium activated, fam	4.1
		AW294909 Hs.132208		4.1
		BE244074 Hs.58831	regulator of Fas-induced apoptosis	4.1
20		AW973352 Hs.290585		4.1
30			matrix metalioproteinase 11 (MMP11; stro	4.1
		AF041163 Hs.74647	Human T-cell receptor active alpha-chain	4.1
		BE562826 AK000136 Hs.10760	gb:601336534F1 NIH_MGC_44 Homo sapien	
			asporin (LRR class 1) conserved gene amplified in osteosarcoma	4.1 4.1
35	405850		Target Exon	4.1
		Al732892 Hs.190489		4.0
		AW292425 Hs.163484		4.0
	400284	NA	estrogen receptor 1	4.0
4.0	417341	N91453 Hs.102987		4.0
40		U20158 Hs.2488	lymphocyte cytosolic protein 2 (SH2 doma	4.0
		AW797437 Hs.69771	B-factor, properdin	4.0
			Human clone 23948 mRNA sequence	4.0
		AA013051 Hs.91417 J05581 Hs.89603	topoisomerase (DNA) II binding protein	4.0
45		Al034351 Hs.19030	mucin 1, transmembrane ESTs	4.0 4.0
15		AW963372 Hs.46677		4.0
		T32982 Hs.102720		4.0
				4.0
		BE250127 Hs.82906	CDC20 (cell division cycle 20, S. cerevi	3.9
50	414602	AW630088 Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264	f (f3.9
		AW411479 Hs.848		3.9
	404580		NM_014112*:Homo saplens trichorninophala	
		AB018345 Hs.27657		3.9
55		AA031956 U03272 Hs.79432	gb:zk15e04.s1 Soares_pregnant_uterus_NbH	
<i>J J</i>		AA243464 Hs.294101		3.9 3.9
	429353	Al.117406 Hs.200102	ATD blodles seemly become dealers	
	419038	AW134924 Hs.190325		3.9 3.9
		X07871 Hs.89476		3.9
60	421977	W94197 Hs.110165		3.9
		Al201183 Hs.130251	ESTs	3.9
			cytochrome P450, subfamily IIB (phenobar	3.9
		AW935490 Hs.14658	Human chromosome 5q13.1 clone 5G8 mRNA	
65		BE019020 Hs.85838		3.9
0,5		NM_002543Hs.77729 AA809875 Hs.25933		3.9
		NM_007019Hs.93002		3.9 3.9

PCT/US02/02242

WO 02/059377

	430017	AA263172 Hs.35	protein tyrosine phosphatase, non-recept	3.9
	458814	Al498957 Hs.17086	ESTs, Weakly similar to Z195_HUMAN ZINC	
	428514	AW236861 Hs.19313		3.8
_		NM_002267Hs.3886	karyopherin alpha 3 (importin alpha 4)	3.8
5	409425		zinc finger protein, subfamily 1A, 1 (lk	3.8
		BE565647 Hs.74899		3.8
		AF055084 Hs.15369	2 Homo sapiens cDNA FLJ14354 fis, done Y7	3.8
	400021		AFFX control - HUMISGF3AM97935_MA	3.8
10		BE466639 Hs.61779		3.8
10		Al267371 Hs.17263		3.8
		AA631739 Hs.33544		3.8
		AW207206 Hs.13631		3.8 3.8
		Al446444 Hs.19039	ESTs, Weakly similar to B28096 line-1 pr C11001883*:gi[6753278[ref[NP_033938.1] c	3.8
15	401045	AW449612 Hs.15247		3.8
13		NM_001838Hs.1652	chemokine (C-C motif) receptor 7	3.8
		Al660149 Hs.44865	lymphoid enhancer-binding factor 1	3.8
		AJ227892 Hs.14627	. • •	3.8
		AW068115 Hs.821	blglycan	3.8
20		Al767949 Hs.17983		3.8
	452268	NM_003512Hs.28777	H2A histone family, member L	3.8
	427811	M81057 Hs.18088	4 carboxypeptidase B1 (tissue)	3.8
	415579	AA165232 Hs.22206	9 ESTs	3.8
		AL353944 Hs.50115		
25			0 HER2 receptor tyrosine kinase (c-erb-b2,	3.7
	400286		C16000922:gi[7499103 pir][T20903 hypothe	3.7
		Al623693 Hs.19153		3.7
		AW900992 Hs.93798		3.7
20			0 hypothetical protein FLJ22439	3.7 3.7
30		AA371307 Hs.12505		3.7
	457001	Al916662 Hs.21157 J03258 Hs.2062	vitamin D (1,25- dihydroxyvitamin D3) re	3.7
		AW406878	gb:UI-HF-BLO-adg-g-06-0-UI.r1 NIH_MGC_3	
		NM 014737Hs.80905		3.7
35			O Homo sapiens cDNA FLJ11489 fls, clone HE	
		Al633553 Hs.13303		3.7
	432729	AK000292 Hs.27873	2 hypothetical protein FLJ20285	3.7
	413916	N49813 Hs.75615	apolipoprotein C-II	3.7
		NM_014141Hs.10655		3.7
40		AW958544 Hs.11224		3.7
		AA057264 Hs.23893		3.7
	406153		Target Exon	3.7
		AW873606 Hs.14900		3.7 3.7
45		AI884911 Hs.32989		3.7
43		AB011152 Hs.22572 AF113676 Hs.29768		3.6
		U76248 Hs.20191		3.6
			6 hypothetical protein FLJ22490	3.6
			9 ESTs, Weakly similar to 138022 hypotheti	3.6
50		X98654 Hs.93837		3.6
		AF188625 Hs.18950		3.6
	430378	Z29572 Hs.2556	tumor necrosis factor receptor superfami	3.6
		Al800470 Hs.17194		3.6
			3 transcription factor 2, hepatic; LF-B3;	3.6
55			6 ESTs, Weakly similar to 138022 hypotheti	3.6
		BE069341	gb:QV3-BT0381-270100-073-c08 BT0381 H	
		AW024973 Hs.2836		3.6
		AV653264 Hs.13983		
60	452101	T60298 Hs.1084	Homo sapiens cDNA FLJ14476 fis, clone MA KIAA0129 gene product	3.6
UU	42/081	AW961434 Hs.3153) ESTs	3.6
		NM_000402Hs.8020		3.6
		W26187 Hs.3327	Homo sapiens cDNA: FLJ22219 fis. clone H	3.6
		S42303 Hs.161	cadherin 2, type 1, N-cadherin (neuronal	3.6
65	434360	AW015415 Hs.1277	30 ESTs	3.6
	428970	BE276891 Hs.1946	91 retinolc acid induced 3	3.6
	415070	D/2170 He 2289	5 hypothetical protein FL J23548	3.6

	409619	AK001015	Hs.55220	BCL2-associated athanogene 2	3.6	
	430044	AA464510	Hs.152812		3.6	
		AW451999		ESTs	3.6	
_		AA380731		Interleukin 2 receptor, gamma (severe co	3.6	
5		AF088020		EST	3.6	
		H63010	Hs.5740	ESTs	3.5	
		AA351647		eukaryotic translation elongation factor	3.5	
		AI418055 AF234882	Hs.161160		3.5	
10		AA284166		suppression of tumorigenicity 7	3.5	
10				cyclin-dependent kinase inhibitor 3 (CDK CEGP1 protein	3.5 3.5	
		AI907673	110.2.000	gb:IL-BT152-080399-004 BT152 Homo sapie		
	403212			NM_019595:Homo sapiens intersectin 2 (IT	3.5	
		AK000725	Hs.50579	hypothetical protein FLJ20718	3.5	
15		AA847843		Homo sapiens, clone IMAGE:3351295, mRN.		
	436338	W92147	Hs.118394		3.5	
		Z43784	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)	3.5	
		A1827248		Homo sapiens cDNA FLJ11469 fis, clone HE	3.5	
00		AA641836		hypothetical protein FLJ23186	3.5	
20		AK002135		hypothetical protein FLJ11273	3.5	
		AW014875			3.5	
•		AA250970			3.4	
		BE311926 AW881145	ns. 15830	hypothetical protein FLJ12691	3.4	,
25		BE390551	He 77628	gb:QV0-OT0033-010400-182-a07 OT0033 He steroidogenic acute regulatory protein r	3.4	3
23		W29092	Hs.7678	cellular retinoic acid-binding protein 1	3.4	
		AI167877	Hs.143716		3.4	
	402470			Target Exon	3.4	
	418120	AA213437	Hs.192249		3.4	
30	422414	AW875237	Hs.13701	ESTs	3.4	
		AI681545	Hs.152982	hypothetical protein FLJ13117	3.4	
		U61412	Hs.51133	PTK6 protein tyrosine kinase 6	3.4	
				fucosyltransferase 8 (alpha (1,6) fucosy	3.4	
25		M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	3.4	
35		AA447492	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	3.4	
	402359		11- 224504	C19001991*:gi 12656111 gb AAK00751.1 AF		
		AA284267 F01020	Hs.172004		3.4	
		AA812633		ESTs	3.4 3.4	
40		R11141		hypothetical protein	3.4	
			Hs.22880	dipeptidylpeptidase III	3.4	
		AK001763		hypothetical protein FLJ10901	3.4	
		Y18418		RuvB (E coli homolog)-like 1	3.4	
	428977	AK001404	Hs.194698	cyclin B2	3.4	
45		U58766		tissue specific transplantation antigen	3.4	
				Homo sapiens, clone IMAGE:3616574, mRNA		
		AF037335		carbonic anhydrase XII (tumor antigen H	3.4	
		AW392550		proteasome (prosome, macropain) subunit,	3.4	
50		AW016812		KIAA0175 gene product	3.3	
J 0			Hs.270123		3.3 3.3	
		NM_000505		coagulation factor XII (Hageman factor)	3.3	
		AW160375		amyloid beta (A4) precursor-like protein	3.3	
			Hs.84136	paired-like homeodomain transcription fa	3.3	
55		Al627393	Hs.258998	ESTs, Weakly similar to high mobility gr	3.3	
		AW513051	Hs.332981	ESTs, Weakly similar to 138022 hypotheti	3.3	
				Interleukin 7 receptor	3.3	
		AA161071			3.3	
60				glutamic-oxaloacetic transaminase 2, mit	3.3	
60			Hs.204044		3.3	
				ras-related C3 botulinum toxin substrate	3.3	
•	426429	A/3114 AA03000A	He 25252	myosin-binding protein C, slow-type	3.3	
		AA026880 U41763	He 184018	prolactin receptor clathrin, heavy polypeptide-like 1	3.3	
65		BE243136		a disintegrin and metalloproteinase doma	3.3	
			Hs.120910	ESTs	3.3 3.3	
		AA628967	Hs.115274	ESTs, Highly similar to IHH_HUMAN INDIAN	3.3	
		-				

	430253	AK001514	Hs.236844		3.3
		A1929659	Hs.237825	signal recognition particle 72kD	3.3
		AK001455	Hs.5198	Down syndrome critical region gene 2	3.3
_				polymerase (DNA directed), eta	3.3 3.3
5		H09048	Hs.23606	ESTS	3.3
	457183	H91882	Hs.118569	DvI-binding protein IDAX (Inhibition of	
	431215	AA496078	HS.121004	Human DNA sequence from clone RP11-2180	3.3
				ret finger protein 2	3.3
10			Hs.193804 Hs.6829	Homo sapiens mRNA for KIAA1644 protein,	3.3
10		R43409 AW978484		Homo sapiens cDNA: FLJ22554 fis, clone H	3.3
		AI015709	Hs 172089	Homo sapiens mRNA; cDNA DKFZp586l2022	2 (13.3
	439237	AW408158	Hs 318893	ESTs, Weakly similar to A47582 B-cell gr	3.3
		BE300330	Hs.118725	selenophosphate synthetase 2	3.3
15		BE614387		c-Myc target JPO1	3.3
		U24683		Immunoglobulin heavy constant mu	3.3
		AA907734	Hs.124895	ESTs	3.3
	408877	AA479033	Hs.130315	ESTs, Weakly similar to A47582 B-cell gr	3.3
		C01765	Hs.38750	hypothetical protein FLJ11526	3.3
20 ⋅		AA912183	Hs.47447	ESTs	3.3
		U46258	Hs.339665		3.3 3.3
	404755		H- 440C00	Target Exon	3.2
	451871		Hs.118599		3.2
25		AW406289	HS.90090	hypothetical protein immunoglobulin heavy constant gamma 3 (G	
25		AA806105	HS.300037	NM_002795*:Homo sapiens proteasome (pro	s3.2
	400202 400222			NM_002082*:Homo sapiens G protein-couple	3.2
		BE045897	Hs 274454	ESTs, Weakly similar to 138022 hypotheti	3.2
		BE550224	Hs.74170	metallothionein 1E (functional)	3.2
30		AJ002744	Hs.246315	UDP-N-acetyl-alpha-D-galactosamine:polyp	3.2
•		A1027643	Hs.120912	FSTs	3.2
	442353	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	A 3.2
		U79745		solute carrier family 16 (monocarboxylic	3.2
		Al793257	Hs.128151		3.2 3.2
35		AA640891			3.2
		H04588	Hs.30469	ESTs	3.2
		A1244459	HS.110820	trinucleotide repeat containing 9 gb:nt78f05.x5 NCI_CGAP_Pr3 Homo sapien	
		AI821926	Hs.110857		3.2
40		NM_0151		KIAA0071 protein	3.2
40		Al472078	Hs.303662		3.2
		N30714	Hs.325960) membrane-spanning 4-domains, subfamily A	3.2
	418739	AA310964	Hs.88012	SHP2 interacting transmembrane adaptor	3.2
	442053	R35343	Hs.24968	Human DNA sequence from clone RP1-2330	G163.
45	434747	AA837085	Hs.220585	S FSTs	3.2
			3 Hs.334907	Homo sapiens, clone MGC:17333, mRNA, c	oms.2
			5 Hs.73792	complement component (3d/Epstein Barr vi	3.2 3.2
			Hs.61311	ESTs, Weakly similar to \$10590 cysteine	3.2
50			7 Hs.36972	CD7 antigen (p41)	3.2
50		B D50915	Hs.38365 Hs.10283	KIAA0125 gene product RNA binding motif protein 8B	3.2
		9 AL047586	9 Hs.11215		3.2
		3 W20128	Hs.29603		3.2
		4 AA31923		ESTs	3.2
55	45022	3 AA41820	4 Hs.24149	3 natural killer-tumor recognition sequenc	3.2
-			8 Hs.54642	methionine adenosyltransferase II, beta	3.2
	45112	8 AL11866	3 .	gb:DKFZp761l0310_r1 761 (synonym: ham	y2)3.2
	41779	3 AW40543	4 Hs.82575	small nuclear ribonucleoprotein polypept	3.2
	42802	7 U22029	Hs.33434	5 cytochrome P450, subfamily IIA (phenobar	3.2
60	44119	7 BE24463	8 Hs.166	sterol regulatory element binding transc	3.2
	42463	4 NM_0036	13Hs.15140	7 cartilage Intermediate layer protein, nu	3.2 3.2
	41998	6 AI345455	Hs.78915		
	41671	4 AF283//	0 Hs.79630		3.2
65	44946	5 NM_004. 6 W72424	80Hs.23598	5 S100 calcium-binding protein A9 (calgran	3.2
65	42210	9 W87707	Hs.82065		3.2
•	40907	3 AA32759	8 Hs.23378		3.2

		AA036849		Homo sapiens cDNA FLJ12763 fis, clone NT	
		AI733682	Hs.130239		3.2
		AI796870	Hs.54277		
5		AF076292 BE122762		forkhead box H1 ESTs	3.2
,		S57296		v-erb-b2 avian erythroblastic leukemia v	3.2 3.2
		AI703172		ESTs, Weakly similar to 2109260A B cell	3.1
		T06199		DnaJ (Hsp40) homolog, subfamily B, membe	
				Interleukin 21 receptor	3.1
10		A1278023	Hs.89986	ESTs	3.1
		BE388898		hypothetical protein FLJ11307	3.1
		AL137589		hypothetical protein DKFZp434K0410	3.1
	4290/1	AA247152	HS.211594	proteasome (prosome, macropain) 26S subu ESTs, Weakly similar to KIAA1074 protein	3.1
15	431574	AW572659	He 261373	hypothetical protein dJ434O14.3	3.1 3.1
		Al124756	Hs.5337	isocitrate dehydrogenase 2 (NADP), mitoc	3.1
	405017		110.0001	Target Exon	3.1
	433805	AA706910	Hs.112742		3.1
	437352	AL353957	Hs.284181	hypothetical protein DKFZp434P0531	3.1
20		X70297	Hs.2540	cholinergic receptor, nicotinic, alpha p	3.1
		NM_00114			3.1
				ESTs, Weakly similar to 138022 hypotheti	3.1
		Al267700 Al879263	Hs.317584 Hs.6986	Human glucose transporter pseudogene	3.1 3.1
25		AA890023		prolactin receptor	3.1
		BE387202			3.1
		AW247529		platelet-activating factor acetylhydrola	3.1
		Al638516	Hs.22630	cofactor required for Sp1 transcriptiona	3.1
20		AI885190	Hs.156089		3.1
30	416478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.1
	402327	INA		Target Exon Target Exon	3.1 3.1
		AA190712		gb:zp87f09.r1 Stratagene HeLa cell s3 93	3.1
		AL355722	Hs.106875	Homo sapiens EST from clone 35214, full	3.1
35	437036	Al571514	Hs.133022	ESTs	3.1
		NM_00057	9Hs.54443	chemokine (C-C motif) receptor 5	3.1
		AJ245210		gb:Homo sapiens mRNA for immunoglobulin	3.1
		AF052762 BE514514	Uc 100606	gb:Homo sapiens clone csneg8-1 immunoglo	
40		AU076633		coronin, actin-binding protein, 1A serine (or cysteine) proteinase inhibito	3.1 3.1
		N38857	Hs.203933		3.1
		D89974	Hs.121102		3.1
		Al399956	Hs.208956		3.1
4 ~				hypothetical protein FLJ20035	3.1
45		AW899713			3.1
		AW963838 AB012124		Homo sapiens cDNA FLJ12136 fis, clone MA	
	405381		ns.50090	transcription factor-like 5 (basic helix Target Exon	3.1 3.1
		AW503820	Hs.192861	Spi-B transcription factor (Spi-1/PU.1 r	3.1
50		AL133731	Hs.4774	Homo sapiens mRNA; cDNA DKFZp761C171:	
	425782	U66468	Hs.159525	cell growth regulatory with EF-hand doma	3.1
		W88562	Hs.108198		3.1
		AA234276		ESTs	3.1
55		X60992		ESTs, Moderately similar to 178885 serin	3.1
55			Hs.81226 He 183858	CD6 antigen transcriptional Intermediary factor 1	3.0
		BE241595		selectin L (lymphocyte adhesion molecule	3.0 3.0
	402606				3.0
	401451			NM_004496*:Homo saplens hepatocyte nucle	3.0
60				Homo sapiens cDNA FLJ11643 fis, done HE	
		BE384836		KIAA1821 protein	3.0
	416933 414324	BE561850 Y14768		small nuclear ribonucleoprotein polypept	3.0
	425081	X74794	Hs.890 Hs 154443	lymphotoxin beta (TNF superfamily, membe minichromosome maintenance deficient (S.	3.0 3.0
65	401519			C15000476*:gi[12737279]ref[XP_012163.1]	3.0
	411704	A1499220	Hs.71573	hypothetical protein FLJ10074	3.0
	428819	AL135623	Hs.193914	KIAA0575 gene product	3.0

	428423	AUU/651/	HS.1842/6	Solute carrier family a (sociultrulycrogen	3.0	
	413835	AJ272727	Hs.249163	fatty acid hydroxylase	3.0	
	412600	L28824	Hs.74101	spleen tyrosine kinase	3.0	
	410491	AA465131	Hs.64001	Homo sapiens done 25218 mRNA sequence	3.0	
5	433658	L03678	Hs.156110	Immunoglobulin kappa constant	3.0	
_		AI791495	Hs.180142	calmodulin-like skin protein	3.0	
	452514	AI904898		gb:RC-BT068-130399-085 BT068 Homo sapi	en3.0	
	429500	X78565	Hs.289114	hexabrachion (tenascin C, cytotactin)	3.0	
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	3.0	
10	437400	AB011542	Hs.5599	EGF-like-domain, multiple 5	3.0	
	452234	AW084176	Hs.223296	ESTs, Weakly similar to I38022 hypotheti	3.0	
	413269	BE167526		gb:CM4-HT0509-080300-107-g07 HT0509 H	omo	3.0
	453216	AL137566	Hs.32405	Homo sapiens mRNA; cDNA DKFZp586G03	21 (f	3.0
	400929			ENSP00000252232*:Sterol regulatory eleme	3.0	
15	445145	Al961702	Hs.147434		3.0	
	432615	AA557191	Hs.55028	ESTs, Weakly similar to 154374 gene NF2	3.0	
	423279	AW959861	Hs.290943	ESTs	3.0	
	429392	AL109712	Hs.296506	Homo saptens mRNA full length insert cDN	3.0	
	408548	AA055449		ESTs, Weakly similar to ALUC_HUMAN !!!!	3.0	
20	451346	NM_00633	8Hs.26312	glioma amplified on chromosome 1 protein	3.0	
	413109	AW389845	Hs.110855	ESTs	3.0	
	401714	NA		ENSP00000241802*:CDNA FLJ11007 FIS, C	CLON	3.0
	421462	AF016495	Hs.104624		3.0	
	421750	AK000768	Hs.107872	hypothetical protein FLJ20761	3.0	
25	453293	AA382267	Hs.10653	ESTs	3.0	
	457085	AA412446		ESTs	3.0	
	438930	AW843633	Hs.306163	hypothetical protein AL110115	3.0	

TABLE 22A

Table 22A shows the accession numbers for those pkeys lacking unigeneID's for Table 22.
For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey:	Unique Eos probeset Identifier number
CAT number:	Gene cluster number

CAT number:	Gene cluster number
Accession:	Genbank accession numbers

15			
10	Pkey	CAT number	Accessions
	407980	103087_1	AA046309 Al263500 AA046397
	410785	1221055_1	AW803341 AW803265 AW803403 AW803466 AW803402 AW803413 AW803268 AW803396 AW803334 AW803355
20	411743	1256098_1	AW862214 AW859811 AW862215
	412138	1279172_1	AW895387 AW895547 AW895564 AW895323 AW895405 AW895539 AW895538
	413269	1356961_1	BE167526 BE167651 BE076401 R24654
	416935	163179_1	AA190712 AA190665 AA252564
	422128	211994_1	AW881145 AA490718 M85637 AA304575 T06067 AA331991
25	423945	233566_1	AA410943 AW948953 AA334202 AA332882
	424109	235506_1	AW406878 AW966560 AW966151 AW966496 AA336174 AA335376 AA335537
	424128	235728_1	AW966163 AA335983 AA336011 AA335668 AA335973
	425331	250199_1	AW962128 AA355353 AA427363
	426878	273265_1	BE069341 AW748403 AL044891 Al908240 AA393080
30	432745	353673_1	AI821926 AA658826 AA564492 AA635129 AI791191
	441153	51084_2	BE562826 BE378727
	448212	755099_1	Al475858 AW969013
	451128	859865_1	AL118668 D78823 AI762176
	452514	920172_1	AI904898 AI904849 AI904899
35	456207	1650781	AA193450

TABLE 22B

Table 22B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 22. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

15				•
	Pkey	Ref	Strand	Nt_position
	400814	8569925	Minus	72840-72924,74761-74849
	400929	7651921	Minus	122033-122241,123483-124028
20	401045	8117619	Plus	90044-90184,91111-91345
	401451	6634068	Minus	119926-121272
	401519	6649315	Plus	157315-157950
	401645	7657839	Minus	34986-35133
	401714	6715702	Plus	96484-96681
25	401866	8018106	Plus	73126-73623
	402327	7656695	Minus	108675-108770,109801-109910
	402359	9211204	Minus	40403-41961
	402408	9796239	Minus	110326-110491
	402470	9797107	Plus	195129-195776
30	402542	9801558	Minus	67076-67594 ·
	402578	9884928	Plus	66350-66496
	402606	9909429	Minus	81747-82094
	403011	6693597	Minus	3468-3623
	403212	7630897	Minus	156037-156210
35	403329	8516120	Plus	96450-96598
	403366	8783692	Minus	49323-49652
	403485	9966528	Plus	2888-3001,3198-3532,3655-4117
	404347	9838195	Plus	74493-74829
	404580	6539738	Minus	240588-241589
40	404755	7706327	Minus	53729-53846
	405017	6532084	Plus	35551-35690
	405348	2914717	Minus	43310-43462
	405381	6006920	Minus	7636-8054
	405801	2924321	Plus	63469-63694
45	405850	6164995	Plus	13871-14110
	406153	9929734	Minus -	12902-13069
	406348	9255985	Minus	71754-71944

TABLE 23: 320 GENES DOWN-REGULATED IN BREAST CANCER COMPARED TO NORMAL ADULT BREAST

Table 23 shows 320 genes down-regulated in breast cancer compared to normal adult breast. 5 These were selected as for Table 22, except that the numerator was set to the median value for 12 non-malignant breast specimens, the denominator was set to the median value amongst the 73 breast cancers, the 90th percentile value amongst the 12 non-malignant breast specimens was greater than or equal 80 units, and the ratio was greater than or equal to 4.0 10 (i.e. 4-fold down-regulated in tumor vs. normal breast).

Pkey: ExAccn: Unique Eos probeset identifier number

Exemplar Accession number, Genbank accession number

15 UnigeneID: Unigene number

Unigene Title:

Unigene gene title
Ratio of 50th percentile normal body tissue to 75th percentile tumor

20	Pkey	ExAcon	UnigenetD	UnigeneTitle	Ratio
•	428722	U76456	Hs.190787	tissue Inhibitor of metalloprotelnase 4	22.4
	428848	NM_000230	Hs.194236	leptin (murine obesity homolog)	17.4
	445263	H57646	Hs.42586	KIAA1560 protein	15.4
25	418935	T28499	Hs.89485	carbonic anhydrase IV	15.0
	407228	M25079	Hs.155376	hemoglobin, beta	14.6
	417511	AL049176	Hs.82223	chordin-like	14.6
	439285	AL133916	Hs.172572	hypothetical protein FLJ20093	14.3
	412442	A1983730	Hs.26530	serum deprivation response (phosphatidyl	13.6
30	410544	A1446543	Hs.95511	ESTs	12.6
	412047	AA934589	Hs.49696	ESTs	12.2
	422667	H25642	Hs.133471	ESTs	12.0
	406664	L34041	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	12.0
	423201	NM_000163	Hs.125180	growth hormone receptor	11.7
35	422163	AF027208	Hs.112360	prominin (mouse)-like 1	10.8
	428769	AW207175	Hs.106771	ESTs	10.6
	407049	X72632		NM_021724*:Homo sapiens nuclear receptor	10.1
	412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	9.8
	425126	N32759	Hs.172944	chorionic gonadotropin, beta polypeptide	9.8
40	406791	A1220684	Hs.272572	hemoglobin, alpha 2	9.5
	447471	AF039843	Hs.18676	sprouty (Drosophila) homolog 2	9.5
	451533	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	9.4
	419407	AW410377	Hs.41502	hypothetical protein FLJ21276	9.0
	411939	AI365585	Hs.146246	ESTs	9.0
45	410532	T53088	Hs.155376	hemoglobin, beta	8.9
	425707	AF115402	Hs.11713	E74-like factor 5 (ets domain transcript	8.8
	416585	X54162	Hs.79386	leiomodin 1 (smooth muscle)	8.7
	443060	D78874	Hs.8944	procollagen C-endopeptidase enhancer 2	8.6
	435265	AA779958	Hs.185932	ESTs	8.5
50	422511	AU076442	Hs.117938	collagen, type XVII, alpha 1	8.4
	433138	AB029496	Hs.59729	semaphorin sem2	8.3
	402195			NM_004497*:Homo sapiens hepatocyte nucle	8.1
	429350	AI754634	Hs.131987	ESTs	8.1
	445107	Al208121	Hs.147313	ESTs, Weakly similar to 138022 hypotheti	8.1
55	406643	N77976	Hs.272572	hemoglobin, alpha 2	8.0
	410199	AW377424	Hs.205126	Homo sapiens cONA: FLJ22667 fis, clone H	8.0
	417225	AA815048	Hs.24078	hypothetical protein FLJ12649	7.8
		AA760849	Hs.294052	ESTs	7.5
		AK000027	Hs.98633	ESTs	7.5
60		NM_002599	Hs.154437	phosphodiesterase 2A, cGMP-stimulated	7.5
	430327	AW973636	Hs.55931	ESTs	7.4

PCT/US02/02242

	447577	Al393693	Hs.183297	DKFZP566F2124 protein	7.4
	446039	Al150491	Hs.90756	ESTs .	7.2
	422060	R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	7.2
	424455	AA452006	Hs.333199	ESTs	7.1
5	424343	AW956360	Hs.4748	adenylate cyclase activating polypeptide	7.1
	442792	AI352340	Hs.131194	ESTs	7.0
		Al219304	Hs.283108	hemoglobin, gamma G	6.9
		Al446183	Hs.9572	ESTs, Highly similar to CYA5_HUMAN ADENY	6.8
		AA346839	Hs.209100	DKFZP434C171 protein	6.7
10		A1478427	Hs.43125	esophageal cancer related gene 4 protein	6.7
10					
		AB002058	Hs.113275	purinergic receptor P2X-like 1, orphan r	6.7
		AA256395	Hs.88156	ESTs	6.6
	404368			ENSP00000241075":TRRAP PROTEIN.	6.6
		NM_006691	Hs.17917	extracellular link domain-containing 1	6.5
15	417090	AA193282	Hs.85863	ESTs, Weakly similar to B34612 zinc fing	6.5
	410677	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	6.5
	427283	AL119796	Hs.174185	ectonucleotide pyrophosphatase/phosphodi	6.5
	415011	AW963085		gb:EST375158 MAGE resequences, MAGH Horn	106.
		S72043	Hs.73133	metallothionein 3 (growth inhibitory fac	6.4
20		BE250659	Hs.15463	Homo saplens, done IMAGE:2959994, mRNA	6.4
		AA701483	Hs.36341	ESTs	6.3
	402779		110.000 11	Target Exon	6.3
			He 136204	EST	6.3
		AA213626	Hs.136204		
25		AA742697	Hs.62492	ESTs, Wealdy similar to B39066 proline-r	6.3
25		AA001732	Hs.173233	hypothetical protein FLJ10970	6.2
		BE143068		gb:MR0-HT0158-030200-003-b09 HT0158 Homo	16.2
		BE004783	•	gb:MR2-BN0114-270400-004-e11 BN0114 Home	
	447359	NM_012093	Hs.18268	adenylate kinase 5	6.1
	414323	NM_014759	Hs.334688	KIAA0273 gene product	6.1
30	441266	H15968	Hs.293845	Homo saplens, clone IMAGE:3502329, mRNA,	6.1
	417011	F08212	Hs.234898	ESTs, Weakly similar to 2109260A B cell	6.0
	400089	NA		Eos Control	6.0
		W07475	Hs.277101	cytochrome c oxidase subunit IV isoform	5.9
		N92818	Hs.64754	ESTs, Weakly similar to potential CDS [H	5.9
35		BE067414	110.0 0 .	gb;MR4-BT0355-200100-201-e05 BT0355 Homo	
55		AA062610	Hs.148050	EST	5.9
	406563		113.140030		5.9
			U= CE040	Target Exon	5.9
		AW451023	Hs.65848	hypothetical protein DKFZp761O132	
40		AA843387	Hs.87279	ESTs	5.9
40		NM_001874	Hs.334873	carboxypeptidase M	5.8
		AW809163		gb:MR4-ST0118-261099-012-a03 ST0118 Homo	
	453469	AB014533	Hs.33010	KIAA0633 protein	5.8
		Al372588	Hs.8022	TU3A protein	5.8
	426210	AA372052	Hs.334559	Homo sapiens cDNA FLJ14458 fis, clone HE	5.8
45	413065	BE063555		gb:CM1-BT0283-081199-033-d09 BT0283 Homo	5.8
	454192	AW876813	Hs.3343	phosphoglycerate dehydrogenase	5.7
		AW014486	Hs.22509	ESTs	5.7
		AW452355	Hs.256037	ESTs	5.7
		AL036557	Hs.95910	putative lymphocyte G0/G1 switch gene	5.7
50		AI695473	Hs.298006	ESTs	5.7
50					
		AA181641	Hs.184907	G protein-coupled receptor 1	5.6
	404689		11 00=100	Target Exon	5.6
		R68857	Hs.265499	ESTs	5.6
		S47833	Hs.82927	adenosine monophosphate deaminase 2 (iso	5.6
55		H23963	Hs.32043	ESTs	5.6
	431048	R50253	Hs.249129	cell death-inducing DFFA-like effector a	5.5
	452205	C15819		gb:C15819 Clontech human aorta polyA mRN	5.5
		AW444613	Hs.288809	hypothetical protein FLJ20159	5.5
		AB020629	Hs.38095	ATP-binding cassette, sub-family A (ABC1	5.5
60		A1668605	Hs.60380	ESTs, Moderately similar to ALU6_HUMAN A	5.5
~ ~		AA345824	Hs.76688	carboxylesterase 1 (monocyte/macrophage	5.5
	401665	. 2 10 10027	. 10.1 5000	C11000703:gi[10048448]ref[NP_065258.1] q	5.5
		T00070	He 101104		
		T99079	Hs.191194	ESTs	5.5
65		A1161428	Hs.75916	splicing factor 3b, subunit 2, 145kD	5.5
65		BE005346	Hs.116410	ESTs	5.5
		BE617015	Hs.11006	ESTs, Moderately similar to T17372 plasm	5.5
	ARR 177	A1432652	Hs 42824	hynothetical rootein Fl .110718	5.5

WO 02/059377

		AW016806	Hs.233108		5.5
		R25621		<u> </u>	5.4
		AA017590	Hs.129907		5.4
~		BE172240	Hs.126379	,	5.4
5		N49826	Hs.18602		5.4
		AA994520		gb:ou42g09.s1 Soares_NFL_T_GBC_S1 Homo s	
	403612			Target Exon	5.3
		AA007629	Hs.9739	glycerol-3-phosphate dehydrogenase 1 (so	5.3
	410057	R66634	Hs.268107	multimerin	5.3
10	428232	BE272452	Hs.183109		5.3
	432769	AA620814	Hs.144959	ESTs	5.3
	431344	R99530	Hs.272572	hemoglobin, alpha 2	5.3
	427032	AF012023	Hs.173274	integrin cytoplasmic domain-associated p	5.3
	406305	BE261320	Hs.158196	transcriptional adaptor 3 (ADA3, yeast h	5.3
15	437411	AW613948	Hs.194915	ESTs	5.3
		AI809481	Hs.131227	ESTs	5.3
	402054	NA		Target Exon	5.3
	432085	AF212829	Hs.272406	potassium channel, subfamily K, member 9	5.3
		R59638	Hs.6181	ESTs	5.2
20		AI904646			5.2
		AB037721	Hs.173871	KIAA1300 protein	5.2
		BE467930	Hs.170381	ESTs	5.2
		Al285901	Hs.181297	ESTs	5.2
	402698		110.101201	ENSP00000251335*:DJ1003J2.1 (sodium and	5.2
25	401810			Target Exon	5.2
23		AA827674	Hs.189073	ESTs	5.2
		AA424074	Hs.76780	protein phosphatase 1, regulatory (inhib	5.2
			Hs.180878	lipoprotein lipase	5.1
		M26380	Hs.76461		5.1
30		NM_006744		retinol-binding protein 4, interstitial	5.1
30		AW023469	Hs.65256	ESTs, Weakly similar to leucine-rich gli	5.1
		AI821324	Hs.100445	ESTS	5.1
	402583		11- 0740		5.1
		NM_006103	Hs.2719	HE4; WFDC2; putative ovarian carcinoma m	
25		Al435179	Hs.126820	ESTs	5.1
35		R53467	Hs.269122	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.1
		BE143867		gb:MR0-HT0164-070100-013-h02 HT0164 Homo	
		X03350	Hs.4	alcohol dehydrogenase 1B (class I), beta	5.1
		BE244537	Hs.167382	natriuretic peptide receptor A/guanylate	5.1
40		AA486620	Hs.41135	endomucin-2	5.0
40		AW026692	Hs.224829	ESTs	5.0
		D59597	Hs.118821	CGI-62 protein	5.0
		AI524307	Hs.162870	ESTs	5.0
		A1076012	Hs.121388	ESTs, Weakly similar to MDHC_HUMAN MALAT	5.0
		BE160229		gb:QV1-HT0413-090200-062-a12 HT0413 Homo	
45		AF012626	Hs.54472	fragile X mental retardation 2	5.0
	409853	AW502327		gb:UI-HF-BR0p-aka-a-07-0-UI.r1 NIH_MGC_5	5.0
	405062			Target Exon	5.0
	446490	AK000706	Hs.15125	hypothetical protein FLJ20699	5.0
		AW298163	Hs.82318	WAS protein family, member 3	5.0
50		AJ243662	Hs.110196	NICE-1 protein	5.0
	440338	R62431	Hs.12758	ESTs	5.0
	415421	R35009	Hs.24903	ESTs	5.0
	417574	R00348		gb:ye69e06.r1 Soares fetal liver spleen	5.0
	409882	AJ243191	Hs.56874	heat shock 27kD protein family, member 7	5.0
55	447998	A1768289	Hs.304389	ESTs	4.9
	445613	BE550889	Hs.158491	ESTs	4.9
		AW341470	Hs.144907	ESTs	4.9
	451324	A1783600	Hs.208052	ESTs	4.9
	432433	AW014734	Hs.157969	ESTs	4.9
60		AI989812	Hs.199850	ESTs	4.9
		N94587	Hs.55063	ESTs	4.9
		AW973716	Hs.13913	KIAA1577 protein	4.9
		AA682722	Hs.192725	ESTs	4.9
		AF026263	Hs.247920	cholinergic receptor, muscarinic 5	4.8
65		AW137094	Hs.97990	ESTs	4.8
		AA868510	Hs.112496	ESTs	4.8
		AI349351	Hs.118944	hypothetical protein FLJ22477	4.8
				••	

		X63094	Hs.283822		4.8
		N77624	Hs.173717		4.8
		BE063965		gb:QV3-BT0296-140200-085-h01 BT0296 Homo	
~		AW450451	Hs.266355		4.8
5		AW139474	Hs.246862		4.8
		AA843716	Hs.177927		4.7
		AI025499	Hs.132238		4.7
		Al383475	Hs.171697		4.7
10		BE386764		gb:601273249F1 NIH_MGC_20 Homo sapiens c	
10		AA398716	Hs.97418		4.7
		AW292618	Hs.113011		4.7
	401590				4.7
		AW134679	Hs.242849		4.7
1.0		AK000123	Hs.180479	· · · · · · · · · · · · · · · · · · ·	4.6
15		AA045290	Hs.25930		4.6
		R49187	Hs.6659	=	4.6
		AA972327	Hs.142903		4.6
		AW298235	Hs.101689		4.6
~~		Al382726	Hs.182434	·	4.6
20	403017				4.6
		N40087	Hs.15248		4.6
		H58589	Hs.35156		4.6
		M31158	Hs.77439	F	4.6
~ -		NM_001546	Hs.34853		4.6
25		Al142027	Hs.146650		4.6
		AL137698	Hs.46531	Homo sapiens mRNA; cDNA DKFZp434C1915 (f	
		AW204277	Hs.250723		4.6
		AF134707	Hs.278679		4.6
20		Al375984	Hs.167216		4.6
30		F00312		gb:HSBB0D101 STRATAGENE Human skeletal r	
		AJ348455			4.6
		AI290653	Hs.124758		4.6
		NM_014861	Hs.6168		4.6
25		AW015933	Hs.112654		4.5
35		S67580 `	Hs.1645		4.5
		H86385	Hs.81737		4.5
		AL389981	Hs.149219		4.5
		AA335769	Hs.16262		4.5
40		H73444	Hs.394		4.5
40		N94835	Hs.283828		4.5
		AF035303		• · · · · · · · · · · · · · · · · · · ·	4.5
		NM_012190	Hs.9520		4.5
		AA169114	Hs.12247		4.5
45		Z43619		• • • • • • • • • • • • • • • • • • • •	4.5
45		BE142052	Hs.62654		4.5
		BE387287	Hs.83384	\$100 calcium-binding protein, beta (neur	4.4
		Al356125	Hs.157767	ESTs, Wealdy similar to HXA2_HUMAN HOMEO	
		AA156998	Hs.211568	eukaryotic translation initiation factor	4.4
50	401093				4.4
50		AW206494	Hs.253560		4.4
		AW842353	Hs.321717		4.4
		AL133112	Hs.183085	Homo sapiens mRNA; cDNA DKFZp434K098 (fr	
		A1264634	Hs.131127	ESTs	4.4
		AL359599	Hs.283850	Homo sapiens mRNA; cDNA DKFZp547C126 (fr	
55	458494	AI380906	Hs.158436		4.4
		H03589		gb:yj42d08.r1 Soares placenta Nb2HP Homo	4.4
		R37101	Hs.20982		4.4
		AA807958	Hs.314232		4.4
CO		AI499723	Hs.135089	ESTs	4.4
60		H87407	Hs.172944	chorionic gonadotropin, beta polypeptide	4.4
		AF147401	Hs.23917	ESTS	4.3
	400870			C11000905:gi]11692565 gb AAG39879.1 AF28	4.3
		AA933590	Hs.28937	homeobox protein from AL590526	4.3
65		H45384		gb:yn99c10.r1 Soares adult brain N2b5HB5	4.3
65		M12873		gb:Human Ig rearranged H-chain mRNA VDJ4	4.3
		AV654020	Hs.184261	ESTs, Weakly similar to T26686 hypotheti	4.3
	403263	NA		Target Exon	4.3

	410034	BE067414		gb:MR4-BT0355-200100-201-e05 BT0355 Hom	n4 3
		AI421645	Hs.139851	caveolin 2	4.3
	448427	BE395260	Hs.309438	EST	4.3
	416931	D45371	Hs.80485	adipose most abundant gene transcript 1	4.3
5	421296	NM_002666	Hs.103253	perilipin	4.3
	400973			ENSP00000236667*: Mucin 5B (Fragment).	4.3
	452602	AW366194	Hs.55962	ESTs	4.3
		NM_005100	Hs.788	A kinase (PRKA) anchor protein (gravin)	4.3
4.0	405016			CY000171*:gij9280405jgbjAAF86402.1jAF245	4.3
10	435104	AI475671	Hs.88607	ESTs, Highly similar to F-box protein FB	4.3
	406118			ENSP00000246632:CDNA FLJ20261 fis, done	4.3
		T02850		gb:FB12A9 Fetal brain, Stratagene Homo s	4.3
		AA480818	Hs.221736	ESTs	4.3
1.5		AW451206	Hs.115899	ESTs	4.3
15		AA342329	Hs.115920	Homo saplens cDNA: FLJ22816 fis, clone K	4.3
		AI803166	Hs.28462	ESTs, Weakly similar to 138022 hypotheti	4.3
		Al377221	Hs.40528	ESTs	4.2
		BE293116	Hs.76392	aldehyde dehydrogenase 1 family, member	4.2
20	403921	AV652165	Hs.182482	ESTs, Weakly similar to T00362 hypotheti	4.2
20		AI798425	Hs.42710	C5000212*:gi 10047237 dbj BAB13407.1 (A	4.2
	406344		NS.42/ 10	ESTS	4.2
		AA191201	Hs.35861	C5001660:gi 11611537 dbj BAB18935.1 (AB DKFZP586E1621 protein	4.2 4.2
		BE155866	Hs.25522	KIAA1808 protein	4.2
25		AW070634	Hs.144794	ESTs	4.2
	404682		110.1111101	C9001188*:gi[12738842 ref[NP_073725.1] p	4.2
		N69913	Hs.6858	ESTs, Weakly similar to 178885 serine/th	4.2
	403433			NM_001622:Homo saplens alpha-2-HS-glycop	4.2
	446532	AW975460	Hs.143563	ESTs	4.2
30	414217	A1309298	Hs.279898	Homo sapiens cDNA: FLJ23165 fis, clone L	4.2
	418425	A1871247	Hs.6262	hypothetical protein MGC8407	4.2
		AW973708	Hs.201925	Homo sapiens cDNA FLJ13446 fis, clone PL	4.2
		AA397789	Hs.161803	ESTs	4.2
25		AF193807	Hs.131835	Rhesus blood group, B glycoprotein	4.2
35		Y09763	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	4.2
		AI733098	Hs.130800	ESTs	4.2
		AF086410		gb:Homo sapiens full length insert cDNA	4.2
		AA399975	Hs.274151	ligatin	4.2
40		AW594172	Hs.278513	TP53TG3 protein	4.2
40		T77545	Hs.187559	ESTS	4.2
		AI144152	Hs.58246	ESTs	4.2
		AA318060 NM_015977	Hs.135121	hypothetical protein FLJ22415	4.2
		R57171	Hs.285681 Hs.57975	Williams-Beuren syndrome chromosome regi	4.2
45	400545		115.57 57 5	calsequestrin 2 (cardiac muscle) Target Exon	4.1
	403051			Target Exon	4.1 4.1
		NM_005357	Hs.95351	lipase, hormone-sensitive	4.1
		AA007534	Hs.125062	ESTs	4.1
	453261	AA034116	Hs.118494	ESTs	4.1
50	440246	W52010	Hs.191379	ESTs	4.1
		Al307802	Hs.135560	ESTs, Weakly similar to T43458 hypotheti	4.1
		Al150595	Hs.122226	ESTs	4.1
		AA082947		gb:zn10g07.s1 Stratagene hNT neuron (937	4.1
<i>c c</i>		BE270758	Hs.69428	hypothetical protein MGC3020	4.1
55		Al306150	Hs.153450	ESTs, Weakly similar to 1909123A Na gluc	4.1
		AK000708	Hs.169764	hypothetical protein FLJ20701	4.1
		AL110416	11 400-50		4.1
		AW817177	Hs.102558	Homo sapiens, clone MGC:5352, mRNA, comp	4.1
60		AA203281	Hs.21798	ESTs	4.1
60		AW118878	Hs.110835	ESTS	4.1
		AW807116 AW631296		gb:MR4-ST0062-040100-024-b12 ST0062 Homo	4.1
	435942		Hs.191215	gb:hh83c09.y1 NCL_CGAP_GU1 Homo sapiens ESTs	
	417629		113.131213		4.1
65	403593				4.1 4.0
	402690			- · .~	4.0 4.0
	418190	R49591	Hs.270425		4.0

	408641 AW245207	Hs.5555	hypothetical protein MGC5347	4.0
	427899 AA829286	Hs.332053	serum amyloid A1	4.0
	445975 AI811536	Hs.145734	ESTs	4.0
	438831 BE263273	Hs.6439	synapsin II	4.0
5	455578 BE006350	Hs.14355	Homo sapiens cDNA FLJ13207 fis, done NT	4.0
	401840 NA		Target Exon	4.0
	413753 U17760	Hs.75517	laminin, beta 3 (niceln (125kD), kalinin	4.0
	445030 Al205925	Hs.147238	ESTs, Highly similar to AAC3_HUMAN ALPHA	4.0
	433873 AW156913	Hs.150478	ESTs, Weakly similar to A Chain A, Cryst	4.0
10	456736 AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	4.0
	450112 BE047734	Hs.5473	ESTs, Moderately similar to ALU5_HUMAN A	4.0
	AARONG AISROSST	He 300710	FSTe	40

TABLE 23A

Table 23A shows the accession numbers for those pkeys lacking unigeneID's for Table 23. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10

Pkey: Unique Eos probeset identifier number

CAT number: Gene duster number Genbank accession numbers Accession:

454404 1170594_1

454775 1234106_1

455282 1273020_1

459159 919998_1

15

CAT number Accessions 409853 1156226_1 AW502327 AW502488 AW501829 AW502625 AW502687 20 BE067414 BE067958 BE067419 BE067963 AW577127 AW601412 410034 1170594_1 410233 118656_1 AA082947 AA083036 H03589 AW750687 AW750688 410490 1205347_1 AW809163 AW809247 AW809177 AW809190 AW809225 410882 1225686_1 BE143068 AW849143 AW848705 AW848569 AW848071 AW848475 AW848092 AW848005 411478 1247073_1 25 413065 1347960_1 BE063555 BE151321 BE151319 BE151657 BE151655 BE063556 BE151322 BE063965 BE063968 BE064034 BE064028 BE063874 BE063966 BE063869 BE064043 BE064033 BE063884 413072 1348163_1 414593 1464909_1 BE386764 BE387560 414913 1506721_1 R25621 C03959 C04010 415011 151328_1 AW963085 AA159005 AW963073 30 415986 1564410_1 Z43619 R61274 H12206 R12883 1583547_1 416267 H45384 H49125 H41699 417574 1687770_1 R00348 R09593 417629 1690392_1 T76945 R20210 R05755 418556 1767866_-1 T02850 35 419583 186198_1 F00312 AA247490 F31427 AA383663 F22045 426328 264901_1 AW631296 AA375484 439590 47413_1 AF086410 W94386 W74609 442398 541271_1 AA994520 AW393574 452205 90415_1 C15819 AA024741 AA024742 40 452654 925931_1 BE004783 BE004947 AI911790 453692 977825_1 AL110416 AW876759 AW807116 AW807569 AW807415 AW807338 AW807288 AW807263 AW807316 AW177402 AW807413 AW807068 BE141561 454183 1049636_1 BE141569 AW807401 AW807310 BE141565 AW807318 AW807119 AW807299 AW807241 AW807225 AW807204 AW807345 AW807103 BE141615 AW807431 AW807393 AW807337 AW807406 AW807259 AW807375 AW845890 AW807220 AW807399 45 AW807064 AW807376 AW807024 BE141595 AW807236 AW807027 AW807112 AW807378 AW807202 BE141593 AW807216 AW807138 AW807244 AW807221 AW807297 AW807050 AW807248 AW807404 AW807075 AW807237 AW807212 AW807308 AW807110 AW807104 BE140912 AW807301 AW807382 AW807294 AW807026 AW807020 AW807108 AW807025 AW807433 AW807124 AW807419 AW807031 AW807264 AW807032 AW807029 AW807052 AW807391 AW807207 AW807215 AW807019 AW807238 AW807201 BE141590 AW807302 AW807323 AW807380 AW807109 BE141588 AW845877 AW807418 AW807407 50 AW807309 BE141614 AW845861 AW807396 AW807300 AW807348 AW807311 AW807214 AW807132 AW807402 AW807350 AW807028 AW807298 AW807291 AW807305 AW807217 AW807312 AW807261 AW807268 AW807260 AW807266 AW807198 AW807346 AW807315 BE140940 AW807351 AW807122 AW807235 AW807076 AW807314 AW807213 AW807143 AW807131 AW800079 AW807066 AW807077 AW845923 AW807421 BE141619 BE140943 AW807420 AW807381 BE141621 AW845921 BE141629 BE141625 BE141624 BE141636 BE141630 AW807405 AW807290 AW807353 55

BE067414 BE067958 BE067419 BE067963 AW577127 AW601412

BE143867 AW935060 AW886684

Al904646 BE179494 BE179421

BE160229 AW819879 AW820179 AW819882 AW819876 AW820169 BE153201 AW993736 BE152911

TABLE 23B

Table 23B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 23. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed

.10	Pkey:	Unique number corresponding to an Eos probeset
·10	Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication
		entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand:	Indicates DNA strand from which exons were predicted.
	Nt_position:	Indicates nucleotide positions of predicted exons.
15		

15				
	Pkey	Ref	Strand	Nt_position
	400545	9800107	Minus	124618-124881
	400870	9838306	Minus	34081-35027
20	400973	7960452	Minus	98119-98253
	401093	8516137	Minus	22335-23166
	401590	9966320	Minus	33547-33649
	401665	7145001	Plus	121591-122537
	401810	7342191	Plus	129063-129476
25	401840	7684597	Plus	56283-56439
	402054	8083691	Minus	8288-8806
	402195	7689778	Minus	147901-148884
	402583	7684486	Pius	94883-95003
	402690	8348058	Plus	13368-13998
30	402698	8570304	Minus	108641-108903
	402779	9588555	Minus	38173-39210
	403017	6693623	Plus	78630-79367
	403051	4827080	Minus	5269-5411
	403263	7770677	Plus	52431-52737
35	403433	9719611	Minus	72225-72437
	403593	6862650	Minus	62554-62712,69449-69602
	403612	8469060	Minus	94723-94859
	403921	7711590	Minus	3297-3536
	404368	7630956	Minus	102053-102199
40	404682	9797231	Minus	40977-41150
	404689	7534100	Plus	119461-119717
	405016	6524300	Plus	51997-53308
	405062	7657730	Plus	101283-101432
	406118	9143818	Plus	53997-54629
45	406344	9255974	Plus	20254-20374,20526-20659,20835-21097
	406563	7711604	Plus	34401-34538

TABLE 24:

Table 24 depicts Seq ID No., UnigeneID, UnigeneTitle, Pkey, Pred.Cell.Loc., and ExAcon for all of the sequences in Table 25. The information in Table 24 is linked by Seq ID No. to Table 25.

10	Pkey: ExAccn: UnigenelD: Unigene Title:	Unique Eos pro Exemplar Acce Unigene numbe Unigene gene ti			
15	Pred.Cell.Loc.: Seq.ID.No.:	Predicted Cellui Sequence	ue lar Localization e Identification Number found in Table 25		
	Pkey ExAccr	UnigeneID	Unigene Title	Pred.Cell.Loc.	Seq. ID. No.
20	449746 Al66859 407276 Al95111 415539 Al73388 400297 Al12707 450375 AA0096	8 Hs.326736 1 Hs.72472 6 Hs.334473	ESTs, Weakly similar to CP4Y_HUMAN CYT Homo saplens breast cancer antigen NY-BR BMP-R1B hypothetical protein DKFZp564O1278 a disintegrin and metalloproteinase doma	oc	Seq ID 1 & 2 Seq ID 3 & 4 Seq ID 5 & 6 Seq ID 7 & 8
25	102457 NM_001 429170 NM_001 424399 AI90568 422505 AL12086 449765 N92293	394Hs.2359 394Hs.2359 7 Hs.2533	dual specificity phosphatase 4 dual specificity phosphatase 4 aldehyde dehydrogenase 9 family, member ESTs ESTs, Moderately similar to ALU8_HUMAN A	nuclear nuclear cytoplasm	Seq ID 9 & 10 Seq ID 11 & 12 Seq ID 11 & 12 Seq ID 13 & 14 Seq ID 15 & 16 Seq ID 17 & 18
30	425692 D90041 426215 AW9634 439840 AW4492 410102 AW2485 429220 AW2072	11 Hs.105445 08 Hs.279727	N-acetyltransferase 1 (arylamine N-acety stanniocalcin 2 GDNF family receptor alpha 1 Homo sapiens cDNA FLJ14035 fis, clone HE ESTs		Seq ID 19 & 20 Seq ID 21 & 22 Seq ID 23 & 24 Seq ID 25 & 26 Seq ID 27 & 28
35	416276 U41060 409079 W87707 442818 AK00174 442082 R41823 444381 BE38733	11 Hs.8739 Hs.7413	LIV-1 protein, estrogen regulated interleukin 6 signal transducer (gp130, hypothetical protein FLJ10879 ESTs ESTs, Weakly similar to S64054 hypotheti		Seq ID 29 & 30 Seq ID 31 & 32 Seq ID 33 & 34 Seq ID 35 & 36 Seq ID 37 & 38
40	446163 AA02688 416636 N32536 442117 AW66494 433043 W57554 429353 AL11740	Hs.25252 Hs.42645 Hs.128899 Hs.125019	Homo sapiens cDNA FLJ13603 fis, clone PL solute carrier family 16 (monocarboxylic ESTs lymphoid nuclear protein (LAF-4) mRNA ATP-binding cassette transporter MRP8		Seq ID 39 & 40 Seq ID 41 & 42 Seq ID 43 & 44 Seq ID 45 & 46
45	452190 H26735 446733 AA86336 452747 BE15385 423242 AL03940 417433 BE27026	Hs.91668 0 Hs.26040 5 Hs.61460 2 Hs.125783	Homo sapiens done PP1498 unknown mRNA ESTs, Weakly similar to fatty acid omega Ig superfamily receptor LNIR DEME-6 protein 5T4 oncofetal trophoblast glycoprotein		Seq ID 47 & 48 Seq ID 49 & 50 Seq ID 51 & 52 Seq ID 53 & 54 Seq ID 55 & 56
50	432201 Al538613 423961 D13666 439569 AW60216 114480 BE066774 404561	Hs.298241 Hs.136348 66 Hs.222399	Transmembrane protease, serine 3 osteoblast specific factor 2 (fascictin CEGP1 protein UDP-N-acetyl-alpha-D-galactosamine:potyp NM_014112*:Homo sapiens trichorhinophala	mitochodria	Seq ID 57 & 58 Seq ID 59 & 60 Seq ID 61 & 62 Seq ID 63 & 64 Seq ID 65 & 66 Seq ID 67 & 68
55	325372 NA 112287 AB03306- 335824 NA 424735 U31875 400289 X07820 427585 D31152	Hs.272499 Hs.2258 Hs.179729	KIAA1238 protein ENSP00000249072*:DJ222E13.1 (N-TERMIN. short-chain alcohol dehydrogenase family matrix metalloproteinase 10 (stromelysin	nuclear AL	Seq ID 69 & 70 Seq ID 71 & 72 Seq ID 73 & 74 Seq ID 75 & 76 Seq ID 77 & 78
60	429925 NM_0007 429441 AJ224172 421155 H87879 420931 AF044197 420813 X51501 452744 Al267652	86Hs.226213 Hs.204096 Hs.102267 Hs.100431 Hs.99949	lipophilin B (uteroglobin family member) lysyl oxidase small inducible cytokine B subfamily (Cy	ER extracellular nuclear (fr	Seq ID 79 & 80 Seq ID 81 & 82 Seq ID 83 & 84 Seq ID 85 & 86 Seq ID 87 & 88 Seq ID 89 & 90 Seq ID 91 & 92

	420757	X78592	Hs.99915	androgen receptor (dihydrotestosterone r	cytoplasm	Seq ID 93 & 94
	424905	NM 00249	7Hs.153704	NIMA (never in mitosis gene a)-related k	nuclear	Seq ID 95 & 96
	429859	NM 007050	OHs.225952	protein tyrosine phosphatase, receptor t		Seq ID 97 & 98
	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	extracellular	Seq ID 99 & 100
5		AJ245671	Hs.12844	EGF-like-domain, multiple 6		Seq ID 101 & 102
-	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 103 & 104
	424001	W67883	Hs.137476	paternally expressed 10		Seq ID 105 & 106
	421727	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3		Seq ID 107 & 108
		U65011	Hs.30743	preferentially expressed antigen in mela	nuclear	Seq ID 109 & 110
10	419667	AU077005	Hs.92208	a disintegrin and metalloproteinase doma		Seq ID 111 & 112
	414812	X72755	Hs.77367	monokine induced by gamma Interferon	extracellular	Seg ID 113 & 114
	426320	W47595	Hs.169300	transforming growth factor, beta 2	extracellular	Seq ID 115 & 116
	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	extracellular	Seq ID 117 & 118
	411558	AA102670	Hs.70725	gamma-aminobutyric acid (GABA) A recepto		Seq ID 119 & 120
15	417866	AW067903	Hs.82772	collagen, type XI, alpha 1		Seq ID 121 & 122
	428398	AI249368	Hs.98558	ESTs		Seq ID 123 & 124
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	plasma membrane	eSeq ID 125 & 126
	428722	U76456	Hs.190787	tissue inhibitor of metalloproteinase 4		Seq ID 127 & 128
	412970	AB026436	Hs.177534	dual specificity phosphatase 10		Seq ID 129 & 130
20	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	extracellular	Seq ID 131 & 132
	415752	BE314524	Hs.78776	putative transmembrane protein		Seg ID 133 & 134
	444051	N48373	Hs.10247	activated teucocyte cell adhesion molecu		Seq ID 135 & 136
	451110	A1955040	Hs.265398	ESTs, Weakly similar to transformation-r		Seq ID 137 & 138

TABLE 24A

Table 24A shows the accession numbers for those pkeys lacking unigeneID's for Table 24. For each probeset, we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Pkey: Unique Eos probeset identifier number Gene cluster number Genbank accession numbers

15 Pkey CAT number Accession

5

335824 CH22_3197FG_619_11_LINK_E 325372 c12_hs

TABLE 24B

Table 24B shows the genomic positioning for those pkeys lacking unigene ID's and accession numbers in Table 24. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

10	Pkey: Ref:	Unique number corresponding to an Eos probeset Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
	Strand: Nt_position:	Indicates DNA strand from which exons were predicted. Indicates nucleotide positions of predicted exons.

 Pkey
 Ref
 Strand
 Nt_position

 404561
 9795980
 Minus
 69039-70100

20

_ .

Table 25

75

Seq ID NO: 1 DNA sequence

The 69 gene sequences identified to be overexpressed in breast cancer may be used to identify coding regions from the public DNA databases (nr and htgs in Genbank). The sequences may be used to either identify genes that encode known proteins, or they may be used to predict the coding regions from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev, 2000, Genome Res. 10:516-522)

Nucleic Acid Accession #: FGENESH predicted ORF 1-1518 (underlined sequences correspond to start and stop codons) Coding sequence: 10 ATGAGGCCCT CCTGGCTTCA GGAACTCATG GCTCACCCCT TCTTGCTGCT GATCCTCCTC 60
TGCATGTCTC TGCTGCTGTT TCAGGTAATC AGGTTGTACC AGAGGAGGAG ATGGATGATC 120
AGAGCCCTGC ACCTGTTTCC TGCACCCCCT GCCCACTGGT TCTATGGCCA CAAGGAGTTT 180
TACCCAGTAA AGGAGTTTGA GGTGTATCAT AAGCTGATGG AAAAATACCC ATGTGCTGTT 240 15 CCCTTGTGGG TTGGACCCTT TACGATGTTC TTCAGTGTCC ATGACCCAGA CTATGCCAAG 300 ATTCTCCTGA AAAGACAAGA TCCCAAAAGT GCTGTTAGCC ACAAAATCCT TGAATCCTGG 360 GTTGGTCGAG GACTTGTGAC CCTGGATGGT TCTAAATGGA AAAAGCACCG CCAGATTGTG 420 20 AAACCTGGCT TCAACATCAG CATTCTGAAA ATATTCATCA CCATGATGTC TGAGAGTGTT 480
CGGATGATGC TGAACAATCAG CATTCTGAAA ATATTCATCA CCATGATGTC TGAGAGTGTTT 540
CAACATGTCT CCCTGATGAC CCTGGACAGC ATCATGAAGT GTGCCTTCAG CCACCAGGGC 600
AGCATCAGT TGGACAGTAC CCTGGACTCA TACCTGAAAG CAGTGTTCAA CCTTAGCAAA 660
ATCTCCAACC AGCGCATGAA CAATTTTCTA CATCACAACG ACCTGGTTTT CAAATTCAGC 720 25 TCTCAAGGCC AAATCTTTTC TAAATTTAAC CAAGAACTTC ATCAGTTCAC AGAGAAAGTA 780 ATCCAGGACC GGAAGGAGTC TCTTAAGGAT AAGCTAAAAC AAGATACTAC TCAGAAAAGG 840 CGCTGGGATT TTCTGGACAT ACTTTTGAGT GCCAAAAGCG AAAACACCAA AGATTTCTCT 900
GAAGCAGATC TCCAGGCTGA AGTGAAAACG TTCATGTTTG CAGGACATGA CACCACATCC 960
AGTGCTATCT CCTGGATCCT TTACTGCTTG GCAAAGTACC CTGAGCATCA GCAGAGATGC 1020 AGTIGCTATICT CCTGGATCCT TTACTGCTTG GCAAAGTACC CTGAGCATCA GCACAGATGC 1020
CGAGATGAAA TCAGGGAACT CCTCAGGGGAAT GGGTCTTCTA TTACCTGGGA ACACCTGAGC 1080
CAGATGCCTT ACACCACGAT GTGCATCAAG GAATGCCTCC GCCTCTACGC ACCGGTAGTA 1140
AACATATCCC GGTTACTCGA CAAACCCATC ACCTTTTCCAG ATGGAACGCTC CTTACCTGCA 1200
GGAATAACTG TGTTTATCAA TATTTGGGGT CTTCACCACA ACCCCTATTT CTGGGAAGAC 1250
CCTCAGGTCT TTAACCCCTT GAGATTCTCC AGGGAAAATT CTGAAAAAAT ACATCCCTAT 1320
GCCTTCATAC CATTCTCAGC TGGATTAAAGG AACTGCATTG GGCAGCATTT TGCCATAAAT 1380
GAGTGTAAAG TGGCAGTGCC ATTAAACTGCTCCCATCA AGCTGCTCC AGACCACTCA 1440 30 35 GAGTGTAAAG TGGCAGTGGC ATTAACTCTG CTCCGCTTCA AGCTGGCTCC AGACCACTCA 1440
AGGCCTCCCC AGCCTGTTCG TCAAGTTGTC CTCAAGTCCA AGAATGGAAT CCATGTGTTT 1500 GCAAAAAAAG TITIGCTAATT TTAAGTCCTT TCGTATAAGA ATTAATGAGA CAATTTTCCT 1560 ACCAAAGGAA GAACAAAAGG ATAAATATAA TACAAAATAT ATGTATATGG TTGTTTGACA 1620 AATTATATAA CTTAGGATAC TTCTGACTGG TTTTGACATC CATTAACAGT AATTTTAATT 1680 40 TCTTTGCTGT ATCTGGTGAA ACCCACAAAA ACACCTGAAA AAACTCAAGC TGACTTCCAC 1740 TGCGAAGGGA AATTATTGGT TTGTGTAACT AGTGGTAGAG TGGCTTTCAA GCATAGTTTG 1800 ATCAAAACTC CACTCAGTAT CTGCATTACT TTTATCTCTG CAAATATCTG CATGATAGCT 1860 TTATTCTCAG TTATCTTTCC CCAATAATAA AAAA 45 Seq ID NO: 2 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted 50 31 21 41 MEPSWLQELM AHPFILLILL CMSLLLFQVI RLYQRRRWMI RALHLFPAPP AHWFYGHKEF 60 YPVKEFEVYH KLMEKYPCAV PLWVGPFTMF FSVHDPDYAK ILLKRQDPKS AVSHKILESW 120 VGRGLVTLDG SKWKKHRQIV KPGFNISILK IFITMMSESV RMMLNKWEER IAQNSRLELF 180 OHVSLMTLDS IMKCAFSHQG SIQLDSTLDS YLKAVFNLSK ISNQRMNNFL HHNDLVFKFS 240
SQGQIFSKFN QELHQFTEKV IQDRKESLKD KLKQDTTQKR RWDFLDILLS AKSENTKDFS 300
EADLQAEVKT FMFAGHDTTS SAISWILYCL AKYPEHQQRC RDEIRELLGD GSSITWEHLS 360
QMPYTTMCIK ECLRLYAPVV NISRLLDKPI TFPDGRSLPA GITVFRNIWA LHHNPYFWED 420
PQVFNPLRFS RENSEKIHPY AFIPFSAGLR NCIGQHFAII ECKVAVALTL LRFKLAPDHS 480 55 60 RPPQPVRQVV LKSKNGIHVF AKKVC Seq ID NO: 3 DNA sequence Nucleic Acid Accession #: NM 052997 100-4125 (underlined sequences correspond to start and stop codons) Coding sequence: 65 41 21 31 CTAGTCTATA CCAGCAACGA CTCCTACATC GTCCACTCTG GGGATCTTAG AAAGATCCAT 60 70 AAAGCTGCCT CCCGGGGACA AGTCCGGAAG CTGGAGAAGA TGACAAAAGA GAAGAAGACC 120
ATCAACCTTA ATATACAAGA CGCCCAGAAG AGGACTGCTC TACACTGGGC CTGTGTCAAT 180
GGCCATGAGG AAGTAGTAAC ATTTCTGGTA GACAGAAAGT GCCAGCTTGA CGTCCTTGAT 240 GGCGAACACA GGACACCTCT GATGAAGGCT CTACAATGCC ATCAGGAGGC TTGTGCAAAT 300

ATTCTGATAG ATTCTGGTGC CGATATAAAT CTCGTAGATG TGTATGGCAA CATGGCTCTC 360 CATTATGCTG TTTATAGTGA GATTTTGTCA GTGGTGGCAA AACTGCTGTC CCATGGTGCA 420

GTCATCGAAG TGCACAACAA GGCTAGCCTC ACACCACTTT TACTATCCAT AACGAAAAGA 480

AGTGAGCAAA TTGTGGAATT TTTGCTGATA AAAAATGCAA ATGCGAATGC AGTTAATAAG 540
TATAAATGCA CAGCCCTCAT GCTTGCTGTA TGTCATGGAT CATCAGAGAT AGTTGGCATG 600 CTTCTTCAGC AAAATGTTGA CGTCTTTGCT GCAGATATAT GTGGAGTAAC TGCAGAACAT 660 TATGCTGTTA CTTGTGGATT TCATCACATT CATGAACAAA TTATGGAATA TATACGAAAA 720 TTATCTAAAA ATCATCAAAA TACCAATCCA GAAGGAACAT CTGCAGGAAC ACCTGATGAG 78 GCTGCACCCT TGGCGGAAG AACACCTGAC ACAGCTGAAA GCTTGGTGGAA AAAAACACCT 840
GATGAGGCTG CACCCTTGGT GGAAAGAACA CCTGACACGG CTGAAAGCTTGGTGGAAAAAA 900
ACACCTGATG AGGCTGCATC CTTGGTGGAG GGAACATCTG ACAAAATTCA ATGTTTGGAG 960
ACACCTGATG AGGCTGCATC CTTGGTGGAG GGAACATCTG ACAAAATTCA ATGTTTGGAG 960
ACACCTGATA AGGCACATC CTGGAACAGTCA GCAGAAGAAA CACCTAGGGA AATTACGAGT 1020
CCTGCAAAAG AAACATCTGA GAAAATTTACG TGGCCAGCAA AAGGAAGACC TAGGAAGATC 1080
GCATGGGAGA AAAAAGAAAGA CACACCTAGG GAAATTTATG GTCCCGCAAA AGAACATCT 1140 10 GAGAAATTTA CGTGGGCAGC AAAAGGAAGA CCTAGGAAGA TCGCATGGGA GAAAAAAGAA 1200 ACACCTGTAA AGACTGGATG CGTGGCAAGA GTAACATCTA ATAAAACTAA AGTTTTGGAÅ 1260 AAAGGAAGAT CTAAGATGAT TGCATGTCCT ACAAAAGAAT CATCTACAAA AGCAAGTGCC 1320 15 AATGATCAGA GGTTCCCATC AGAATCCAAA CAAGAGGAAG ATGAAGAATA TTCTTGTGAT 1380
TCTCGGAGTC TCTTTGAGAG TTCTGCAAAG ATTCAAGTGT GTATACCTGA GTCTATATAT 1440
CAAAAAGTAA TGGAGATAAA TAGAGAAGTA GAAGAGCCTC CTAAGAAGCC ATCTGCCTTC 1500 AAGCCTGCCA TTGAAATGCA AAACTCTGTT CCAAAATAAAG CCTTTGAATT GAAGAATGAA 1560
CAAACATTGA GAGCAGATCC GATGTTCCCA CCAGAATCCA AACAAAAGGA CTATGAAGAA 1620
AATTCTTGGG ATTCTGAGAG TCTCTGTGAG ACTGTTTCAC AGAAGGATGT GTGTTTACCC 1680 20 AAGGCTACAC ATCAAAAAGA AATAGATAAA ATAAATGGAA AATTAGAAGA GTCTCCTAAT 1740 AAAGATGGTC TTCTGAAGGC TACCTGCGGA ATGAAAGTTT CTATTCCAAC TAAAGCCTTA 1800 GAATTGAAGG ACATGCAAAC TTTCAAAGCG GAGCCTCCGG GGAAGCCATC TGCCTTCGAG 1860 CCTGCCACTG AAATGCAAAA GTCTGTCCCA AATAAAGCCT TGGAATTGAA AAATGAACAA 1920 ACATGGAGAG CAGATGAGAT ACTCCCATCA GAATCCAAAC AAAAGGACTA TGAAGAAAAT 1980 TCTTGGGATA CTGAGAGTCT CTGTGAGACT GTTTCACAGA AGGATGTGTG TTTACCCAAG 2040 25 GCTGCGCATC AAAAAGAAAT AGATAAAATA AATGGAAAAT TAGAAGGGTC TCCTGTTAAA 2100 GATGGTCTTC TGAAGGCTAA CTGCGGAATG AAAGTTTCTA TTCCAACTAA AGCCTTAGAA 2160 TTGATGGACA TGCAAACTTT CAAAGCAGAG CCTCCCGAGA AGCCATCTGC CTTCGAGCCT 2220 30 GCCATTGAAA TGCAAAAGTC TGTTCCAAAT AAAGCCTTGG AATTGAAGAA TGAACAAACA 2280 TTGAGAGCAG ATGAGATACT CCCATCAGAA TCCAAACAAA AGGACTATGA AGAAAGTTCT 2340 TGGGATTCTG AGAGTCTCTG TGAGACTGTT TCACAGAAGG ATGTGTGTTT ACCCAAGGCT 2400 ACACATCAAA AAGAAATAGA TAAAATAAAT GGAAAATTAG AAGAGTCTCC TGATAATGAT 2460 GGTTTTCTGA AGGCTCCCTG CAGAATGAAA GTTTCTATTC CAACTAAAGC CTTAGAATTG 2520 35 ATGGACATGC AAACTTTCAA AGCAGAGCCT CCCGAGAAGC CATCTGCCTT CGAGCCTGCC 2580
ATTGAAATGC AAAAGTCTGT TCCAAATAAA GCCTTGGAAT TGAAGAATGA ACAAACATTG 2640
AGAGCAGATC AGATGTTCCC TTCAGAATCA AAACAAAAGA AGGTTGAAGA AAATTCTTGG 2700 GATTCTGAGA GTCTCCGTGA GACTGTTTCA CAGAAGGATG TGTGTGTACC CAAGGCTACA 2760 CATCAAAAAG AAATGGATAA AATAAGTGGA AAATTAGAAG ATTCAACTAG CCTATCAAAA 2820 ATCTTGGATA CAGTTCATTC TTGTGAAAGA GCAAGGGAAC TTCAAAAAGA TCACTGTGAA 2880 40 CAACGTACAG GAAAAATGGA ACAAATGAAA AAGAAGTTTT GTGTACTGAA AAAGAAACTG 2940 TCAGAAGCAA AAGAAATAAA ATCACAGTTA GAGAACCAAA AAGTTAAATG GGAACAAGAG 3000 CTCTGCAGTG TGAGATTGAC TTTAAACCAA GAAGAAGAA AGGAAGAAA TGCCGATATA 3060 TTAAATGAAA AAATTAGGGA AGAATTAGGA AGAATCGAAG AGCAGCATAG GAAAGAGTTA 3120 GAAGTGAAAC AACAACTTGA ACAGGCTCTC AGAATACAAG ATATAGAATT GAAGAGTGTA 3180 45 · GAAAGTAATT TGAATCAGGT TTCTCACACT CATGAAAATG AAAATTATCT CTTACATGAA 3240
AATTGCATGT TGAAAAAGGA AATTGCCATG CTAAAACTGG AAAATTATCT CTTACATGAA 3240
CAATACCAGG AAAAGGAAAA TAAATACTTT GAGGACATTA AGATTTTAAA AGAAAAGAAT 3360 GCTGAACTTC AGATGACCCT AAAACTGAAA GAGGAATCAT TAACTAAAAG GGCATCTCAA 3420 TATAGTGGGC AGCTTAAAGT TCTGATAGCT GAGAACACAA TGCTCACTTC TAAATTGAAG 3480 GAAAAACAAG ACAAAGAAAT ACTAGAGGCA GAAATTGAAT CACACCATCC TAGACTGGCT 3540 50 TCTGCTGTAC AAGACCATGA TCAAATTGTG ACATCAAGAA AAAGTCAAGA CACTGCTTTC 3600
CACATTGCAG GAGATGCTTG TTTGCAAAGA AAAATGATG TTGATGTGAG TAGTACGATA 3660
TATAACAATG AGGTGCTCCA TCAACCACTT TCTGAAGCTC AAAGGAAATC CAAAAGCCTA 3720 55 AAAATTAATC TCAATTATGC AGGAGATGCT CTAAGAGAAA ATACATTGGT TTCAGAACAT 3780 GCACAAAGAG ACCAACGTGA AACACAGTGT CAAATGAAGG AAGCTGAACA CATGTATCAA 3840 AACGAACAAG ATAATGTGAA CAAACACACT GAACAGCAGG AGTCTCTAGA TCAGAAATTA 3900 TTTCAACTAC AAAGCAAAAA TATGTGGCTT CAACAGCAAT TAGTTCATGC ACATAAGAAA 3960 CCTGACAACA AAAGCAAGAT AACAATTGAT ATTCATTTTC TTGAGAGGAA AATGCAACAT 4020
CATCTCCTAA AAGAGAAAAA TGAGGAGATA TTTAATTTACT TTGAGAGGAA AATGCAACAT 4020
CATCTCCTAA AAGAGAAAAA TGAGGAGATA TTTAATTACA ATAACCATTT AAAAAACCGT 4080
ATATATCAAT ATGAAAAAGA GAAAGCAGAA ACAGAAAAACT CATGAGAGAC AAGCAGTAAG 4140
AAACTTCTTT TGGAGAAACA ACAGACCAGA TCTTTACTCA CAACTCATGC TAGGAGGCCA 4200
GTCCTAGCAT CACCTTATGT TGAAAATCTT ACCAATAGTC TGTGTCAACA GAATACTTAT 4260 60 TTTAGAAGAA AAATTCATGA TTTCTTCCTG AAGCCTACAG ACATAAAATA ACAGTGTGAA 4320 GAATTACTTG TTCACGAATT GCATAAAGCT GCACAGGATT CCCATCTACC CTGATGATGC 4380 65 AGCAGACATC ATTCAATCCA ACCAGAATCT CGCTCTGCAC TCCAGCCTAG GTGACAGAGT 4440 GAGACTCCAC CTCGGAAA

70 Seq ID NO: 4 Protein sequence:
Protein Accession #: NP_443723.1 21

75

31 41

MTKRKKTINL NIQDAQKRTA LHWACVNGHE EVVTFLVDRK CQLDVLDGEH RTPLMKALQC 60 HQEACANILI DSGADINLVD VYGNMALHYA VYSEILSVVA KLLSHGAVIE VHNKASLTPL 120 LLSITKRSEQ IVEFLLIKNA NANAVNKYKC TALMLAVCHG SSEIVGMLLQ QNVDVFAADI 180

CGVTAEHYAV TCGFHHIHEQ IMEYIRKLSK NHQNTNPEGT SAGTPDEAAP LAERTPDTAE 240
SLVEKTPDEA APLVERTPDT AESLVEKTPD EAASLVEGTS DKIQCLEKAT SGKFEQSAEE 300
TPREITSPAK ETSEKFTWPA KGRPRKIAWE KKEDTPREIM SPAKETSEKF TWAAKGRPRK 360
IAWEKKETPV KTGCVARVTS NKTKVLEKGR SKMIACPTKE SSTKASANDQ RFPSESKQEE 420
DEFYSCDSRS LFESSAKIQV CIPESIYQKV MEINREVEEP PKKPSAFKPA IEMQNSVPNK 480
AFELKNEQTL RADPMFPPES KQKDYEENSW DSESLCETVS QKDVCLPKAT HQKEIDKING 540
KLEESPNKDG LLKATCGMKV SIPTKALELK DMQTFKAEPP GKPSAFEPAT EMQKSVPNKA 600
LELKNEQTWR ADEILPSESK QKDVEENSWD TESLCETVSQ KDVCLPKAAH QKEIDKINGK 660
LEGSPVKDGL LKANCGMKVS IPTKALELMD MQTFKAEPPE KPSAFEPAIE MQKSVPNKAL 720
ELKNEQTLRA DEILPSESKQ KDYEESSWDS ESLCETVSQK DVCLPKATHQ KEIDKINGKL 780
ESPPDNDGFL KAPCRMKVSI PTKALELMDM QTFKAEPPEK PSAFEPAIEM QKSVPNKALE 840
LKNEQTLRAD DMFPSESKQK KVEENSWDS ESLCETVSQKD VCVPKATHQ KEIDKINGKL 900
DSTSLSKILD TVHSCERARE LQKDHCEQRT GKMEQMKKKF CVLKKKLSEA KEIKSQLENQ 960
KVKWEQELCS VRLTLNQEEE KRRNADILNE KIREELGRIE EQHRKELEVK QQLEQALRIQ 1020
DELKSVESN LNQVSHTHEN ENYLLHENCM LKKEIAMIKL EIATLKHQYQ EKENKYFEDI 1080
KILKEKNAEL QMTLKLKEES LTKRASQYSG QLKVLIAENT MLTSKLKEKQ DKEILEAEIE 1140
SHIPPLASAV QDHDQIVTSR KSQEPAFHIA GDACLQRKMN VDVSSTIYNN EVLHQPLSEA 1200
QRKSKSLKIN LNYAGDALRE NTLVSEHAQR DQRETQCOMK EAEHMYQNEQ DNVNKHTEQQ 1260
ESLDQKLFQL QSKNMWLQQQ LVHAHKKADN KSKITIDIHF LERKMQHHLL KEKNEEIFNY 1320
NNHLKNRTYQ YEKEKAETEN S

Seq ID NO: 5 DNA sequence

25

Nucleic Acid Accession #:

none found

Coding sequence: 273-1785 (underlined sequences correspond to start and stop codons)

1 11 21 31 41 51


CGCGGGGCGC GGAGTCGGCG GGGCCTCGCG GGACGCGGGC AGTGCGGAGA CCGCGGCGCT 60
GAGGACGCGG GAGCCGGGAG CGCACGCGCG GGGTGGAGTT CAGCCTACTC TTTCTTAGAT 120 30 GTGAAAGGAA AGGAAGATCA TTTCATGCCT TGTTGATAAA GGTTCAGACT TCTGCTGATT 180 CATAACCATT TGGCTCTGAG CTATGACAAG AGAGGAAACA AAAAGTTAAA CTTACAAGCC 240 TGCCATAAGT GAGAAGCAAA CTTCCTTGAT AACATGCTTT TGCGAAGTGC AGGAAAATTA 300 AATGTGGGCA CCAAGAAAGA GGATGGTGAG AGTACAGCCC CCACCCCCCG TCCAAAGGTC 360
TTGCGTTGTA AATGCCACCA CCATTGTCCA GAAGACTCAG TCAACAATAT TTGCAGCACA 420
GACGGATATT GTTTCACGAT GATAGAAGAG GATGACTCTG GGTTGCCTGT GGTCACTTCT 480 35 GGTTGCCTAG GACTAGAAGG CTCAGATTT CAGTGTCGGG ACACTCCCAT TCCTCATCAA 540
AGAAGATCAA TTGAATGCTG CACAGAAAGG AACGAATGTA ATAAAGACT ACACCCTACCA 600
CTGCCTCCAT TGAAAAACAG AGATTTTGTT GATGGACCTA TACACCACAG GGCTTTACTT 660
ATATCTGTGA CTGTCTGTAG TTTGCTCTTG GTCCTTATCA TATTATTTTTG TTACTTCCGG 720
TATAAAAGAC AAGAAACCAG ACCTCGATAC AGCATTGGGT TAGAACAGGA TGAAACTTAC 780 40 ATTCCTCCTG GAGAATCCCT GAGAGACTTA ATTGAGCAGT CTCAGAGCTC AGGAAGTGGA 840
TCAGGCCTCC CTCTGCTGGT CCAAAGGACT ATAGCTAAGC AGATTCAGAT GGTGAAACAG 900
ATTGGAAAAG GTCGCTATGG GGAAGTTTGG ATGGGAAAGT GGCGTGGCGA AAAGGTAGCT 966 45 GTGAAAGTGT TCTTCACCAC AGAGGAAGCC AGCTGGTTCA GAGAGACAGA AATATATCAG 1020 ACAGTGTTGA TGAGGCATGA AAACATTTTG GGTTTCATTG CTGCAGATAT CAAAGGGACA 1080 GGGTCCTGGA CCCAGTTGTA CCTAATCACA GACTATCATG AAAATGGTTC CCTTTATGAT 1140 TATCTGAAGT CCACCACCCT AGACGCTAAA TCAATGCTGA AGTTAGCCTA CTCTTCTGTC 1200 AGTGGCTTAT GTCATTTACA CACAGAAATC TTTAGTACTC AAGGCAAACC AGCAATTGCC 1260 CATCGAGATC TGAAAAGTAA AAACATTCTG GTGAAGAAAA ATGGAACTTG CTGTATTGCT 1320 50 GACCTGGGCC TGGCTGTTAA ATTTATTAGT GATACAAATG AAGTTGACAT ACCACCTAAC 1380 ACTCGAGTTG GCACCAAACG CTATATGCCT CCAGAAGTGT TGGACGAGAG CTTGAACAGA 1440 ACTOUGHT O CACCAMACG CHAIRIGCT CEAGAAGIGT I IGACAGAA CHI MACACAGA 1440
AATCACTTCC AGTCTTACAT CATGGCTGAC ATGTATAGTT TTGGCCTCAT CCTTTGGGAG 1500
GTTGCTAGGA GATGTGTACA CAGGAGGTATA GTGGAAGAAT ACCAGCTTCC TTATCATGAC 1560
CTAGTGCCCA GTGACCCCTC TTATGAGGAC ATGAGGGAGA TTGTGTGCAT CAAGAAGTTA 1620
CGCCCCTCAT TCCCAAACCG GTGGAGCAGT GATGAGTGTC TAAAGGCAGAT GGGAAAACTC 1680
ATGACAGAAT GCTGGGCTCA CAATCCTGCA TCAAGGCTGA CAGCCCTGCG GGTTAAGAAA 1740
ACACTTGCCA AAATGTCAGA GTCCCAGGAC ATTAAACTCT GATAGGAGAG GAAAAGTAAG 1860 55 CATCTCTGCA GAAAGCCAAC AGGTACTCTT CTGTTTGTGG GCAGAGCAAA AGACATCAAA 1860 TAAGCATCCA CAGTACAAGC CTTGAACATC GTCCTGCTTC CCAGTGGGTT CAGACCTCAC 1920 60 CTTTCAGGGA GCGACCTGGG CAAAGACAGA GAAGCTCCCA GAAGGAGAGA TTGATCCGTG 1980

65 Seq ID NO: 6 Protein sequence:
Protein Accession #: none found

TCTGTTTGTA GGCGGAGAAA CCGTTGGGTA ACTTGTTCAA GATATGATGC AT

EEYQLPYHDL VPSDPSYEDM REIVCIKKLR PSPPNRWSSD ECLRQMGKLM TECWAHNPAS 480 RLTALRVKKT LAKMSESODI KL

Seq ID NO: 7 DNA sequence
Nucleic Acid Accession #: none found
Coding sequence: 482-3007(underlined sequences correspond to start and stop codons)



Seq ID NO: 8 Protein sequence:
Protein Accession #: none found

70

1 11 21 31 41 51

MKLWIHLFYS SLLACISLHS QTPVLSSRGS CDSLCNCEEK DGTMLINCEA KGIKMVSEIS 60

VPPSRPFQLS LLNNGLTMLH TNDFSGLTNA ISIHLGFNNI ADIEIGAFNG LGLLKQLHIN 120

HNSLEILKED TFHGLENLEF LQADNNFITV IEPSAFSKLN RLKVLILNDN AIESLPPNIF 180

RFVPLTHLDL RGNQLQTLPY VGFLEHIGRI LDLQLEDNKW ACNCDLLQLK TWLEMPPQS 240

IIGDVVCNSP PFFKGSILSR LKKESICPTP PVYEEHEDPS GSLHLAATSS INDSRMSTKT 300

TSILKLPTKA PGLIPYITKP STQLPGPYCP IPCNCKVLSP SGLLIHCQER MIESLSDLRP 360

350

1

NHLTKLSKGM FLGLHNLEYL YLEYNAIKEI LPGTFNPMPK LKVLYLNNNL LQVLPPHIFS 480 GVPLTKVNLK TNOFTHLPVS NILDDLDLLT QIDLEDNPWD CSCDLVGLQQ WYGLSKNTV 540
TDDILCTSPG HLDKKELKAL NSEILCPGLV NNPSMPTQTS YLMVTTPATT TNTADTILRS 600 LTDAVPLSVI LIGLLIMFIT IVFCAAGIVV LVLHRRRRYK KKQVDEQMRD NSPVHLQYSM 660
YGHKTIHHTT ERPSASLYEQ HMVSPMVHVY RSPSFOPKHL EEEERNEKE GSDAKHLQRS 720
LLEQENHSPL TGSNMKYKTT NQSTEFLSFQ DASSLYRNIL EKERELQQLG ITEYLRKNIA 780
QLQPDMEAHY PGAHEELKLM ETLMYSRPRK VLVEQTKNEY FELKANLHAE PDYLEVLEQQ 840 5 10 Seq ID NO: 9 DNA sequence Nucleic Acid Accession #: NM_003474 Coding sequence: 307-3036 (underlined sequences correspond to start and stop codons) 15 11 21 31 41 51 CACTAACGCT CTTCCTAGTC CCCGGGCCAA CTCGGACAGT TTGCTCATTT ATTGCAACGG 60 TCAAGGCTGG CTTGTGCCAG AACGGCGCGCGCGCGACGCA CGCACACACA CGGGGGGAAA 120 20 GCTGATGAAG TIGTCAGGCC CIGCGAGGCC GGAGGGTGA GCTTATGGAA CGAAGGAAGA 420
GCTGATGAAG TIGTCAGTGC CTCTGTTCGG AGTGGGGACC TCTGGATCCC AGTGAAGAGC 480
TTCGACTCCA AGAATCATCC AGAAGTGCTG AATATTCGAC TACAACGGGA AAGCAAGGA 540
CTGATCATAA ATCTGGAAAG AAATGAAGGT CTCATTGCCA GCAGTTTCAC GGAAACCCAC 600
TATCTGCAAG ACGGTACTGA TGTCTCCCTC GCTCGAAAATT ACACGGTAAT TCTGGGTCAC 660
TGTTACTACC ATGGACATGT ACGGGGATAT TCTGATTCAG CAGTCAGTCT CAGCACGTGT 720
TCTGGTCTCA GGGGACTTAT TGTGTTTTGAA AATGAAAGCT ATGTCTTAGA ACCAATGAAA 780
AGTGCAACCA ACAGATACAA ACTCTTCCCA GCGAAGAAGC TGAAAAAGCGT CCGGGGATCA 840
TGTGGATCAC ATCACAACAC ACCAAACCTC GCTGCAAAGA ATGTGTTTCC ACCACCCTCT 900 25 30 CAGACATGGG CAAGAAGGCA TAAAAGAGAG ACCCTCAAGG CAACTAAGTA TOTTGGAGCTG 960
GTGATCGTGG CAGACAACCG AGAGTTTCAG AGGCAAGGAA AAGATCTGGA AAAAGTTAAG 1020
CAGCGATTAA TAGAGATTGC TAATCACGTT GACAAGTTTT ACAGACCACT GAACATTCGG 1080 35 CACCATIAN ARGAGITG INATICACGIT GACAGITTIT ACAGACCACT GAACATTCG 1080
ATOGITGITGG TAGGCGTGGA AGTGTGGAAT GACATGGACA AATGCTCTGT AAGTCAGGAC 1140
CCATICACCA GCCTCCATGA ATTTCTGGAC TGGAGGAGAGA TGAAGCTTCT ACCTCGCAAA 1200
TCCCATGACA ATGCGCAGCT TGTCAGTGGG GTTTATTTCC AAGGGACCAC CATCGGCATG 1260
GCCCCAATCA TGAGCATGTG CACGGCAGAC CAGTCTGGGG GAATTGTCAT GGACCATTCA 1320
GACAATCCCC TTGGTGCAGC CGTGACCCTG GCACATGAGC TGGGCCACAA TTTCGGGATG 1380
AATCATGACA CACTGGACAG GGGCTGTAGC TGTCAAATGG CGGTTGAGAA AGGAGGTGC 1440
ATCATGAACG CTTCCACCGG GTACCCATTT CCCATGGTGT TCAGCAGTTG CAGCAAGTC 1500
GACTTGGAGA CCAGCCTGGA CAAAGGAAGTG GGGGTGTCC TGTTTAACCT GCCGGAAGTC 1500
GACTTGGAGA CCAGCCTGGA AAAAGGAATTG TGGAAACAACG AAGGAAGTTT 1500 40 AGGGAGTCTT TCGGGGGCCA GAAGTGTGGG AACAGATTTG TGGAAGAAGG AGAGGAGTGT 1620 GACTGTGGGG AGCCAGAGGA ATGTATGAAT CGCTGCTGCA ATGCCACCAC CTGTACCCTG 1680 45 AAGCCGGACG CTGTGTGCGC ACATGGGCTG TGCTGTGAAG ACTGCCAGCT GAAGCCTGCA 1740 GGAACAGCGT GCAGGGACTC CAGCAACTCC TGTGACCTCC CAGAGTTCTG CACAGGGGCC 1800
AGCCCTCACT GCCCAGCCAA CGTGTACCTG CACGATGGGC ACTCATGTCA GGATGTGGAC 1860
GGCTACTGCT ACAATGGCAT CTGCCAGACT CACGAGCAGC AGTGTGTCAC ACTCTGGGGA 1920 50 CCAGGTGCTA AACCTGCCCC TGGGATCTGC TTTGAGAGAG TCAATTCTGC AGGTGATCCT 1980
TATGGCAACT GTGGCAAAGT CTCGAAGAGT TCCTTTGCCA AATGCGAGAT GAGAGATGCT 2040
AAATGTGGAA AAATCCAGTG TCAAGGAGGT GCCAGCCGGC CAGTCATTGG TACCAATGCC 2100 GTTTCCATAG AAACAAACAT CCCCCTGCAG CAAGGAGGCC GGATTCTGTG CCGGGGGACC 2160 CACGTGTACT TGGGCGATGA CATGCCGGAC CCAGGGCTTG TGCTTGCAGG CACAAAGTGT 2220 55 GCAGATGGAA AAATCTGCCT GAATCGTCAA TGTCAAAATA TTAGTGTCTT TGGGGTTCAC 2280
GAGTGTGCAA TGCAGTGCCA CGGCAGAGGG GTGTGCAACA ACAGGAAGAA CTGCCACTGC 2340
GAGGCCCACT GGGCACCTCC CTTCTGTGAC AAGTTTGGCT TTGGAGGAAG CACAGACAGC 2400 GGCCCCATCC GGCAAGCAGA TAACCAAGGT TTAACCATAG GAATTCTGGT GACCATCCTG 2460 TOTCTTCTTG CTGCCGGATT TGTGGTTTAT CTCAAAAGGA AGACCTTGAT ACGACTGCTG 2520
TTTACAAATA AGAAGACCAC CATTGAAAAA CTAAGGTGTT TGCCCCCTTC CCGGCCACC 2580 60 CGTGGCTTCC AACCCTGTCA GGCTCACCTC GGCCACCTTG GAAAAGGCCT GATGAGGAAG 2640 CCGCCAGATT CCTACCCACC GAAGGACAAT CCCAGGAGAT TGCTGCAGTG TCAGAATGTT 2700 GACATCAGCA GACCCCTCAA CGGCCTGAAT GTCCCTCAGC CCCAGTCAAC TCAGCGAGTG 2760 CTTCCTCCCC TCCACCGGGC CCCACGTGCA CCTAGCGTCC CTGCCAGACC CCTGCCAGCC 2820
AAGCCTGCAC TTAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG 2880 65 AAGCCTGCAC ITAGGCAGGC CCAGGGGACC TGTAAGCCAA ACCCCCCTCA GAAGCCTCTG 2880
CCTGCAGATC CTCTGGCCAG AACAACTCGG CTCACTCATG CCTTGGCCAG GACCCCAGGA 2940
CAATGGGAGA CTGGGCTCG CCTGGCACCC CTCAGACCTG CTCCACAATA TCCACCACAA 3000
GTGCCCAGAT CCACCCACAC CGCCTATATT AAGTGAGAAG CCGACACCTT TTTTCAACAG 3060
TGAAGACAGA AGTTTGCACT ATCTTTCAGC TCCAGTTGGA GTTTTTTGTA CCAACTTTTA 3120
GGATTTTTTT TAATGTTTAA AACATCATTA CTATAAGAAC TTTGAGCTAC TGCCGTCAGT 3180
GCTGTGCTGT GCTATGGTGC TCTGTCTACT TGCACAGGTA CTTGTAAATT ATTAATTTAT 3240
GCAGAATGTT GATTACAGTG CAGTGCGCTG TAGTAGGCAT TTTTACCATC ACTGAGTTTT 3300
CCATGGCAGG AAGGCTTGTT GTGCTTTTAG TATTTAAGT AACTTAAAAT ATCCTGCTTG 3360
ATGGGAATTCT GGACAGGATTGT GTGTTTTTAG TATTTTAAGT AACTTAAATT AATCCTCTTG 3300
CCATGGCAGG AAGGCTTGTT GTGCTTTTTAG TATTTTAAGT AACTTAATTAAATT
ATGGCAGTCCC 4200 70 ATGGGATTCT GGACAGGATG TOTTTGCTTT CTGATCAAGG CCTTATTGGA AAGCAGTCCC 3420
CCAACTACCC CCAGCTGTGC TTATGGTACC AGATGCAGCT CAAGAGATCC CAAGTAGAAT
3480
CTCAGTTGAT TTTCTGGATT CCCCATCTCA GGCCAGAGCC AAGGGGCTTC AGGTCCAGGC 3540 75 TGTGTTTGGC TTTCAGGGAG GCCCTGTGCC CCTTGACAAC TGGCAGGCAG GCTCCCAGGG 3600

PPQNPRKLIL AGNIHSLMK SDLVEYFTLE MLHLGNNRIE VLEEGSFMNI, TRLOKLYLNG 420

ACACCTGGGA GAAATCTGGC TTCTGGCCAG GAAGCTTTGG TGAGAACCTG GGTTGCAGAC 3660 AGGAATCTTA AGGTGTAGCC ACACCAGGAT AGAGACTGGA ACACTAGACA AGCCAGAACT 3720 TGACCCTGAG CTGACCAGCC GTGAGCATGT TTGGAAGGGG TCTGTAGTGT CACTCAAGGC 3780 GGTGCTTGAT AGAAATGCCA AGCACTTCTT TTTCTCGCTG TCCTTTCTAG AGCACTGCCA 3840 CCAGTAGGTT ATTTAGCTTG GGAAAGGTGG TGTTTCTGTA AGAAACCTAC TGCCCAGGCA 3900 CTGCAAACCG CCACCTCCCT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA 3960 5 CAATGATCCT GTATTCAGAC AGATGAGGAC TITTCCATGGG ACCACAACTA TITTCAGATG 4020
TGAACCATTA ACCAGATCTA GTCAATCAAG TCTGTTTACT GCAAGGTTCA ACTTATTAAC 4080
AATTAGGCAG ACTCTTTATG CTTGCAAAAA CTACAACCAA TGGAATGTGA TGTTCATGGG 4140 10 TATAGTTCAT GTCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCTT CTCTATGGGG 4200 CATCCTCTTT TTCCAACTTG GCTGCAGGAA TCTTTAAAAAG ATGCTTTTAA CAGAGTCTGA 4260 ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAGCATC ACAGAATGTG ATAAGGAAAT 4320 CAACTTGCTT ATCAACTTCC TAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCTTGAA 4380 CTCTTCACTC TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT 4440 15 AATGGCATGA GAAATACAAA AATACTCAGA TAAGGTAAAA TGCCATGATG CCTCTGTCTT 4500 CTGGACTGGT TTTCACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT 4560 TTTATGAGAA AGCCTTCTTT TGGGGTCAAC AGTTTTCCTA TGCTTTGAAA CAGAAAAATA 4620 TGTACCAAGA ATCTTGGTTT GCCTTCCAGA AAACAAAACT GCATTTCACT TTCCCGGTGT 4680 TCCCCACTGT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAAACTAAA CACGTGACAC 4740 AAACACACAC AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTCGTATAGC ATGCATCTGT 4800 20 TTATTCTATA GTTATTAAGT TCTTTAAAAT GTAAAGCCAT GCTGGAAAAT AATACTGCTG 4860 AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA 4920 TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTGGGCA TTGTCTTTTT 4980 AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCCT CCAATTATAA GAGGATATGA 5040 25 АССАЛАЛАЛА АЛАЛАЛАЛА ЛА

30

35

40

AMQCHGRGVC NNRKNCHCEA HWAPPFCDKF GFGGSTDSGP IRQADNQGLT IGILVTILCL 720
LAAGFVVYLK RKTLIRLLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHLGH LGKGLMRKPP 780
DSYPPKDNPR RLLQCQNVDI SRPLNGLNVP QPQSTQRVLP PLHRAPRAPS VPARPLPAKP 840
ALRQAQGTCK PNPPQKPLPA DPLARTTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900
RSTHTAVIK

50 Scq ID NO: 11 DNA sequence
Nucleic Acid Accession #: NM_001394
Coding sequence: 400-1584(underlined sequences correspond to start and stop codons)

5	GAGTTCGTTA AGCAGCGCCG CAGCATCATC TCGCCCAACT TCAGCTTCAT GGGGCAGCTG 1380 CTGCAGTTCG AGTCCCAGGT GCTGGCCACG TCCTGTGCTG CGGAGGCTGC TAGCCCCTCG 1440 GGACCCCTGC GGGAGCGGGG CAAGACCCCC GCCACCCCCA CCTCGCAGTT CGTCTTCAGC 1500 TTTCCGGTCT CCGTGGGGGT GCACTCGGCC CCCAGCAGCC TGCCCTACCT GCACCAGCCCC 1560 ATCACCACCT CTCCCAGCTG TAGAGCCGC CCTGGGGGCC CCAGAACCAG AGCTGGCCTC 1620 CAGCAAGGGT AGGACCGGCC GCATGCCGCA GAAAGTTGGG ACTGAGCAGC TGGGAGCAGG 1680 CGACCGAGCT CCTTCCCCAT CATTTCTCCT TGGCCAACGA CGAGGCCAGC CAGAATGGCA 1740		
10	ATAAGGACTC CGAATACATA ATAAAAGCAA ACAGAACACT CCAACTTAGA GCAATAACCG 1800 GTGCCGCAGC AGCCAGGGAA GACCTTGGTT TGGTTTATGT GTCAGTTTCA CTTTTCCGAT 1860 AGAAATTTCT TACCTCATTT TTTTAAGCAG TAAGGCTTGA AGTGATGAAA CCCACAGATC 1920 CTAGCAAATG TGCCCAACCA GCTTTACTAA AGGGGGGAGAGGGA AAGGGAATGAG 1980 AAGACAAGTT TCCCAGAAGT GCCTGGTTCT GGGTACTTGT CCCTTTGTTGT CCTTGTTGTT 2040 AGTTAAAGGA ATTICATTTT TAAAAGAAAT CTTCGAAGGT GTGGTTTTCA TTTCTCAGTC 2100		
15 20	ACCAACAGAT GAATAATTAT GCTTAATAAT AAAGTATTTA TTAAGACTTT CTTCAGAGTA 2160 TGAAAGTACA AAAAGTCTAG TTACAGTGGA TTTAGAATAT ATTTATGTTG ATGTCAAACA 2220 GCTGAGACACC GTAGCATGCA GATGTCAAGG CAGTTAGGAA GTAAATGGTG TCTTGTAGAT 2280 ATGTGCAAGG TAGCATGATG AGCAACTTGA GTTTGTTGCC ACTGAGAAGC AGGCGGGTTG 2340 GGTGGGAGGA GGAAGAAAGG GAAGAATTAG GTTTGAATTG CTTTTTAAAA AAAAAAGAAA 2400 AGAAAAAGAC AGCATCTCAC TATGTTGCCA AGGCTCATCT TGAGAAGCAG GCGGGTTGGG 2460 TGGGAGGAGG AAGAAAAGGA AGAATTAGGT TTGAATTGCT TTTTTAAAAA AAAA		
	Seq ID NO: 12 Protein sequence: Protein Accession #: NP 001385		
25	-		
23	1 11 21 31 41 51		
30	MYTMEELREM DCSVLKRIMN RDENGGGAGG SGSHGTLGLP SGGKCLLLDC RPFLAHSAGY 60 LIGSVNVRCN TIVRRRAKGS VSLEQILPAE EEVRARLRSG LYSAVTYYDE RSPRAESLRE 120 DSTVSLVVQA LRRAMAERTDI CLLKGGYERF SSEVPEFCSK TKALAAAPPP VPPSATEPLD 180 LGCSSCGTPL HDQGGPVEIL PFLYLGSAYH AARRDMLDAL GITALLNVSS DCPNHFEGHY 240 QYKCEPVEDN HKADISSWFM EAIEYIDAVK DCRGRVLVHC QAGISRSATI CLAYLMMKKR 300 VRLEEAFFFV KORRSUSPN FSFMGGLLOP ESQVLATSCA AEAASPSGPL RERGKTPATP 360 TSQFVFSFPV SVGVHSAPSS LPYLHSPITT SPSC		
35	Seq ID NO: 13 DNA sequence Nucleic Acid Accession #: none found Coding sequence: 68-340(underlined sequences correspond to start and stop codons)		
40	I II 21 31 41 51 AGCGCCTTGC CTTCTTCTTAG GCTTTGAAGC ATTTTTGTCT GTGCTCCCTG ATCTTCAGGT 60 CACCACCATG AAGTTCTTAG CAGTCCTGGT ACTCTTGGGA GTTTCCATCT TTCTGGTCTC 120		
45	TGCCCAGAAT CCGACAACAG CTGCTCCAGC TGACACGTAT CCAGCTACTG GTCCTGCTGA 180 TGATGAAGCC CCTGATGCTG AAACCACTGC TGCTGCAACC ACTGCGACCA CTGCTGCTCC 240 TACCACTGCA ACCACCGCTG CTTCTACCAC TGCTCGTAAAA GACATTCCAG TTTTACCCCAA 300 ATGGGTTGGG GATCTCCCGA ATGGTAGAGT GTGTCCCTGA GATGGAATCA GCTTGAGTCT 360 TCTGCAATTG GGTCACAACT ATTCATGCTT CCTGTGATTT CATCCAACTA CTTACCTTGC 420		
50	CTACGATATC CCCTTTATCT CTAATCAGTT TATTTTCTTT CAAATAAAAA ATAACTATGA 480 GCGAGCTAAC AT		
55	Seq ID NO: 14 Protein sequence: Protein Accession #: none found		
50	1 II 21 31 41 51		
55	Seq ID NO: 15 DNA sequence Nucleic Acid Accession #: NM_016640.2 Coding sequence: 39-1358(underlined sequences correspond to start and stop codons)		
70	1 11 21 31 41 51		
75	TTATGAAGTA CATGGTTTAC CCGCAGACCT TCGCACTGAA TGCCGACCGC TGGTACCAGT 360 ACTTCACCAA GACCGTGTTC CTGTCGGGTC TGCCGCCGCC CCCAGCGGAG CCGAGCCCG 420 AGCCCGAACC CGAACCTGAA CCTGCGCTGG ACCTCGCGGC GCTGCCGTGC GTCGCCTGCG 480 ACTGCCTGCT GCAGGAGCAC TTCTACCTGC GGCGCAGGCG GCGCCGTGCAC CGTTACGAGG 540 353		

Seq ID NO: 16 <u>Protein sequence:</u>
Protein Accession #: NP_057724.1

25 From Accession #: 147_057724.1

Seq ID NO: 17 DNA sequence
Nucleic Acid Accession #: NM_025059.1
Coding sequence: 3-2150 (underlined sequences correspond to start and stop codons)

1 11 21 31 41 51

AAAGATTGGT CCATTCACAT CAGCATCACT TTGTTACCTG TGCCTGCCTC AAAGATGTGA 2100 CTACTGGGCA AGAGAGGCAC CCACAAGGCC ATTTACAGCT TCTTCATTGA ACACTGTATC 2160 TCTTGAGAGA GGTGGCCATA AGACATGGCA CACAATTCCC AATTTCACAA ATTCCTCATG 2220 TCTTTGAGAT TTGATCAGTT TGTGAATATT TTATGCTTTG ATGATATAGT GAGAATGCAT 2280 5 CACTTGCAAA AACGATCTCA AAAGTGTCAG CCTTAGATAA ACGTCAGCAT TAAAAAACGC 2340 CAAAAAAAAA AAAAAAAGC ATTTTAGGAT CCAGAAGAAT TCCACCAGAT TGCATGAGTT 2400 AGATTGGGAA ATGGGAGTGG GAGATAATAT TGGGAGGTAT CTATTTTAAG TCAGGGGCTT 2460 TACTAGCCGA TITAGTTCTC ACAATAACCA TGTGGAGAAG CTGTGACATTTTAATTTAC 2520
AACCTTTCTG GGGCTCAGAC ATAAAGTTAC CTATCAAAGGCAT TTGCATTTGG GTAGTGGTGG 2580
GACCAGGATG GACAACTCAT TGGCCCTGCC TCAAAAGCCA TACCTCTTCT CCTGCTATAGC 2640
AGAATCTGTT TCTCCTGAAT CTCTGTGATG CTGGTGGGGAA TTGCTTTGCAT AGAGGAAGGA 2700
CAATAACCCT GCCATCGTGA GTTAATGTCC GGGCTGGTCA CAGTGGTTCA TGCCTGTAAT 2760 10 CCCAGCACTT TGGGAGTCCA AGGCAGGCAT ATCATTTGAG GTCAGGAGTT TAAGACCAGC 2820 CTGGCTAACA TAGTGAGACC CTGTTTCTAC TAAAAATACA AAAATAAGCC AGGTGTGGTG 2880 GTGCATGACT GTAATCCCAA CTACTCAGCA GGAGAAGCAC TTGAACCCAG GAGACGGAGG 2940 15 CGGCAGTGAG CCAAGATTGT GCCACTGCAC TCCAGCCTGG GCGACAGAGT GAAACTACAT 3000 CTCAGGAAAA AAAAAAAAA AAAAAAAAA AAGTTAATGT CCAAAAATGA CAGATTTACA 3060
AGTGTAAGCT ATATGATTIC TICAAAAAAGC AAAAAGCAATA TACCTAATTC ATTTGGATCA 3120
AACTTACATA GGTCTCAGGT CCTGTAAGAA ACTTGCCTGT TCTAACTGTT GCTACCAGAT 3180
TATATCTGGT GGTAATTGTT AATGTTTCAG CAGGGCTGGT CTCAGTCCTT TAAAATGGAA 3240
AGCTTTATTT GGAGCCCAAC CCTATAAGAT GAAGAAATCC TATATAGTCT TATTCACCAA 3300 20 TATATCCAAT ACACCCACAG CAATGGTACC TTTTTAAGAT CAGGATTITA TTATGAATTC 3360 CTGTCACTTT CTGTTTTCCA TTTAAATTTC TATTTTACAA ATTTTTCAGG GAATCATATT 3420 CTTAACTICA CTGAGAAAAA TGTGTTACTC TTTTGGACAA TTTATCTTAT TTCTATCATA 3480 TAAGATGTAT TTTTTTATTG TCCTTAAAAG AAGCTCTAGC ATGAAATTAA AGGAAAGGGA 3540 AAGAAATAGA TCTGGTGCAC CCGAACATTA GGAGAAAATG AAAAATATAC AACCAACCGT 3600 25 TCGTGAGTCA TCAAAAAGTC AAAGTCAGCC TGGCCAACAT GGCAAAACTC CGTCTCTGCA 3660 AAAAATACAA AAATGAGCCC GGTATGTTGG CATATGCCTG TAATCCCAGC TACTCGAGAG 3720 GCTGAGACAC GAAAATTGCT TGAACCTGGG AGGCGGAGGT TGCAATGAGC CGAGATCGCG 3780 30 CTACTGCACT CCAGCCTGGG CAACAGAGAG AGACCTTGTC TCAAAAAACA ACAACAACAA 3840 AAAGTCAAAG TCATAATAAG CAAATTATTG GCTTCTTTCT TCTAGACYAA AAGAAATTAA 3900 AGAGATGAAA CAATCAATTG CAAGGGTCAA AACTAGATTG GATCTTGGTT TGAATGAAAA 3960 AAAGCATAAA ATATTCTTGC AATAATTGTA AAAATTTGAA TGTGGACTAA GTCCTAGATT 4020 ATATTAAAAT ATTTTTAATT TTTTAAGCTT GACAAATGCA CTGATTGTTA TACTTTAAAT 4080 35 AACTAAAAAT CTGAGAATCC ACAGTGCTAC AGACAATAAA TGATAAAATG GGAAAAAAA 4140 AAAAAAAAA A

Seq ID NO: 18 Protein sequence: 40 NP_079335.1 Protein Accession #:

60

31

MSLDCTSHIA LGAASPAPEE TYDHLSEVPV TREOLNHYRN VAONARSELA ATLVKFECAO 60 45 SELQDLRSKM LSKEVSCQEL KAEMESYKEN NARKSSLLTS LRDRVQELEE ESAALSTSKI 120 RTEITAHAAI KENQELKKKV VELNEKLOKC SKENEENKKQ VSKNCRKHEE FLTQLRDCLD 180 PDERNDKASD EDLILKLRDL RKENEFVKGQ IVILEETINV HEMEAKASRE TIMRLASEVN 240 REQKKAASCT EEKEKLNQDL LSAVEAKEAL EREVKIFQER LLAGQQVWDA SKQEVSLLKK 300 50

SSSELEKSLK ASQDAVTTSQ SQYSSFREKI AALLEGRISM TÖSTEDTILE KIREMDSREE 360
SRDRMVSQLE AQISELVEQL GKESGFHQKA LQRAQKAENM LETILQQQLTH LEAELVSGGV 420
LRDNLNFEKQ KYLKFLDQLS QKMKLDQMAA ELGFDTRLDV VLARTEQLVR LESNAVIENK 480
TIAHNLQRKL KTQKERLESK ELHMSLLRQK IAQLEEEKQA RTALVVERDN AHLTIRNLQK 540
KVERLQKELN TCRDLHTELK AKLADTNELK IKTLEQTKAI EDLNKSRDQL EKMKEKAEKK 600 LMSVKSELDT TEHEAKENKE RARNMIEVVT SEMKTLKKSL EEAEKREKQL ADFREVVSQM 660 LGLNVTSLAL PDYEIIKCLE RLVHSHQHHF VTCACLKDVT TGQERHPQGH LQLLH 55

Seq ID NO: 19 DNA sequence AF071552, NM_000662 Nucleic Acid Accession #: Coding sequence: 441-1313 (underlined sequences correspond to start and stop codons)

11 21 51 31 41 65 CTTTGTATAA GGCTCAGCTA AAAGGGAAAT TGAGTGGGTC AGGTACCACG GATACTATAC 60 CTITGTATAA GGCTCAGCTA AAAGGAAAT TGAGTGGGTC AGGTACCACG GATACTATAC 60
ACTCTATIGC ATGATTCTCC TGCCTACATC AGAAGACGTT TATAAGCCTA TITTAAAAGGA 120
TACCAGTTGG AAICTCTCT TTATTAATCA CCAAGAGACAC CATGAACAAG CTGTTTATCA 180
TTTGACTCAT CATITAATCT TGATTTCCAG CTTCTCACAC TTGAAAGAAG ACATAATACA 240
TTTCTCACAG GATTCTGGGA CTATTAACTG AACTTATGTG TGTAAAAGGAC ATTCATACAA 300
TGAAAGCACT AGAAATAATT ATTATACTTA TAACCATTGT ATTTTTACAT GTTTTAAATA 360
TAGCCATAAT TAGCCTACTC AAATCCAAGT GTAAAAGTAA AATGATTTGC TTTCGTTTTG 420
TTTTCCTTGC TTAGGGGATC ATGGACACTT GAAGCTATT TGAAAAGAAT AGCTATAAGA 480
AGTCTAGGAA CAAATTGGAC TTGGAAACAT TAACTGACAT TCTTCAACAC CAGATCCGAG 540
CCATTTTTGA TCAAGTTGTA GAAAGAAATC GGGGTGGATG CATGGACTTA GGCTATAGAG 600
CCATTTTTGA TCAAGTTGTG GGAAAGAAATC GGGGTGGATG GTGTCTCCAG GTCAATCACC 610
TICTGTACTG GGCTCTGACC ACTATTGGTT TTGAGACCAC GATGTTGGGG GGGTATTTT 720 70 75 TICTGTACTG GGCTCTGACC ACTATTGGTT TTGAGACCAC GATGTTGGGA GGGTATGTTT 720 ACAGCACTCC AGCCAAAAAA TACAGCACTG GCATGATTCA CCTTCTCCTG CAGGTGACCA 780

TTGATGGCAG GAACTACATT GTCGATGCTG GGTTTGGACG CTCATACCAG ATGTGGCAGC 840 CTCTGGAGTT AATTTCTGGG AAGGATCAGC CTCAGGTGCC TTGTGTCTTC CGTTTGACGG 900 AAGAGAATGG ATTCTGGTAT CTAGACCAAA TCAGAAGGGA ACAGTACATT CCAAATGAAG 960 AATTICTICA TICTGATCTC CTAGAAGACA GCAAATACCG AAAAATCTAC TCCTTTACTC 1020
TTAAGCCTCG AACAATTGAA GATTITTGATC CTATGAATAC ATACCTGCAG ACCATCTCCAT 1080
CATCTGTGTT TACTAGTAAA TCATTITTGTT CCTTGCAGAC CCCAGATGGG GTTCACTGTT 1140
TGGTGGGCTT CACCCTCACC CATAGGAGAT TCAATTATAA GGACAATACA GATCTAATAG 1200
AGTTCAAGAC TCTGAGTGAG GAAGAAATAG AAAAAGTGCT GAAAAATATA TTTAATATTT 1200 5 CCTTGCAGAG AAAGCTTGTG CCCAAACATG GTGATAGATT TTTTACTATT TAGAATAAGG 1320
AGTAAAACAA TCTTGTCTAT TTGTCATCCA GCTCACCAGT TATCAACTGA CGACCTATCA 1380
TGTATCTTCT GTACCCTTAC CTTATTTTGA AGAAAATCCT AGACATCAAA TCATTTCACC 1440 10 TATAAAAATG TCATCATATA TAATTAAACA GCTTTTTAAA GAAACATAAC CACAAACCTT 1500 TTCAAATAAT AATAATAATA ATAATAATAA ATGTATTTTA AAGATGGCCT GTGGTTATCT 1560 TGGAAATTGG TGATTTATGC TAGAAAGCTT TTAATGTTGG TTTATTGTTG AATTC 15 Seq ID NO: 20 <u>Protein sequence:</u> Protein Accession #: NP_000653.1 20 11 21 31 41 MDIEAYLERI GYKKSRNKLD LETLTDILOH OIRAVPFENL NIHCGDAMDL GLEAIFDOVV 60 RRNRGGWCLQ VNHLLYWALT TIGFETTMLG GYVYSTPAKK YSTGMIHLLL QVTIDGRNYI 120 VDAGFGRSYQ MWQPLELISG KDQPQVPCVF RLTEENGFWY LDQIRREQYI PNEEFLHSDL 180 LEDSKYRKIY SFTLKPRTIE DFESMNTYLQ TSPSSVFTSK SFCSLQTPDG VHCLVGFTLT 240 HRRFNYKDNT DLIEFKTLSE EEIEKVLKNI FNISLQRKLV PKHGDRFFTI 25 Sea ID NO: 21 DNA sequence Nucleic Acid Accession #: NM_003714 30 Coding sequence: 123-1031(underlined sequences correspond to start and stop codons) 31 41 51 35 CGGCACGAGC AAAAAGGAAG AGTGGGAGGA GGAGGGGAAG CGGCGAAGGA GGAAGAGGAG 60 GAGGAGGAAG AGGGGAGCAC AAAGGATCCA GGTCTCCCGA CGGGAGGTTA ATACCAAGAA 120 CC<u>ATG</u>TGTGC CGAGCGGCTG GGCCAGTTCA TGACCCTGGC TTTGGTGTTG GCCACCTTTG 180 ACCCGGCGCG GGGGACCGAC GCCACCAACC CACCCGAGGG TCCCCAAGAC AGGAGCTCCC 240 AGCAGAAAGG CCGCCTGTCC CTGCAGAATA CAGCGGAGAT CCAGCACTGT TTGGTCAACG 300 CTGGCGATGT GGGGTGTGGC GTGTTTGAAT GTTTCGAGAA CAACTCTTGT GAGATTCGGG 360 40 GCTTACATGG GATTTGCATG ACTTTTCTGC ACAACGCTGG AAAATTTGAT GCCCAGGGCA 420
AGTCATTCAT CAAAGACGCC TTGAAATGTA AGGCCCACGC TCTGCGGCAC AGGTTCGGCT 480
GCATAAGCCG GAAGTGCCCG GCCATCAGGG AAATGGTGTC CCAGTTGCAG CGGGAATGCT 540 ACCTCAAGCA CGACCTGTGC GCGGCTGCCC AGGAGAACAC CCGGGTGATA GTGGAGATGA 600 TCCATTTCAA GGACTTGCTG CTGCACGAAC CCTACGTGGA CCTCGTGAAC TTGCTGCTGA 660 CCTGTGGGGA GGAGGTGAAG GAGGCCATCA CCCACAGCGT GCAGGTTCAG TGTGAGCAGA 720 45 ACTGGGGAAG CCTGTGCTCC ATCTTGAGCT TCTGCACCTC GGCCATCCAG AAGCCTCCCA 780 CGGCGCCCCC CGAGCGCCAG CCCCAGGTGG ACAGAACCAA GCTCTCCAGG GCCCACCACG 840 GGGAAGCAGG ACATCACCTC CCAGAGCCCA GCAGTAGGGA GACTGGCCAAGG 900
GTGAGCGAGG TAGCAAGAGC CACCCAAACG CCCATGCCCG AGGCAGAGTC GGGGGCCTTG 960
GGGCTCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020 50 GGGETCAGGG ACCTTCCGGA AGCAGCGAGT GGGAAGACGA ACAGTCTGAG TATTCTGATA 1020
TCCGGAGGTG AAATGAAAGG CCTGGCCACG AAATCTTTCC TCCACGCCGT CCATTTTCTT 1080
ATCTATGGAC ATTCCAAAAC ATTTACCATT AGAGAGGGG GATGTCACAC GCAGGATTCT 1140
GTGGGGACTG TGGACTTCAT CGAGGTGTGT GTTCGCGGAA CGGACAGGTG AGATGGAGAC 1200
CCCTGGGGCC GTGGGGTCTC AGGGGTGCCT GGTGAATTCT GCACTTACAC GTACTCAAGG 1260 55 GAGCGCCCC GCGTTATCCT CGTACCTTTG TCTTCTTTCC ATCTGTGGAG TCAGTGGGTG 1320
TCGGCCGCTC TGTTGTGGGG GAGGTGAACC AGGGAGGGCC AGGGCAAGGC AGGGCCCCCA 1380
GAGCTGGGCC ACACAGTGGG TGCTGGGCCT CGCCCCGAAG CTTCTGGTGC AGCAGCCTCT 1440 GGTGCTGTCT CCGCGGAAGT CAGGGCGGCT GGATTCCAGG ACAGGAGTGA ATGTAAAAAT 1500 AAATATCGCT TAGAATGCAG GAGAAGGGTG GAGAGGAGGC AGGGGCCGAG GGGGTGCTTG 1560 60 GTGCCAAACT GAAATTCAGT TTCTTGTGTG GGGCCTTGCG GTTCAGAGCT CTTGGCGAGG 1620 GTGGAGGGAG GAGTGTCATT TCTATGTGTA ATTTCTGAGC CATTGTACTG TCTGGGCTGG 1680
GGGGGACACT GTCCAAGGGA GTGGCCCCTA TGAGTTTATA TTTTAACCAC TGCTTCAAAT 1740 CTCGATTTCA CTTTTTTAT TTATCCAGTT ATATCTACAT ATCTGTCATC TAAATAAATG 1800 65 GCTTTCAAAC AAAAAAAAAA AAAAAAAAAA AAAAAAA Seq ID NO: 22 Protein sequence: Protein Accession #: NP_003705 70

21 31 41

11

75


51

MCAERLGQFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA

Seg ID NO: 23 DNA sequence

RR

5



GGCCTTGAGG GCCAAGACCA ACACCTACAT CAAGACACCG GTGAGGGGCG AGGAACCAGT 540 GTTCATGGTG ACAGGGCGAC GGGAGGACGT GGCCACAGCC CGGCGGGAAA TCATCTCAGC 600 AGCGGAGCAC TTCTCCATGA TCCGTGCCTC CCGCAACAAG TCAGGCGCCG CCTTTGGTGT 660 GGCTCCTGCT CTGCCCGGCC AGGTGACCAT CCGTGTGCGG GTGCCCTACC GCGTGGTGGG 720 GCTGGTGGTG GGCCCCAAAG GGGCAACCAT CAAGCGCATC CAGCAGCAAA CCAACACATA 780 CATTATCACA CCAAGCCGTG ACCGCGACCC CGTGTTCGAG ATCACGGGTG CCCCAGGCAA 840 10 CGTGGAGCGT GCGCGCGAGA AGATCGAGAC GCACATCGGG GTGCGCATCA GCAAGATCCT 900
CGAGTACAAC AATGAAAACG ACTTCCTGGC GGGGAGCCC GACGCAGCAA TCGATAGCCG 960
CTACTCCGAC GCCTGGCGGG TGCACCAGCC CGGCTGCAAG CCCCTCTCA CCTTCCGGCA 1020
GAACAGCCTG GGCTGCATCG GCGAGTGCGAGACTCT GGCTTTGAGG CCCCACGCCT 1080
GGGTGAGCAG GGCGGGGACT TTGGCTACGG CGGGTACCTC TTTCCGGGCT ATGGCGTGGG 1140
CAAGCAGGAT GTGTACTACG GCGTGGCCGA GACTAGCCCC CCGCTGTGGG CGGGCCAGGA 120
CAACCACGCCC CCCCTCTCCGCC 1200 15 GAACGCCACG CCCACCTCCG TGCTCTTCTC CTCTGCCTCC TCCTCCTCCT CCTCTTCCGC 1260
CAAGGCCCGC GCTGGGCCCC CGGGCGCACA CCGCTCCCCT GCCACTTCCG CGGGACCCGA 1320
GCTGGCCGGA CTCCCGAGGC GCCCCCCGGG AGAGCCGCTC CAGGGCTTCT CTAAACTTGG 1380 20 TGGGGGCGGC CTGCGGAGCC CCGGCGGCGG GCGGGATTGC ATGGTCTGCT TTGAGAGCGA 1440
AGTGACTGCC GCCCTTGTGC CCTGCGGACA CAACCTGTTC TGCATGGAGT GTGCAGTACG 1500 CATCTGCGAG AGGACGGACC CAGAGTGTCC CGTCTGCCAC ATCACAGCCA CGCAAGCCAT 1560 CCGAATATTC TCCTAA 25 Seq 1D NO: 26 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted

1 11 21 31 41 51
FCFAMPSLVV SGIMERNGGF GELGCFGGSA KDRGLLEDER ALQLALDQLC LLGLGEPPAP 60
RAGEDGGGG GGAPAQPTTAP PQPAPPPPPA APPAAPTTAP AAQTPQPPTA PKGASDAKLC 120
ALYKEAELRL KGSSNTTECV PVPTSEHVAE IVGRQGCKIK ALRAKTNTYI KTPVRGEEPV 180
FMVTGRREDV ATARREIISA AEHFSMIRSA RNKSGAAFGV AFALPOQVTI RVRYPYRVVG 240
LVVGPKGATI KRIQQQTNTYY ITTSRDRDP VFEITGAPGN VERAREEIET HIAVRTGKIL 300
EYNNENDFLA GSPDAAIDSR YSDAWRVHQP GCKPLSTFRQ NSLGCIGECG VDSGFEAPRL 360
GEQGGDFGYG GVLFFGYGVG KQDVYYGVAE TSPPLWAGQE NATPTSVLFS SASSSSSSS 420
KARAGPPGAH RSPATSAGPE LAGLPRPPG EPLQGFSKLG GGGLRSPGGG RDCMVCFESE 480
VTAALVPCGH NIFCMECAVR ICERTDPECP VCHITATQAI RIPS

Seq ID NO: 27 DNA sequence
Nucleic Acid Accession #: FGENESH predicted
Coding sequence: 1-2070 (underlined sequences correspond to start and stop codons)

45

50

55

60

65

70

75

ACCCAAGAGC TGCGGCACCT CAAGTCCCTC CTGGAAGGGA GCCAGAGGCC CCAGGCAGCC 1860 CCGGAGGAAG CTAGCTTTCC CAGGGACCAA GAAGCCACCA ATTTCCCCAA GGTCTCCACC 1920 AAGAGCCTCT CCAAGAAATG CCTGAGCCCA CCTGTGGCGG AGCGTGCCAT CCTGCCCGCA 1980 CTGAAGCAGA CCCCGAAGAA CAACTTTGCC GAGAGGCAGA AGAGGCTGCA GGCAATGCAG 2040 AAACGGCGCC TGCATCGCTC AGTGCTTTGA

Seq ID NO: 28 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted

5

25

30

35

40

45

50

55

60

65

70

75

1 11 21 31 41 51

| MSGAGVAAGT RPPSSPTFGS RRRRQRPSVG VQSLRPQSPQ LRQSDPQKRN LDLEKSLQFL 60
QQQHSEMLAK LHEEIEHLKR ENKGEPARGP RPALPPQAHS TLPLPQHRNT AINSSTRLGS 120
GGTQDGEPLQ TVLAHLAALA PVCQPSGYRF WGTWTDAATS SRGWTMLCSQ AQHVLLSGSP 180
GPEVIAGRQV ATGCSPDLPP PSRAEMGRNP WDSPCPARSL PQIAAVARPR ISSPMALSPH 240
MLGAQGIWTH SIQGSLPAIW AATMGTKGGS RVLFPCHLSK ALPHPDSGPH PAQDPGLWSQ 300
AHFPLSLGLG LTSGGHLTGG WSQPGNIAAG AVPRALPSQG DMEKGVEGGP FPSRCGNSSE 360
LFWAKCGPSR QPQPCSAGDA DRTREEAMLS LGTCCSMCPK PSCFPDGPSG NHLSRASAPL 420
GARWVCINGV WVEPGGPSPA RLKEGSSRTH RPGGKRGRLA GGSADTVRSP ADSLSMSSFQ 480
SVKSISNSAN SQGKARPQPG SFNKQDSKAD VSQKADLEEE PLLHNSKLDK VPGVQGQARK 540
EKAEASNAGA ACMGNSQHQG RQMGAGAHPP MILPLPLRKP TTLRQCEVLI RELWNTNLLQ 600
TQELRHLKSL LEGSQRPQAA PEEASFPRDQ EATHFPKVST KSLSKKCLSP PVAERAILPA 660
LKQTPKNNFA ERQKRLQAMQ KRRLHRSVL

Seq ID NO: 29 DNA sequence
Nucleic Acid Accession #: NM_012319.2
Coding sequence: 138-2405 (underlined sequences correspond to start and stop codons)

41 11 21 31 51 GTAAAGATCC TAGAAACAGC CAGGGGAAAG GAGCTCACCG ACCAGAACAT GCCAGTGGTA 660 GAAGGAATGT CAAGGACAGT GTTAGTGCTA GTGAAGTGAC CTCAACTGTG TACAACACTG 720 TCTCTGAAGG AACTCACTTT CTAGAGACAA TAGAGACTCC AAGACCTGGA AAACTCTTCC 780 CCAAAGATGT AAGCAGCTCC ACTCCACCCA GTGTCACATC AAAGAGCCGG GTGAGCCGGC 840 TGGCTGGTAG GAAAACAAAT GAATCTGTGA GTGAGCCCCG AAAAGGCTTT ATGTATTCCA 900 GAAACACAAA TGAAAATCCT CAGGAGTGTT TCAATGCATC AAAGCTACTG ACATCTCATG 960 GCATGGGCAT CCAGGTTCCG CTGAATGCAA CAGAGTTCAA CTATCTCTGT CCAGCCATCA 1020 TCAACCAAAT TGATGCTAGA TCTTGTCTGA TTCATACAAG TGAAAAGAAG GCTGAAATCC 1080 CTCCAAAGAC CTATTCATTA CAAATAGCCT GGGTTGGTGG TTTTATAGCC ATTTCCATCA 1140 TCAGTTICCT GETCTGCTG GGGGTTATCT TAGTGCCTCT CATGAATCGG GTGTTTTTCA 1200
AATTTCTCCT GAGTTTCCTT GTGGCACTGG CCGTTGGGAC TTTGAGTGGT GATGCTTTTT 1260
TACACCTTCT TCCACATTCT CATGCAAGTC ACCACCATGA TCATAGCCAT GAAGAACCAG 1320
CAATGGAAAT GAAAAGAGGA CCACTTTTCA GTCATCTGTC TTCTCAAAAC ATAGAAGAAA 1380
GTGCCTATTT TGATTCCACG TGGAAGGGTC TAACAGCTCT AGGAGGCCTG TATTTCATGT 1440 TTCTTGTTGA ACATGTCCTC ACATTGATCA AACAATTTAA AGATAAGAAG AAAAAGAATC 1500 AGAAGAAACC TGAAAATGAT GATGATGTGG AGATTAAGAA GCAGTTGTCC AAGTATGAAT 1560 CTCAACTTTC AACAAATGAG GAGAAAGTAG ATACAGATGA TCGAACTGAA GGCTATTTAC 1620 GAGCAGACTC ACAAGAGCCC TCCCACTTTG ATTCTCAGCA GCCTGCAGTC TTGGAAGAAG 1680
AAGAGGTCAT GATAGCTCAT GCTCATCCAC AGGAAGTCTA CAATGAATAT GTACCCAGAG 1740
GGTGCAAGAA TAAATGCCAT TCACATTTCC ACGATACACT CGGCCAGTCA GACGATCTCA 1800 TTCACCACCA TCATGACTAC CATCATATTC TCCATCATCA CCACCACCAA AACCACCATC 1860
CTCACAGTCA CAGCCAGCGC TACTCTCGGG AGGAGCTGAA AGATGCCGGC GTCGCCACTT 1920
TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980 TGGCCTGGAT GGTGATAATG GGTGATGGCC TGCACAATTT CAGCGATGGC CTAGCAATTG 1980
GTGCTGCTTT TACTGAAGGC TTATCAAGTG GTTTAAGTAC TTCTGTTGCT GTGTCGTC 2040
ATGAGTTGCC TCATGAATTA GGTGACTTTG CTGTTCTACT AAAGGCTGGC ATGACCGTTA 2100
AGCAGGCTGT CCTTTATAAT GCATTGTCAG CCATGCTGGC GTATCTTGGA ATGGCAACAG 2160
GAATTTTCAT TGGTCATTAT GCTGAAAATG TTTCTATGTG GATATTTGCA CTTACTGCTG 2220
GCTTATCAT GTATGTTGCT CTGGTTGATA TGGTACCTGA AATGCTGCAC CAATGATGCTA 2280
GTGACCATGG ATGTAGCCGC TGGGGGTATT TCTTTTTACA GAATGCTGGA ATGATTGCTA 2280
GTTTTGGAAT TATGTTACTT ATTTCCATAT TTGAACATAA AATGCTGTTT CGTATAAATT 2400 TCTAGTTAAG GTTTAAATGC TAGAAGTAGCT TAAAAAGTTG TCATAGTTTC AGTAAGTCA 2460
AGGGAATGA GTTTGTATGC TGTACTATGC AGCGTTAAA GTTAGTGGGT TTTGTGATTT 2520
TTGTATTGAA TATTGCTGTC TGTTACAAAG TCAGTTAAAG GTACGTTTTA ATATTTAAGT 2580 TATTCTATCT TGGAGATAAA ATCTGTATGT GCAATTCACC GGTATTACCA GTTATTATTG 2640
TAAACAAGAG ATTTGGCATG ACATGTTCTG TATGTTTCAG GGAAAAATGT CTTTAATGCT 2700

TTTTCAAGAA CTAACACAGT TATTCCTATA CTGGATTTTA GGTCTCTGAA GAACTGCTGG 2760 TGTTTAGGAA TAAGAATGTG CATGAAGCCT AAAATACCAA GAAAGCTTAT ACTGAATTTA 2820 AGCAAAGAAA TAAAGGAGAA AAGAGAAGAA TCTGAGAATT GGGGAGGCAT AGATTCTTAT 2880 AAAAATCACA AAATTTGTTG TAAATTAGAG GGGAGAAATT TAGAATTAAG TATAAAAAGG 2940 CAGAATTAGT ATAGAGTACA TTCATTAAAC ATTTTTGTCA GGATTATTTC CCGTAAAAAC 3000 GTAGTGAGCA CTCTCATATA CTAATTAGTG TACATTTAAC TTTGTATAAT ACAGAAATCT 3060 5 AAATATATTI AATGAATTCA AGCAATATAC ACTTGACCAA GAAATTGGAA TITCAAAATG 3120 TTCGTGCGGG TTATATACCA GATGAGTACA GTGAGTAGTT TATGTATCAC CAGACTGGGT 3180 TATTGCCAAG TTATATATCA CCAAAAGCTG TATGACTGGA TGTTCTGGTT ACCTGGTTTA 3240 10 CAAAATTATC AGAGTAGTAA AACTTTGATA TATATGAGGA TATTAAAACT ACACTAAGTA 3300 TCATTTGATT CGATTCAGAA AGTACTTTGA TATCTCTCAG TGCTTCAGTG CTATCATTGT 3360 GAGCAATTGT CTTTATATAC GGTACTGTAG CCATACTAGG CCTGTCTGTG GCATTCTCTA 3420 GATGTTTCTT TTTTACACAA TAAATTCCTT ATATCAGCTT G

Seq ID NO: 30 <u>Protein sequence:</u>
Protein Accession #: NP_036451.2 15

20 FYRYGENNSL SVEGFRKLLQ NIGIDKIKRI HIHHDHDHHS DHEHHSDHER HSDHEHHSDH 120 EHHSDHDHHS HHNHAASGKN KRKALCPDHD SDSSGKDPRN SQGKGAHRPE HASGRRNVKD 180 SVSASEVTST VYNTVSEGTH FLETIETPRP GKLFPKDVSS STPPSVTSKS RVSRLAGRKT 240 NESVSEPRKG FMYSRNTNEN PQECFNASKL LTSHGMGIQV PLNATEFNYL CPAIINQIDA 300 25

RSCLIHTSEK KAEIPPKTYS LQIAWVGGFI AISIISFLSL LGVILVPLMN RVFFKFLLSF 360 LVALAVGTLS GDAFLHLLPH SHASHHHSHS HEEPAMEMKR GPLFSHLSSQ NIEESAYFDS 420 TWKGLTALGG LYFMFLVEHV LTLIKQFKDK KKKNQKKPEN DDDVEIKRQL SKYESQLSTN 480 EEKVDTDDRT EGYLRADSQE PSHFDSQQPA VLEEEEVMIA HAHPQEVYNE YVPRGCKNKC 540 HSHFHDTLGQ SDDLIHIHIHD YHHILHIHHH QNHHPHSHSQ RYSREELKDA GVATLAWMVI 600 30 MGDGLHNFSD GLAIGAAFTE GLSSGLSTSV AVFCHELPHE LGDFAVLLKA GMTVKQAVLY 660 NALSAMLAYL GMATGIFIGH YAENVSMWIF ALTAGLFMYV ALVDMVPEML HNDASDHGCS 720 RWGYFFLQNA GMLLGFGIML LISIFEHKIV FRINF

Sea ID NO: 31 DNA sequence 35 Nucleic Acid Accession # NM_002184.1 Coding sequence: 256-3012(underlined sequences correspond to start and stop codons)

40

CGCGCCTGCC AGGCCGACGG GTCTGGCCCA GCCTGGCGCC AAGGGGTTCG TGCGCTGTGG 120
AGACGCGGAG GGTCGAGGCG GCGCGGCCTG AGTGAAACCC AATGGAAAAA GCATGACATT 180
TAGAAGTAGA AGACTTAGCT TCAAATCCCT ACTCCTTCAC TTACTAATTT TGTGATTTTGG 240 AAATATCCGG GCAAGATGTT GACGTTGCAG ACTTGGGTAG TGCAAGCCTT GTTTATTTTC 300
CTCACCACTG AATCTACAGG TGAACTTCTA GATCCATGTG GTTATATCAG TCCTGAATCT 360
CCAGTTGTAC AACTTCATTC TAATTTCACT GCAGTTTGTG TGCTAAAGGA AAAATGATGATG 420
GATTATTTTC ATGTAAATGC TAATTACACT GCAGTTTGTG TGCTAAAGGA AAAATGATGATG 420
GATTATTTTC ATGTAAATGC TAATTACATT GTCTGGAAAA CAAACCATTT TACTATTCCT 480
AAGGAGCAAT ATACTATCAT AAACAGAACA GCATCCAGTG TCACCTTTAC AGATATAGCT 540 45 TCATTAAATA TTCAGCTCAC TTGCAACATT CTTACATTCG GACAGCTTGA ACAGAATGTT 600 TATGGAATCA CAATAATTTC AGGCTTGCCT CCAGAAAAAC CTAAAAATTT GAGTTGCATT 660 GTGAACGAGG GGAAGAAAAT GAGGTGTGAG TGGGATGGTG GAAGGGAAAC ACACTTGGAG 720 50 ACAAACTTCA CTTTAAAATC TGAATGGGCA ACACACAAGT TTGCTGATTG CAAAGCAAAA 780 GGTGACACCC CCACCTCATG CACTGTTGAT TATTCTACTG TGTATTTTGT CAACATTGAA 840
GTCTGGGTAG AAGCAGAGA TGCCCCTGTGG AAGGTTACAT CAGATCATAT CAATTTTGAT 900
CCTGTATATA AAGTGAAGCC CAATCCGCCA CATAATTTAT CAGTGATCAA CTCAGAGGAA 960
CCTGTCAGTA TCTTAAAATT GACATGGACC AACCCAAGTA TTAAGAGTGT TATAATACTA 1020
AAATATAACA TTCAATATAG GACCAAAGAT GCCTCAACTT GGAGCCAGAT TCCTCCTGAA 1080 55 GACACAGCAT CCACCCGATC TTCATTCACT GTCCAAGACC TTAAACCTTT TACAGAATAT 1140 GTGTTTAGGA TTCGCTGTAT GAAGGAAGAT GGTAAGGGAT ACTGGAGTGA CTGGAGTGAA 1200 GAAGCAAGTG GGATCACCTA TGAAGATAGA CCATCTAAAG CACCAAGTTT CTGGTATAAA 1260 60 ATAGATICCAT CCCATACTCA AGGCTACAGA ACTGTACAAC TCGTGTGGAA GACATTGCCT 1320 CCTTTTGAAG CCAATGGAAA AATCTTGGAT TATGAAGTGA CTCTCACAAG ATGGAAATCA 1380 CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440 CATTTACAAA ATTACACAGT TAATGCCACA AAACTGACAG TAAATCTCAC AAATGATCGC 1440
TATCTAGCAA CCCTAACAGT AAGAAATCTT GTTGGCAAAAT CAGAATGCAGC TGTTTTAACT 1500
ATCCCTGCCT GTGACTTTCA AGCACACTCAC CCTGTAATGG ATCTTAAAGC ATTCCCCAAA 1560
GATAACATGC TTTGGGTGGA ATGGACTACT CCAAGGGAAT CTGTAAAGAA ATATATACTT 1620
GAGTGGTGTG TGTTATCAGA TAAAGCACCC TGTATCACAG ACTGGCAACA AGAAGATGGT 1680
ACCGTGCATC GCACCTATTT AAGAGGGAAC TTAGCAGAGA GCAAATGCTA TTTGATAACA 1740
GTTACTCCAG TATATGCTGA TGGACCAGGA AGCCCTGAAT CCATAAAGGC ATACCTTAAA 1800
CAAGCTCCAC CTTCCAAAGG ACCTACTGTT CGGACAAAAA AAGTAGGGAA AAACGAAGCT 1860
GTCTTAGAGT GGGACCAACT TCCTGTTGAT GTTCAGAATG GATTTATCAG AAATTATACT 1920 65

GAGCAGCCAA AAGGCCCGCG GAGTCGCGCT GGGCCGCCCC GGCGCAGCTG AACCGGGGGC 60

70 ATATTITATA GAACCATCAT TGGAAATGAA ACTGCTGTGA ATGTGGATTC TTCCCACACA 1980 GAATATACAT TGTCCTCTTT GACTAGTGAC ACATTGTACA TGGTACGAAT GGCAGCATAC 2040 ACAGATGAAG GTGGGAAGGA TGGTCCAGAA TTCACTTTTA CTACCCCAAA GTTTGCTCAA 2100

TTTAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340 TITAATTCAA AAGATCAAAT GTATTCAGAT GGCAATTTCA CTGATGTAAG TGTTGTGGAA 2340
ATAGAAGCAA ATGACAAAAA GCCTTTTCCA GAAGATCTGA AATCATTGGA CCTGTTTCAAA 2400
AAGGAAAAAA TAAATACTGA AGGACACAGC AGTGGTATTG GGGGGTCTTC ATGCATGTCA 2460
TCTTCTAGGC CAAGCATTTC TAGCAGTGAT GAAAATGAAT CTTCACAAAA CACTTCGAGC 2520
ACTGTCCAGT ATTCTACCGT GGTACACAGT GGCTACCAGAC ACCAAGTTCC GTCAGTCCAA 2580
GCTTTCTCAA GATCCCAGTC TACCCAGCCC TTGTTAGATT CAGAGGAGCG GCCAGAAGAT 2640
CTACAATTAG TAGATCATGT AGATGGCGGT GATGGTATTT TGCCCAGGCA ACAGTACTTC 2700
AAACAGAACT GCAGTCAGCA TGAATCCAGT CCAGATATTT CACATTTTGA AAGGTCAAAG 2760
CAAGTTTCAT CAGTCAATGA GGAAGATTTT GTTAGACTTA AACAGCAGAT TTCAGATCAT 2820
ATTTCACAAT CCTGTGGATC TGGGCAAAATG AAAATGTTTC AGGAAGTTTT TGCAGACGAGT 2880
GCTTTTGGTC CAGGTACTGA GGGACAAGTA GAAAGATTTT AAACAGTTAG CTGAGGCAGC 2940
GCGACTGATG AAGGCATGC TAAAAGTTAC TTACCACAGA CTGTACGCCA AGGCGGCTAC 3000
ATGCCTCAGT GAAGGACTAG TAGTTCCTGC TACAACTTCA GCAGATCCTA TAAAGTTAAA 7000 5 10 CTAAAATGAT TTTATCTGTG AATTC 15 Seq ID NO: 32 <u>Protein sequence:</u> Protein Accession #: NP_002175.1 21 41 31 20 MLTLQTWVVQ ALFIFLTTES TGELLDPCGY ISPESPVVQL HSNFTAVCVL KEKCMDYFHV 60 NANYIVWKTN HETIPKEQYT IINRTASSVT FTDIASLNIQ LTCNILTFQQ LEQNVYGITI 120 ISGLPPEKPK NLSCIVNEGK KMRCEWDGGR ETHLETNFTL KSEWATHKFA DCKAKRDTPT 180 SCTVDYSTVY FVNIEVWVEA ENALGKVTSD HINFDPVYKV KPNPPHNLSV INSEELSSIL 240 25 KLTWTNPSIK SVIILKYNIQ YRTKDASTWS QIPPEDTAST RSSFTVQDLK PFTEYVFRIR 300 CMKEDGKGYW SDWSEEASGI TYEDRPSKAP SFWYKIDPSH TQGYRTVQLV WKTLPPFEAN 360 GKILDYEVTL TRWKSHLQNY TVNATKLTVN LTNDRYLATL TVRNLVGKSD AAVLTIPACD 420 FQATHPVMDL KAFPKDNMLW VEWTTPRESV KKYILEWCVL SDKAPCITDW QQEDGTVHRT 480 YLRGNLAESK CYLITVTPVY ADGPGSPESI KAYLKQAPPS KGPTVRTKKV GKNEAVLEWD 540 QLPVDVQNGF IRNYTIFYRT IIGNETAVNV DSSHTEYTLS SLTSDTLYMV RMAAYTDEGG 600 30 KDGPEFTFTT PKFAQGEIEA IVVPVCLAFL LTTLLGVLFC FNKRDLIKKH IWPNVPDPSK 660 SHIAQWSPHT PPRHNFNSKD QMYSDGNFTD VSVVEIEAND KKPFPEDLKS LDLFKKEKIN 720 TEGHSSGIGG SSCMSSSRPS ISSSDENESS QNTSSTVQYS TVVHSGYRHQ VPSVQVFSRS 780 PESTOPILLDSE ERPEDLQLVD HYDGGDGILP RQQYFKQNCS QHESSPDISH FERKVQSSV 840
NEEDFVRLKQ QISDHISQSC GSGQMKMFQE VSAADAFGPG TEGQVERFET VGMEAATDEG 900 35 MPKSYLPQTV RQGGYMPQ Seq ID NO: 33 DNA sequence Nucleic Acid Accession #: NM_018255.1 40 Coding sequence: 11-2491 (underlined sequences correspond to start and stop codons) 31 AGTTGGCGAC ATGGTGGCAC CCGTGCTGGA GACTTCTCAC GTGTTTTGCT GCCCAAACCG 60 45 50 55 GCTGTATATA AAGTCAACAT CTTTAGAAAC TCAGGATGAC GATAACATAA GACTGAGAGA 780
AAATACTTTT ACCATAGAAA ATGAAAGTGT TAAAATAGCA TTTGCTGTTA CTCTGGAGAC 840
AAGTGCTAGCC GGTCATGAAA ATGAAAGTGT TAAAATAGCA TTTGCTGTTA CTCTGGAGAC 840
AGTGCTAGCC GGTCATGAAA ACTGGGTAAA TGCAGTTCAC TGGCAACCTG TGTTTTACAA 900
AGATGGTGTC CTACAGCAGC CAGTGAGATT ATTATCTGCT TCCATGGATA AAACCATGAT 960
TCTCTGGGGT CCAGATGAAG AGTCAGGAGT TTGGCTAGAA CAGGTTCAGG TAGGTGAAGT 1020 60 AGGTGGGAAT ACTITGGGAT TITATGATTG CCAGTTCAAT GAAGATGGCT CCATGATCAT 1080
TGCTCATGCT TTCCACGGAG CGTTGCACCT TTGGAAACAG AATACAGTTA ACCCAAGAGA 1140
GTGGACTCCA GAGATTGTCA TTTCAGGACA CTTTGATGGT GTCCAAGACC TAGTCTGGGA 1200 TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TTTTTGCTCC 1260
ATGGAAGAGA AAAGACCAAT CACAGGTGAC TTGGCATGAA ATTGCAAGGC CTCAGATACA 1320
TGGGATGAC CTGAAATGTT TGGCAATGAT TAATCGGTTT CAGTTTTGATT CTGGAGCAGA 1380
TGAAAAAGTT CTTCGGGTTT TTTTCTGCACC TCGGAAATTTT GTGGAAAAATT TTTGTGCCAT 1440
TACAGGACAA TCACTGAATC ATGTGCTCTG TAATCAAGAT AGTGATCTTC CAGAAGGAGC 1500
CACTGTCCCT GCATTGGGAT TATCAAATAA AGCTGTCTTT CAGGGAGATA TAGCTTCTCA 1560
GCCTTCTGAT GAAGAGGAGC TGTTAACTAG TACTGGTTTT GAGTATCAGC AGGTGGCCTT 1620
TCAGCCCTCC ATACTTACTG AGCCTCCCAC TGAGGATCAT CTTCTGCAGA ATACTTTGTG 1680
GCCTGAAGTT CAAAAACTAT ATGGGCACGG TTATGAAATA TTTTGTGTTA CTTGTAACAG 1740
TTCAAAGACT CTGCTTGCCT CAGCTTGTAA GGCAGCTAAG AAAGAGCATG CAGCTATCAT 1800
TCTTTGGAAC ACTACATCTT GGAAACAGGT GCAGCAATTTA GTTTTCCAC GATTTGACAGT 1860
CACGCAGATG GCCTTCTCAC CTAATGAGAA GTTCTTACTA GCTGTTTCCA GAGATCGAAC 1920
CTGGTCATTG TGGAAAAAGC AGGATACAAT CTCACCTGAG TTCGAGCCAG TTTTTAGTCT 1980
TTTTGCCTTC ACCAACAAAA TTACTTCTGT GCACAGTAGGA ATTATTTGGT CTTGTGATTG 2040 TCCAGAAGGA GAATTTATTA TCACTGTTGG TACTGATCAG ACAACTAGAC TTTTTGCTCC 1260 65 70

GAGTCCTGAC AGCAAGTATT TCTTCACTGG GAGTCGAGAC AAAAAGGTGG TTGTCTGGGG 2100
TGAGTGCGAC TCCACTGATG ACTGTATTGA GCACAACATT GGCCCCTGCT CCTCAGTCCT 2160
GGACGTGGGT GGGGCTGTGA CAGCTGTCAG CGTCTTGCCCA GTGCTCCACC CTTCTCAACG 2220
ATACGTGGTT GCAGTAGGAT TGGAGTGTGG AAAGATTTGC TTATATACCT GGAAAAAGAC 2280
TGATCAAGTT CCAGAAATAA ATGACTGGAC CCACTGTGTA GAAACAAGTC AAAGCCAAAG 2340
TCATACACTG GCTATCAGAA AATTATGCTG GAAGAATTGC AGTGGAAAAA CTGAACAGAA 2400
GGAAGCAGAA GGTGCTGAGT GGTTACACTT TGCAAGCTGT GGTGAAGATC ACACTGTGAA 2460
GATACACAGA GTCAATAAAT GTGCACTGTAATGG

Seq ID NO: 34 <u>Protein sequence:</u>
Protein Accession #: NP_060725.1

5

35

40

45

50

55

60

65

70

75

1 11 21 31 41 51

15 MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR 60 VNCQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPY YAVHAVYQRR 120 TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC 180 GNDDCRHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSQD CLLRIWKLVI 240 KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWYNAVH WQPVFYKDGY 300 LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIIAHA 360 FHGALHLWKQ NTVNPREWTP EIVISGHEDG VQDLVWDPEG EFIITVGTDQ TTRLFAPWKR 420 KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCAITGQ 480 SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS 540 ILTEPTTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAIILWN 600 TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVPSLFAF 660 TNKNTSVHSR IIWSCDWSPD SKYFFTGSRD KKVVVWGECD STDCCIEBNI GPCSSVLDVG 720 GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PENDWTHCV ETSQSQSHTL 780

AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKIHR VNKCAL

Seq ID NO: 35 DNA sequence
Nucleic Acid Accession #: NM_022131
Coding sequence: 11-2878 (underlined sequences correspond to start and stop codons)

31 41 TGCTGCGAGG ATGCTGCCTG GGCGGCTGTG CTGGGTGCCG CTCCTGCTGG CGCTGGGCGT 60 GGGGAGCGGC AGCGGCGGTG GCGGGGACAG CCGGCAGCGC CGCCTCCTCG CGGCTAAAGT 120 CAATAAGCAC AAGCCATGGA TCGAGACTTC ATATCATGGA GTCATAACTG AGAACAATGA 180 CACAGTCATT TTGGACCCAC CACTGGTAGC CCTGGATAAA GATGCACCGG TTCCTTTTGC 240 AGGGGAAATC TGTGCGTTCA AGATCCATGG CCAGGAGCTG CCCTTTGAGG CTGTGGTGCT 300 CAACAAGACA TCAGGAGAGG GCCGGCTCCG TGCCAAGAGC CCCATTGACT GTGAGTTGCA 360 GAAGGAGTAC ACATTCATCA TCCAGGCCTA TGACTGTGGT GCTGGGCCCC ACGAGACAGC 420
CTGGAAAAAG TCACACAAGG CCGTGGTCCA TATACAGGTG AAGGATGTCA ACGAGTTTGC 480
TCCCACCTTC AAAGAGCCAG CCTACAAGGC TGTTGTGACG GAGGGCAAGA TCTATGACAG 540 CATTCTGCAG GTGGAGGCCA TTGACGAGGA CTGCTCCCCA CAGTACAGCA GAGACTGGCAA 600
CTATGCAGAG GTCGCACAG ATGTGCCTTT TGCCATCGAC AGAAATGGCA ACATCAGGAA 660
CACTGAGAAG CTGAGCTATG ACAAACAACA CCAGTATGGAG ATCCTGGTGA CCGCCTACGA 720
CTGTGGACAG AAGCCCGCTG CTCAGGACAC CCTGGTGCAG GTGGATGTGA AGCCAGTTTTG 780
CAAGCCTGGC TGGCAAGACT GGACCAAGAG GATTGAGTAC CAGCCTGGCT CCGGGAGCAT 840 GCCCCTGTTC CCCAGCATCC ACCTGGAGAC GTGCGATGGA GCCGTGTCTT CCCTCCAGAT 900 CGTCACAGAG CTGCAGACTA ATTACATTGG GAAGGGTTGT GACCGGGAGA CCTACTCTGA 960
GAAATCCCTT CAGAAGTTAT GTGGAGCCTC CTCTGGCATC ATTGACCTCT TGCCATCCCC 1020 TAGCGCTGCC ACCAACTGGA CTGCAGGACT GCTGGTGGAC AGCAGTGAGA TGATCTTCAA 1080 GTTTGACGGC AGGCAGGGTG CCAAAATCCC CGATGGGATT GTGCCCAAGA ACCTGACCGA 1140
TCAGTTCACC ATCACCATGT GGATGAAACA CGGCCCCAGC CCTGGTGTGA GAGCCGAGAA 1200 GGAAACCATC CTCTGCAACT CAGACAAAAC CGAAATGAAC CGGCATCACT ATGCCCTGTA, 1260 TGTGCACAAC TGCCGCCTCG TCTTTCTCTT GCGGAAGGAC TTCGACCAGG CTGACACCTT 1320
TCGCCCCGCG GAGTTCCACT GGAAGCTGGA TCAGATTTGT GACAAAGAGT GGCACTACTA 1380 TGTCATCAAT GTGGAGTTTC CTGTGGTAAC CTTATACATG GATGGAGCAA CATATGAACC 1440 ATACCTGGTG ACCAACGACT GGCCCATTCA TCCATCTCAC ATAGCCATGC AACTCACAGT 1500 CGGCGCTTGT TGGCAAGGAG GAGAAGTCAC CAAACCACAG TTTGCTCAGT TCTTTCATGG 1560 AAGCCTGGCC AGTCTCACCA TCCGCCCTGG CAAAATGGAA AGCCAGAAGG TGATCTCCTG 1620
CCTGCAGGCC TGCAAGGAAG GGCTGGACAT TAATTCCTTG GAAAGCCTTG GCCAAGGAAT 1680
AAAGTATCAC TTCAACCCCT CGCAGTCCAT CCTGGTGATG GAAGGTGACG ACATTGGGAA 1740 CATTAACCGT GCTCTCCAGA AAGTCTCCTA CATCAACTCC AGGCAGTTCC CAACGGCGGG 1800
TGTGCGGCGC CTCAAAGTAT CCTCCAAAGT CCAGTGCTTT GGGGAAGACG TATGCATCAG 1860 TATCCCTGAG GTAGATGCCT ATGTGATGGT CCTCCAGGCC ATCGAGCCCC GGATCACCCT 1920 CCGGGGCACA GACCACTTCT GGAGACCTGC TGCCCAGTTT GAAAGTGCCA GGGGAGTGAC 1980 CCTCTTCCCT GATATCAAGA TTGTGAGCAC CTTCGCCAAA ACCGAAGCCC CCGGGGACGT 2040 GAAAACCACA GACCCCAAAT CAGAAGTCTT AGAGGAAATG CTTCATAACT TAGATTTCTG 2100
TGACATTTTG GTGATCGGAG GGGACTTGGA CCCAAGGCAG GAGTGCTTGG AGCTCAACCA 2160
CAGTGAGCTC CACCAACGAC ACCTGGATGC CACTAATTCT ACTGCAGGCT ACTCCATCTA 2220 CGGTGTGGGC TCCATGAGCC GCTATGAGCA GGTGCTACAT CACATCCGCT ACCGCAACTG 2280
GCGTCCGGCT TCCCTTGAGG CCCGGCGTTT CCGGATTAAG TGCTCAGAAC TCAATGGGCG 2340
CTACACTAGC AATGAGTTCA ACTTGGAGGT CAGCATCCTT CATGAAGACC AAGTCTCAGA 2400

TAAGGAGCAT GTCAATCATC TGATTGTGCA GCCTCCCTTC CTCCAGTCTG TCCATCATCC 2460
TGAGTCCCGG AGTAGCATCC AGCACAGTTC AGTGGTCCCA AGCATTGCCA CAGTGGTCAT 2520

CATCATCTCC GTGTGCATGC TTGTGTTTGT CGTGGCCATG GGTGTGTACC GGGTCCGGAT 2580 CGCCCACCAG CACTTCATCC AGGAGACTGA GGCTGCCAAG GAATCTGAGA TGGACTGGGA 2640 CGATTCTGCG CTGACTATCA CAGTCAACCC CATGGAGAAA CATGAAGGAC CAGGGCATGG 2700 GGAAGATGAG ACTGAGGGAG AAGAGCAGGA AGAAGCCTGA GCAAGGACTAG 2700
GGAAGATGAG ACTGAGGGAG AAGAGGAGGA AGAAGACTGA GCTCCAGCCAG 2760
TGGCTCTGAC GACAGCGAAG AGGAGGAGGA GGAGGAAGGAG ATGGGCAGAG GCAGACATGG 2820
GCAGAATGGA GCCAGGCAAG CCCACCTGCA GTGGGATGAC TCCACCCTCC CCTACTAGTG 2880
CCCAGGGGTC TGCTGCCTGG CCCACATGTC CCTTTTGTAA ACCCTGACC AGTGTATGCC 2940
CATGTCTATC ATACCTCACC TCTGATGTCT GTGACATGTC TGGGAAGGCC TTCTCCCAGCT 3000
TCCTGGAGCC ACCCTTTAA GCCTTGGGCA CTCCCTGTGT TTCATCATG GGGAAGTTCC 3060
AGAAGCCCA GCA TGCCATCA CATGTCACCTTCA CACCTCCTCTCATCTCCACCT 3000 5 10 AAGAAGCCCA GCATGGCCAT CAGTGAGGAC TTCAGGGTAG ACTTTGTCCT GTAGCCTCCA 3120
CTTCTGCCCT AAGTTCCCCA GCATCCTGAC TACCTGTCTG CAGAGTTTGC CTTTGTTTTT 3180
TCCTGCAGGG AAGAAGGCCC ACCTTTGTGT CACTCACCTC CCCAGGCTCA GAGTCCCCAA 3240 GGCCCTGGGG TTCCAACTCA CTGTGCGTCT CCTCCACACA GACCAGTAGG TTCTCCTATG 3300 CTGACTCCAG GTTGCTTCAT ACAAGGAGGG TGGTTGAACT TCACACACGT AAGGTCTTAG 3360 TGCTTAACAG TTTAAAGGAA AGTCCTTGTT GAGGCAGAAC TAAGTTTACA GGGAAAGGTA 3420 15 CACACATTCT CTCTCTCTCT CTCTCTCTGT CTATCTAGTT CCCCAGCTTG GAGAGCCTTT 3480 CCCCTTGCTT CTTTCTGAGG CCATATAAGC TTATAAGAAA AGTCCCAAAC CAAGAATAGG 3540 TCCTTGGCCA CAAGCAGGGT CTGATCCCCC ATCAGAGCTA TCTGAGCCTG CCTGTCTGGG 3600
CACCTGCTGC AACCATGCAG CTACCCTGCC AGGGGCACTC AGCAAACAAG ACCACAGGGC 3660
CCAGGAGGCA TTCCACACAG GCACTGCCC AGGACAACAC AACAAGGACA GTCACAACAA 3720
GGACAACAAG GACACAACAC AACACAACAAC AAGGACAGTC ACAAGACC TAGAGCCAGA 3780
AAGCAGATGG AAATGCTAAT GAGGTCAAAC CTAGGCTTCA TGGTGGGTGG AGTGGGGGTG 3840
GCTGGGCTCC CCCAGGACAG AGGGGACCCT GAGGTTGGCA AGGCTCTCAC CACTCAGCCT 3900 20 TATGGTCCCT TATCTCCTAT CTTCCCTCTT GAGAAAATAC ACGCTTTCTG CATGTATTAG 3960 AAACGCACGA GCTCCACCAA GTCTACAATG AAAGTTTGAA ATTTAACTGC AAGGAATTAG 4020 AAGCATATTT GCAATCATTG CAGCTTCTTC TTTCTTCTGC TCATAAAAGG AGGAACACTT 4080 25 TAGATAGAGG GCAAATATAT CTGAAAACCT AATTTCTTTC TTTTTTTGAT AAGGAAATCT 4140
TTTCCATCTC CATCCTAACA TGCACAACCT GTGAAGAGAA TTGTTTCTAT AGTAACTGGT 4200
CTGTGATCTT TTGTGGCCAA GAGAATAGCA GGCAAGAATT AGGGCCTTGA CAGAATTTCC 4260 30 ACGAAGCTCT GAGAACATGT TIGTTTCGAA TGTCTGATTC CTCTTTGTCA TCAATGTGTA 4320 TGCTCTGTCC CCATCCTTCA CTCCTCCA AGCTCACACC AATTGGTTTG GCACAGGCAC 4380 AGAGCTGGTC CCTAGTTAAG TGGCATTTAT GTTAAAAAAA AATAGTTCAG AATCTCAGCC 4440 TTTTCTTTGT GTCATCAAAA CAGCTTAAGA AGGGGACTAC TGCCAATGTC CTCTAGTCTG 4500 ACCTCCACCC AGGGAGGACC CATGGCAGGT CTTTTCAACT TTCTGATTCA TGAGAACAAC 4560 CTTGTGAAGC TTTTCCCACC TCCTAAAGTG TTTTCTGCAT CTGTTCCTTC CTTTGGACCT 4620 35 CACAACAAAT CCTGTGAAGT AACTGAGACA TCTGTTGTTA GATACATTTT TGTGATGAGT 4680 AAACTGAGGC TTCG Seq ID NO: 36 <u>Protein sequence:</u>
Protein Accession #: NP_071414.1 40 21 31 41

MLPGRLCWVP LLLALGVGSG SGGGGDSRQR RLLAAKVNKH KPWIETSYHG VITENNDTVI 60 LDPPLVALDK DAPVPFAGEI CAFKIHGQEL PFEAVVLNKT SGEGRLRAKS PIDCELQKEY 120 45 TFIIQAYDCG AGPHETAWKK SHKAVVHIQV KDVNEFAPTF KEPAYKAVVT EGKIYDSILQ 180 VEAIDEDCSP QYSQICNYEI VTTDVPFAID RNGNIRNTEK LSYDKQHQYE ILVTAYDCGQ 240 KPAAQDTLVQ VDYKPVCKPG WQDWTKRIEY QPGSGSMPLF PSIHLETCDG AVSSLQIVTE 300 LQTNYIGKGC DRETYSEKSL QKLCGASSGI IDLLPSPSAA TNWTAGLLVD SSEMIFKFDG 360 EQINTIGROU DREI Y SERSE QRLCUASSUI IDLLES PSAA IN W MOLLYD SSEMIFAT DU 300
RQGAKIPDGI VPKNLTDQFT ITMWMKHGPS PGVRAEKETI LCNSDKTEMN RHIYALYVHN 420
CRLVFLLRKD FDQADTFRPA EFHWKLDQIC DKEWHYYVIN VEFPVVTLYM DGATVEPYLV 480
TNDWPIHPSH IAMQLTVGAC WQGGEVTKPQ FAQFFHGSLA SLTIRPGKME SQKVISCLQA 540
CKEGLDINSL ESLGQGIKYH FNPSQSILVM EGDDIGNINR ALQKVSYINS RQFPTAGVRR 600
LKVSSKVQCF GEDVCISIPE VDAYVMVLQA IEPRITLRGT DHFWRPAAQF ESARGVTLFP 660 50 55

DIKIVSTFAK TEAPGDVKTT DPKSEVLEEM LHNLDFCDIL VIGGDLDPRQ ECLELNHSEL 720
HQRHLDATNS TAGYSIYGVG SMSRYEQVLH HIRYRNWRPA SLEARRFIK CSELNGRYTS 780
NEFNLEVSIL HEDQVSDKEH VNHLIVQPPF LQSVHHPESR SSIQHSSVVP SLATVVIIIS 840
VCMLVFVVAM GVYRVRLAHQ HFIQETEAAK ESEMDWDDSA LTITVNPMEK HEGPGHGEDE 900 TEGEEEEEAE EEMSSSSGSD DSEEEEEEEG MGRGRHGQNG ARQAQLEWDD STLPY 60

Seq ID NO: 37 DNA sequence Nucleic Acid Accession #:

none found Coding sequence: 143-874 (underlined sequences correspond to start and stop codons)

65 31 41 53 GGGAGGAGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60
CGCGGCGGAG CAGACGCTG ACCACGTTCC TCTCCTCGGT CTCCTCCGCC TCCAGCTCCG 120
CGCTGCCCGG CAGCCGGCAG CCATGGACC CCAGGGCCCC GCCGCCTCCC CGCAGCGGCT 180
CCGCCGGCCTC CTGCTGCTTC TGCTGCTGCA GCTGCCCGCG CCGTCCAGCG CCTCTGAGAT 240
CCCCAAGGGG AAGCAAAAGG CGCAGCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATGG 300 70 AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360
CATTCCGGGT ACACCTGGGA TCCCAGGTCG GGATGGATTC AAAGGAGAAA AGGGGGAATG 420
TCTGAGGGAA AGCTTTGAGG AGTCCTGGAC ACCCAACTAC AAGCAGTGTT CATGGAGTTC 480
AATTGAATTAT GGCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGTTC 540
AAATAGTGCT CTAAGAGTTT TGTTCAGTGG CTCACTTCCG CTAAAATGCA GAAATGCATG 600 75 CTGTCAGCGT TGGTATTTCA CATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATTGA 660

AGCTATAATT TATTTGGACC AAGGAAGCCC TGAAATGAAT TCAACAATTA ATATTCATCG 720 CACTTCTTCT GTGGAAGGAC TTTGTGAAGG AATTGGTGCT GGATTAGTGG ATGTTGCTAT 780 CTGGGTTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840 TICTCGCATC ATTATTGAAG AACTACCAAA A<u>TAA</u>ATGCTT TAATTTTCAT TTGCTACCTC 900 TITTTTTATT ATGCCTTGGA ATGGTTCACT TAAATGACAT TTTAAATAAG TTTATGTATA 960 CATCTGAATG AAAAGCAAAG CTAAATATGT TTACAGACCA AAGTGTGATT TCACACTGTT 1020 5 TTTAAATCTA GCATTATTCA TTTTGCTTCA ATCAAAAGTG GTTTCAATAT TTTTTTTAGT 1080 TGGTTAGAAT ACTTTCTTCA TAGTCACATT CTCTCAACCT ATAATTTGGA ATATTGTTGT 1140 GGTCTTTTGT TTTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAAGC TACCAATCTT 1200 10 TGTACAATTT GTAAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260 **CAACCTTAAA AAAAAAAAAAA AAAA**

Seq ID NO: 38 Protein sequence: Protein Accession #:

15 31 41 21

21

31

MRPOGPAASP ORLRGILLLL LLQLPAPSSA SEIPKGKOKA QLRQREVVDL YNGMCLQGPA 60 GVPGRDGSPG ANGIPGTPGI PGRDGFKGEK GECLRESFEE SWTPNYKQCS WSSLNYGIDL 120 GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCQRWYFT FNGAECSGPL PIEAIIYLDQ 180 20 GSPEMNSTIN IHRTSSVEGL CEGIGAGLVD VAIWVGTCSD YPKGDASTGW NSVSRIIIEE 240

Seg ID NO: 39 DNA sequence 25 Nucleic Acid Accession #: NM_000949 285-2153 (underlined sequences correspond to start and stop codons) Coding sequence:

30 AIGUCIEGI GEAGGAGHA CICATEGACI AND INGUENCIA CETTACACAAAA 240
TAAAGAAACTE CECTATTEAT GGAGGCGAAC ACTGAGGATG CTTTCCACAT GAACCCTGAA 240
GTGAACTICT GATACATTIC CTGCAGCAAG AGAAGGCAGC CAACATGAAG GAAAATTGGG 300
CATCTGCAAC CGTTTTCACCT CTGCTACTTT TTCTCAACAC CTGCCTTCTG AATGGACAGT 360
TACCTCCTGG AAAACCTGAG ATCTTTAAAT GTCGTTCTCC CAATAAGGAA ACATTCACCT 420
GCTGGTGGAG GCCTGGGACA GATGGAGGAC TTCCTACCAA TTATTCACTG ACTTACCACA 480 35

GGGAAGGAGA GACACTCATG CATGAATGTC CAGACTACAT AACCGGTGGC CCCAACTCCT 540
GCCACTTTGG CAAGCAGTAC ACCTCCATGT GGAGGACATA CATCATGATG GTCAATGCCA 600
CTAACCAGAT GGGAAGCAGT TTCTCGGATG AACTTTATGT GGACGTGACT TACATAGTTC 660 40 AGCCAGACCC TCCTTTGGAG CTGGCTGTGG AAGTAAAACA GCCAGAAGAC AGAAAACCCT 720
ACCTGTGGAT TAAATGGTCT CCACCTACCC TGATTGACTT AAAAACTGGT TGGTTCACGC 780
TCCTGTATGA AATTCGATTA AAACCCGAGA AAGCAGCTGA GTGGGAGATC CATTTTGCTG 840

GGCAGCAAAC AGAGTTTAAG ATTCTCAGCC TACATCCAGG ACAGAAATAC CTTGTCCAGG 900
TTCGCTGCAA ACCAGACCAT GGATACTGGA GTGCATGGAG TCCAGCGACC TTCATTCAGA 960
TACCTAGTGA CTTCACCATG AATGATACAA CCGTGTGGAT CTCTGTGGCT GTCCTTTCTG 1020 45 CTGTCATCTG TTTGATTATT GTCTGGGCAG TGGCTTTGAA GGGCTATAGC ATGGTGACCT 1080 GCATCTTTCC GCCAGTTCCT GGGCCAAAAA TAAAAGGATT TGATGCTCAT CTGTTGGAGA 1140 AGGGCAAGTC TGAAGAACTA CTGAGTGCCT TGGGATGCCA AGACTTTCCT CCCACTTCTG 1200

ACTATGAGGA CTTGCTGGTG GAGTATTTAG AAGTAGATGA TAGTGAGGAC CAGCACTAA 1260
TGTCAGTCCA TTCAAAAGAA CACCCAAGTC AAGGTATGAA ACCCACATAC CTGGATCCTG 1320
ACACTGACTC AGGCCGGGGG AGCTGTGACA GCCCTTCCCT TTTGTCTGAA AAGTGTGAGG 1380
AACCCCAGGC CAATCCCTCC ACATTCTATG ATCCTGAGGT CATTGAGAAG CCAGAGAATC 1440
CTGAAACAAC CCACACCTGG GACCCCCAGT GCATAAGCAT GGAAGGCAAA ATCCCCTATT 1500 50

TICATGCTGG TGGATCCAAA TGTTCAACAT GGCCCTTACC ACAGCCCAGC CAGCACAACC 1560
CCAGATCCTC TTACCACAAT ATTACTGATG TGTGTGAGCT GGCTGTGGGC CCTGCAGGTG 1620
CACCGGCCAC TCTGTTGAAT GAAGCAGGTA AAGATGCTTT AAAATCCTCT CAAACCATTA 1680 55 AGTCTAGAGA AGAGGGAAAG GCAACCCAGC AGAGGGAGGT AGAAAGCTTC CATTCTGAGA 1740
CTGACCAGGA TACGCCCTGG CTGCTGCCCC AGGAGAAAAC CCCCTTTGGC TCCGCTAAAC 1800
CCTTGGATTA TGTGGAGATT CACAAGGTCA ACAAAGATGG TGCATTATCA TTGCTACCAA 1860

60 AACAGAGAG GAACAGCGGC AAGCCCAAGA AGCCCGGGACTCCTGAGAAC AATAAGGAGT 1920 ATGCCAAGGT GTCCGGGGTC ATGGATAACA ACATCCTGGT GTTGGTGCCA GATCCACATG 1980 CTAAAAACGT GGCTTGCTTT GAAGAATCAG CCAAAGAGGC CCCACCATCA CTTGAACAGA 2040

ATCAAGCTGA GAAAGCCCTG GCCAACTTCA CTGCAACATC AAGCAAGTGC AGGCTCCAGC 2100
TGGGTGGTTT GGATTACCTG GATCCCGCAT GTTTTACACA CTCCTTTCAC TGATAGCTTG 2160
ACTAATGGAA TGATTGGTTA AAATGTGATT TTTCTTCAGG TAACACTACA GAGTACGTGA 2220 65

ACTICAGO ANTOTAGTA GACTGACACT ACTAAAGCTC CCAGCTCCTT TCATGCTCCA 2280
TTTTTAACCA CTTGCCTCTT TCTCCAGCAG CTGATTCCAG AACAAATCAT TATGTTTCCT 2340
AACTGTGATT TGTAGATTTA CTTTTTGCTG TTAGTTATAA AACTATGTG TCAATGAAAT 2400
AAAAGCACAC TGCTTAGTAT TCTTGAGGGA CAATGCCAAT AGGTATATCC TCTGGAAAAG 2460
GCTTTCATGA TTTGGCATGG GACAGACGGA AATGAATTTG TCAAAATTGT TTACCAATAAG 2520 70 AAGATGACAA AAGAAAATTT TCCACATAGG AAAATGCCAT GAAAATTGCT TTTGAAAAAC 2580
AACTGCATAA CCTTTACACT CCTCGTCCAT TTTATTAGGA TTACCCAAAT ATAACCATTT 2640
AAAGAAAGAA TGCATTCCAG AACAAATTGT TTACATAAGT TCCTATACCT TACTGACACA 2700

75 TTGCTGATAT GCAAGTAAGA AAT

Seg ID NO: 40 Protein sequence:

PCT/US02/02242


WO 02/059377

Protein Accession #: NP_000940.1

21 41 MKENVASATV FTLLLFLNTC LLNGQLPPGK PEIFKCRSPN KETFTCWWRP GTDGGLPTNY 60 SLTYHREGET LMHECPDYTT GGPNSCHFGK QYTSMWRTYI MMVNATNQMG SSFSDELYVD 120 VTYIVQPDPP LELAVEVKQP EDRKPYLWIK WSPPTLIDLK TGWFTLLYEI RLKPEKAAEW 180 5 EHFAGQQTE FKILSLHPGQ KYLVQVRCKP DHGYWSAWSP ATFIQIPSDF TMNDTTVWIS 240
VAVLSAVICL IIVWAVALKG YSMVTCIFPP VPGPKIKGFD AHLLEKGKSE ELLSALGCQD 300
FPPTSDYEDL LVEYLEVDDS EDQHLMSVHS KEHPSQGMKP TYLDPDTDSG RGSCDSPSLL 360 10 SEKCEEPOAN PSTFYDPEVI EKPENPETTH TWDPQCISME GKIPYFHAGG SKCSTWPLPQ 420 PSQHNPRSSY HNITDVCELA VGPAGAPATL LNEAGKDALK SSQTIKSREE GKATQQREVE 480 SFHSETDQDT PWLLPQEKTP FGSAKPLDYV EIHKVNKDGA LSILPKQREN SGKPKKPGTP 540 ENNKEYAKVS GVMDNNILVL VPDPHAKNVA CFEESAKEAP PSLEQNQAEK ALANFTATSS 600 15 KCRLQLGGLD YLDPACFTHS FH Seg ID NO: 41 DNA sequence none found, Eos cloned sequence Nucleic Acid Accession #: Coding sequence: 1-1572 (underlined sequences correspond to start and stop codons) 20 41 51 ATGACCCAAA ATAAATTAAA GCTTTGTTCC AAAGCCAATG TGTATACTGA AGTGCCTGAT 60
GGAGGATGGG GCTGGGCGGT AGCTGTTCA TTTTTCTTCG TTGAAGTCTT CACCTACGGC 120
ATCATCAAGA CATTTGGTGT CTTCTTTAAT GACTTAATGG ACAGTTTTAA TGAATCCAAT 180
AGCAGGATCT CATGGATAAT CTCAATCTGT GTGTTTGTCT TAACATTTTCA AGGTCCCCTC 240
GCCACAGTCC TGAGCAATCG TTTCGGACAC CGTCTAGTGTGTGTGTGGG GGGGCTACTT 300
GTCAGCACCG GGATGGTGGC CGCCTCCTTC TCACAAGAGGG TTTCTCATAT GTACGTCCGC 360 25 GTCAGCACCG GGATGGTGGC CGCCTCCTTC TCACAAGAGG TTTCTCATAT GTACGTCGCC 369
ATCGGCATCA TCTCTGGTCT GGGATACTGC TTIAGTTTIC TCCCAACTGT AACCATCCTA 420
TCACAATATT TTGGCAAAAG ACGTTCCATA GTCACTGCAG TTGCTTCCAC AGGAGAATGT 480
TTCGCTGTGT TTGCTTTCGC ACCAGCAATC ATGGCTCTGA AGGAGCGCAT TGGCTGGAGA 540
TACAGCCTCC TCTTCCGTGGG CCTACTACAG TTAAACATTG TCATCTTCGG AGCACTGGTC 600
AGACCCATCT TTATCAGAGG ACCAGCGTCA CCGAAAATAG TCATCCAGGA AAATCGGAAA 660
GAAGCGCAGT ATATGCTTGA AAATGAGAAA ACACGAACCT CAATAGACTC CATTGACTCA
GGAGTAGAAC TAACTACCTC ACCTAAAAAT GTGCCTACTC ACACTAACCT GGAACTGGAG
800
CCGAAGGCCG ACATGCAGCA GGTCCTGGTG AAGACCAGCC CCAGCCCAAG CGAAAAGAAA
840
CCCCCGCTAT TAGACTTCTC CATTTTGAAA GAGAAAAGTT TTATTTGTTA TGCATTATTT 900 30 35 CCCCCGCTAT TAGACTICTC CATTITIGAA GAGAAAAGTT TTATTIGTTA TGCATTATTT 900
GGTCTCTTTG CAACACTGGG ATTCTTTGCA CCTTCCTTGT ACATCATTCC TCTGGGCATT 960
AGTCTGGGCA TTGACCAGGA CCGCCTGCT TTTTTATTAT CTACGATGGC CATTGCAGAA 1020 AGTCTGGGCA TTGACCAGGA CCGCGCTGCT TTTTTATTAT CTACGATGGC CATTGCAGAA 1029
GTTTTCGGAA GGATCGGAGC TGGTTTTGTC CTCAACAGGA AGCCCATTCG TAAGATTTAC 1080
ATTGAGCTCA TCTGCGTCAT CTTATTGACT GTGTCTCTGT TTGCCTTTAC TTTTGCTACT 1140
GAATTCTGGG GTCTAATGTC ATGCAGCATA TTTTTTGGGT TTATGGTTGG AACAATAGGA 1200
GGGACTCACA TTCCACTGCT TGCTGAGGAT GATGTCGTGG GCATTGAGGA AGTGCTTCT 1260
GCAGCTGGGG TCTACATCTT CATTCAGAGC ATAGCAGGAC TGGCTGGACC GCCCCTTGCA 1320
GGTTTGTTGG TGGACCAAAG TAAGATCTAC AGCAGGGCCT TCTACTCCTG GCAGCGTGGC 1380 40 45 ATGGCCCTGG CTGCTGTGTG CCTCGCCCTG GTGAGACCCGT GTAAGATGGG ACTGTGCCAG 1440
CATCATCACT CAGGTGAAAC AAAGGTAGTG AGCCATCGTG GGAAGACTTT ACAGGACATA 1500 CCTGAAGACT TTCTGGAAAT GGATCTTGCA AAAAATGAGC ACAGAGTTCA CGTGCAAATG 1560 GAGCCGGTAT GA 50 Seq ID NO: 42 <u>Protein sequence:</u>
Protein Accession #: none found, Eos cloned sequence 41 51 55 MTQNKLKLCS KANVYTEVPD GGWGWAVAVS FFFVEVFTYG IIKTFGVFFN DLMDSFNESN 60 SRISWIISIC VFVLTFSAPL ATVLSNRFGH RLVVMLIGGLL VSTGMVAASF SQEVSHMYVA 120
IGIISGLGYC FSFLPTVTIL SQYFGKRRSI VTAVASTGEC FAVFAFAPAI MALKERIGWR 180
YSLLFVGLLQ LNIVIFGALL RPIFIRGPAS PKIVIQENRK EAQYMLENEK TRTSIDSIDS 240 YSLLFVGLLQ LNIVIFGALL RPIFIRDFAS PRIVIGENCE EACH MELIUSE IT ISLISSIS 240
GVELTTSPKN VPTHTNLELE PKADMQQVLV KTSPRPSEKK APLLDFSILK EKSSIC 300
GLFATLGFFA PSLVIIPLGI SLGIDQDRAA FLLSTMAIAE VFGRIGAGFV LNREPIRKIY 360
IELICVILLT VSLFAFTFAT EFWGLMSCSI FFGFMVGTIG GTHIPLLAED DVVGIEKMSS 420
AAGVYIFIQS IAGLAGPPLA GLLVDQSKIY SRAFYSCAAG MALAAVCLAL VRPCKMGLCQ 480
HHHSGETKVV SHRGKTLQDI PEDFLEMDLA KNEHRVHVQM EPV 60 65 Seq ID NO: 43 DNA sequence Nucleic Acid Accession #: FGENESH predicted ORF 1-1749 (underlined sequences correspond to start and stop codons) Coding sequence: 70 11 21 31 41 51 75 CGCCTGCGTC CTGGACGTTC CCGGGGGAGG GTCCGGTTGC CAGTGAAACC TCCAGAGGCT 360

PCT/US02/02242

WO 02/059377



Seq ID NO: 44 <u>Protein sequence:</u>
Protein Accession #: FGENESH predicted


31

60

MLSGFLMSPS TOHRAQYTPG GKKLPWEASI GAHTSRGRGS DRERESRPEA AGLLWDRAAA 60 MLSQFLMSFS 1QHAQQYIPG GKKLPWEASI GAHISRGKGS DREKESKPEA AGLLWDKAAA 60
GEAEKGNRGE PPAWIRAQQQ PRPPPAGQAP GTAAGGAQDP RLRPGRSRGR VRLPVKPPEA 120
SGRQPRGPSD CIPRFPSASA THKAVPKCTG PPAEDGDGLG APGPRARRR LLGVAAEGSG 180
PRGKRRGTVS DEARGSPGPR LLGDRPALSG DALSAPRVVP CGALAARPSP HPGTPLRSCS 240
CCWLRCWRRG RGPSGEYCHG WLDAQGVWRI GFQCPERFDG GDATICCOSA ALRYCCSSAE 300
ARLDQGGCDN DRQQGAGEPG RADKDGPRRL GRASCLRGTQ GDGEGAPPPV RAWQRCSPEG 360
SPKGRQLLRA FPGLLPRARR RGFPSSPRGG PSPLQRPALP IYVPFLIVGS VFVAFIILGS 420
LVAACCCRCL RPKQDPQQSR APGGNRLMET IPMIPSASTS RGSSSRQSST AASSSSSANS 480
GARAPPTRSQ TNCCLPEGTM NNVYVNMPTN FSVLNCQQAT QIVPHQGQYL HPPYVGYTVQ 540
HDSVPMTAVP PFMDGLOPGY ROIGSPEPHT NSEOKMYPAV TV 65 70

Seq ID NO: 45 DNA sequence 75 Nucleic Acid Accession # NM 002285 Coding sequence: 55-3738 (underlined sequences correspond to start and stop codons)

HDSVPMTAVP PFMDGLQPGY RQIQSPFPHT NSEQKMYPAV TV



QDQAPDESPK LKSSSETSVH CTSYRGVPAS KPEPARAKAK LSKFSIPKQG EESRSGETNS 300
CVEEIREMT WLPPLSAIQA PGKVEPTKFP FPNKDSQLVS SGHNNPKKGD AEPESPDNGT 360
SNTSMLEDDL KLSSDEEENE QQAAQRTALR ALSDSAVVQQ PNCRTSVPSS KGSSSSSSSG 420
TSSSSSDSES SSGSDSETES SSSESEGSKP PHFSSPBAEP ASSNKWQLDK WLNKVNPHKP 480
PILIQNESHG SESNQYYNPV KEDVQDCGKV PDVCQPSLER KEIKSTCKEE QRPRTANKAP 540
GSKGVKQKSP PAAVAVAVSA AAPPPAVPCA PAENAPAPAR RSAGKKPTRR TERTSAGDGA 600
NCHRPEEPAA ADALGTSVVV PPEPTKTRPC GNNRASHRKE LRSSVTCEKR RTRGLSRIVP 660
KSKEFIETES SSSSSSSDD LESEQEEYPL SKAQTVAASA SSGNDQRLKE AAANGGSGPR 720
APVGSINART TSDIAKELEE QFYTLVPFGR NELLSPLKDS DEIRSLWVKI DLTLLSRIPE 780
HLPQEPGVLS APATKDSESA PPSHTSDTPA EKALPKSKRK RKCDNEDDYR EIKKSQEKD 840
SSSRLATSTS NTLSANHCNM NINSVAIPIN KNEKMLRSPI SPLSDASKHK YTSEDLTSSS 900
RPNGNSLFTS ASSSKKPKAD SQLQPHGGDL TKAAHNNSEN IPLHKSRPQT KPWSPGSNGH 960
RDCKRQKLVF DOMPRSADVF MQEAKRMKHK ADAMVEKFGK ALINYAEAALS FIECGNAMEQ 1020
GPMESKSPYY LMYSETVELI RYAMRLKTHS GPNATPEDKQ LAALCYRCLA LLYWRMFRLK 1080
RDHAVKYSKA LIDYFKNSK AAQAPSPWGA SGKSTGTTSF ISPNFFGSS VGSQGSLSNA 1140
SALSPSTIVS IPQRIHQMAA NHVSITNSIL HSYDYWEMAD NLAKENREFF NDLDLLLMGPV 1200
TLHSSMEHLV QYSQQGLHWL RNSAHLS

20 Seq ID NO: 47 DNA sequence
Nucleic Acid Accession #: NM_033151
Coding sequence: 351-4499(underlined sequences correspond to start and stop codons)

10

15

21 31 25 ACTGGGATAA AGCAAGAAGA CTGATTTTAT GAGCAGGGGT TTGATACATC AAAGGAGATT 60 GCCCAGGATC AAGGGTGCGG TGTTGGGGGT GGGTTGGGGA GGGTGGTTAG AGAAGGTTTC 120
ACTAAGTGAT TTGGGCCTGA GGCCTGAGAA GATGTTTAAA AAGAGGGATC AAGCACAGGC 180 TAAGGAGAGG AAAGAGCAGG CACCCAAACC TCTGCATGGC CCCAATATGC TCCCTGCAGG 240
GTAGTGCCCC CTCTTCTGGC TGCTCAAGGC GAGATCTAAG CTTCTTCTAA CTCCTGCTGT 300
CTTTTCATAT TCTCTGATTC TGGGAAACGA AGAATTGGCA GGAACTGAAA ATGACTAGGA 360 30 AGAGGACATA CTGGGTGCCC AACTCTTCTG GTGGCCTCGT GAATCGTGGC ATCGACATAG 420 GCGATGACAT GGTTTCAGGA CTTATTTATA AAACCTATAC TCTCCAAGAT GGCCCCTGGA 480 GTCAGCAAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAGT 540 GTCAGCAAGA GAGAAATCCT GAGGCTCCAG GGAGGGCAGC TGTCCCACCG TGGGGGAAT 340
ATGATGCTGC CTTGAGAACC ATGATTCCCT TCCGTCCCAA GCCGAGGTTT CCTGCCCCCC 500
AGCCCCTGGA CAATGCTGGC CTGTTCTCCT ACCTCACCGT GTCATGGCTC ACCCCGCTCA 660
TGATCCAAAG CTTACGGAGT CGCTTAGATG AGAACACCAT CCCTCCACTG TCAGTCCATG 720
ATGCCTCAGA CAAAAAATGTC CAAAGGCTTC ACCGCCTTTG GGAAGAAGAA GTCTCAAGGC 780
GAGGGATTGA AAAAGCTTCA GTGCTTCTGG TGATGCTGAG GTTCCAGAGA ACAAGGTTGA 800
TTTTTCGATGC ACTTCTGGGC ATCTGCTTCT GCATTGCCAG TGTACTCCGG CCAATATTGA 900
TTATACCAAA GATCCTGGAA TATTCAGAAG AGCAGTTGGG GAATGTTGTC CATGGAGTGG 960
GACTCTGCTT TCCCCCTTTTT*CTCCCGAAT GTGTGAAGTC TCTGAGTTTC TCCTCCAGTT 1020 35 40 GGATCATCAA CCAACGCACA GCCATCAGGT TCCGAGCAGC TGTTTCCTCC TTTGCCTTTG 1080
AGAAGCTCAT CCAACTTTAAG TCTGTAATAC ACATCACCTC AGGAGAGGCC ATCAGCTTCT 1140
TCACCGGTGA TGTAAACTAC CTGTTTGAAG GGGTGTGCTA TGGACCCCTA GTACTGATCA 1200
CCTGCGCATC GCTGGTCATC TGCAGCATTT CTTCCTACTT CATTATTGGA TACACTGCAT 1260 45 TTATTGCCAT CTTATGCTAT CTCCTGGTTT TCCCACTGGC GGTATTCATG ACAAGAATGG 1320 CTGTGAAGGC TCAGCATCAC ACATCTGAGG TCAGCGACCA GCGCATCCGT GTGACCAGTG 1380 AAGTTCTCAC TTGCATTAAG CTGATTAAAA TGTACACATG GGAGAAACCA TTTGCAAAAA 1440 AAGTICTCAC TTGCATTAAG CTGATTAAA TGTACACATG GGAGAAACCA TTTGCAAAAA 1440
TCATTGAAGA CCTAAGAAGG AAGGAAAGGA AACTATTGGA GAAGTGCGGG CTTGTCCAGA 1500
GCCTGACAAG TATAACCTTG TTCATCATCC CCACAGTGGC CACAGGCGTC TGGGTTCTCA 1560
TCCACACATC CTTAAAGCTG AAACTCACAG CGTCAATGGC CTCAGCATG CTGGCCTCCT 1620
TGAATCTCCT TCGGCTGTCA GTGTTCTTTG TGCCTATTGC AGTCAAAGGT CTCACGAATT 1680
CCAAGTCTGC AGTGATGAGG TTCAAGAAGT TTTTCCTCCA GGAGAGCCCT GTTTTCTATG 1740
TCCAGACATT ACAAGACCCC AGCAAAGCTC TGGTCTTTGA GGAGGCCAC TTGTCATGGC 1800
AACAGACCTG TCCCGGGATC GTCAATGGGG CACTGGAGCT GGAGAGGAC GGCATGCTT 1860
CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGAGGA ACACCCTGG 1920
GCCCAGAGTT GCACAAGATC AACCTGGTGG TGTCCCAAGGG GAAGAAGAGG AACAGCCTGG 1930 50 55 CTGAGGGGAT GACCAGGCCT AGAGATGCCC TCGGGCCAGA GGAAGAAGGG AACAGCCTGG 1920
GCCCAGAGTT GCACAAGATC AACCTGGTG TGTCCAAAGG GATGATGTTA GGGGTCTGCG 1980
GCACACACGGG GAGTGGTAAG AGCAGCCTGT TGTCAAGGG GATGATGTTA GGGGTCTGCG 1980
TCGAGGGCTC GGTGGGGGTG CAGGGAAGCC TGGCCTATGT CCCCCAGCAG GCCTGGATCG 2100
TCAGCGGGAA CATCAGGGGA AACATCCTCA TGGGAGGGCGC ATATGACAAG GCCCGGATACC 2160
TCCAGGTGCT CCACTGCTGC TCCCTGAATC GGGACCTGGA ACTTCTGCCC TTTGGAGACA 2220
TGACAGAGAT TGGAGAGCGG GGCCTCAACC TCTCTGGGGG GCAGAAACAG AGGATCAGCC 2280
TGGCCGCC CGTCTATTCC GACCGTCAGA TCTACCTGCT GGACGACCCC CTGTCTGGTG 2140
TGGACGCCCA CGTGGGGAAG CACATTTTTG AGGAGTGCAT TAAGAAGACA CTCAGGGGGA 2400
AGACGGTCGT CCTGGTGACC CACCACGTGC AGTACTTAGA ATTTTTGTGGC CAGATCATTT 2460
TGTTGGAAAA TGGGAAAATC TGTGAAAATG GAACTCACAG TGAGTTAATG CAGAAAAAGG 2520
GGAAATATGC CCAACTTATC CAGAAGATGC ACAAGGAAGC CACTTCGGAC ATTGTTGCAGG 2580
ACACAGCAAA GATAGCCAGA AACCCAAAGG TAGAAAGTCA GCCTCTGGCC ACCTCCCTGG 2640
AAGAGCTCT CAACGGAAAT GCTGTGCCG AGCATCAGCT CACACAGGAG GAGGAATGG 2700
AAGAAGGCTC CTCAGTTGG AGGGTCTACC ACCACTACAT CCACAGGAGG GAGGAGTTACA 2770
TGGTCTCTTG CATAATTTTC TTCTTTCTTGGT TGCTGATCCT CTCTTTAACG ATCTTCAACG 60 65 70 75 TCCGCTGCCC CATGAGTTTC TTTGACACCA TCCCAATAGG CCGGCTTTTG AACTGCTTCG 3120

CAGGGGACTT GGAACAGCTG GACCAGCTCT TGCCCATCTT TTCAGAGCAG TTCCTGGTCC 3180 TGTCCTTAAT GGTGATCGCC GTCCTGTTGA TTGTCAGTGT GCTGTCTCCA TATATCCTGT 3240 TAATGGGAGC CATAATCATG GTTATTTGCT TCATTTATTA TATGATGTTC AAGAAGGCCA 3300 TCGGTGTGTT CAAGAGACTG GAGAACTATA GCCGGTCTCC TITATTCTCC CACATCCTCA 3360
ATTCTCTGCA AGGCCTGAGC TCCATCCATG TCTATGGAAA AACTGAAGAC TTCATCAGCC 3420
AGTTTAAGAG GCTGACTGAT GCGCAGAATA ACTACCTGCT GTTGTTTCTA TCTTCCACCC 3420
GATGGATGGC ATTGAGGCTG GAGATCAATGA CCAACCTTGT GACCTTGGCT GTTGCCCTGT 3540
TCGTGGCTTT TGGCATTTCC TCCACCCCCT ACTCCTTTAA AGTCATGGCT GTCAACATCG 3600
TGCTGCAGCT GGCGTCCAGC TCCAGGCCA CTGCCCGGAT TGGCTTGGAG ACAGAGGCAC 3660
AGTTCACGC GTTAGAGAGGA AACTGCAGTA AATTCAA ATTCCTCTTCTCCAACACTCTTTTCCAACCTCTTTTCCAACATCG 3600 5 TGCTGCAGCT GGCGTCCAGC TTCCAGGCCA CTGCCCGGAT TGGCTTGAG ACAGAGGCAC 3660
AGTTCACGGC TGTAGAGAGG ATACTGCAGT ACATGAAGAT GTGTGTCTCG GAAGCTCCTT 3720
TACACATGGA AGGCACAAGT TGTCCCCAGG GGTGGCCACA GCATGGGGAA ATCATTATTC 3780
AGGATTATCA CATGAAATAC AGAGACAACA CACCCACCGT GCTTCACGGC ATCAACCTGA 3840
CCATCCGCGG CCACGAAGTG GTGGGCATCC TGGGAAGGAC GGGCTCTGGG AAGTCCTCCT 3900
TGGGCATGGC TCTCTTCCGC CTGGTGGAGC CCATGGCAGG CCGGATTCTC ATTGACGGCG 3960
TGGACATTTG CAGCATCGGC CTGGAGGACT TGCGGTCCAA GCTCTCAGTG ATCCCTCAAG 4020
ATCCAGTGCT GCTCTCAGGA ACCATCAGAT TCAACCTAGA TCCCTTTGAC CGTCAACACTG 4080
ACCAGCAGAT CTGGGATGCC TTGGAGAAGGA CATTCCTGAC CAAGGCCATC TCAAAGTTCC 4140
CCAAAAAGCT GCATACAGAT GTGGTGGAAA ACCGTGGAAA CTTCTCTGTG GGGGAGAGGC 4200
ACCTGCTCTC CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCATT ATCGATGAAG 4260
CCCACAGCCTC CATTGCCAGG GCTGTGCTTC GCAACTCCAA GATCATCATT ATCGATGAAG 4260 10 15 AGCITECTOR CATIGCAND GETGIGCTIC GCAACTCCAA GATCATCCTT ATCGATIGAAG 4260
CCACAGCCTC CATTGACATG GAGACAGACA CCCTGATCCA GCCCACAATC CGTGAAGCCT 4320
TCCAGGGCTG CACCGTGCTC GTCATTGCCC ACCGTGTCAC CACTGTGCTG AACTGTGACC 4380
ACATCCTGGT TATGGGCAAT GGGAAGGTGG TAGAATTTGA TCGGCCGGAG GTACTGCGGA 4440
AGAAGCCTGG GTCATTGTTC GCAGCCCTCA TGGCCACAGC CACTTCTTCA CTGAGA<u>TAAG</u> 4500 20 GAGATGTGGA GACTTCATGG AGGCTGGCAG CTGAGCTCAG AGGTTCACAC AGGTGCAGCT 4560
TCGAGGCCCA CAGTCTGCGA CCTTCTTGTT TGGAGATGAG AACTTCTCCT GGAAGCAGGG 4620
GTAAATGTAG GGGGGTGGG GATTGCTGGA TGGAAACCCT GGAATAGGCT ACTTGATGGC 4680 25 TCTCAAGACC TTAGAACCCC AGAACCATCT AAGACATGGG ATTCAGTGAT CATGTGGTTC 4740
TCCTTTTAAC TTACATGCTG AATAATTTTA TAATAAGGTA AAAGCTTATA GTTTTCTGAT 4800 CTGTGTTAGA AGTGTTGCAA ATGCTGTACT GACTTTGTAA AATATAAAAC TAAGGAAAAC 4860 TC 30

Seq ID NO: 48 Protein sequence:
Protein Accession #: NP_149163.2


55

35 ${\tt MTRKRTYWVPNSSGGLVNRGIDIGDDMVSGLIYKTYTLQDGPWSQQERNPEAPGRAAVPPWGKYDAALRT}$ MIPFRPKPRFPAPQPLDNAGLFSYLTVSWLTPLMIQSLRSRLDENTIPPLSVHDASDKNVQRLHRLWEEE VSRRGIEKASVLLVMLRFQRTRLIFDALLGICFCIASVLGPILIPKILEYSEEQLGNVVHGVGLCFALF LSECVKSLSFSSSWINQRTAIRFRAAVSSFAFEKLIQFKSVIHITSGEAISFFTGDVNYLFEGVCYGPL VLITCASLVICSISSYFIIGYTAFIAILCYLLVFPLAVFMTRMAVKAQHHTSEVSDQRIRVTSEVLTCIK 40 VEHICASLYVESISTHIOT TAPIALICLY LEVEPLA VYM IRMA VANQHHISEYSDÇRIKY ISEVI CIK.
LIKMYTWEKPFAKILEDLRRKERKLLEKCGLVQSLTSTILIPITVATA VWVLHITSLKILKLTASMAFSM
LASLNLLRLSVFFVPIA VKGLTNSKSAVMRFKKFFLQESPVFYVQTLQDPSKALVFEEATLSWQQTCPGI
VNGALELERNGHASEGMTRPRDALGPEEEGNSLGPELHKINLVVSKGMMLGVCGNTGSGKSSLLSAILEE
MHLLEGSVGVQGSLAYVPQQAWIVSGNIRENILMGGAYDVKARYLQVLHCCSLNTDLELLPFGDMTEIGER
GLNLSGGQKQRISLARAVYSDRQIYLLDDPLSAVDAHVGKHIFEECIKKTLRGKTVVLVTHQLQYLEFCG 45 QIILLENGKICENGTHSELMQKKGKYAQLIQKMHKEATSDMLQDTAKIAEKPKVESQALATSLEESLNGN AVPEHQLTQEEEMEEGSLSWRVYHHYIQAAGGYMVSCIIFFFVVLIVFLTIFSFWWLSYWLEQGSGTNSS RESNGTMADLGNIADNPQLSFYQLVYGLNALLLICVGVCSSGIFTKVTRKASTALHNKLFNKVFRCPMSF RESIGNMADLONIADRYQLSFYQLYYGLNALLLILVUVVSSGIFYAVI KRASIALHINLLFINYFRO-FINISF FDTIPIGRLLNCFAGDLEQLDQLLPIFSEQFLVLSLMVIAVLLIVSVLSPYILLMGAIIMVICFTYYMMF KKAIGVFKRLENYSRSPLFSHILNSLQGLSSIHVYGKTEDFISQFKRLTDAQNNYLLIFLSSTRWMALRL EIMTNLVTLAVALFVAFGISSTPYSFKVMAVNIVLQLASSFQATARIGLETEAQFTAVERILQYMKMCVS EAPLIMEGTSCPQGWPQHGEIIFQDYHMKYRDNTPTVLHGINLTIRGHEVVGIVGRTGSGKSSLGMALFR LVEFMAGRILIDGVDICSIGLEDLRSKLSVIPQDPVLLGGTIRFNLDPFDRHTDQWDALBETFLTKAI 50

SKFPKKLHTDVVENGGNFSVGERQLLCIARAVLRNSKIILIDEATASIDMETDTLIQRTIREAFQGCTVL

Seq ID NO: 49 DNA sequence NM 033419 Nucleic Acid Accession #: Coding sequence: 18-980 (underlined sequences correspond to start and stop codons)

VIAHRVTTVLNCDHILVMGNGKVVEFDRPEVLRKKPGSLFAALMATATSSLR



KVFDPLRFSQ ENSDQRHPYA YLPFSAGSRN CIGQEFAMIE LKVTIALILL HFRVTPDPTR 120

PLTFPNHFIL KPKNGMYLHIL KKI SEC

NM_030916 Nucleic Acid Accession #: Coding sequence: 1-1533 (underlined sequences correspond to start and stop codons) 5 41 ATGCCCCTGT CCCTGGGAGC CGAGATGTGG GGGCCTGAGG CCTGGCTGCT GCTGCTGCTA 60 CTGCTGGCAT CATTTACAGG CCGGTGCCCC GCGGGTGAGC TGGAGACCTC AGACGTGGTA 120 ACTGTGGTGC TGGGCCAGGA CGCAAAACTG CCCTGCTTCT ACCGAGGGGA CTCCGGCGAG 180 CAGGGGC AAGTGGCATG GCCTCGGGTG GACCGCGGCCA AGCGCGCCCA GGAACTAGCG 240
CTACTGCACT CCAAATACGG GCTTCATGTG AGCCCGGCTT ACGAGGGCCCA GGAACTAGCG 240
CCGCCGCCCC CACGCAACCC CCTGGACGGC TCAGTGCTCC TGCGCAACGC AGTGCAGGCG 360
GATGAGGGCG AGTACGAGTG CCGGGTCAGC ACCTTCCCCG CCGGCAGCTT CCAGGCGCGG 420
CTGCGGCTCC GAGTGCTGGT GCCTCCCCTG CCCTCACTGA ATCCTGGTCC AGCACTAGAA 480 10 15 GAGGGCCAGG GCCTGACCCT GGCAGCCTCC TGCACAGCTG AGGGCAGCCC AGCCCCCAGC 540
GTGACCTGGG ACACGGAGGT CAAAGGCACA ACGTCCAGCC GTTCCTTCAA GCACTCCCGC 600
TCTGCTGCCG TCACCTCAGA GTTCCACTTG GTGCCTAGCC GCAGCATGAA TGGGCAGCCA 660 CTGACTTGTG TGGTGTCCCA TCCTGGCCTG CTCCAGGACC AAAGGATCAC CCACATCCTC 720
CACGTGTCCT TCCTTGCTGA GGCCTCTGTG AGGGGCCTTG AAGACCAAAA TCTGTGGCAC 780
ATTGGCAGAG AAGGACTAT GCTCAAGTGC CTGAGTGAAG GGCAGCCCC TCCCTCATAC 840 20 AACTGGACAC GGCTGGATGG GCCTCTGCCC AGTGGGGTAC GAGTGGATGG GGACACTTTG 900
GGCTTTCCCC CACTGACCAC TGAGCACAGC GGCATCTACG TCTGCCATGT CAGCAATGAG 960
TTCTCCTCAA GGGATTCTCA GGTCACTGTG GATGTTCTTG ACCCCCAGGA AGACTCTGGG 1020 AAGCAGGTGG ACCTAGTGTC AGCCTCGGTG GTGGTGGTGG GTGTGATCGC CGCACTCTTG 1080
TTCTGCCTTC TGGTGGTGGT GGTGGTGCTC ATGTCCCGAT ACCATCGGCG CAAGGCCCAG 1140
CAGATGACCC AGAAATATGA GGAGGAGCTG ACCCTGACCA GGGAGAACTC CATCCGGAGG 1200 25 CTGCATTCCC ATCACAGGA CCCCAGGAGC CAGCCGAGG AGAGTGAGG GCTGAGAGGC 1260
GAGGGCCACC CTGATAGTCT CAAGGACAAC AGTAGCTGCT CTGTGATGAG TGAAGAGCC 1320
GAGGGCCGCA GTTACTCCAC GCTGACCACC GTGAGGAGCAC TAGAAACACA GACTGAACTG 1320
CTGTCTCCAG GCTCTGGGCG GGCCGAGGAG AGGGAAGAACACA GACTGAACTG 1340
GCCATGAACC ATTTTGTTCA GGAGAATGGG ACCCTACGGG CCAAGCCCAC GGGCAATGGC 1500 30 ATCTACATCA ATGGGCGGGG ACACCTGGTC TGA Seq ID NO: 54 Protein sequence:
Protein Accession #: NP_112178.1 35 31 41 MPLSLGAEMW GPEAWLLLL LLASFTGRCP AGELETSDVV TVVLGQDAKL PCFYRGDSGE 60
QVGQVAWARV DAGEGAQELA LLHSKYGLHV SPAYEGRVEQ PPPPRNPLDG SVLLRNAVQA 120
DEGEYECRVS TTPAGSFQAR LRLRVLVPPL PSLNFGPALE EGGGLTLAAS CTAEGSPAPS 180
VTWDTEVKGT TSSRSFKHSR SAAVTSEFHL VPSRSMNGQP LTCVVSHPGL LQDQRITHIL 240
HVSFLAEASV RGLEDQNLWH IGREGAMLKC LSEGQPPPSY NWTRLDGPLP SGVRVDGDTL 300
GFPPLTTEHS GTVVCHVSNEF FSSRDSQVTV DVLDPQEDSG KQVDLVSASV VVVGVIAALL 360 40 45 FCLLVVVVVL MSRYHRRKAQ OMTOKYEEEL TLTRENSIRR LHSHHTDPRS OPESYGLRA 420 EGHPDSLKDN SSCSVMSEEP EGRSYSTLTT VREIETQTEL LSPGSGRAEE EEDQDEGIKQ 480 AMNHFVQENG TLRAKPTGNG IYINGRGHLV Seg ID NO: 55 DNA sequence 50 Nucleic Acid Accession #: AF007170.1 Coding sequence: 73-1725 (underlined sequences correspond to start and stop codons) 55 AAGGAGGCGG CCTCCGGGAA AAGCGACCGC AGGACTCCTG AGAGCAGCCT CCATGAGGCC 60 CTGGACCAGT GCATGACCGC CCTGGACCTC TTCCTCACCA ACCAGTTCTC AGAAGCACTC 120
AGCTACCTCA AGCCCAGAAC CAAGGAAAGC ATGTACCACT CACTGACATA TGCCACCATC 180
CTGGAGATGC AGGCCATGAT GACCTTTGAC CCTCAGGACA TCCTGCTTGC CGGCAACATG 240 ATGAAGGAGG CACAGATGCT GTGTCAGAGG CACCGGAGGA AGTCTTCTGT AACAGATTCC 300
TTCAGCAGCC TGGTGAACCG CCCCACGCTG GGCCAATTCA CTGAAGAAGA AATCCACGCT 360
GAGGTCTGCT ATGCAGAGTG CCTGCTGCAG CGAGCAGCCC TGACCTTCCT GCAGGACGAG 420 60 AACATIGGTGA GCTTCATCA AGGCGGCATC AAAGTTCGAA ACAGCTACCA GACCTACAAG 480
GAGCTGGACA GCCTTGTTCA GTCCTCACAA TACTGCAAGG GTGAGAACCA CCCGCACTTT 540
GAAGGAGGAG TGAAGCTTGG TGTAGGGGCC TTCAACCTGA CACTGTCCAT GCTTCCTACT 600
AGGATCCTGA GGCTGTTGGA GTTTTGTGGGG TTTTCAGGAA ACAAGGACTA TGGGCTGCTG 660
CAGCTGGAGG AGGGAGCGTC AGGGCACAGC TTCCGCTCTG TGCTCCTGTT CATGCTCCTG 720 65 CAGC IGGAGG AGGGAGCGTC AGGGCACAGC TTCCGCTCTG TGCTCTGTGT CATGCTCCTG 720
CTGTGCTACC ACACCTTCCT CACCTTCGTG CTCGGTACTG GGAACGTCAA CATCGAGGAG 780
GCCGAGAAGC TCTTGAAGCC CTACCTGAAC CGGTACCCTA AGGGTGCCAT CTTCCTGTTC 840
TTTGCAGGGA GGATTGAAGT CATTAAAGGC AACATTGATG CAGCCATCCG GCGTTTCGAG 900
GAGTGCTGTG AGGCCCAGCA GCACTGGAAG CACTTTCACC ACATGTGCTA CTGGGAGCTG 960
ATGTGGTGCT TCACCTACAA GGGCCAGTGG AAGATGTCCT ACTTCTACGC CGACCTGCTC 1020
AGCAAGGAGA ACTGCTGGTC CAAGGCCACC TACATTTACA TGAAGGCCGC CTACCTCAGC 1080
ATGTTTGGGA AGGAGGACCA CAAGCCGTTC GGGGACGACG AAGTGGAATT ATTTCGAGCT 1140
GTGCCAGGCC TGAAGCTCAA GATTGCTGCAA AAATCTCTAC CCACAGAGAA GTTTGCCATC 1200 70 75 CGGAAGTCCC GGCGCTACTT CTCCTCCAAC CCTATCTCGC TGCCAGTGCC TGCTCTGGAA 1260 ATGATGTACA TCTGGAACGG CTACGCCGTG ATTGGGAAGC AGCCGAAACT CACGGATGGG 1320 ATACTTGAGA TTATCACTAA GGCTGAAGAG ATGCTGGAGA AAGGCCCAGA GAACGAGTAC 1380

Seq ID NO: 53 DNA sequence


TCAGTGGATG ACGAGTGCTT GGTGAAATTG TTGAAAGGCC TGTGTCTGAA ATACCTGGGC 1440 CGTGTCCAGG AGGCCGAGGA GAATTTTAGG AGCATCTCTG CCAATGAAAA GAAGATTAAA 1500 TATGACCACT ACTTGATCCC AAACGCCCTG CTGGAGCTGG CCCTGCTGCT TATGGAGCAA 1560 GACAGAAACG AAGAGGCCAT CAAACTTTTG GAATCTGCCA AGCAAAACTA CAAGAATTAC 1620 TCCATGGAGT CAAGGACACA CTTTCGAATC CAGGCAGCCA CACTCCAAGC CAAGTCTTCC 1680 10 CACAGTTGGC TTTAAAAACC AACAACAATC AACCACCTGT AAGTCTTTGT CTTCACCTAT 2100
TATCATCTGG AGGTAAATCT CTTTATATGA TGATGCCAAA GGGCAAATTG CTTTTCAAAT 2160 TCAGCAAGTT CTCAGCTTGT GTGACGGAAG GTCCTTCAGA GGACCTGAGG AATGCCTGGG 2220 15 AGAGGCTAAG CCTCAGGCTT CAATGCTTCT GGGGTTGGGC ATGAGGATGT ACACAGACAC 2280
CCACTACCTT ACTACTCACA CTTCATTTCA CTCCTTTTGT AAATTTCCAA TTTAAAAATC 2340 AAGCACGTCT TTTTAGTGAG ATAAAATCTG AGCTCTTCTG TAGAAAAATC AATCTCTACC 2400 AGTAGAAAAT GCCAGGGCTT GATGGAAGAG CTGTGTAGCC CTTTCTATGC CAAAGCCAGG 2460 AAATTTGGGG GGCAGGAGGA GGTTCTCAGA ATCCAGTCTG TATCTTTGCT GTATGCCAAA 2520 CTGAAACCAC TGGGAATAAT TTATGAAACA TAAAAATCTT CTGTACTTCA CTCCAAGGTA 2580 20 Seq ID NO: 56 <u>Protein sequence:</u>
Protein Accession #: AAC39582.1 25 MTALDLFLTN QFSEALSYLK PRTKESMYHS LTYATILEMQ AMMTFDPQDI LLAGNMMKEA 60 QMLCQRHRRK SSVTDSFSSL VNRPTLGQFT EEEIHAEVCY AECLLQRAAL TFLQDENMVS 120 FIKGGIKVRN SYQTYKELDS LVQSSQYCKG ENHPHFEGGV KLGVGAFNLT LSMLPTRILR 180 30 LLEFYGFSGN KDYGLLQLEE GASGHSFRSV LCVMLLLCYH TFLTFVLOTG NVNIEEAEKL 240 LKPYLNRYPK GAIFLFFAGR IEVIKGNIDA AIRRFEECCE AQQHWKQFHH MCYWELMWCF 300 TYKGQWKMSY FYADLLSKEN CWSKATYIYM KAAYLSMFGK EDHKPFGDDE VELFRAVPGL 360 35 KLKIAGKSLP TEKFAIRKSR RYFSSNPISL PVPALEMMYI WNGYAVIGKQ PKLTDGILEI 420 ITKAEEMLEK GPENEYSVDD ECLVKLLKGL CLKYLGRVQE AEENFRSISA NEKKIKYDHY 480 LIPNALLELA LLLMEQDRNE EAIKLLESAK QNYKNYSMES RTHFRIQAAT LQAKSSLENS 540 40 Seq ID NO: 57 DNA sequence Nucleic Acid Accession #: NM_006670.1 Coding sequence: 1-927 (underlined sequences correspond to start and stop codons) 45 ATGCTGGGG GGTGCTCCCG GGGCCCCGCC GCCGGGGACG GGCGTCTGCG GCTGGCGCGA 60
CTAGCGCTGG TACTCCTGGG CTGGGTCTCC TCGTCTTCTC CCACCTCCTC GGCATCCTCC 120
TTCTCCTCCT CGGCGCCGTT CCTGGCTTCC GCCGTGTCCG CCCAGCCCCC GCTGCCGGAC 180 CAGTGCCCCG CGCTGTGCGA GTGCTCCGAG GCAGCGCGCA CAGTCAAGTG CGTTAACCGC 240
AATCTGACCG AGGTGCCCAC GGACCTGCCC GCCTACGTGC GCAACCTCTT CCTTACCGGC 300
AACCAGCTGG CCAGCAACCA CTTCCTTTAC CTGCCGCGG ATGTGCTGGC CCAACTGCCC 360 50 AGCCTCAGGC ACCTGGACTT AAGTAATAAT TCGCTGGTGA GCCTGACCTA CGTGTCCTTC 420 CGCAACCTGA CACATCTAGA AAGCCTCCAC CTGGAGGACA ATGCCCTCAA GGTCCTTCAC 480 AATGGCACCC TGGCTGAGTT GCAAGGTCTA CCCCACATTA GGGTTTTCCT GGACAACAAT 540 55 CCCTGGGTCT GCGACTGCCA CATGGCAGAC ATGGTGACCT GGCTCAAGGA AACAGAGGTA 600 GTGCAGGGCA AAGACCGGCT CACCTGTGCA TATCCGGAAA AAATGAGGAA TCGGGTCCTC 660 TTGGAACTCA ACAGTGCTGA CCTGGACTGT GACCCGATTC TTCCCCCATC CCTGCAAACC 720 TCTTATGTCT TCCTGGGTAT TGTTTTAGCC CTGATAGGCG CTATTTTCCT CCTGGTTTTG 780
TATTTGAACC GCAAGGGGAT AAAAAAGTGG ATGCATAACA TCAGAGATGC CTGCAGGGAT 840
CACATGGAAG GGTATCATTA CAGATATGAA ATCAATGCGG ACCCCAGATT AACAAACCTC 900 60 AGTTCTAACT CGGATGTCCT CGAGTGA Seq ID NO: 58 <u>Protein sequence</u> Protein Accession #: NP_006661.1 65 31 41 51 21 MPGGCSRGPA AGDGRLRLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPPLPD 60 70 QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLASNIFLY LPRDVLAQLP 120 SLRHLDLSNN SLVSLTYVSF RNLTHLESLH LEDNALKVLH NGTLAELQGL PHIRVFLDNN 180 PWVCDCHMAD MYTWLKETEV VQGKDRLTCA YPEKMRNRVL LELNSADLDC DPILPPSLQT 240 SYVFLGIVLA LIGAIFILIVL YLNRKGIKKW MHNIRDACRD HMEGYHYRYE INADPRLTNL 300 SSNSDVLE

Nucleic Acid Accession #: NM_024022

75

Sea ID NO: 59 DNA sequence

Coding sequence: 1-1362(underlined sequences correspond to start and stop codons)



Seq ID NO: 61 DNA sequence
Nucleic Acid Accession #: NM_006475
Coding sequence: 28-2538 (underlined sequences correspond to start and stop codons)

ACAGAACTG CAACGGAGA CCTCAAGATG ATTCCCTTTT TACCCATGTT TTCTCTACTA 60
TTGCTGCTTA TTGTTAACCC TATAAACGC AACAATCATT ATGACAAGAT CTTGGGCTCAT 120
AGTCGTATCA GGGGTCGGGA CCAAGGCCCA AATGCTTGTG CCCTTCAACA GATTTTGGGC 180
ACCAAAAAGA AATACTTCAG CACTTGTAAG AACTGGTATA AAAAGTCCAT CTGTGGGACAG 240
AAAACGACTG TTTTATATGA ATGTTGCCCT GGTTAATTAATA GAAATGCAATG CAGGACG 300
TGCCCAGCAG TTTTCATATGA ATGTTGCCCT GGTGATTATAGA GAATGGAAGG AATGAAAGGC 300
TGCCCAGCAG TTTTGCCCAT TGACCATGTT TATGGCACTC TGGGCAATCGT GGGAGCCACC 360
ACAACCCAGC GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AAATCGAGGG AAAGGGATCC 480
GTTTGGAGA GCAACGTGAA TGTTGAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
AAGGAAATGT TGACCAAGGA CTTAAAAAAAT GGCATGATTA TTCCTTCAAT GAATTAAT 540
AAGGAATGT TGACCAAGGA CTTAAAAAAAT GGCATGATTA TTCCTTCAAT GTATTAACAAT 660
ATCCATGGGA ACCAGTTGC AACAAATGGT GTTGTCCATGTTAATTG TGCTCGAATC 660
ATCCATGGGA ACCAGATTCA AGACTTCATT GAAGCAGAGAA ATGACCTTTC ATCTTTAAGA
TTGGTCCCA CCAATTCA AGACTTCATT GAAGCAGAAGA ATGACCTTTC ATCTTTAAGA
T80
GCAGCTGCTCA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCACACTC 840
TTTGCTCCCA CCAATGAGGC CTTTTGAGAAA CTTCCACGAG GTGTCCTTAGA AAGGTTCAT GATTTAAGA
TTTGGTTCACACTC 840
TTTGCTCCCA CCAATGAGGC CTTTTGAGAAA CTTCCACGAG GTGTCCTTAGA AAGGTTCAT TGACCAATGGGA ACCAATGTTGAACAAT GAGCTTTTAATA TATCTTCACACTC 840
TTTGCTCCCA CCAATGAGGC TTTTTGAGAAA CTTCCACGAG GTGTCCTTAGA AAGGTTCAT TOCACCTC 840
TTTGCTCCCA CCAATGAGGC TTTTTGAGAAA CTTCCACGAG GTGTCCTTAGA AAAGGTTCAT TOCACCTC 840
CTGAGTCTA TTATTGGAGG AGCAGTCTTT GAGACCACT CTTCAACACTC 840
CTGAGTCTA TTATTGGAGGA AGCAGTCTTT GAGACCACT CTTTAAATAC TCTCCACATT 960
GGAGACCAAATA ATGGGTGTA AACAGTAAAT GGAATCAAAA TGGTGAACAA AAAGGATATT 1080
GGATGTGACG GTGACAGTAT AACAGTAAAT GAATTCAAAT TGGTGGAACAA AAAGGAATTAT 1080
GGATGTGACG GTGACAGTAT AACAGTAAAT GAATTAAAT CCTCCCAATT TCGCCCAATTA 1020
GGCTTGGCAT CTGCTGGAG AACACACCTTCA CGGATCTTGT GGCCCCAATTA 1020
GCATTTTCTG ATGATACTCT CAGCATGGTT CAGCCCTCC TTAAATTAAT TCTGCAAAT 1140
CAAGTTATTG AAGATAATTC ACAGCATGGTT CAGCCCTCC TTAAATTAAT TCTGCAAAT 11200
GCATTTTTCTG ATGATACTCT CAGCATTGTAT GACCTTAAAAATTCAAATTAAT TCTGCAAGAAT 1320

TTCATTGGAA AAGGATTTGA ACCTGGTGTT ACTAACATTT TAAAGACCAC ACAAGGAAGC 1800 AAAATCTTTC TGAAAGAAGT AAATGATACA CTTCTGGTGA ATGAATTGAA ATCAAAAGAA 1860 TCTGACATCA TGACAACAAA TGGTGTAATT CATGTTGTAG ATAAACTCCT CTATCCAGCA 1920 GACACACCTG TTGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980 GACACACCTG TIGGAAATGA TCAACTGCTG GAAATACTTA ATAAATTAAT CAAATACATC 1980
CAAATTAAGT TIGTTCGTGG TAGCACCTTC AAAGAAATCC CCGTGACTGT CTATAACAACT 2040
AAAATTATAA CCAAAGTTGT GGAACCAAAA ATTAAAAGTGA TIGAAGGCGG TCTTCAGCCT 2100
ATTATCAAAA CTGAAGGACC CACACTAACA AAAGTCAAAA TTGAAGGTGA ACCTGAATTC 2160
AGACTGATTA AAGAAGGTGA AACAATAACT GAAGTGATCC ATGGAGAGCC AATTATAAA 2220
GAACGAATCA TTACAGGTCC TGGAGTGCT GTGGAAATAAA CTGAAAAAGA CAACCGAGAAA 2280
GAACGAATCA TTACAGGTCC TGAAATAAAA TACACTAGGA TTTCTTCTGG AGGTGGAGAA 2340
ACAGAAGAA CTCTGAAGAA ATTGTTACAA GAAGAAATTA AAAGACTGCT TCAGGGGAGC 2460
GAAGGTGGTG ATGGTCATTT ATTTGAAGAT GAAGAAATTA AAAGACTGCT TCAGGGGAGC 2460
ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTTCTAGAAG ACGATTAAGG 2520 5 10 ACACCCGTGA GGAAGTTGCA AGCCAACAAA AAAGTTCAAG GTTCTAGAAG ACGATTAAGG 2520
GAAGGTCGTT CTCAG<u>TGA</u>AA ATCCAAAAAC CAGAAAAAAA TGTTTATACA ACCCTAAGTC 2580
AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640 15 AATAACCTGA CCTTAGAAAA TTGTGAGAGC CAAGTTGACT TCAGGAACTG AAACATCAGC 2640
ACAAAGAAGC AATCATCAAA TAATTCTGAA CACAAATTTA ATATTTTTTT TTCTGAATGA 2700
GAACATGAG GGAAATTGTG GAGTTAGCCT CCTGTGGTAA AGGAATTGAA GAAAATATAA 2760
CACCTTACAC CCTTTTCAT CTTGACATTA AAAGTTCTGG CTAACTTTGG AATCCATTAG 2820
AGAAAAATCC TTGTCACCAG ATTCAATTACA ATTCAAATCG AAGGTTGTG AACTGTTATC 2880
CCATTGAAAA GACCGAGCCT TGTATGTATG TTATGGATAC ATAAAATGCA CGCAAGCCAT 2940
TATCTCTCCA TGGGAAGCTA AGTTATAAAA ATAGGTGCTT GGTGTACAAA ACTTTTTATA 3000
TCAAAAAGGCT TTGCACATTT CTATATGAGT GGGTTTACTG GTAAAATTGT TTATTTTTTA 3060 20 CAACTAATTT TGTACTCTCA GAATGTTTGT CATATGCTTC TTGCAATGCA TATTTTTTAA 3120 TCTCAAACGT TTCAATAAAA CCATTTTTCA GATATAAAGA GAATTACTTC AAATTGAGTA 3180 25 ATTCAGAAAA ACTCAAGATT TAAGTTAAAA AGTGGTTTGG ACTTGGGAA Seq ID NO: 62 Protein sequence: 30 51 21 31 MIPFLPMFSL LLLLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60 MIPFÉMRSÍL LLÍLIVNPIN ANNHYDKILA HSRIRGRDQG PNVCALQQIL GTKKKYFSTC 60
KNWYKKSICG QKTTVLYECC PGYMRMEGMK GCPAVLPIDH VYGTLGIVGA TTTQRYSDAS 120
KLREEIEGKG SFTYFAPSNE AWDNLDSDIR RGLESNVNVE LINALHSHMI NKRMLTKDLK 180
NGMIPSMYN NLGLFINHYP NGVVTVNCAR IIHGNQIATN GVVHVIDRVL TQIGTSIQDF 240
IEAEDDLSSF RAAAITSDIL EALGRDGHFT LFAPTNEAFE KLPRGVLERF MGDKVASEAL 300
MKYHILNTLQ CSESIMGGAV FETLEGNTIE IGCDGDSITV NGIKMVNKKD IVTNNGVIHL 360
IDQVLIPDSA KQVIELAGKQ QTTFTDLVAQ LGLASALRPD GEYTLLAPVN NAFSDDTLSM 420
VQRLLKLILQ NHILKVKVGL NELYNGQILE TIGGKQLRVF VYRTAVCIEN SCMEKGSKQG 480
RNGAIHIFRE IIKPAEKSLH EKLKQDKRFS TFLSLLEAAD LKELLTQPGD WTLFVPTNDA 540
FKGMTSEEKE ILRDKNALQ NIILYHLTPG VFIGKGFEPG VTNILKTTOG SKIFLKEVND 600
TLLVNELKSK ESDIMTTNGV IHVVDKLLYP ADTPVGNDQL LEILNKLIKY IQIKFVRGST 660
FKEIPVTVYT TKITKVVEP KIKVIEGSLQ PIKTEGPTL TKVKIEGEPE FRLIKEGETI 720
TEVIHGEPII KKYTKIIDGV PVEITEKETR EERIITGPEI KYTRISTGGG FTEETLKKLL 780
OEEVTKVTKF IEGGDGHLFE DEEIKRLLOG DTPVRKLOAN KKVOGSRRRL REGRSO 35 40 45 QEEVTKYTKF IEGGDGHLFE DEEIKRLLQG DTPVRKLQAN KKVQGSRRRL REGRSQ Seq ID NO: 63 DNA sequence NM_020974 Coding sequence: 81-3080 (underlined sequences correspond to start and stop codons) 50 GGCGTCCGCG CACACCTCCC CGCGCCGCCG CCGCCACCGC CCGCACTCCG CCGCCTCTGC 60 CCGCAACCGC TGAGCCATCC ATGGGGGTCG CGGGCCGCAA CCGTCCCGGG GCGGCCTGGG 120 CGGTGCTGCT GCTGCTGCTG CTGCTGCCGC CACTGCTGCT GCTGGCGGGG GCCGTCCCGC 180 CGGGTCGGGG CCGTGCCGCG GGGCCGCAGG AGGATGTAGA TGAGTGTGCC CAAGGGCTAG 240 55 ATGACTGCCA TGCCGACGCC CTGTGTCAGA ACACACCCAC CTCCTACAAG TGCTCCTGCA 300 AGCCTGGCTA CCAAGGGGAA GGCAGGCAGT GTGAGGACAT CGATGAATGT GGAAATGAGC 3 TCAATGAGG CTGTGTCCAT GACTGTTTGAGCTGC CAAGAACAG GAGGAGTGCTGC 480

AGACAATGG CGGCTGCCAG CATACCTGTT TCAACTGTGAC GAGTGCTGC 480

AGAACAATGG CGGCTGCCAG CATACCTGTG TCAACGTCAT GGGGAGCTAT GAGTGCTGC 540

GCAAGGAGG GTTTTTCCTG AGTGACAATC AGCACACCTG CATTCACCGC TCGGAAGAGG 600

GCCTGAGCTG CATGAATAAG GATCACGGCT GTAGTCACAT CTGCAAGGAG GCCCCAAGGG 660

GCAGCGTCGC CTGTGAGTGC AGGCCTGGTT TTGAGCTGGC CAAGAACCAG AGAGACTGCA 720 60 TCTTGACCTG TAACCATGGG AACGGTGGT GCCAGCACTC CTGTGACGAT ACAGCCGATG 780
GCCCAGAGTG CAGCTGCCAT CCACAGTACA AGATGCACAC AGATGGGAGG AGCTGCCTTG 840
AGCGAGAGGA CACTGTCCTG GAGGTGACAG AGAGCAACAC CACATCAGTG GTGGATGGGG 900 65 AGGGAGGA CACTGTCCTG GAGGTGACAG AGAGCACAC CACATCAGTG GTGGATGGG 900
ATAAACGGGT GAAACGGCGG CTGCTCATGG AAACGTGTGC TGTCAACAAT GGAGGCTGTG 960
ACCGCACCTG TAAGGATACT TCGACAGGTG TCCACTGCAG TTGTCCTGTT GGATTCACTC 1020
TCCAGTTGGA TGGGAGACA TGTAAAGATA TTGATGAGTG CCAGACCCGC AATGGAGGTT 1080
GTGATCATTT CTGCAAAAAC ATCGTGGGCA GTTTTGACTG CGGCTGCAAG AAAGGATTTA 1140
AATTATTAAC AGATGAGAAG TCTTGCCAAG ATTGGGATGA GTGCTCTTTG GATAGGACCT 1200
GTGACCACAG CTGCATCAAC CACCCTGGCA CATTTGCTTG TGCTTGCAAC CAAGGGTACA 1260
CCCTGTATGG CTTCACCCAC TGTGGAGACA CCAATGAGTG CAGCATCAAC AACGGAGGCT 1320
GTCAGCAGGT CTGTGTGAAC ACAGTGGGCA GCTATGAATG CCAGTGCCAC CCTGGGTACA 1380
AGCTCCACTG GAATAAAAAA GACTGTGTGG AAGTGAAGGG GCTCCTGCCC ACAAGTGTG 1440
CACCCCGTGT GTCCCTGCAC TGCGGTAAGA GTGGTGGAGG AGACGGGTGC TTCCTCAGAT 1500

70

GTCACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560 GICACTCTGG CATTCACCTC TCTTCAGATG TCACCACCAT CAGGACAAGT GTAACCTTTA 1560
AGCTAAATGA AGGCAAGTGT AGTTTGAAAA ATGCTGAGCT GTTTCCCGAG GGTCTGCGAC 1620
CAGCACTACC AGAGAAGCAC AGCTCAGTAA AAGGAGCTT CCGCTACGTA AACCTTACAT 1680
GCAGCTCTGG CAAGCAAGTC CCAGGAGCCC CTGGCCGACC AAGCACCCCT AAGGAAATGT 1740
ITATCACTGT TGAGTTTGAG CTTGAACTA ACCAAAAGGA GGTGACAGCT TCTTGTGACC 1800
GGAGCTGCAT CCTAAAAGGA ACCGAGCAAGC GGCTCCCTAA AGCCATCCGC ACGCTCAGAA 1860
AGGCCGTCCA CAGGGAGCAG TTTCACCTCC AGCTCCAGA CAGGACCTC GACGTGGGTA 1920
AAAAGCCTCC CAGAACATCT GAACGCCAGG CAGAGTCCTG TGGAGTGGGC CAGGGTCATG 1980 5 CAGAAAACCA ATGTGTCAGT TGCAGGGCTG GGACCTATTA TGATGGAGGA CGAGAACCT 2040
GCATTTTATG TCCAAATGGA ACCTTCCAAA ATGAGGAAGG ACAAATGACT TGTGAACCAT 2100
GCCCAAGACC AGGAAATTCT GGGGCCCTGA AGACCCAGGA AGCTTGGAAT ATGTCTGAAT 2160
GTGGAGGTCT GTGTCAACCT GGTGAATATT CTGCAGATGG CTTTTGCACCT TGCCAGCTCT 2220
GTGCCCTGGG CACGTTCCAG CCTGAAGCTG GTCGAACTTC CTGCTTCCCC TGTGGAGGAG 2280 10 GCCTTGCCAC CAAACATCAG GGAGCTACTT CCTTTCAGGA CTGTGAAACC AGAGTTCAAT 2340
GTTCACCTGG ACATTTCTAC AACACCACCA CTCACCGATG TATTCGTTGC CCAGTGGGAA 2400
CATACCAGCC TGAATTTGGA AAAAATAATT GTGTTTCTTTG CCCAGGAAAT ACTACCAGCTG 2460
ACTTTGATGG CTCCACAAAC ATAACCCAGT GTAAAAAACAG AAGATGTGGA GGGGAGCTGG 2520
GAGATTTCAC TGGGTACATT GAATCCCCAA ACTACCCAGG CAATTACCCA GCCAACACCG 2580 15 AGTGTACGTG GACCATCAAC CCACCCCCA AGGGCCGCAT CCTGATCGTG GTCCCTGAGA 2640
TCTTCCTGCC CATAGAGGAC GACTGTGGGG ACTATCTGGT GATGCGGAAA ACCTCTTCAT 2700
CCAATTCTGT GACAACATAT GAAACCTGCC AGACCTACGA ACGCCCCATC GCCTTCACCT 2760 20 CCAGGTCAAA GAAGCTGTGG ATTCAGTTCA AGTCCAATGA AGGGAACAGC GCTAGAGGGT 2820
TCCAGGTCCC ATACGTGACA TATGATGAGG ACTACCAGGA ACTCATTGAA GACATAGTTC 2880
GAGATGGCAG GCTCTATGCA TCTGAGAACC ATCAGGAAAT ACTTAAGGAT AAGAAACTTA 2940 25 TCAAGGCTCT GTTTGATGTC CTGGCCCATC CCCAGAACTA TTTCAAGTAC ACAGGCCCAGG 3000 AGTCCCGAGA GATGTTTCCA AGATCGTTCA TCCGATTGCT ACGTTCCAAA GTGTCCAGGT 3060 TTTTGAGACC TTACAAATGA CTCAGCCCAC GTGCCACTCA ATACAAATGT TCTGCTATAG 3120 GGTTGGTGGG ACAGAGCTGT CTTCCTTCTG CATGTCAGCA CAGCAGCTT TCTGCTATAG 3120
CCGTATCAGT GACTCATTAG AGTTCATCTTCTG CATGTCAGCA CAGTCGGGTA TTGCTGCCTC 3180
CCGTATCAGT GACTCATTAG AGTTCAATTT TTATAGATAA TACAGATATT TTGGTAAATT 3240
GAACTTGGTT TTTCTTTCCC AGCATCGTGG ATGTAGACTG AGAATGGCTT TGAGTGGCAT 3300
CAGCTTCTCA CTGCTGTGGG CGGATGTTT GGATAGATCA CGGGCTGGCT GAGCTGGACT 3360
TTGGTCAGCC TAGGTGAGAC TCACCTGTCC TTCTTGGGTC TTACTCCTCC TCAAGGAGTC 3420
TGTAGTGGAA AGGAGGCCAC AGAATAAGCT GCTTATTCTG AAACTTCAGC TTCCTCTAGC 3480
CCGGCCCTCT CTAAGGGAGC CCTCTGCACT CGTGTGCAGG CTCGTCACCAG GCAGAACAGG 3540
CAAGAGGGGA GGGAAGGAGA CCCCTGCAGG CTCCCTCACA CCACCTTGAG ACCTTGGAGGGG 3660
ACTCAGTTCT CCACAGCCT TTCTCAGCCCT GTGTGAACA ACCTTCATTCT ACCACGACACTTG 3660 30 35 ACTCAGTTTC TCCACAGCCT TCTCCAGCCT GTGTGATACA AGTTTGATCC CAGGAACTTG 3660
AGTTCTAAGC AGTGCTCGTG AAAAAAAAA GCAGAAAGAA TTAGAAATAA ATAAAAACTA 3720 AGCACTTCTG GAGACAT 40 Seq ID NO: 64 Protein sequence: NP_066025.1 Protein Accession #:

45 LCQNTPTSYK CSCKPGYQGE GRQCEDIDEC GNELNGGCVH DCLNIPGNYR CTCFDGFMLA 120 HOGHNCLDVD ECLENNGGCQ HTCVNVMGSY ECCKEGFFL SDNQHTCHR SEEGLSCMNK 180
DHGCSHICKE APRGSVACEC RPGFELAKNQ RDCILTCNHG NGGCQHSCDD TADGPECSCH 240
PQYKMHTDGR SCLEREDTVL EVTESNTTSV VDGDKRVKRR LLMETCAVNN GGCDRTCKDT 300
STGVHCSCPV GFTLQLDGKT CKDIDECQTR NGGCDHFCKN IVGSFDCGCK KGFKLLTDEK 360
SCQDVDECSL DRTCDHSCN HPGTFACACN RGYTLYGFTH CGDTNECSIN NGGCQVCVN 420 50 SCQDVDECSL DRTCDHSCIN HPGTFACACN RGYTLYGFTH CGDTNECSIN NGGCQQVCVN 420
TVGSYECQCH PGYKLHWNKK DCVEVKGLLP TSVSPRVSLH CGKSGGGDGC FLRCHSGIHL 480
SSDVTIIRTS VTFKLNEGKC SLKNAELFPE GLRPALPEKH SSVKESFRYV NLTCSSGKQV 540
PGAPGRPSTP KEMFITVEFE LETNQKEVTA SCDLSCIVKR TEKRLRKAIR TLRKAVHREQ 600
FHLQLSGMNL DVAKKPPRTS ERQAESCGVG QGHAENQCVS CRAGTYYDGA RERCILCPNG 660
TFQNEEGQMT CEPCPRPGNS GALKTPEAWN MSECGGLCQP GEYSADGFAP CQLCALGTFQ 720
PEAGRTSCFP CGGGLATKHQ GATSFQDCET RVQCSPGHFY NTTTHRCIRC PVGTYQPEFG 780
KNNCVSCPGN TTTDFDGSTN ITQCKNRRCG GELGDFTGYI ESPNYPGNYP ANTECTWTIN 840
PPPKRRILLV VPEIFLPIED DCGDYLVMRK TSSSNSVTTY ETCQTYERPI AFTSRSKKLW 900
IQFKSNEGNS ARGFQVPYVT YDEDYQELIE DIVRDGRLYA SENHQEILKD KKLIKALFDV 960
LAHPONYFKY TAOESREMFP RSFIRLLRSK VSRFI RPVK 55

60 LAHPONYFKY TAQESREMFP RSFIRLLRSK VSRFLRPYK

Seq ID NO: 65 DNA sequence Nucleic Acid Accession #: NM_007210 65 Coding sequence: 1-1869 (underlined sequences correspond to start and stop codons)

ATGAGGCTCC TCCGCAGACG CCACATGCCC CTGCGCCTGG CCATGGTGGG CTGCGCCTTT 60
GTGCTCTTCC TCTTCCTCCT GCATAGGGAT GTGAGCAGCA GAGAGGAGGC CACAGAGAAG 120
CCGTGGCTGA AGTCCCTGGT GAGCCGGAAG GATCACGTCC TGGACCTCAT GCTGGAGGCC 180
ATGAACAACC TTAGAGATTC AATGCCCAAG CTCCAAATCA GGGCTCCAGA AGCCCAGCAG 240
ACTCTGTTTCT CCATAAACCA GTCCTGCCTC CCTGGGTTCT ATACCCCAGC TGAACTGAAG 300
CCCTTCTGGG AACGGCCACC ACAGGACCC AATGCCCTG GGGCAGATGG AAAAGCATTT 360
CAGAAGAGCA AGTGGACCCC CCTGGAGACC CAGGAAAAGGA AAGAAGCATTT 360
CAGAAGAGCA AGTGGACCCC CCTGCAGACC CAGGAAAAGGA AAGAAGGCTA TAAGAAAGCAC 420 70 75 TOTTTCAATG CCTTTGCCAG CGACCGGATC TCCCTGCAGA GGTCCCTGGG GCCAGACACC 480 CGACCACCTG AGTGTGTGGA CCAGAAGTTC CGGCGCTGCC CCCCACTGGC CACCACCAGC 540

GTGATCATTG TGTTCCACAA CGAAGCCTGG TCCACACTGC TGCGAACAGT GTACAGCGTC 600 CTACACACCA CCCCTGCCAT CTTGCTCAAG GAGATCATAC TGGTGGATGA TGCCAGCACA 660 GAGGAGCACC TAAAGGAGAA GCTGGAGCAG TACGTGAAGC AGCTGCAGGT GGTGAGGGTG 720 GTGCGGCAGG AGGAGCGGAA GGGGTTGATC ACCGCCCGGC TGCTGGGGGC CAGCGTGGCA 780 CAGGCGGAGG TGCTCACGTT CCTGGATGCC CACTGTGAGT GCTTCCACGG CTGGCTGGAG 840 5 CCCCTCCTGG CTCGAATCGC TGAGGACAAG ACAGTGGTGG TGAGCCCAGA CATCGTCACC 900
ATCGACCTTA ATACTTTTGA GTTCGCCAAG CCCGTCCAGA GGGGCAGAGT CCATAGCCGA 960
GGCAACTTTG ACTGGAGCCT GACCTTCGGC TGGGAAACAC TTCCTCCACA TGAGAAGCAG 1020 AGGCGCAAGG ATGAAACATA CCCCATCAAA TCCCCGACGT TTGCTGGTGG CCTCTTCTCC 1080 ATCCCCAAGT CCTACTTTGA GCACATCGGT ACCTATGATA ATCAGATGGA GATCTGGGGA 1140 GGGGAGAACO TGGAAATGTC CTTCCGGGTG TGGCAGTGTG GGGGCCAGCT GGAGATCATC 1200 10 CCCTGCTCTG TCGTAGGCCA TGTGTTCCGG ACCAAGAGCC CCCACACCTT CCCCAAGGGC 1260 ACTAGTGTCA TTGCTCGCAA TCAAGTGCGC CTGGCAGAGG TCTGGATGGA CAGCTACAAG 1320 AAGATTTTCT ATAGGAGAAA TCTGCAGGCA GCAAAGATGG CCCAAGAGAA ATCCTTCGGT 1380 15 ATCAAGAACC TCGGCACCAA CCAATGCCTG GATGTGGGTG AGAACAACCG CGGGGGGAAG 1560 CCCCTCATCA TGTACTCCTG CCACGGCCTT GGCGGCAACC AGTACTTTGA GTACACAACT 1620 CAGAGGGACC TTCGCCACAA CATCGCAAAG CAGCTGTGTC TACATGTCAG CAAGGGTGCT 1680 20 CTGGGCCTTG GGAGCTGTCA CTTCACTGGC AAGAATAGCC AGGTCCCCAA GGACGAGGAA 1740 TGGGAATTGG CCCAGGATCA GCTCATCAGG AACTCAGGAT CTGGTACCTG CCTGACATCC 1800 CAGGACAAAA AGCCAGCCAT GGCCCCTGC AATCCCAGTG ACCCCCATCA GTTGTGGCTC 1860 TTTGTTAGG ACCCAGATCA TCCCCAGAGA GAGCCCCCAC AAGCTCCTCA GGAAACAGGA 1920
TTGCTGATGT CTGGGAACCT GATCACCAGC TTCTCTGGAG GCCGTAAAGA TGGATTTCTA 1980
AACCCACTGG GTGGCAAGGC AGGACCTTCC TAATCCTTGC AACAACATTG GGCCCATTTT 2040 25 CTTTCCTTCA CACCGATGGA AGAGACCATT AGGACATATA TTTAGCCTAG CGTTTTCCTG 2100 TTCTAGAAAT AGAGGCTCCC AAAGTAGGGA AGGCAGCTGG GGGAGGGTTC AGGGCAGCAA 2160 TGCTGAGTTC AAGAAAAGTA CTTCAGGCTG GGCACAGTGG CTCATGCCTG AAATCCTAGC 2220 ACTTTGGGAA GACAATGTGG GAGAATGGCT TGAGCCCAGG AGTTCAAGAC CGGCCTGAGC 2280
AACATAGTGA GGATCCCATC TCTACGCCCA CCCTCCCCCC GGCAAAAAAA AAAGCTGGGT 2340 30 ATGGTGGCTT ATGCCTGTAG TCGCAGCTAC TCAGAAGGCT GAGGTGGGAG GATTGCTTGT 2400 TCCCCGGAGG TIGAAGCTAC AGTGAGCCTT GATTGTGTCA CTGCACTCCA GCCTGGGCAA 2460 CAGGTAAGAC TCTGTCTCAA AAAAAAAACA AAAAAGAAGA AGAAAAGTAC TTCTACAGCC 2520 ATGTCCTATT CCTTGATCAT CCAAAGCACC TGCAGAGTCC AGTGAAATGA TATATTCTGG 2580 35 CTGGGCACAG TGGCTCACAC CTGTAATCCT AGCACTTTGG GAGGCCAAGG CAGGTGGATC 2640 ACCTGAGGTC AGAAGTTTGA AACCAGCCTG GACTACATGG TGAAACTCCA TCTCTACTAA 2700 AAGTACAAAA ATTAGCTGGG CATGATGGCA CGCACCTGCA GTCCCAGCTA CTTGGGAGGC 2760 TGAGGCAGGA GAATCACTCG AACCCAGGAG GCAGAGGTTG CAGTGAGCCA AGACAGCACC 2820 ATTGCACCC AGCCTGAGCA ACAAGAGCGA AACTCCATCT CAGGAAAAAA AAAAAAAAA 2880 40 Seq ID NO: 66 Protein sequence:
Protein Accession #: NP_009141

45 21

50

55

MRLLRRRHMP LRLAMVGCAF VLFLFLLHRD VSSREEATEK PWLKSLVSRK DHVLDLMLEA 60 MNNLRDSMPK LQIRAPEAQQ TLFSINQSCL PGFYTPAELK PFWERPPQDP NAPGADGKAF QKSKWTPLET QEKEEGYKKH CFNAFASDRI SLQRSLGPDT RPPECVDQKF RRCPPLATTS 180 VIIVFHNEAW STLLRTVYSV LHTTPAILLK EIILVDDAST EEHLKEKLEQ YVKQLQVVRV 240 VRQEERKGLI TARLLGASVA QAEVLTFLDA HCECFHGWLE PLLARIAEDK TVVVSPDIVT 300 IDLNTFEFAK PVQRGRVHSR GNFDWSLTFG WETLPPHEKQ RRKDETYPIK SPTFAGGLFS 360 PKSYFEHIG TYDNQMEIWG GENVEMSFRV WQCGGQLEII PCSVVGHVFR TKSPHTFPKG 420 TSVIARNQVR LAEVWMDSYK KIFYRRNLQA AKMAQEKSFG DISERLQLRE QLHCHNFSWY 480 LHNVYPEMFV PDLTPTFYGA IKNLGTNQCL DVGENNRGGK PLIMYSCHGL GGNQYFEYTT 540 QRDLRHNIAK QLCLHVSKGA LGLGSCHFTG KNSQVPKDEE WELAQDQLIR NSGSGTCLTS 600 QDKKPAMAPC NPSDPHQLWL FV

Seq ID NO: 67 DNA sequence 60 Nucleic Acid Accession # NM_014112 Coding sequence: 600-4484 (underlined sequences correspond to start and stop codons)

65 TTCCTCCGCG AAGGCTCCTT TGATATTAAT AGTGTTGGTG TCTTGAAACT GACGTAATGC 60 70 TTAGGCTCCT GCTAGTTGAC TAATAGAATT AATAATTGTA AAAAGCACTC TAAAGCCACA 600
TGCCTTATGA AGTCAATGCT GGGTATGATT TTACAAATAT GGTCCGGAAA AAGAACCCCC 660
CTCTGAGAAA CGTTGCAAGT GAAGGCGAGG GCCAGATCCT GGAGCCTATA GGTACAGAAA 77 75

AGAGTGATGC TGCAGAACTA AATCATAAGG AGGAACATAG CTTGCATGTT CAAGATCCAT 840 CTTCTAGCAG TAAGAAGGAC TTGAAAAGCG CAGTTCTGAG TGAGAAGGCT GGCTTCAATT 900 ATGAAAGCCC CAGTAAGGGA GGAAACTTTC CCTCCTTTCC GCATGATGAG GTGACAGACA 960 GAAATATGTT GGCTTTCTCA TTTCCAGCTG CTGGGGGAGT CTGTGAGCCC TTGAAGTCTC 1020 5 CGCAAAGAGC AGAGGCAGAT GACCCTCAAG ATATGGCCTG CACCCCTCA GGGGACTCAC 1080 TGGAGACAAA GGAAGATCAG AAGATGTCAC CAAAGGCTAC AGAGGAAACA GGGCAAGCAC 1140 AGAGTGGTCA AGCCAATTGT CAAGGTTTGA GCCCAGTTTC AGTGGCCTCA AAAAACCCAC 1200 AAGTGCCTTC AGATGGGGGT GTAAGACTGA ATAAATCCAA AACTGACTTA CTGGTGAATG 1260
ACAACCCAGA CCCGGCACCT CTGTCTCCAG AGCTTCAGGA CTTTAAATGC AATATCTGTG 1320
GATATGGTTA CTACGGCAAC GACCCCACAG ATCTGATTAA GCACTTCCGA AAGTATCACT 1380 10 TAGGACTGCA TAACCGCACC AGGCAAGATG CTGAGCTGGA CAGCAAAATC TTGGCCCTTC 1440 ATAACATGGT GCAGTTCAGC CATTCCAAAG ACTTCCAGAA GGTCAACCGT TCTGTGTTTT 1500 CTGGTGTGCT GCAGGACATC AATTCTTCAA GGCCTGTTTT ACTAAATGGG ACCTATGATG 1560 TGCAGGTGAC TTCAGGTGGA ACATTCATTG GCATTGGACG GAAAACACCA GATTGCCAAG 1620 GGAACACCAA GTATTTCCGC TGTAAATTCT GCAATTTCAC TTATATGGGC AACTCATCCA 1680 CCGAATTAGA ACAACATTTT CTTCAGACTC ACCCAAACAA AATAAAAGCT TCTCTCCCCT 1740 15 CCTCTGAGGT TGCAAAACCT TCAGAGAAAA ACTCTAACAA GTCCATCCCT GCACTTCAAT 1800 CCAGTGATTC TGGAGACTTG GGAAAATGGC AGGACAAGAT AACAGTCAAA GCAGGAGATG 1860 ACACTCCTGT TGGGTACTCA GTGCCCATAA AGCCCCTCGA TTCCTCTAGA CAAAATGGTA 1920 20 CAGAGGCCAC CAGTTACTAC TGGTGTAAAT TTTGTAGTTT CAGCTGTGAG TCATCTAGCT 1980 CACTTAAACT GCTAGAACAT TATGGCAAGC AGCACGGAGC AGTGCAGTCA GGCGGCCTTA 2040 ATCCAGAGTT AAATGATAAG CTTTCCAGGG GCTCTGTCAT TAATCAGAAT GATCTAGCCA 2100
AAAGTTCAGA AGGAGAGACA ATGACCAAGA CAGACAAGAG CTCGAGTGGG GCTAAAAAGA 2160 AGGACTTCTC CAGCAAGGGA GCCGAGGATA ATATGGTAAC GAGCTATAAT TGTCAGTTCT 2220 25 GTGACTTCCG ATATTCCAAA AGCCATGGCC CTGATGTAAT TGTAGTGGGG CCACTTCTCC 2280
GTCATTATCA ACAGCTCCAT AACATTCACA AGTGTACCAT TAAACACTGT CCATTCTGTC 2340
CCAGAGGACT TTGCAGCCCA GAAAAGCACC TTGGAGAAAT TACTTATCCG TTTGCTTGTA 2400 GAAAAAGTAA TIGTTCCCAC TGTGCACTCT TGCTTCTGCA CTTGTCTCCT GGGGCGGCTG 2460
GAAGCTCGCG AGTCAAACAT CAGTGCATC AGTGTTCATT CACCACCCCT GACGTAGATG 2520
TACTCCTCTT TCACTATGAA AGTGTGCATC AGTCCAAGC ATCCGATGTC AAACAAGAAG 2580
CAAATCACCT GCAAGGATCG GATGGGCAGC AGTCTGTCAA GGAAAGCAAA GAACACTCAT 2640
GTACCAAATG TGATTTTATT ACCCAAGTGG AAGAAGAAGAT TTCCCGACAC TACAGGAGAG 30 GIALCAAAIG IGAITITATTI ACCEAGAGGA AAAAAGAATTI TICCCAACAC TACAGAGAAAA CACCACACAGGCGAAAATGC CGTCAGTGCAG GTTTTACAGC TGCCGATACT CAGTCACTAC 2760
TGGAGCACTT CAACACTGTT CACTGCCAGG AACAGGACAT CACTACAGCC AACGGCGAAG 2820
AGGACGGTCCA TGCCATTATCC ACCATCAAAG AGGAGCCAA AATTGACTTC AGGGTCTACA 2880
ATCTGCTAAC TCCAGACTCT AAAATGGCGAG AGCCAGCTTTC TGAGAGTGTG GTGAAGAGAG 2940
AGAAGCTGGA AGAGAAGGAC GGGCTCAAAG AGAAAGTTTG GACCGAGAGT TCCAGTGATG 3000 35 ACCTITCGCAA TOTGACTTGG AGAGGGGCAG ACATCCTGCG GGGGAGTCCG TCATACACCC 3060
AAGCAAGCCT GGGGCTGCTG ACGCCTGTGT CTGGCACCCA AGAGCAGACA AAGACTCTAA 3120
GGGATAGTCC CAATGTGGAG GCCGCCCATC TGGCGCGACC TATTTATGGC TTGGCTGTGG 3180 40 AAACCAAGGG ATTCCTGCAG GGGGCGCCAG CTGGCGGAGA GAAGTCTGGG GCCCTCCCCC 3240
AGCAGTATCC TGCATCGGGA GAAAACAAGT CCAAGGATGA ATCCCAGTCC CTGTTACGGA 3300
GGCGTAGAGG CTCCGGTGTT TTTTGTGCCA ATTGCCTGAC CACAAAGACC TCTCTCTGGC 3360 GAAAGAATGC AAATGGCGGA TATGTATGCA ACGCGTGTGG CCTCTACCAG AAGCTTCACT 3420 CGACTCCCAG GCCTTTAAAC ATCATTAAAC AAAACAACGG TGAGCAGATT ATTAGGAGGA 3480 45 GAACAAGAAA GCGCCTTAAC CCAGAGGCAC TTCAGGCTGA GCAGCTCAAC AAACAGCAGA 3540 GGGGCAGCAA TGAGGAGCAA GTCAATGGAA GCCCGTTAGA GAGGAGGTCA GAAGATCATC 3600 TAACTGAAAG TCACCAGAGA GAAATTCCAC TCCCCAGCCT AAGTAAATAC GAAGCCCAGG 3660 GTTCATTGAC TAAAAGCCAT TCTGCTCAGC AGCCAGTCCT GGTCAGCCAA ACTCTGGATA 3720 50 TTCACAAAAG GATGCAACCT TTGCACATTC AGATAAAAAG TCCTCAGGAA AGTACTGGAG 3780 ATCCAGGAAA TAGTTCATCC GTATCTGAAG GGAAAGGAAG TTCTGAGAGA GGCAGTCCTA 3840 TAGAAAAGTA CATGAGACCT GCGAAACACC CAAATTATTC ACCACCAGGC AGCCCTATTG 3900
AAAAGTACCA GTACCCACTT TTTGGACTTC CCTTTGTACA TAATGACTTC CAGAGTGAAG 3960
CTGATTGGCT GCGGTTCTGG AGTAAATTATA AGCTCTCCGT TCCTGGGAAT CCGCACTACT 4020 55 TGAGTCACGT GCCTGGCCTA CCAAATCCTT GCCAAAACTA TGTGCCTTAT CCCACCTTCA 4080
ATCTGCCTCC TCATTTTTCA GCTGTTGGAT CAGACAATGA CATTCCTCTA GATTTGGCGA 4140
TCAAGCATTC CAGACCTGGG CCAACTGCAA ACGGTGCCTC CAAGGAGAAA ACGAAGGCAC 4200 CACCAAATOT AAAAAATGAA GGTCCCTTGA ATGTAGTAAA AACAGAGAAA GTTGATAGAA 4260 GTACTCAAGA TGAACTTTCA ACAAAATGTG TGCACTGTGG CATTGTCTTT CTGGATGAAG 4320 TGATGTATGC TTTGCATATG AGTTGCCATG GTGACAGTGG ACCTTTCCAG TGCAGCATAT 4380 60 GCCAGCATCT TTGCACGGAC AAATATGACT TCACAACACA TATCCAGAGG GGCCTGCATA 4440
GGAACAATGC ACAAGTGGAA AAAATGGAA AACCTAAAGA GTAAAACCTT AGCACTTAGC 4500
ACAATTAAAT AGAAATAGGT TITCTTGATG GGAATTCAAT AGCTTGTAAT GTCTTTATGAA 4560
GACCTATTAA AAAATACTT CATAGAGCCT GCCTTATCCA ACATGAAATI CCTTCTTTT 4620
GTTATTCTTT CTTTTGATGA GTAGGTTACC AAGATTAAAA AGGGAGATTA ATGGTCAATG 4680 65 GITATICTTI CITTIGATGA GTAGGITACC AAGATTAAAA AGTGAGATAA ATGGTCAATG 4680
AGAAAGAATG GAAGATGGTA AACAATCACT TITTAAAACC TGTTAAGTCA AAACCATCTT 4740
GGCTAATATG TACTGGGGAA ATAATCCATA AGAGATATCA CCAGACTAGA ATTAATATAT 4800
TTATAAAGAA AGAGACCAAA ACTGTCTAGA ATTTGAAAGG GTTTACATAT TATTATACTA 4860
AAGCAGTACT GGACTGGCCA TTGGACCATT TGTTCCAAAA CCCATAAATT GTTGCCTAAA 4920
TTTATAATAG TCATGAAACC CTAGGCAGAG GAGGAGAAAT TGAAGGTCCA GGGCAATGAA 4980
AGAAAAATGG CGCCCTCTCA ATTTAGTCTT CTCTCATTGG CCATGTTTCA GATTTTGACC 5040
TAGAAATGCG AGCTGTGTT AGGCTTGGTT AGAGTGCAGC AAGCAACATG ACAATGTTT 5160
TGCCCTTTAG ATGTTCAAAT ACTCAGTAGT CCTTTTGTTT GCGGTTTAGA TTCATTTTT 5220
CCACACATGT ACCCATTTTA AAAAACAATG TCCTCGATGC TCTGTAGTGT ATTTATTTT 5280 70 75 AGCCAGGTAT TTCTTTCTTG TGTGTGATGA ACCAGTATGG ATTTGCTTTT CTAAGCCTCC 5340
TGTTGGTTAC TAATCTCACT TGGCACATTA TAACTAAAGG AATCCCCTCA ATTCAAAAGC 5400

ATAGATGGAT ACAAATGTCA GACCGTGGGT TTAATTTGTT TAGAACACAT GGCATTTCTT \$460 CACAAGGTAA CCTGCTGTAT TTATTTATTT TCTTTTGGTT AAATATAATT TCCAAACTTT 5520 GTGGTCAGGC AGCGTCTAAG GTTACGTTAC CACAGACTGA CAGTTGGTAT ATGTACCAGC 5580 CAATCCCTTC ATTAAATGTA TACAGATTTA GTTAAGTAGC ATTAAATAGG ATTCTTAGAA 5640 GTATGTCCTC ATAGAACTTT TAATACTTAA GGCTTTGTAA AAACTATCCA TGAAGGGAAA 5700 GCTCCTCAGC ATAACTGCTC AGGGAAATAG GGCTAAATAA CTGAACATTA AATAATTGGT 5760 TAAAGGTGCT GTTAGTCGAG CCTCAATGCT TGCTACAAGG ATGTATGTAC AAGGACTGAC 5820
TTTAATAATT TGCATTATAT TGTCCCAACC AGTAGTTTAT TTTTTGCCAC GGAGATGTAG 5880 AAGATATTAC AAGCTACTGG ATGCACTGTC AGATTAACTT ATTTCATTAA AGAAGTTGGG 5940 10 AGAACAAATA GGAAAAAAA AACTTATTTT TCTAGTAAAT ATTAATGTAT TACATTTCAA 6000 ATAATGGTGC CTGACATATT GAATAATTAT TTTCTACAGT GTACGTATGC AACAAAGATA 6060 TTCCATCATG CATTAGAGTC AGTTCTGGCT CTGCCTAGCT GTTTACATTT GCAAATGTAG 6120 CAAACAAGGT AATGAAGCAA CTATTTCTAT TGCAGTAGAT ATCCTTTTGT GTGTGTGTGT 6180
GTGCATTAAA GTTGTAAACG GTAACATGAA ACAATGAAA GTTCTTGCTA TAATGGTATG 6240
GAAAACAAGA AGGAAATGAA AATATTTTA TGCCTACTTA GGAAAAAAG GGTAGCACTT 6300
ATTCATTCCA AGTACTTTTT TITTTTTAAT TITTAAGCTC TTAACTCACA TTGTTATGCT 6360
TAAGATGATA AACATATATC CTCTTTTTAT TGCTTACTTA TGTAAACT GAAACATTT 6420 15 CAGAAATTAT TITGATAAGT GTIGCTGGAA TCTGCAACGC TGATTTTTT TTGCATTCTG 6480 TAGTCGCATT TGCACTCCAT TTTTACATTA ATTCGCAGTT GCTTTGTATC ATTGTTTTGT 6540 TTGGGTTTTG TTTCTTTTTC ACAGTGCCGG GTCTTCGTTT CTTAAAGTTG GATGGCAGGT 6600 20 AGAGTTCAAC CAGTTCGTGA CTGTTGTAGC GAATGAAGTT AAAAAAATGT CTTTCTGATG 6660 TTGTGTTGTC ATTTTCATTT TTGCATTTTT TTGTTTGCAT ATTAAAAAAA GAGAAAAGAG 6720 AAAGCAAGAG ACAGAAATCA GGACTAAGTC CTCTGCTTCA GTTTCATTGT TAACGGGCCT 6780 AAAGCAAGAG ACAGAAACA GGACTAGITC LEIGGTTCA GTTTCAGTT TAACTGAATT TAACGAGGG 6840
AATGAGGAGC TITGACATTC AAATTATGTG ATGTAATTTA TCTTCCTTAG GAATTTTGAT 6900
GGATGCATCT CAAAATGTAT AGCCAGACTT GAGAGGTGAC AATTAAAGAATA CTAAAAAAGA 6960
GAGGAGATTC CCCCAAACAA CAATATTTAA TTTTCTTAGT AAAAAGAATA ACAGAATGCA 7020
TCGTGGCAAT CCTTAAGCAA CATTATCTAT GTGGACTGCT TAAATCAGCA AAACACCAGA 7080
AGTTTGGTTA ACTTGGGCAA TATGACAAGT ATTACTTTTT GGGCAAACT ACTCATTTAGG 7140 25 30 CAATTTCTCT AGTGTGTCGG ACACAAATAG GTTCTTTATT TTTGGCATGT ATGCCTTTTT 7200 ATTTTCATTC AATTTTTTT TTTTCTCAGA CAGACATAGT AGTATCAACT AGCATTGGAA 7260 AATACATATC ACTATTCTTG GAATATTTAT GGTCAGTCTA CTTTTTAGTA AAATATTTTT 7320 35 GAGACAAAAA TTTATTATAA CACTAAACAC TCCTTTTTTG ACATATTAAA GCCTTTATTC 7500 CATCTCTCAA GATATATTAT AAAATTATT TITTTAATTT AAGATTTCTG AATTATTTTA 7560 TCTTAAATTG TGATTITAAA CGAGCTATTA TGGTACGGAA CTTTITTTAA TGAGGAATTT 7620 CATGATGATT TAGGAATTTT CTCTCTTGGA AAAGGCTTCC CCTGTGATGA AAATGATGTG 7680 CCAGCTAAAA TTGTGTGCCA TTTAAAAACT GAAAATATTT TAAAATTATT TGTCTATATT 7740 CTAAATTGAG CTTTGGATCA AACTTTAGGC CAGGACCAGC TCATGCGTTC TCATTCTTCC 7800 40 TTTTCTCACT CTTTCTCTCA TCACTCACCT CTGTATTCAT TCTGTTGTTT GGGATAGAAA 7860 AATCATAAAG AGCCAACCCA TCTCAGAACG TTGTGGATTG AGAGAGACAC TACATGACTC 7920 CAAGTATATG AGAAAAGGAC AGAGCTCTAA TTGATAACTC TGTAGTTCAA AAGGAAAAGA 7980 GGGATTCTTT TCTAAACTG CAAAAATATT AAATGTAATA AATTATTAAA AATGATTATAG 820
ATCAATGCAA TACTCTCTAC AAAAAAAATATTAAAAACTGAATGG 8000
GGGATTCTTT TCTAAACTG TTCTGTTTTA GTGAAGGTAG ATTTTTATAAAACTATTTAAGATAG 8100
GGGATTCTTT TCTAAACTG TTCTGTTTTA GTGAAGGGAAAAA AGTATCTTTA ACAGCCTCTTT 8160
GTTGAAGCCT GTGGTAGCAC ATTATGTTTA TAATTGCACA TGTGCACATA ATCTATTATG 8220
ATCCAATGCA AATACAGCTC CAAAAATATT AAATGTATAT ATATTTTAAA ATGCCTGAGG 8280
AAATACATTT TTCTTAATAA ACTGAAGAGT CTCAGTATGG CTATTAAAAT AAATTATTAGC 8340 45 50 CTCCTGTTGT GTGGCTGCAA AACATCACAA AGTGACCGGT CTTGAGACCT GTGAACTGCT 8400 GCCCTGTTTA GTAAATAAAA TTAATGCATT TCTAGAGGGG GAATATCTGC CATCCAGTGG 8460 TGGAAATGTG GAGTAAAGAA GCTGGTGGTC TGCTTCTGTG CTGTATGCCA GCCTTTTGCC 8520 TTAAGTTGAG AGGAGGTCAA CTTTAGCTAC TGTCTTTGGT TTGAGAGCCA TGGCAAAAAA 8580 AAAAAAAGAA AAAAAGATCA AGTCGTCTTT GGTGAGCCAG TAAGGTGAAA GCTTGCTGAC 8640 TGTCCAAGGC ACAAGAGAAA ATTGAGGAAT TGAAATGCAA CCTGAGTATC AAACTAAATA 8700 55 TTCTAATCAA AGGTAGGTAC TGTTAGGTGG AATTCTATCA GCAGGCAACT GCAAATGAGA 8760 AGAAGATAGA AGGACGCCCG TCGGGACTTT GGAGGGCATT GTTATTTTCC CAAAGAAAGA 8820 CGGCCAAGGG CAGAGGCATG GATTCTTTGC AGAGCACTTC CTTTTGGTTT TTCAGTACTG 8880
TTTCATAGAC AGTGGGCTCA CATGTTCCTG ATAGTGCTGC AGTTGCTTAG AAAGCATCCC 8940
AGTTAATTGC AGTAATTAGA ACTTCTGGAA TATGCTAGGG CAGAAGTATG TCAAGTATGT 9000 60 CACATGAAGA AAATGTGAAA TICAAGAGTA ATCCACACGT GAGAAACTAG ACAATGTACA 9060
TTCATGTGTT CTCTTGAAAG GAAAGGGAGA GCTGTAAGCT TCACTCTGTC CTACACCGGA 9120
GAAAAGCAGG AATAACTTTA CCGTGGAAAT AATGTTTAGC TTTTATCAGA GAAAATTGTC 9180 CTTCTAGAGC ATAGAGTCCC AAAACTCAAT TCTGGTTTTC CCCTGTTTTT TTTTTTTTT 9240
TTTTTCCCAA CATATGAACT GCAGCATATC ACTTTTTCTT TTTGTGCCTC AGGTTCCTCA 9300
CCTGTAAAAT TGAAAAATAT ATGTATTAAT AATATTATTA ATAATAATAA TGGTAATGTA 9360 -65 GTACTTGTTT GTAAAGCACT TTGAGATCCT TGGTTGAAAG GCACCATAGG AGTGCCAAGT 9420
ATTATTATGT GGCCAAGGGG GTTATTTAAA CTGTCAGTTC CCAAAGGCCA GGAAAGGTTG 9480
GGGTCATTTT TCTTAAAGAC GAGCTGTAAA TATCAACTAG GCAGCCAATA GTGTTGACTA 9540 70 TGAAGATGCA AAACTATTAC TAGGCTGATA AAATCATAGT TTCTTAATGG CTACCAATAA 9600 GGCAAATATC ACAATAATAA ACGCCAAATT CCTTAGGGCG GACTATTTGA CAACCACATG 9660 GAAAACTITG GGGAGGCAT GAGGGGGAA CATCICAAAA TGCCAATGTA AAATTTAACT 9720 TACAGCAATA TTCACCAGCA GAAAATGTCT TTCATATGGA ATGATTTCAT GTTGCTAAGA 9780 AAAAGAATTC AATTTGTAGT CCTGATTTGA ATACTAGAAT GTTGGCTATA ATAGTTCTGT 9840 75 TCTTACAACA CATGAAATTT TTTCGTTTTA TTTTATTTTG TTTTCATAGT GCATGTTCAT 9900
TTCTACTCAC AAACATGTTC TTGGTGTATT TCTTATGCAA ACAATCTTCA GGCAGCAAAG 9960
ATGTCTGTTA CATCTAAACT TGAATAATAA AGTTTTACCA CCAGTTACAC A

Seq ID NO: 68 Protein sequence:
Protein Accession #: NP_054831 5 31 11 21 MPYEVNAGYD FTNMVRKKNP PLRNVASEGE GQILEPIGTE SKVSGKNKEF SADQMSENTD 60 QSDAAELNHK EEHSLHVQDP SSSSKKDLKS AVLSEKAGFN YESPSKGGNF PSFPHDEVTD 120
RNMLAFSFPA AGGVCEPLKS PQRAEADDPQ DMACTPSGDS LETKEDQKMS PKATEETGQA 180
QSGQANCQGL SPVSVASKNP QVPSDGGVRL NKSKTDLLVN DNPDPAPLSP ELQDFKCNIC 240
GYGYYGNDPT DLIKHFRKYH LGLHNRTRQD AELDSKILAL HNMVQFSHSK DFQKVNRSVF 300
SGVLQDINSS RPVLLNGTYD VQVTSGGTFI GIGRKTPDCQ GNTKYFRCKF CNFTYMGNSS 360 10 SOVLQDINSS RPVLLNGTYD VQVTSGGTFI GIGRKTPDCQ GNTKYFRCKF CNFTYMGNSS 360
TELEQHFIQT HPNKIKASLP SSEVAKPSEK NSNKSPALQ SSDSGDLGKW QDKITVKAGD 420
DTPVGYSVPI KPLDSSRQNG TEATSYYWCK FCSFSCESS SLKLLEHYGK QHGAVQSGGL 480
NPELNDKLSR GSVINQNDLA KSSEGETMTK TDKSSSGAKK KDFSSKGAED NMVTSYNCQF 540
CDFRYSKSHG PDVIVVGPLL RHYQQLHNIH KCTIKHCPFC PRGLCSPEKH LGEITYPFAC 600
RKSNCSHCAL LLLHLSPGAA GSSRVKHQCH QCSFTTPDVD VLLFHYESVH ESQASDVKQE 660
ANHLQGSDGQ QSVKESKEHS CTKCDFITQV EEEISRHYRR AHSCYKCRQC SFTAADTQSL 720
LEHFNTVHCQ EQDITTANGE EDGHAISTIK EEPKIDFRVY NLLTPDSKMG EPVSESVVKR 780
EKLEEKDGLK EKVWTESSSD DLRNVTWRGA DILRGSSPYT QASLGLLTPV SGTQEQTKTL 840
RDSPNVEAAH LARPIYGLAV ETKGFLQGAP AGGEKSGALP QQYPASGENK SKDESQSLLR 900
RRRGSGVFCA NCLTTKTSLW RKNANGGYVC NACGLYQKLH STPRPLNIIK QNNGEQIBR 960
RTRKRLINPEA LQAEQLNKQQ RGSNEEQVNG SPLERRSEDH LTESHQREIP LPSLSKYEAQ 1020
GSLTKSHSAQ QPVLVSQTLD IHKRMQPLHI QIKSPQESTG DPGNSSSVSE GKGSSERGSP 1080
IEKYMRPAKH PNYSPPGSPI EKYQYPLFGL PFVHNDFQSE ADWLRFWSKY KLSVPGNPHY 1140
LSHVPGLPNP CQNYVPYPTF NLPPHFSAVG SDNDIPLDLA IKHSRPGPTA NGASKEKTKA 1200
PPNYKNEGPL NVVKTEKVDR STQDELSTKC VHCGIVFLDE VMYALHMSCH GDSGPFQCS1 1260 15 20 25 PPNVKNEGPL NVVKTEKVDR STQDELSTKC VHCGIVFLDE VMYALHMSCH GDSGPFQCSI 1260 CQHLCTDKYD FTTHIQRGLH RNNAQVEKNG KPKE 30 Seq ID NO: 69 DNA sequence Nucleic Acid Accession #: XM_073879 Coding sequence: 1-387(underlined sequences correspond to start and stop codons) 35 ATGOGGTTTG GAGACCAGGG AACGGTGGAA GGGAGCCTAG GAACGTCGAA AAAACCACCT 60 GAAGTGAAAA TGTTTGGAGC CAGTCAAGGT TTGCTGACAA TGGAAACAAA CCAGTCCCTG 120
GCACAAGGCA CAGGCTGCTC AGTAGTAAAG GTAGACACTG TTCTCTTCGA GAGTTTATAC 180
CACTGCGGCT TTGAACACGG GAGCGTGATG CACTGCCTTG GGGATGATCA CCCCCAGGAA 240 40 GACAGGAAGG CTCACTTCTC TGCCCCAGTT GCAGCCATCG CCTCTCCAGC ACCGACTCCT 300 GTCTGTCCTG CACACCACTC AACACAGAGC ATCTGCCAGT TTCTACAGCA CTGCAGGCAG 360 AACACTCACT TGCAGGCTGC TAACTAA Seq ID NO: 70 Protein sequence 45 Protein Accession #: XP_073879 31 21 41 MGFGDQGTVE GSLGTSKKPP EVKMFGASQG LLTMETNQSL AQGTGCSVVK VDTVLFESLY 60 HCGFEHGSVM HCLGDDHPQE DRKAHFSAPV AAIASPAPTP VCPAHHSTQS ICQFLQHCRQ 120 50 NTHLQAAN Seq ID NO: 71 DNA sequence Nucleic Acid Accession # AB033064 55 Coding sequence: 826-1986 (underlined sequences correspond to start and stop codons) 21 31 51 GGGGAACAGC AAATTCAGTC ACAGACAATC CTCCACTCGG TCAAGAGCCA CTTTTCTCTT 60 60 CCTGCCTTGC CCCCCGCAG GGGGTAAGGA ACTGAGCGTT TAATCTTTAG CCGGTTGGCT 120 ACCAGCTAAA ATTCTACTTA TCTTAGTTTC TAGTGGATAG CTTTCTTATT TTGCCCATGT 180 ACCAGCIAMA ATTICTACITA TCTTAGTTTC TAGTGGATAG CTTTCTTATTTTGCCCATGT 180
TTTCTTAGAA TCCCTGTTTA ATATACTTTT GTCAGTAGTA GTATCTAGGA GTAGCAGGA 240
GAGTGACAAT AAATTAGCCC CTTCTTTTTT CCCTTGTCAT TCAGGCCCCT TTTCCTCCC 300
AGAGGAAAT TACCAGTAAA CTCTTCTAAA TCTTCCACCC CTTCTCAGTC ATACTGTGAA 360
GAAACACACT AAAGTGGACA TTATTTGACC AGTGAACACG AACCCAGCTT CAGGCATTGG 420
TTTGTTGTG CACATGGAGA AACATCTCTT TTAAAATATC TCCCAAATTAC CCTTTTCAAAGCTC 540
ATTTGTATCC ACCTAGGATT TGCTGCTGGG GTAAGTCACT AGATTTATTT CTCAAAGCTC 540
CCCTCTCTAT GAGCTGAAAG ACTGACCAAC CATGAACACT AGTAGGGGAT GGGGAAAGGG 600
GACAGAGCAG AGCCAGTTGT TCCACACTTT GGGAAGCAGG AGTAGCTTTT ATCATCTTCC 660
TCTGGGGGAGC AGGCATAGAG ACATAAAACTG AGTGAAAATG GGTGGAAGGAA GAACTTCTCAT 770
TCTGGGGAGC AGGCATAGAG ACATAAAACTG AGTGAAAATG GGTGGAAGGAA GAACTTCTAT 770 65 TCTGGGGGGAG AGGCATAGAG ACATAAACTG AGTGAAAATG GGTGGAGGAA GAACTTCTAT 720
ACCCACGAAC AACATGTGAA GAGAGAGAAC CAAACATAAA GTAAGGAGGG TAGACGTTAC 780 70 ATCCAAGAGG AAATAATCCA GGCAAGGAAG CACAAGCTGA TCAAG<u>ATGT</u>G TAGTTCTGTG 840
GCTGCCAAGT TGTGGTTTTT GACAGATCGT CGCATCAGGG AAGACTATCC TCAAAAAGAG 900
ATTTTACGAG CATTGAAGGC CAAATGTTGT GAGGAGGAAC TGGACTTTAG GGCTGTGGTG 960

GATAGTGACA TCACTGTTTT GCGCCATCTA GAGAAGATGG GATGTCGGTT AATGAACCGA 1140

CCTCAAGCCA TCCTGAACTG CGTTAATAAG TTCTGGACAT TTCAAGAGTT GGCTGGCCAT 1200 CCTCAAGCCA TCCTGAACTG CGTTAATAAG TICTGGACAT TICAAGAGT GCCTGGCCAT 1200
GGTGTTCCTC TGCCGGATAC TTTCTCTTAT GGTGGCCCACG AAAATTTTGC TAAAATGATT 1260
GATGAGGCTG AAGTTCTGGA GTTCCCAATG GTAGTAAAAGA ATACGCGGGGG TCACAGAGGT 1320
AAAGCTGTTT TCTTGGCTCG AGATAAGCAC CATTTGGCTG ATCTAAGCCA TCTTATTCGC 1380
CATGAAGCGC CATACCTGTT CCAGAAGTAT GTTAAAGAGT CTCAATGACG GGATGTACGT 1440
GTCATTGTCG TGGGAGGCCG TGTGGTTGGC ACCATGTTAC GTTGTTCAAC AGATGGGAGA 1500
ATGCAAAGCA ACTGCTCATT AGGTGGTGTG GGGATGATGT GCTCATTTAG TGAACAGGG 1530 5 AAGCAGCTAG CTATCCAGGT GTCTAATATC CTGGGGATGG ATGTGTGTGG CATTGACCTG 1620
CTGATGAAAG ATGACGGCTC CTTCTGCGTC TGTGAGGCCA ATGCAAATGT AGGTTTCATC 1680
GCCTTTGATA AGGCTTGTAA TCTAGATGTA GCTGGTATCA TAGCAGACTA TGCCGCCTCC 1740 10 CTTCTACCCT CTGGCCGGCT CACCCGGCGT ATGTCCCTGC TCTCCGTGGT GTCCACTGCC 1800 AGTGAGACTA GTGAGCCGGA GCTGGGTCCC CCAGCCAGCA CTGCTGTTGA CAACATGAGT 1860 GCAAGTTCCA GCTCTGTTGA CAGCGACCCT GAAAGCACGG AGCGAGAGCT GCTCACCAAG 1920 CTCCCAGGGG GCCTGTTCAA CATGAACCAG CTGCTAGCCA ATGAAATCAA ACTACTGGTG 1980 GACTGACTCC ACTGGTAATT AACCAACAAA ACCCTTGTAA AACTTTCTTT CTTCTTTTCT 2040 ATTTTTAAAA CCAACTTGCA ATGCTGTTCA TGGAGGATGC TCAGGAAGAT GAGAGAAAAT 2100 15 TAGTAGGATT AGTTGGAGAG AGTGGGAGAT AGATGAGACC TCTGCTAGTA AGATGTTACT 2160 TTCATTTACA AATCCTACAA ATAGAGAGGC AGAATAGGTG GGGTATAGAA AAATGTCAGG 2220 CTCTCATAGT TACCCTTTTA AATTGCTAAA AAATGTGTAT GCTCATAGGC CATGAGGAAC 2280 AAATACTITT TITTITTCAT GGTCCCTTGC TITTGTTTTT GTACAAAAAA AAATGGTTTT 3240 GCTACAAATA TCCAAGTAGC ATAACTTCAC ATTGTGTTGG AAGATTTGTC ATCAGTGAGG 2400 AAAACATCTG CTTAAATTAC AGGAATTTTT GTATTATACA GCTCTGAAAA TTCTGCCATT 2460 20 GGATITCTTA CTAGCAGCTT TAGTTTGTAG TITATGAAAT CTTGAGGGGC TCTTTTACTG 2520
GGATITCTTA TTTTTTTGTT TTTTCCCGCT TAATTTGGTG GGAGGTCAAA TTGAATATAA 2580
CCCAATAAAG GCTTCTTAAT GAGAAAATTG GCATGTTTGC ATGATGAAAT GGAAATGAAC 2640
AGTATTGCAA TGTCCGGTAT ACAAAATAAC ATTAATTCAA TGTAGATAAA ATACACTTAG 2700
TTTAAAATAT GTGCATTCAC TTGTATTTGT TAGTGTTTTA GTCTTTTTTTG AAAGATGTC 2760
TCTGTTAATG TTGCTTTTTT TTTTTTTTTTTTTTTAACAATGC TAGTCTAACAA TTTCCTGCTC 2820 25 TATGCCTGCA TCTTTAACAA TGGCCAAAGT GAAGAAAATG CTACCTTTTT TGTTAACAAG 2880 ACACTGACTT GAAACATGTA CATITAAAGC CTTTTATTTT TTCCCTTTTT GTTTTGGTAG 2940 30 TTGGGCATTT AAATAAGGAC AAGGAAAAAT ATTTTTGGGG GCAAATCAAG AGCCTATGAG 3000 TTCTAAGTAT AAAGCTGAAG TGATTTCGAA TGCCAGCGTT ATATATTTGC ATTTTTCACA 3060 TTTTACGAGG GAGTATATGT GTATGTGTGT GCACGCATGC ATGTGTATGT GTTTTGCTTT 3120 TTGTTTCCAT CAACTAATCA AAAAGGATAA TTTAGAAAAT GGAGCATGAT GGGAAACAGA 3180 GTTTTTGACT TTAAAAAAACA GATGAGTTGT TTTCATAAGT AGACTCCACT GGGGTAGAGG 3240 TATTCACCTT AAAACATAGG GTGAGTAGAT GCTTTTTTAG GCCTTTTTGT GTATATGTAC 3300 35 GTTGTTTGTT TTTTTCCTTT TGTTTCTAGC CTGTTCAGTG TACAGTTTAT TCAAGGCTAC 3360
ATGCTTTTCT TTAATGCTTC TGGCTATGCA TTTTCTCTTT TTACATATAG GATTTGGGAT 3420
TGGGGGTGGG TTGGATGTTT TTGTTTGGGG ACTTATTTAG TAGTATTGAG TCTCTTATAG 3480 CCCTACTCTT AAGCCTTCAA TACTGTCCAC TCTTTATATT CCTTTACTTG CAGAATTTAT 3540
AAAAGCCCC AAACTGCATA TAATATGAGC CTTTAAAACA TGGGTAAAAC TAATCCCATT 3600
GATGGGTTTG GATGGTATGT TAAGAAATGG AGATGCTGCA GAGCCCAACG TAATCCCATT 3660
AACAGCAAGT TTTCCATCTC CCTACGAATC CTCTGAAGCT TTTACCCAAG CCCTTTCTTG 3720
CCTCTCCAGT GCTATTTTCC TTCAGATGGA CCTTAAACAT AATTTCTTGG ACACTACTAG 3780
AGAGACTTCG AGGCAATAAT AAAAGATCAG TATTAACCAG CTATAACAGA GGTTTTGATCA 3840 40 45 TGCTTACTTG TACAGTTTTT CCCCCGTTTT AAAAAGGAAT GTAATAAAAT TTGTTTTTTC 3900 CATAGAATTA AATAATATTA AAATTGAGTG AAAGGTTGAT TGTTGATGAA TAGAATAGTA 3960 CCTCTCATCT GTGCAGTGTC TCATTTCACC TCAGAGAAAA GGATACATAA GAGGAGTTTG 4020 TAATTTATCT TAGGATATTC TAATTGCATT TAAAAGAACT TATCTTGCGC AGGGTAAATG 4080 GGGGACTCAC ATACATATAT TAATACCTCT GACTCATTAA CAGAAAGAAA TACTTGGTAC 4140 50-TTCTTTCGCT GAATGACCAT ACTGTGGAGG ATGCATACTA TTTGGTATAG AGAAATAAAT 4200 GAGGAAGAAA GAACTGCTTA ATTAAATTAT CATTCATATG TTCATATAGA GACCATCTGG 4260 TTGCCATGTG TATTATGACA CATACACTTT GAATAGTTAC ATATCACAAG TATGTAGTTC 4320 TTGCCATGTG TATTATGACA CATACACTIT GAATAGTTAC ATALCACAAG TAGTIAG 11. 4320
ATGTTTGTGT TGGTGGGGTA AGGCATCAGG AAAAATGTAG TTAGTCTTTT CTTAACTTAT 4380
ACCAAATTAA CCAACTATAT TATAGGAAAT ATGTGAAATT AGTTCATTAG CTTTATTCAC 4440
TATTATGCAT TCACATGATA TTAAAACGTA CACTCACATG TTAGAATGAA AAGAGCAGTA 4500
GTTATCITAG ATTTTAAAAA CATGGATATC TTCTTGAATT CCTTCAAGAT TAGGGTAGAG 4560
AATAAGAGCA AATCATTCTG GAAGTACCTT AAGGAAACAA ACAGCAGCAG ATATTTAGGT 4620
TAAACTTATT TTCATAAATT GTTTAATAACT TTTGTATAAT CTTCATTGCT ATTATGAGAG 4680 55 60 TCACCCATGA TGAAAACTGG ACTITTATATA TCTAAACATA CAAGTATGAA CTATTCTTATT 4880
TAAAATTTTT AATAGTTTTT TTCTTTTTTG GTGCCTATAA TTGATTTGGTC ATTTCTGCTG 4920
GCTTTTCTCC AATGAACATT GAAATCTTCC TGTATATGTT ACCAATAAGA AAACTACCCT 4980
GGAACAGTAG AAAAACCCAA CAAGAGACTT GGCATTCATC AAGCACATTA TCAGACTTTG 5040
AGAACATATT GAAGGCATTG ACTITGAAAA TCATCTCTTT TTCTCCAAGAA GAAAGCAATG 5100
GAGGAAGCAAA TTTGTTCAT TCAGTGAATC CCCAGTTTGG GGCTTGTGGG GCTTAGAGAC 5160
ATTGTGAAAT CAAAACTTTG GTTATACTTT TCTCCTGGCT CACTTTTTTT GAGAAGGTTT 5220
ATGGGCTATT TGGCTGGTGA GACACGATCC CCTCCTAAGA AAATGTAGGT GCTCAGACAG 5280
GTAACCACTG CTGCTACTGT TTTTATTTGT TTGTTTGTTC AATTITATTT AAGATTTGTT 3340 65 70 TTTGTTGTAC TAGGATTTTA AAAAATGTAA TATATTGCAG GATTTATAAC CAG

1

1 1 1

MCSSVAAKLW FLTDRRIRED YPQKEILRAL KAKCCEEELD FRAVVMDEVV LTIEQGNLGL 60 RINGELITAY PQVVVVRVPT PWVQSDSDIT VLRHLEKMGC RLMNRPQAIL NCVNKFWTFQ 120 ELAGHGVPLP DTFSYGGHEN FAKMIDEAEV LEFPMVVKNT RGHRGKAVFL ARDKHHLADL 180 SHLIRHEAPY LFQKYVKESH GRDVRVIVVG GRVVGTMLRC STDGRMQSNC SLGGVGMMCS 240 5 LSEQGKQLAI QVSNILGMDV CGIDLLMKDD GSFCVCEANA NVGFIAFDKA CNLDVAGIIA 300 DYAASLLPSG RLTRRMSLLS VVSTASETSE PELGPPASTA VDNMSASSSS VDSDPESTER 360 **ELLTKLPGGL FNMNQLLANE IKLLVD** Seq ID NO: 73 DNA sequence 10 Nucleic Acid Accession #: XM_040080.2 Coding sequence: 159-1104 (underlined sequences correspond to start and stop codons) 15 CTGAGTGGGG GCGGGGACTG CTGGAGTTGC GGGGCCTGCC TGGGGTAGGG CGGGGCAGGA 60 CAGCTTGGAG ATAGGGCCCG GAATTGCGGG CGTCACTCTG CTCCTGCGAC CTAGCCAGGC 120
GTGAGGGAGT GACAGCAGC CATTCGCGGG ACGAGAGCGA TGAGTGAGAA CGCCGCACCA 180
GGTCTGATCT CAGAGCTGAA GCTGGCTGTG CCCTTGGGGC ACATCGCAGC CAAAGCCTTGG 240
GGCTCCCTGC AGGGCCTCC AGTTCTCTGC CTGCACGGCT GGCTGGACAA TGCCAGGTCC 300
TTCGACAGAC TCATCCCTCT TCTCCCGCAA GACTTTTATT ACGTTGCCAT GGATTTCGGA 360

20 GGTCATGGGC TCTCGTCCCA TTACAGCCCA GGTGTCCCAT ATTACCTCCA GACTTTTGTG 420
AGTGAGATCC GAAGAGTTGT GGCAGCCTTG AAATGGAATC GATTCTCCAT TCTGGGCCAC 480
AGCTTCGGTG GCGTCGTGGG CGGAATGTTT TTCTGTACCT TCCCCGAGAT GGTGGATAAA 540 CTTATCTTGC TGGACACGCC GCTCTTTCTC CTGGAATCAG ATGAAATGGA GAACTTGCTG 600 ACCTACAAGC GGAGAGCCAT AGAGCACGTG CTGCAGGTAG AGGCCTCCCA GGAGCCCTCG 660 25 CACGTGTTCA GCCTGAAGCA GCTGCAGG TACAGGA AGACTACLA GGAGCCTTGAGT 720

GAGGAGTGCG GGGAGCTTCT CCTGCAAAGA GGGACCACGA AGGTGGCCAC AGGTCTGGTT 780

CTGAACAGAG ACCAGAGGGCT CGCCTGGGCA GAGAACAGCA TTGACTTCAT CAGCAGGGAG 840

CTGTGTGGCGC ATTCCATCAG GAAGCTGCAG GCCCATGTCC TGTTGATCAA AGCAGTCCAC 900

GGATATTTTG ATTCAAGACA GAATTACTCT GAGAAGGAGT CCCTGTCGTT CATGATAGAC 960

ACGATGAAAT CCACCCTCAA AGAGCAGTTC CAGTTTGTGG AAGTCCCAGG CAATTACACTGT 1020 30 GTCCACATGA GCGAACCCCA GCACGTGGCC AGTATCATCA GCTCCTTCTT ACAGTGCACA 1080 CACATGCTCC CAGCCCAGCT G<u>TAG</u>CTCTGG GCCTGGAACT ATGAAGACCT AGTGCTCCCA 1140 GACTCAACAC TGGGACTCTG AGTTCCTGAG CCCCACAACA AGGCCAGGGA TGGTGGGGAC 1200

35 AGGCCTCACT AGTCTTGAGG CCCAGCCTAG GATGGTAGTC AGGGGAAGGA GCGAGATTCC 1260
AACTTCAACA TCTGTGACCT CAAGGGGGAG ACAGAGTCTG GGTTCCAGGG CTGCTTTCTC 1320 CTGGCTAATA ATAAATATCC AGCCAGCTGG AGGAAGGAAG GGCAGGCTGG GCCCACCTAG 1380 CCTTTCCCTG CTGCCCAACT GGATGGAAAA TAAAAGGTTC TTGTATTCTC A

40 Seq ID NO: 74 Protein sequence:
Protein Accession #: XP_040080.1

55

60

65

70

75

31 21 45 MSENAAPGLI SELKLAVPWG HIAAKAWGSL QGPPVLCLHG WLDNASSFDR LIPLLPQDFY 60 YVAMDFGGHG LSSHYSPGVP YYLQTFVSEI RRVVAALKWN RFSILGHSFG GVVGGMFFCT 120 FPEMVDKLIL LDTPLFLLES DEMENLLTYK RRAIEHVLQV EASQEPSHVF SLKQLLQRLL 180 KSNSHLSEEC GELLLQRGTT KVATGLVLNR DQRLAWAENS IDFISRELCA HSIRKLQAHV 240 LLIKAVHGYF DSRQNYSEKE SLSFMIDTMK STLKEOFOFV EVPGNHCVHM SEPQHVASII 300

50 SSFLQCTHML PAQL

41

Seq ID NO: 75 DNA sequence Nucleic Acid Accession #: NM 005794 Coding sequence: 434-1276 (underlined sequences correspond to start and stop codons)

41 GGTTCCCTTC CACGCTGTGA AGCTTTGTTC TTTTGGTCTT CATGATAAAT CTTGCTGCTG 60 CTCACTCGTT GGGTCCGTGC CACCTTTAAG AGCTGTAACA CTCACCGCGA AGGTCTGCAA 120 CTTCACTCCT GGGGCCAGCA AGACCACGAA TGCACCGAGA GGAATGAACA ACTCTGGACA 180 CACCATCITT AAGAACCGTA ATACTCACCG CAAGGGTCTG CAACTTCATT CTTGAAGTCA 240
GTGAGGCCAA GAACCCATCA ATTCCGTACA CATTTTGGTG ACTTTGAAGA GACTGTCACC 300
TATCACCAAG TGGTGAGACT ATTGCCAAGC AGTGAGACTA TTGCCAAGTG GTGAGACCAT 360 CACCAAGCGG TGAGACTATC ACCTATCGCC AAGTGGCCTG ATTCAGCAGG AAGCATCTCA 420
GACACCAACC ACT<u>ATG</u>CTGT CAGCAGTTGC CCGGGGCTAC CAGGGCTGGT TTCATCCCTG 480
TGCTAGGCTT TCTGTGAGGA TGAGCAGCAC CGGGATAGAC AGGAAGGGCG TCCTGGCTAA 540 TGCTAGGCTT TCTGTGAGGA TGAGCAGCAC CGGGATAGAC AGGAAGGGCG TCCTGGCTAA 540 CCGGGTAGCC GTGGTCACGG GGTCCACCAG TGGGATCGGC TTTGCCATCG CCCGACCGTCT 600 GGCCCGGGAC GGGGCCCACG TGGTCACACA TGGGATCGGC TTTGCCATCG CCGACCGGC 660 CATGGCCAAG CTGCAGGAG AGGGCTGAGG AGGCCGGAG CACTGTGGGA 720 GGCTGAGGAC CAGGGAGCAAC TGGTGGCCAA GGCCCTGGAG CACTGTGGGA CCAGTGAGCA 840 CATCTGGGAC AAGATCCTAA GTGTGAACCT GAAGCACCACT 780 GCTGCCCTAC ATGGAGAACA GGAGGGGTGC TGTCATCTCG GTCTCTTCCA TGCACCTT 900 GCTGCCCTAC ATGGAGAACA GGAGGGGTGC TGTCATCTCG GTCTCTTCCA TTGCAGCTTA 960 TAATCCAGTA GTGGCCTGG GTGTCTACAA TGTCAGCAAG ACAGCGCTGC TGGTCTCAC 1020 TAGAACACTG GCATTGGAGC TGGCCCCCAA GGACATCCGG GTAACCTCCT GGTCTTCAC 1120 AATTATAAAA ACTGACTTCA GCAAAAGTGTT TCATGGGAAT GAGTCTCCT GGAAGAACTT 1140 CAAGGAACAT CATCAGCTCA GAGAGATTGG GGAGTCAGAG GAATCGTGTC 1220

5	CTTCCTGTGC TCTCCAGATG CCAGCTACGT CAACGGGGAG AACATTGCGG TGGCAGGCTA 1260 CTCCACTCGG CTC <u>TGA</u> GAGG AGTGGGGGCG GCTGCGTAGC TGTGGTCCCA GCCCAGGAGC 1320 CTGAGGGGGT GTCTAGGTGA TCATTTGGAT CTGGAGCAGA GTCTGCCATT CTGCCAGACT 1380 AGCAATTTGG GGGCTTACTC ATGCTAGGCT TGAGGAAGAA GAAAAACGCT TCGGCATTCT 1440 CC
	Seq ID NO: 76 Protein sequence: Protein Accession #: NP_005785
10	1 11 21 31 41 51
15	AGVNPLVGST LGTSEQIWDK ILSVNVKSPA LLLSQLLPYM ENRRGAVILV SSIAAYNPVV 180 ALGVYNVSKT ALLGLTRTLA LELAPKDIRV NCVVPGIIKT DFSKVFHGNE SLWKNFKEHH 240 QLQRIGESED CAGIVSFLCS PDASYVNGEN IAVAGYSTRL
20	Seq ID NO: 77 DNA sequence Nucleic Acid Accession #: NM 002425
	Coding sequence: 26-1453 (underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
25	- AAAGAAGGTA AGGGCAGTGA GAATGATGCA TCTTGCATTC CTTGTGCTGT TGTGTCTGCC 60
	AGTCTGCTCT GCCTATCCTC TGAGTGGGGC AGCAAAAGAG GAGGACTCCA ACAAGGATCT 120 TGCCCAGCAA TACCTAGAAA AGTACTACAA CCTCGAAAAG GATGTGAAAC AGTTTAGAAG 180 AAAGGACAGT AATCTCATTG TTAAAAAAAT CCAAGGAATG CAGAAGTTCC TTGGGTTGGA 240
30	GGTGACAGGG AAGCTAGACA CTGACACTCT GGAGGTGATG CGCAAGCCCA GGTGTGGAGT 300 TCCTGACGTT GGTCACTTCA GCTCCTTTCC TGGCATGCCG AAGTGGAGGA AAACCCACCT 360
50	TACATACAGG ATTGTGAATT ATACACCAGA TTTGCCAAGA GATGCTGTTG ATTCTGCCAT 420
	TGAGAAAGCT CTGAAAGTCT GGGAAGAGGT GACTCCACTC ACATTCTCCA GGCTGTATGA 480 AGGAGAGGCT GATATAATGA TCTCTTTCGC AGTTAAAGAA CATGGAGACT TTTACTCTTT 540
25	TGATGGCCCA GGACACAGTT TGGCTCATGC CTACCCACCT GGACCTGGGC TTTATGGAGA 600
35	TATTCACTTT GATGATGATG AAAAATGGAC AGAAGATGCA TCAGGCACCA ATTTATTCCT 660 CGTTGCTGCT CATGAACTTG GCCACTCCCT GGGGCTCTTT CACTCAGCCA ACACTGAAGC 720
	TITIGATGTAC CCACTCTACA ACTCATTCAC AGAGCTCGCC CAGTTCCGCC TITCGCAAGA 780
	TGATGTGAAT GGCATTCAGT CTCTCTACGG ACCTCCCCCT GCCTCTACTG AGGAACCCCT 840
40	GGTGCCCACA AAATCTGTTC CTTCGGGATC TGAGATGCCA GCCAAGTGTG ATCCTGCTTT 900 GTCCTTCGAT GCCATCAGCA CTCTGAGGGG AGAATATCTG TTCTTTAAAG ACAGATATTT 960
	TTGGCGAAGA TCCCACTGGA ACCCTGAACC TGAATTTCAT TTGATTTCTG CATTTTGGCC 1020
	CTCTCTTCCA TCATATTTGG ATGCTGCATA TGAAGTTAAC AGCAGGGACA CCGTTTTTAT 1080 TTTTAAAGGA AATGAGTTCT GGGCCATCAG AGGAAATGAG GTACAAGCAG GTTATCCAAG 1140
4.5	AGGCATCCAT ACCCTGGGTT TTCCTCCAAC CATAAGGAAA ATTGATGCAG CTGTTTCTGA 1200
45	CAAGGAAAAG AAGAAAACAT ACTTCTTTGC AGCGGACAAA TACTGGAGAT TTGATGAAAA 1260 TAGCCAGTCC ATGGAGCAAG GCTTCCCTAG ACTAATAGCT GATGACTTTC CAGGAGTTGA 1320
	GCCTAAGGTT GATGCTGTAT TACAGGCATT TGGATTTTTC TACTTCTTCA GTGGATCATC 1380
	ACAGTTTGAG TTTGACCCCA ATGCCAGGAT GGTGACACAC ATATTAAAGA GTAACAGCTG 1440
50	OTTACATTGC TAGGCGAGAT AGGGGGAAGA CAGATATGGG TGTTTTTAAT AAATCTAATA 1500 ATTATTCATC TAATGTATTA TGAGCCAAAA TGGTTAATTT TTCCTGCATG TTCTGTGACT 1560
	GAAGAAGATG AGCCTTGCAG ATATCTGCAT GTGTCATGAA GAATGTTTCT GGAATTCTTC 1620
	ACTTGCTTTT GAATTGCACT GAACAGAATT AAGAAATACT CATGTGCAAT AGGTGAGAGA 1680 ATGTATTTTC ATAGATGTGT TATTACTTCC TCAATAAAAA GTTTTATTTT GGGCCTGTTC 1740
	CIT
55	See ID NO. 78 Presign requested
	Seq ID NO: 78 Protein sequence: Protein Accession #: NP_002416
	1 11 21 31 41 51
60	
	MHLAFLVLLC LPVCSAYPLS GAAKEEDSNK DLAQQYLEKY YNLEKDVKQF RRKDSNLIVK 60 KIQGMQKFLG LEVTGKLDTD TLEVMRKPRC GVPDVGHFSS FPGMPKWRKT HLTYRIVNYT 120
	PDLPRDAVDS AIEKALKVWE EVTPLTFSRL YEGEADIMIS FAVKEHGDFY SFDGPGHSLA 180
65	HAYPPGPGLY GDIHFDDDEK WTEDASGTNL FLVAAHELGH SLGLFHSANT EALMYPLYNS 240 FTELAQFRLS QDDVNGIQSL YGPPPASTEE PLVPTKSVPS GSEMPAKCDP ALSFDAISTL 300
00	RGEYLFFKDR YFWRRSHWNP EPEFHLISAF WPSLPSYLDA AYEVNSRDTV FIFKGNEFWA 360
	IRGNEVQAGY PRGIHTLGFP PTIRKIDAAV SDKEKKKTYF FAADKYWRFD ENSQSMEQGF 420
	PRLIADDFPG VEPKVDAVLQ AFGFFYFFSG SSQFEFDPNA RMVTHILKSN SWLHC
70	Seq ID NO: 79 DNA sequence
	Nucleic Acid Accession #: NM_000493.1 Coding sequence: 1-2043 (underlined sequences correspond to start and stop codons)
	1 11 21 31 41 51
75	
	ATGCTGCCAC AAATACCCTT TTTGCTGCTA GTATCCTTGA ACTTGGTTCA TGGAGTGTTT 60
	TACGCTGAAC GATACCAAAC GCCCACAGGC ATAAAAGGCC CACTACCCAA CACCAAGACA 120

CAGTTCTTCA TTCCCTACAC CATAAAGAGT AAAGGTATAG CAGTAAGAGG AGAGCAAGGT 180 ACTCCTGGTC CACCAGGCCC TGCTGGACCT CGAGGGCACC CAGGTCCTTC TGGACCACCA 240
GGAAAACCAG GCTACGGAAG TCCTGGACTC CAAGGAGAGC CAGGGTTGCC AGGACCACCG 300
GGACCATCAG CTGTAGGGAA ACCAGGTGTG CCAGGACTCC CAGGAAAACC AGGAGAGAGA 360 5 GGACCATATG GACCAAAAGG AGATGTTGGA CCAGCTGGCC TACCAGGACC CCGGGGCCCA 420 CCAGGACCAC CTGGAATCCC TGGACCGGCT GGAATTTCTG TGCCAGGAAA ACCTGGACAA 480 CAGGGACCCA CAGGAGCCCC AGGACCCAGG GGCTTTCCTG GAGAAAAGGG TGCACCAGGA 540 GTCCCTGGTA TGAATGGACA GAAAGGGGAA ATGGGATATG GTGCTCCTGG TCGTCCAGGT 600 GAGAGGGGTC TTCCAGGCCC TCAGGGTCCC ACAGGACCAT CTGGCCCTCC TGGAGTGGGA 660 10 AAAAGAGGTG AAAATGGGGT TCCAGGACAG CCAGGCATCA AAGGTGATAG AGGTTTTCCG 720
GGAGAAATGG GACCAATTGG CCCACCAGGT CCCCAAGGCC CTCCTGGGGA ACGAGGGCCA 780
GAAGGCATTG GAAAGCCAGG AGCTGCTGGA GCCCCAGGCC AGCCAGGGAT TCCAGGAACA 840 AAAGGTCTCC CTGGGGCTCC AGGAATAGCT GGGCCCCCAG GGCCTCCTGG CTTTGGGAAA 900 CCAGGCTTGC CAGGCCTGAA GGGAGAAAGA GGACCTGCTG GCCTTCCTGG GGGTCCAGGT 960 GCCAAAGGGG AACAAGGGCC AGCAGGTCTT CCTGGGAAGC CAGGTCTGAC TGGACCCCCT 1020 15 GGGAATATGG GACCCCAAGG ACCAAAAGGC ATCCCGGGTA GCCATGGTCT CCCAGGCCCT 1080 AAAGGTGAGA CAGGGCCAGC TGGGCCTGCA GGATACCCTG GGGCTAAGGG TGAAAGGGGT 1140 TCCCCTGGGT CAGATGGAAA ACCAGGGTAC CCAGGAAAAC CAGGTCTCGA TGGTCCTAAG 1200 GGTAACCCAG GGTTACCAGG TCCAAAAGGT GATCCTGGAG TTGGAGGACC TCCTGGTCTC 1260 CCAGGCCCTG TGGGCCCAGC AGGAGCAAAG GGAATGCCCG GACACAATGG AGAGGCTGGC 1320 20 CCAAGAGGTG CCCCTGGAAT ACCAGGTACT AGAGGCCCTA TTGGGCCACC AGGCATTCCA 1380
GGATTCCCTG GGTCTAAAGG GGATCCAGGA AGTCCCGGTC CTCCTGGCCC AGCTGGCATA 1440
GCAACTAAGG GCCTCAATGG ACCCACCGGG CCACCAGGGC CTCCAGGTCC AAGAGGCCCC 1500 TCTGGAGAGC CTGGTCTTCC AGGGCCCCCT GGGCCTCCAG GCCCACCAGG TCAAGCAGTC 1560 ATGCCTGAGG GTTTTATAAA GGCAGGCCAA AGGCCCAGTC TTTCTGGGAC CCCTCTTGTT 1620 AGTGCCAACC AGGGGGTAAC AGGAATGCCT GTGTCTGCTT TTACTGTTAT TCTCTCCAAA 1680 25 GCTTACCCAG CAATAGGAAC TCCCATACCA TTTGATAAAA TTTTGTATAA CAGGCAACAG 1740 CATTATGACC CAAGGACTGG AATCTTTACT TGTCAGATAC CAGGAATATA CTATTTTTCA 1800 TACCACGTGC ATGTGAAAGG GACTCATGTT TGGGTAGGCC TGTATAAGAA TGGCACCCCT 1860
GTAATGTACA CCTATGATGA ATACACCAAA GGCTACCTGG ATCAGGCTTC AGGGAGTGCC 1920
ATCATCGATC TCACAGAAAA TGACCAGGTG TGGCTCCAGC TTCCCAATGC CGAGTCAAAT 1980 30 GGCCTATACT CCTCTGAGTA TGTCCACTCC TCTTTCTCAG GATTCCTAGT GGCTCCAATG 2040
TGAGTACACC CCACAGAGCT AATCTAAATC TTGTGCTAGA AAAAGCATTC TCTAACTCTA 2100
CCCCACCCTA CAAAATGCAT ATGGAGGTAG GCTGAAAAGA ATGTAATTTT TATTTTCTGA 2160 35 AATACAGATT TGAGCTATCA GACCAACAAA CCTTCCCCCT GAAAAGTGAG CAGCAACGTA 2220 AAAACGTATG TGAAGCCTCT CTTGAATTTC TAGTTAGCAA TCTTAAGGCT CTTTAAGGTT 2280 TTCTCCAATA TTAAAAAATA TCACCAAAGA AGTCCTGCTA TGTTAAAAAC AAACAACAAA 2340 AAACAAAGCA ACAAAAAAAA AAATTAAAAA AAAAAACAGA AATAGAGCTC TAAGTTATGT 2400 GAAATTTGAT ITGAGAAACT CGGCATTTCC TTTTTAAAAA AGCCTGTTTC TAACTATGAA 2460 40 TATGAGAACT TCTAGGAAAC ATCCAGGAGG TATCATATAA CTTTGTAGAA CTTAAATACT 2520
TGAATATTCA AATTTAAAAG ACACTGTATC CCCTAAAATA TTTCTGATGG TGCACTACTC 2580
TGAGGCCTGT ATGGCCCCTT TCATCAATAT CTATTCAAAT ATACAGGTGC ATATATACTT 2640 GTTAAAGCTC TTATAAAAA AAGCCCCAAA ATATTGAAGT TCATCTGAAA TGCAAGGTGC 2700 TTTCATCAAT GAACCTTTTC AAAACTTTTC TATGATTGCA GAGAAGCTTT TTATATACCC 2760 45 AGCATAACTT GGAAACAGGT ATCTGACCTA TTCTTATTTA GTTAACACAA GTGTGATTAA 2820 TTTGATTTCT TTAATTCCTT ATTGAATCTT ATGTGATATG ATTTTCTGGA TTTACAGAAC 2880 ATTAGCACAT GTACCTTGTG CCTCCCATTC AAGTGAAGTT ATAATTTACA CTGAGGGTTT 2940 CAAAATTCGA CTAGAAGTGG AGATATATTA TITATTTATG CACTGTACTG TATTITTATA 3000 TTGCTGTTTA AAACTTTTAA GCTGTGCCTC ACTTATTAAA GCACAAAATG TTTTACCTAC 3060 TCCTTATTTA CGACACAATA AAATAACATC AATAGATTTT TAGGCTGAAT TAATTTGAAA 3120 50 CATCAATAGA TTTTTAGG

Seq ID NO: 80 Protein sequence:
Protein Accession #: NP_000484.1

1 11 21 31 41 51

60 MLPQIPILL VSLNLVHGVF YAERYQTPTG IKGPLPNTKT QFFIPYTIKS KGIAVRGEQG 60
TPGPPGPAGP RGHPGPSGPP GKPGYGSPGL QGEPGLPGPP GPSAVGKPGV PGLPGKPGER 120
GPYGFKGDVG PAGLPGPRGP PGPPGPGPA GISVPGKPGQ QGFTGAPGPR GFFGEKGAPG 180
VPGMNGQKGE MGYGAPGRPG ERGLPGPQGP TGPSGPPGVG KRGENGVPGQ PGIKGDRGFP 240
GEMGPIGPPG PQGPPGERGP EGIGKPGAAG APGQPGIPGT KGLPGAPGIA GPPGPPGFGK 300
PGLPGLKGER GPAGLPGGPG AKGEQGPAGL PGKPGLTGPP GNMGPQGPKG IPGSHGLPGP 360
KGETGPAGPA GYPGAKGERG SPGSDGKPGY PGKPGLDGPK GNPGLPGPKG DPGVGGPPGL 420
PGPVGPAGAK GMPGHNGEAG PRGAPGIPGT RGPIGPPGIP GFPGSKGDPG SPGPPGPAGI 480
ATKGLNGPTG PPGPPGPRGP SGEPGLPGPP GPPGPPGQAV MPEGFIKAGQ RPSLSGTPLV 540
SANQGVTGMP VSAFTVILSK AYPAIGTPIP FDKILYNRQQ HYDPRTGIFT CQIPGIYYFS 600
YHVHVKGTHV WVGLYKNGTP VMYTYDEYTK GYLDQASGSA IIDLTENDQV WLQLPNAESN 660
GLYSSEYVHS SFSGFLVAPM

Seq ID NO: 81 DNA sequence

Nucleic Acid Accession #: NM_000786

75 Coding sequence: 332-1861 (underlined sequences correspond to start and stop codons)

1 11 21 31 41 51

CGCGATTCTC AGGGATTGAT CCGCCTCTTC AGGTAAGTTA TCTTCCGGCC CCGTACCACT 60 GTGCCACAGG CGCAGCCCGC TTCCTCAGGT GCCCTATCCC GCGCAGAAGA CCACGGCTTC 120
ACAGAGTGTT ATTTAAGGGC GTGGCCAGCG GAACATCCCG CCCCATTCTG TGACGCACGG 180 GGTGGCGCGC GTGGGACCCG AGGGGTGGGG CTGGGTTTAG TAGGAGACCT GGGGCAAGGC 240 CCCCTGTGGA CGACCATCTG CCAGCTTCTC TCGTTCCGTC GATTGGGAGG AGCGGTGGCG 300
ACCTCGGCCT TCAGTGTTTC CGACGGAGTG ATTGGCGCG GCGGCTGGGA TGCTGCTGCT 360
GGGCTTGCTG CAGCCGGGTG GGTCGGTGTC TGGCCAGGCG ATGGAGAAGG TGACAGGCGG 420
CAACCTCTTG TCCATGCTGC TGATCGCCTG CGCCTTCACC CTCAGCCTGG TCTACCTGAT 480
CCGTCTGGCC GCCGGCCACC TGGTCCAGCT GCCCGCAGGG GTGAAAAGTC CTCCATACAT 540 10 TTTCTCCCCA ATTCCATTCC TTGGGCATGC CATAGCATTT GGGAAAAGTC CAATTGAATT 600
TCTAGAAAAT GCATATGAGA AGTATGGACC TGTATTTAGT TTTACCATGG TAGGCAAGAC 660
ATTTACTTAC CTTCTGGGGA GTGATGCTGC TGCACTGCTT TTTAATAGTA AAAATGAAGA 720 CCTGAATGCA GAAGATGTCT ACAGTCGCCT GACAACACCT GTGTTTGGGA AGGGAGTTGC 780
ATACGATGTG CCTAATCCAG TTTTCTTGGA GCAGAAGAAA ATGTTAAAAA GTGGCCTTAA 840
CATAGCCCAC TTTAAACAGC ATGTTTCTAT AATTGAAAAA GAAACAAAGG AATACTTTGA 900 15 GAGTTGGGGA GAAAGTGGAG AAAAAAATGT GTTTGAAGCT CTTTCTGAGC TCATAATTTT 960
AACAGCTAGC CATTGTTTGC ATGGAAAGGA AATCAGAAGT CAACTCAATG AAAAGGTAGC 1020
ACAGCTGTAT GCAGATTTGG ATGGAGGTTT CAGCCATGCA GCCTGGCTCT TACCAGGTTG 1080 20 GCTGCCTTTG CCTAGTTTCA GACGCAGGGA CAGAGCTCAT CGGGAAATCA AGGATATTTT 1140 CTATAAGGCA ATCCAGAAAC GCAGACAGTC TCAAGAAAAA ATTGATGACA TTCTCCAAAC 1200 TTTACTAGAT GCTACATACA AGGATGGGCG TCCTTTGACT GATGATGAAG TAGCAGGGAT 1260 GCTTATTGGA TTACTCTTGG CAGGGCAGCA TACATCCTCA ACTACTAGTG CTTGGATGGG 1320 CTTCTTTTTG GCCAGAGACA AAACACTTCA AAAAAAATGT TATTTAGAAC AGAAAACAGT 1380 CTGTGGAGAG AATCTGCCTC CTTTAACTTA TGACCAGCTC AAGGATCTAA ATTTACTTGA 1440 25 TCGCTGTATA AAAGAAACAT TAAGACTTAG ACCTCCTATA ATGATCATGA TGAGAATGGC 1500 CAGAACTCCT CAGACTGTGG CAGGGTATAC CATTCCTCCA GGACATCAGG TGTGTGTTTC 1560 TCCCACTGTC AATCAAAGAC TTAAAGACTC ATGGGTAGAA CGCCTGGACT TTAATCCTGA 1620 TCGCTACTTA CAGGATAACC CAGCATCAGG GGAAAAGTTT GCCTATGTGC CATTTGGAGC 1680
TGGGCGTCAT CGTTGTATTG GGGAAAAATTT TGCCTATGTT CAAATTAAGA CAATTTGGTC 1740
CACTATGCTT CGTTTATATG AATTTGATCT CATTGATGGA TACTTTCCCA CTGTGAATTA 1800 30 TACAACTATG ATTCACACCC CTGAGAACCC AGTTATCCGT TACAAACGAA GATCAAAA<u>TG</u> 1860 AAAAAGGTTG CAAGGAACGA ATATATGTGA TTATCACTGT AAGCCACAAA GGCATTCGAA 1920 GAGAATGAAG TGTACAAAAC AACTCTTGTA GTTTACTGTT TTTTTAAGTG TGTAATTCTA 1980 35 AAAGCCAGTT TATGATTTAG GATTTTGTTA ACTGAATGGT TCTATCAAAT ATAATAGCAT 2040 TTGACACATT TTCTAATAGT TATGATACTT ATACATGTGC TTTCAGGAAG TTCCTTGGTG 2100 AAACAATTGT TGAGGGGGGA TCTAGGTAAT TGGCAGATTC TAAATAATAT AATTTCCAGA 2160 TAGTAATTTT AAGAGTACTC ATCGCTCTTG CCAAATAAGT TCAGGGTATT CAAATCTTGG 2220 ACTAGTCCTG CAAGGTATAA AGAATAAAAA TCCCAGTGAG ATACTTGGAA ACCACAGTTT 2280 ACTAGRACTIC CAAGGITATA AGAATAAAAA CCCAGGGATG GAAGGGTAGG GAATAATCGA 2340
ACATCTAAAG CCTTGAATAA GAGAATACTA ATTGTTTTGG TATGATGATA CTCAGAAATG 2400
GAGATATTAT AGGAAAAAAGA AATCCTTTGG AATTTTAACT AAAATCACTG CATATGGGAA 2460
ATTAAGAGAT CCAGGACCAT ATTTGATAAG AGTTCCTAAA AATAATGTAA TTATTAATGC 2520
TAAAGACTGC TCATGTATCT TGATCTAATT ACTAAATAAA TTACATATTT ATTTATCCTGA 2580
TAAATATGTA TCTAGTTCTA CAAGGGTCACA TTTATGTGGA AGTCCCAAAGT CAAGTCCTTA 2640 40 45 GGGGATAATT TTGTTTTGGG CTCAGTTGTT CCCTGCTTCC TTTTTTTTT TTTTTTTT 2700
TTGAGATGGA GTCTCGCTCT GTTGCCCAGG CTGGAGTGCA GTGGTGCGAT CTCAGCTCAC 2760
TGCATCCTCT GCCTCCCGGG TTCAAGCAAT TCTCTGCCTC AGCCTCCCAA GTAGTTGGGA 2820 TRACAGGCAC CTGCCACCAT GCCTGGCTAA TTTTTTGTAT TTTTAGTAGA GACGGGGGTT 2880
TCACTATGTT GGCTAGGCTG GTCTTGAACT CCTGAGCCTC GTGAGTCCAC CCGCCTTGGC 2940
CTCCCAAAGT GCTGGGATTA CAGGCATGAG CCACCGCACC TGGCCTTCCC TGCTTTCCTCT 3000
CTAGGATCCA ATTAGGGATG TTTGTTACTA CTCATATTGA TTAAAACAGT TAACAAACTT 3060
TTTTCTTTTT AAAATGTGAG ATCAGTGAAC TCTGGTTTTA AGATAATCTG AAACAAGGTC 3120 50 CTTGGGAGTA ATAAAATTGG TCACATTCTG TAAAGCACAT TCTGTTTAGG AATCAACTTA 3180
TCTCAAATTG TAACTCGGGG CCTAACTATA TGAGATGGCT GAAAAAATAC CACATCGTCT 3240
GTTTTCACTA GGTGATGCCA AAATATTTTG CTTTATGTAT ATTACAGTTC TTTTTAAAAC 3300 55 ACTGGAAGAC TCATGTTAAA CTCTAATTGT GAAGGCAGAA TCTCTGCTAA TTTTTCAGAT 3360 TAAAATTCTC TTTGAAAAAA T Seq ID NO: 82 Protein sequence:
NP_000777 60

65 MAAAAGMLLL GLLQAGGSVL GQAMEKVTGG NLLSMLLIAC AFTLSLVYLI RLAAGHLVQL 60 MAAAGMILL GLLQAGGSVL GQAMEKYTGG NLLSMLLIAC AFTLSLVYLI RLAAGHLVQL 60
PAGVKSPPYI FSPIPFLGHA IAFGKSPIEF LENAYEKYGP VFSFTMVGKT FTYLLGSDAA 120
ALLFNSKNED LNAEDVYSRL TTPVFGKGVA YDVPNPVFLE QKKMLKSGLN IAHFKQHVSI 180
IEKETKEYFE SWGESGEKNV FEALSELIIL TASHCLHGKE RSQLNEKVA QLYADLDGGF 240
SHAAWLLPGW LPLPSFRRRD RAHREIKDIF YKAIQKRRQS QEKIDDILQT LLDATYKDGR 300
PLTDDEVAGM LIGLLLAGQH TSSTTSAWMG FFLARDKTLQ KKCYLEQKTV CGENLPPLTY 360
DQLKDLNLLD RCIKETLRLR PPIMIMMRMA RTPQTVAGYT IPPGHQVCVS PTVNQRLKDS 420
WVERLDFNPD RYLQDNPASG EKFAYVPFGA GRHRCIGENF AYVQIKTIWS TMLRLYEFDL 480
IDGYFPTVNY TTMHTPENP VIRYKRRSK 70 IDGYFPTVNY TTMIHTPENP VIRYKRRSK

75 Seq ID NO: 83 DNA sequence Nucleic Acid Accession #: NM 006551.2 Coding sequence: 64-336 (underlined sequences correspond to start and stop codons)

	1 11 21 31 41 51
5	AATICTAGAA GTCAAATCA CTCATTGTTT GTGAAAGCTG AGCTCACAGC AAAACAAGCC 60 ACCATGAAGC TGTCGGTGTG TCTCCTGCTG GTCACGCTGG CCCTCTGCTG CTACCAGGCC 120 AATGCCGAGT TCTGCCCAGC TCTTGTTTCT GAGCTGTTAG ACTTCTTCTT CATTAGTGAA 180 CCTCTGTTCA AGTTAAGTCT TGCCAAATTT GATGCCCCTC CGGAAAGCTGT TGCAGCCAAG 240 TTAGGAGTGA AGAGATGCAC GGATCAGATG TCCCTTCAGA AACGAAGCCT CATTGCGGAA 300
10	GTCCTGGTGA AAATATTGAA GAAATGTAGT GTG <u>TGA</u> CATG TAAAAACTTT CATCCTGGTT 360 TCCACTGTCT TTCAATGACA CCCTGATCTT CACTGCAGAA TGTAAAGGTT TCAACGTCTT 420 GCTTTAATAA ATCACTTGCT CTAC
15	Seq ID NO: 84 Protein sequence: Protein Accession #: NP_006542.1
20	GVKRCTDQMS LQKRSLIAEV LVKILKKCSV Seq ID NO: 85 DNA sequence Nucleic Acid Accession #: NM_002317.1 Coding sequence: 231-1484 (underlined sequences correspond to start and stop codons)
25	1 11 21 31 41 51 GGGCCAGGAC TGAGAAAGGG GAAAGGGAAG GGTGCCACGT CCGAGCAGC GCCTTGACTG 60 GGGAAGGGT CTGAATCCCAC CCTTGGCATT GCTTGGTGGA GACTGAGATA CCCGTGCTCC 120 GCTCGCCTCC TTGGTTGAA ATTTCTCCTT CCCTCACGTG ATTTGAGCCC CCTTTTATT 180
30	TTCTGTGAGC CACGTCCTCC TCGAGCGGGG TCAATCTGGC AAAAGGAGTG ATGCGCTTCG 240 CCTGGACCGT GCTCCTGCTC GGGCCCTTCG AGCTCTGCGC GCTAGTGCAC TGCGCCCCTC 300 CCGCCGCCGG CCAACAGCAG CCCCCGCGGG AGCCCCGCGG GGCTCCGGGC GCTCTGGGGCC 360 AGCAGATCCA ATGGGAGAAC AACGGGCAGG TGTTCAGCTT GCTGAGCCTG GGCTCACAGT 420 ACCAGCTCA GCGCCGCCGCGG GACCCCGCGGC CCCCGTCCC TGGTGCAGCC AACGCCTCCC 480
35	CCCAGCAGCC CCGCACTCCG ATCCTGCTGA TCCGCGACAAA CCGCACCGC GCGGGGGGGAA 540 CGCGGACGGC CGGCTCATCT GGAGTCACCG CTGGCCGCC CAGGCCCACC GCCCGTCACT 600 GGTTCCAAGC TGGCTACTCG ACCACTAGAG CCCGCGAGACAGC TGGGCCCTCG CCGCGGAGA 660 ACCAGACAGC GCCGGGAGAA GTTCCTGCTC TCAGTAACCT GCGGCCGCC AGCCGGTGG 720 ACGGCATGGT GGGCGACGAC CCTTACAACC CCTACAAGTA CTCTGACGAC AACCCTTATT 780
40	ACAACTACTA CGATACTTAT GAAAGGCCCA GACCTGGGGG CAGGTACCGG CCCGGATACG 840 GCACTGGCTA CTTCCAGTAC GGTCTCCCAG ACCTGGTGGC CGACCCCTAC TACATCCAGG 900 CGTCCACGTA CGTGCAGAAG ATGTCCATGT ACAACCTGAG ATGCCGGCG GAGGAAAACT 960 GTCTGGCCAG TACAGCATAC AGGGCAGATG TCAGAGATTA TGATCACAGG GTGCTGCTCA 1020 GATTTCCCCA AAGAGTGAAA AACCAAGGGA CATCAGATTT CTTACCCAGC CGACCAAGAT 1080
45	ATTCCTGGGA ATGGCACAGT TGTCATCAAC ATTACCACAG TATGGATGAG TTTAGCCACT 1140 TGTACCTGCT TGATGCCAAC ACCCAGAGGA GATGGGCTGA AGGCCACAAA GCAAGTTTCT 1200 GTCTTGAAGA CACATCCTGT GACTATGGCT ACCACAGGCG ATTTGCATGT ACTGCACACA 1260 CACAGGGATT GAGTCCTGGC TGTTATGATA CCTATGGTGC AGACATAGAC TGCCAGTGGA 1320 TTGATATTAC AGATGTAAAA CCTGGAAACT ATATCCTAAA GGTCAGTGTA AACCCCAGCT 1380
50	ACCTGGTTCC TGAATCTGAC TATACCAACA ATGTTGTGCG CTGTGACATT CGCTACACAG 1440 GACATCATGC GTATGCCTCA GGCTGCACAA TTTCACCGTA T <u>TAG</u> AAGGCA AAGCAAAACT 1500 CCCAATGGAT AAATCAGTGC CTGGTGTTCT GAAGTGGGAA AAAATAAGACT AACTTCAGTA 1560 GGATTTATGT ATTTTGAAAA AGAGAACAGA AAACAACAAA AGAATTTTTG TTTGGACTGT 1620 TTTCAATAAC AAAGCACAAA ACCACTCATTA GTCATCATTA CTTGGGAAAT 1680
55	TITITAATGIT TATTATTTAC ATCACTTIGT GAATTAACAC AGTGTTTCAA TICTGTAATT 1740 ACATATTTGA CTCTTTCAAA AAAAAAAAAAAAAAAAAA
60	Protein Accession #: NP_002308.1 1 11 21 31 41 51 1 1 1 1 1 1 1
65	MRFAWTVLLI, GPLQLCALVH CAPPAAGQQQ PPREPPAAFG AWRQQIQWEN NGQVFSLLSI. 60 GSQYQPQRRR DPGAAVPGAA NASAQQPRTP ILLIRDNRTA AGRTRTAGSS GVTAGRPRPT 120 ARHWFQAGYS TSRAREAGPS RAENQTAPGE VPALSNLRPP SRVDGMVGDD PYNPYKYSDD 180 NPYYNYYDTY ERPRPGGRYR PGYGTGYFQY GLPDLVADPY YIQASTYVQK MSMYNLRCAA 240 EENCLASTAY RADVRDYDHR VLLRFPQRVK NGGTSDFLPS RPRYSWEWHS CHQHYHSMDE 300 FSHLYLLDAN TQRRWAEGHK ASFCLEDTSC DYGYHRRFAC TAHTQGLSPG CYDTYGADID 360 CQWIDITDVK PGNYILKVSV NPSYLVPESD YTNNVVRCDI RYTGHHAYAS GCTISPY
70	Seq ID NO: 87 DNA sequence Nucleic Acid Accession #: NM_006419.1 Coding sequence: 91-420 (underlined sequences correspond to start and stop codons)
75	1 11 21 31 41 51

	GCTCAAGTCT GAACTCTACC TCCAGACAGA ATGAAGTTCA TCTCGACATC TCTGCTTCC 120 ATGCTGCTGG TCAGCAGCCT CTCTCCAGTC CAAGGTGTTC TGGAGGTCTA TTACACAAGC 180 TTGAGGTGTA GATGTGTCCA AGAGAGCTCA GTCTTTATCC CTAGACGCT CATTGATCGA 240
5	ATTCAAATCT TGCCCCGTGG GAATGGTTGT CCAAGAAAAG AAATCATAGT CTGGAAGAAG 300 AACAAGTCAA TTGTGTGTGT GGACCCTCAA GCTGAATGGA TACAAAGAAT GATGGAAGTA TTGAGAAAAAA GAAGTTCTTC AACTCTACCA GTTCCAGTGT TTAAGAGAAA GATTCCCTGA 420 TGCTGATATT TCCACTAAGA ACACCTGCAT TCTTCCCTTA TCCCTGCTCT GGATTTTAGT 480 TTTGTGGTTA GTTAAATCTT TTCCAGGGAG AAAGAACTTC CCCATACAAA TAAGGCATGA 540
10	GGACTATGTG AAAAATAACC TTGCAGGAGC TGATGGGGCA AACTCAAGCT TCTTCACTCA 600 CAGCACCCTA TATACACTIG GAGTTTGCAT TCTTATTCAT CAGGGAGGAA AGTTTCTTTG 660 AAAATAGTTA TTCAGTTATA AGTAATACAG GATTATTTTG ATTATATACT TGTTGTTTAA 720 TGTTTAAAAT TTCTTAGAAA ACAATGGAAT GAGAATTTAA GCCTCAAATT TGAACATGTG 780 GCTTGAATTA AGAAGAAAAT TATGGCATAT ATTAAAAGCA GGCTTCTATG AAAGACTCAA 840
15	AAAGCTGCCT GGGAGGCAGA TGGAACTTGA GCCTGTCÂAG AGGCAAAGGA ATCCATGTAG 900 TAGATATCCT CTGCTTAAAA ACTCACTACG GAGGAGAATT AAGTCCTACT TTTAAAGAAT 960 TTCTTTATAA AATTTACTGT CTAAGATTAA TAGCATTCAG AGATCCCCAG ACTTCATAGA 1020 ATACTCAGGG AAAGCATTTA AAGGGTGATG TACACATGTA TCCTTTCACCA CATTTTGCCTT 1080 GACAAACTTC TTTCACTCAC ATCTTTTTCA CTGACTTTTT TTGTGGGGGC GGGGCCGGGG 1140 GGACTCTGGT ATCTAATTCT TTAATGATTC CTATAAATCT AATGACATTC AATAAAGTTG 1200
20	AGCAAACATT TTACTT
	Seq ID NO: 88 Protein sequence; Protein Accession #: NP_006410.1
25	I 11 21 31 41 51
30	Seq ID NO: 89 DNA sequence Nucleic Acid Accession #: NM_002652 Coding sequence: 37-477 (underlined sequences correspond to start and stop codons)
35	I II 2I 3I 4I 5I
40 45	AATGACGAAG TCACTGCAGT GCTTGCAGTT CAAACAGAAT TGAAAGAATG CATGGTGGTT 240 AAAACTTACC TCATTAGCAG CATCCCTCTA CAAGGTGCAT TTAACTATAA GTATAACTGCC 300 TGCCTATGTG ACGACAATCC AAAAACCTTC TACTGGACT TTAACCATAAA CAGAAACTGTG 360 CAAATTGCAG CCGTCGTTGA TGTTATTCGG GAATTAGGCA TCTTTACACCAA CAGAACTGTG 420 GTAATCCCCA TCAAAAACAA CCGGTTTTAT ACTATTGAAA TCCTAAAGGT AGAATAATGG 480 AAGCCCTGTC TGTTTGCCAC ACCCAGGTGA TTTCCTCTAA AGAAACTTTG CTGGAATTTC 540 TGCTGTGGTC TATAAAAATAA ACTTCTTAAC ATGCTT
	Seq ID NO: 90 Protein seguence: Protein Accession #: NP_002643.1
50	1 11 21 31 41 51
55	Seq ID NO: 91 DNA sequence
	Nucleic Acid Accession #: AK000341 Coding sequence: 85-975 (underlined sequences correspond to start and stop codons)
60	1 11 21 31 41 51 GATAGCGCCG GGCAGAGGGA CCCGGCTACC CTGGACAGCG CATCGCCGCC CGCCCGGGTC 60 GCCGCGCCAC AGCCGCTGCG GATCATGGAA CATCTAAAGG CCTTTGATGA TGAAATCAAT 120
65	GCTTTTTTGG ACAATATGTT TGGACCGCGA GATTCTCGAG TCAGAGGGTG GTTCACGTTG 180 GACTCTTACC TTCCTACCTT TTTTCTTACT GTCATGTATC TGCTCTCAAT ATGGCTGGGT 240 AACAAGTATA TGAAGAACAG ACCTGCTCTT TCTCTCAGGG GTATCCCTCAC CTTGTATAAT 300 CTTGGAATCA CACTTCTCTC CGCGTACATG CTGGCAGAGC TCATTCTCTC CACTTGGGAA 360 GGAGGCTACA ACTTACAGTG TCAAGATCTT ACCAGCGCAG GGGAAGCTGA CATCCGGGTA 420
70	GCCAAGGTGC TTTGGTGGTA CTATTTCTCC AAATCAGTAG AGTTCCTGGA CACAATTTTC 480 TTCGTTTTGC GGAAAAAAAC GAGTCAGATT ACTTTTCTTC ATGTATATCA TCATGCTTCT 540 ATGTTTAACA TCTGGTGGTG TGTCTTGAAC TGGATACCTT GTGGACAAAG TTTCTTTGGA 660 CCAACACTGA ACAGTTTTGT CCACATTCTT ATGTACTCCT ACTATGGACT TCTGTGTTT 660 CCATCTATGC ACAAGTATCT TTGGTGGAAG AAATATCTCA CACAGGCTCA GCTGGTGCAG 720
75	TTCGTGCTCA CCATCACGCA CACCATGAGC GCCGTCGTGA AACCGTGTGG CTTCCCCTTC 780 GGTTGTCTCA TCTTCCAGTC ATCTTATATG CTAACGTTAG TCATCCCTTT CTTAAATTTT 840 TATGTTCAGA CATACCGAAA AAAGCCAATG AAGAAAGATA TGCAAAGGCC ACCTGCAGAG 90 TATGTTCAGA CATACCGAAA AAAGCCAATG TCACTGCAGGC AAATGG AGTGAAGAAC ACCCTACTTACATG CAGCAAATGG AGTGATGAAGAC 900

AAGAAAGCAC AA<u>TAA</u>AAATG AGTAACAGAA AAAGCACATA TACTAGCCTA ACAGATTGGC 1020 TTGTTTTAAA GCAAAGACTG AATTGAAGGT TACATGTTTT AGGATAAACT AATTTCTTTT 1080 GAGTTCATAA ATCATTTGTA CCCAGAATGT ATTAATATAT TGCTATTAGG TTAATCTGTT 1140 AACTGAATGC TTTGATCAGC ATTGAGGTGA TGCTCACCTC CGAGGACCTC AGAACTGGTG 1200 CAGCTTCTCT CTCCCTCCCT CCCACAGACT GAACCTTTCG CCAGAAGCTG TCCTTATAAC 1260
GCCTTATACG CATACACAGC CAGGAAACGT GGAGCATTGT TTCTCACAGA GAGTCTCCAA 1320
ATAAAAAGGG TTTTGTTCAG ATTAAAATGT TTACAACAAA ATGTTAATTA TATTCTAAAT 1380 5 ACAGGGTATG TICTAATCTA TATTAAGCAA TAATGCCAGT GCATAATCAT TCCATTTGTT 1440 CCTITAGCAA TCAACCCCAG AAAATATTAA AATGGGATCA TACACAGAAG ATAGAAAAAA 1500 CTAGCAAAAAC TTCTCTTTCT GTAAGCCAGA GTCTTGTCTA TCAGATTCCC ACAACCACTC 1560 10 CTGATTCTAA ATTTAGTGAT ATGGTAATGA AATTGGTATT TATTTTAAAT ATTAGTTATT 1620 CTAAGGAGAA AAAAATGCTT CTGCAAGATT TTCATAATTC AGGGGCTGTG GATAGGATTG 1680 TTCCTCTGTT TCCCTAATCA TTCATCTGTT CATGTCTCCC TCTTGTGCCA GTCAGCCTAG 1740 GTTATACAGA TGCCATGCTC CACACCACGA GCAGTGTACA AATCTGGCTG CCCGTTTACT 1800 TTCTGAGCAA GCACTGGAGT CCACTCCGAC CTTTTTCTTT GAACATGCAT GCTGCTGGAA 1860 15 TATGTATAAA TCAGAACTAG CAGAAGTAGC AGAGTAGTAGGAGCAAAATA GGCACTGAAT 1920
TCGTCAACTC TTTTTTGTGA GCCTACTTGT GAATATTACC TCAGATACCT GTTGTCACTC 1980
TTCACAGGTT ATTTAAGTTC TTGAAGCTGG GAGGAAAAAG ATGGAGTAGC TTGGAAAGAT 2040 TICAGGATT ATTIAAGTIC TIGAAGCTIGU GOGAAAAA ATGCAGT TIGGAAAACT 2100
CAGCACTGC AGCCGTGAGC CGGTCATGAG CCACGATAAA AAATGCCAGT TITGGCAAACT 2100
CAGCACTCCT GTTCCCTGGCT CAGGTATATG CGATCTCTAC TGAGAAGCAA GCACAAAAGT 2160
AGACCAAAGT ATTAATGAGT ATTTCCTTTC TCCATAAGTG CAGGACTGTT ACTCACTACT 2220
AAACTCTACC AAGAATGGAA ACCAAGAATA TTTTCTGAAG ATTTTTTTGA AGATTAATTT 2280 20 Seq ID NO: 92 Protein sequence: 25 BAA91096.1 Protein Accession #: 21 31

30 MEHLKAFDDE INAFLDNMFG PRDSRVRGWF TLDSYLPTFF LTVMYLLSIW LGNKYMKNRP 60
ALSLRGILTL YNLGITTLSA YMLAELILST WEGGYNLQCQ DLTSAGEADI RVAKVLWWYY 120
FSKSVEFLDT IFFVLRKKTS QITFLHVYHH ASMFNIWWCV LNWIPCGQSF FGPTLNSFVH 180
ILMYSYYGLS VFPSMHKYLW WKKYLTQAQL VQFVLTITHT MSAVVKPCGF PFGCLIFQSS 240
YMLTLVILFL NTYVQTYRKK PMKKDMQEPP AGKEVKNGFS KAYFTAANGV MNKKAQ

Seq ID NO: 93 DNA sequence
Nucleic Acid Accession #: NM_000044
Coding sequence: 1115-3874 (underlined sequences correspond to start and stop codons)

41 51

35

40

AGCACTGGAC GAGGCAGCTG CGTACCAGAG TCGCGACTAC TACAACTTTC CACTGGCTCT 2220 GGCCGGACCG CCGCCCCTC CGCCGCCTCC CCATCCCCAC GCTCGCATCA AGCTGGAGAA 2280 CCCGCTGGAC TACGGCAGCG CCTGGGCGGC TGCGGCGGCG CAGTGCCGCT ATGGGGACCT 2340 GGCGAGCCTG CATGGCGCGG GTGCAGCGGG ACCCGGTTCT GGGTCACCCT CAGCCGCCGC 2400 TTCCTCATCC TGGCACACTC TCTTCACAGC CGAAGAAGGC CAGTTGTATG GACCGTGTGG 2460 5 CAGAGTGCCC TATCCCAGTC CCACTTGTGT CAAAAGCGAA ATGGGCCCCT GGATGGATAG 2700 CTACTCCGGA CCTTACGGGG ACATGCGTTT GGAGACTGCC AGGGACCATG TTTTGCCCAT 2760 TGACTATTAC TTTCCACCCC AGAAGACCTG CCTGATCTGT GGAGATGAAG CTTCTGGGTG 2820 10 TCACTATGGA GCTCTCACAT GTGGAAGCTG CAAGGTCTTC TTCAAAAGAG CCGCTGAAGG 2880 GAAACAGAAG TACCTGTGCG CCAGCAGAAA TGATTGCACT ATTGATAAAT TCCGAAGGAA 2940 AAATTGTCCA TCTTGTCGTC TTCGGAAATG TTATGAAGCA GGGATGACTC TGGGAGCCCG 3000 15 GAAGCTGAAG AAACTTGGTA ATCTGAAACT ACAGGAGGAA GGAGAGGCTT CCAGCACCAC 3060 CAGCCCCACT GAGGAGACAA CCCAGAAGCT GACAGTGTCA CACATTGAAG GCTATGAATG 3120 TCAGCCCATC TTTCTGAATG TCCTGGAAGC CATTGAGCCA GGTGTAGTGT GTGCTGGACA 3180 GGACAACAAC CAGCCCGACT CCTTTGCAGC CTTGCTCTCT AGCCTCAATG AACTGGGAGA 3240
GAGACAGCT GTACACGTGG TCAATGAGC CAAGGCCTTG CCTGGCTTCC GCAACTTACA 3300
CGTGGACGAC CAGATGGCTG TCATTCAGTA CTCCTGGATG GGGCTCATG TGTTTGCCAT 3360
GGGCTGGCGA TCCTTCACCA ATGTCAACTC CAGGATGCTC TACTTCGCCC CTGATCTGGT 3420
TTTCAATGAG TACCGCATGC ACAAGTCCCG GATGTACAGC CAGTGTGTCC GAATGAGGCA 3480
CCTCTCTCAA GAGTTTGGAT GGCTCCAAAT CACCCCCCAG GAATTCCTGT GCATGAAAGC 3540 20 ACTIGETACTIC TICAGCATTA TICCAGTIGA TGGGCTGAAA AATCAAAAAT TCTTTGATGA 3600
ACTICGAATG AACTACATCA AGGAACTCGA TCGTATCATT GCATGCAAAA GAAAAAATCC 3660
CACATCCTGC TCAAGACGCT TCTACCAGCT CACCAAGCTC CTGGACTCCG TGCAGCCATAT 3720
TGCGAGAGAG CTGCATCAGT TCACTTTTGA CCTGCTAATC AAGTCACACA TGGTGAGCGT 3780
GGACTTTCCG GAAATGATGG CAGAGATCAT CTCTGTGCAA GTGCCCAAGA TCCTTTCTGG 3840 25 GAAAGTCAAG CCCATCTATT TCCACACCCA GTGAAGCATT GGAAACCATA TTTCCCCACC 3900
CCAGCTCATG CCCCCTTTCA GATGTCTTCT GCCTGTTATA ACTCTGCACT ACTCCTCTGC 3960
AGTGCCTTGG GGAATTTCCT CTATTGATGT ACAGTCTGTC ATGAACATGT TCCTGAATTC 4020 30 AACCCTCCCA TGGCACCTTC AGACTTTGCT TCCCATTGTG GCTCCTATCT GTGTTTTGAA 4140 TGGTGTTGTA TGCCTTTAAA TCTGTGATGA TCCTCATATG GCCCAGTGTC AAGTTGTGCT 4200 35 Seq ID NO: 94 Protein sequence: Protein Accession #: NP_000035.1 40 21 31 41

MEVOLGLGRV YPRPPSKTYR GAFONLFOSV REVIONPGPR HPEAASAAPP GASLLLLQQ 60
00000000000000000FT SPROGOOOG EDGSPOAHRR GPTGYLVLDE EOOPSOPOSA

45

QQQQQQQQQQQET SPRQQQQQG EDGSPQAHRR GPTGYLVLDE EQQPSQPQSA 120

LECHPERGCV PEPGAAVAAS KGLPQQLPAP PDEDDSAAPS TLSLLGPTFP GLSSCSADLK 180

DILSEASTMQ LLQQQQEAV SEGSSSGRAR EASGAPTSSK DNYLGGTSTI SDNAKELCKA 240

VSVSMGLGVE ALEHLSPGEQ LRGDCMYAPL LGVPPAVRPT PCAPLAECKG SLLDDSAGKS 300

TEDTAEYSPF KGGYTKGLEG ESLGCSGSAA AGSSGTLELP STLSLYKSGA LDEAAAYQSR 360

DYYNFPLALA GPPPPPPPP PHARKLENP LDVGSAWAAA AAQCRYGDLA SLHGAGAAGP 420

GSGSPSAAAS SSWHTLFTAE EGQLYGPCGG GGGGGGGGGGGGGGGGGGGGGGAGAAPY 480

GYTRPPQGLA GQESDFTAPD VWYPGGMVSR VPYPSFTCVK SEMGPWMDSY SGPYGDMRLE 540

TARDHVLPID YYFPPQKTCL ICGDEASGCH YGALTCGSCK VFFKRAAEGK QKYLCASRND 600

CTIDKFRRKN CPSCRLRKCY EAGMTLGARK LKKLGNLKLQ EEGEASSTTS PTEETTQKLT 660

VSHIEGYECQ PIFLNVLEAI EFGVVCAGHD NNQPDSFAAL LSSLNELGER QLVHVVKWAK 720

ALPGFRNLHV DDQMAVIQYS WMGLMVFAMG WRSFTNVNSR MLYFAPDLVF NEYRMHKSRM 780

YSQCVRMRHL SQEFGWLQIT PQEFLCMKAL LLFSIPVDG LKNQKFFDEL RMNYIKELDR 840

IIACKRKNPT SCSRRFYQLT KLLDSVQPIA RELHQFTFDL LIKSHMVSVD FPEMMAEIIS 900

VQVPKILSGK VKPIYFHTQ

Seq ID NO: 95 DNA sequence
Nucleic Acid Accession #: NM_002497
Coding sequence: 135-1472 (underlined sequences correspond to start and stop codons)

60

65
1 11 21 31 41 51
GGCACGAGTA GGGGGTGCGGG GTCAGTGCTG CTCGGGGGGCT TCTCCATCCA GGTCCCTGGA 60
GTTCCTGGTC CCTGGAGCTC CGCACTTGGC GCGCAACCTG CGTGAGGCAG GGGACTCTG 120
GCGACTGGCC GGCCATGCCT TCCCGGGCTG AGGACTATGA AGTGTTGTAC ACCATTGGCA 180
CAGGCTCCTA CGGCCGCTGC CAGAAGATCC GGAGGAAGAG TGATGGCAAG ATATTAGTTT 240
GGAAGAACT TGACTATGGC TCCATGACAG AAGCTGAGAA ACAGATGCTT GTTTCTGAAG 300
TGAATTTGCT TCGTGAACTG AAACATCCAA ACATCGTTCG TTACTATGAT CGGATTATTG 360
ACCGGACCAA TACAACACTG TACATTGTAA TGGAATATTG TGAAGAGGTTT GTTCTTCGAG 420
GTGTAATTAC AAAGGGAACC AAGGAAAAGC AATACTTAGA TGAAAGAGTTTT GTTCTTCGAG 480
TGATGACTCA GTTGACTCTG GCCCTGAAGG AATACTTAGA TGAAGAGTTTT GTTCTTCGAG 480
CCGTATTGCA TCGGGATCTT AAACCAGCCA ATGTTTTCCT GGATGGCAAG CAAAAACGTCA 600
AGCTTGGAGA CTTTGGGCTA GCTAGAATAT TAAACCATGA CACGAGTTTT GCAAAAACAT 660

PCT/US02/02242

WO 02/059377

10 15 ATATTATAAA AAGAATACTT TCTTGGTTGG GCTTTTAATC CTGTGTGTA TTACTAGTAG 1740 GAACATGAGA TGTGACATTC TAAATCTTGG GAGAAAAAT AATATTAGGA AAAAAATATT 1800 TATGCAGGAA GAGTAGCACT CACTGAATAG TTTTAAATGA CTGAGTGGTA TGCTTACAAT 1860 20 TATGCAGGAA GAUTAGCACI CACIGAATAG TITTAAAGACIGAGTGGTA IGCTTAGAAAAC 1920
TGTCATGTCT AGATTTAAAT TITAAGTCTG AGATTTAAA TGTTTTTGAG CTTAGAAAAC 1920
CCAGTTAGAT GCAATTTGGT CATTAATACC ATGACATCTT GCTTATAAAAT ATTCCATTGC 1980
TCTGTAGTTC AAATCTGTTA GCTTTGTGAA AATTCATCAC TGTGATGTTT GTATTCTTTT 2040
TTTTTTTCTG TTTAACAGAA TATGAGCTGT CTGTCATTTA CCTACTTCTT TCCCACTAAA 2100 25 TAAAAGAATT CTTCAGTTA Seq ID NO: 96 Protein sequence: Protein Accession #: NP_002488 30

35 40 LSDIEKNYOL KSRQILGMR

Seg ID NO: 97 DNA sequence NM_007050.2 Nucleic Acid Accession #: Coding sequence: 185-4576 (underlined sequences correspond to start and stop codons)

45


41 11 21 31 CCTCCCGCCT CAGTTCGCGC CGCGCCTCGG CTTGGAACGC AGGAGCGCCG GCTCCGGGAG 60 50 55 60 65 70 75

GGGGAAAGTG TTCAAGCTCC GGAATGAAAC CCACCACCTC TTTGTGGGTC TGTACCCAGG 1860
GACCACCTAT TCCTTCACCA TCAAGGCCAG CACAGCAAAG GGCTTTGGGC CCCCTGTCAC 1920
CACTCGGATT GCCACCAAAA TTTCAGCTCC ATCCATGCCT GAGTACGACA CAGACACCCC 1980
ATTGAATGAG ACAGACACGA CCATCACAGT GATGCTGAAA CCCGCTCAGT CCCGGGGAGC 2040
AGCTGACATT ATTGAGTGCT TTTCAGTGCC CGTGAGCTAT CGGAATGCCT CCAGCCTCGA 2160
TTCTCTACAC TACTTTGCTG CTGAGTTGAA GCCTGCCAAC CTGCCTGTCA CCCAGCCATT 2220
TACAGTGGGT GACAATAAGA CATACAATGG CTACTGGAAA CCTCCTCTCT CTCCCCTGAA 2280 AAGCTACAGC ATCTACTTCC AGGCACTCAG CAAAGCCAAT GGAGAGACCA AAATCAACTG 2340
TGTTCGTCTG GCTACAAAAG CACCAATGGG CAGCGCCCAG GTGACCCCGG GGACTCCACT 2400
CTGCCTCCTC ACCACAGGTG CCTCCACCCA GAATTCTAAC ACTGTTGGAGC CAGAGAAGCA 2460 10 GGTGGACAAC ACCGTGAAGA TGGCTGGCGT GATCGCTGGC CTCCTCATGT TCATCATCAT 2520
TCTCCTGGGC GTGATGCTCA CCATCAAAAG GAGAAGAAAT GCTTATTCCT ACTCCTATTA 2580
CTTGTCCCAA AGGAAGCTGG CCAAGAAGCA GAAGGAGACC CAGAGTGGAG CCCAGAGGGA 2640 15 GATGGGGCCT GTGGCCTCTG CCGACAAACC CACCACCAAG CTCAGCGCCA GCCGCAATGA 2700 TGAAGGCTTC TCTTCTAGTT CTCAGGACGT CAACGGATTC ACAGATGGCA GCCGCGGGGA 2760 GCTTTCCCAG CCCACCCTCA CGATCCAGAC TCATCCCTAC CGCACCTGTG ACCCTGTGGA 2820 GATGAGCTAC CCCCGGGACC AGTTCCAACT CGCCATCCGG GTGGCTGACT TGCTGCAGCA 2880 CATCACGCAG ATGAAGAGAG GCCAGGGCTA CGGGTTCAAG GAGGAATACG AGGCCTTACC 2940 AGAGGGGCAG ACAGCTTCGT GGGACACAGC CAAGGAGGAT GAAAACCGCA ATAAGAATCG 3000 20 25 TGAGATCCGG GAGCTCCGCC TCTTCCACTT CACCAGCTGG CCTGACCACG GCGTTCCCTG 3420 CTATGCCACT GGCCTTCTGG GCTTCGTCCG CCAGGTCAAG TTCCTCAACC CCCCGGAAGC 3480 TGGGCCCATA GTGGTCCACT GCAGTGCTGG GGCTGGGCGG ACTGGCTGCT TCATTGCCAT 3540 30 TGACACCATG CTTGACATGG CCGAGAATGA AGGGGTGGTG GACATCTTCA ACTGCGTGCG 3600
TGAGCTCCGG GCCCAAAGGG TCAACCTGGT ACAGACAGAG GAGCAATATG TGTTTGTGCA 3660 CGATGCCATC CTGGAAGCGT GCCTCTGTGG CAACACTGCC ATCCCTGTGT GTGAGTTCCG 3720 TTCTCTCTAC TACAATATCA GCAGGCTGGA CCCCCAGACA AACTCCAGCC AAATCAAAGA 3780 TGAATTTCAG ACCCTCAACA TTGTGACACC CCGTGTGCGG CCCGAGGACT GCAGCATTGG 3840 35 GCTCCTGCCC CGGAACCATG ATAAGAATCG AAGTATGGAC GTGCTGCCTC TGGACCGCTG 3900 CCTGCCCTTC CTTATCTCAG TGGACGGAGA ATCCAGCAAT TACATCAACG CAGCACTGAT 3960
GGATAGCCAC AAGCAGCTG CCGCCTTCGT GGTCACCCAG CACCCTCTAC CCAACACCGT 4020
GGCAGACTTC TGGAGGCTG TGTTCGATTA CAACTGCTCC TCTGTGGTGA TGCTGAATGA 4080
GATGGACACT GCCCAGTTCT GTATGCAGTA CTGGCCTGAG AAGACCTCCC GGTGCTATGG 4140
GCCCATCCAG GTGGAGTTCT CTCCCGCAGA CATCGACGAG GACATCATCC ACAGAATATT 4200 40 CCGCATCTOT AACATGGCCC GGCCACAGGA TGGTTATCGT ATAGTCCAGC ACCTCCAGTA 4260 CATTGGCTGG CCTGCCTACC GGGACACGCC CCCCTCCAAG CGCTCTCTGC TCAAAGTGGT 4320 CCGACGACTG GAGAAGTGGC AGGAGCAGTA TGACGGGAGG GAGGGACGTA CTGTGGTCCA 4380 CTGCCTAAAT GGGGGAGGCC GTAGTGGAAC CTTCTGTGCC ATCTGCAGTG TGTGTGAGAT 4440 GATCCAGCAG CAAAACATCA TTGACGTGTT CCACATCGTG AAAACACTGC GTAACAACAA 4500 ATCCAACATG GTGGAGACCC TGGAACAGTA TAAATTTGTA TACGAGGTGG CACTGGAATA 4560 45 TTTAAGCTCC TTTTAGCTCA ATGGGATGGG GAACTGCCGG AGTCCAGAGG CTGCTGTGAC 4620 CAAGCCCCCT TTTGTGGAA TGGCAGTAAC TGGGCTCAGG AGCTCTGAGG TGGCACCCTG 4680 CCTGACTCCA AGGAGAAGAC TGGTGGCCCT GTGTTCCACG GGGGGCTCTG CACCTTCTGA 4740 50 GGGGTCTCCT GTTGCCGTGG GAGATGCTGC TCCAAAAGGC CCAGGCTTCC TTTTCAACCT 4800 AACCAGCCAC AGCCAAGGGC CCAAGCAGAA GTACACCCAC AAGCAAGGCC TTGGATTTCT 4860 GGCTCCCAGA CCACCTGCTT TTGTTCTGAG TTTGTGGGATC TCTTGGCAAG CCAACTGTGC 4920 AGGTGCTGGG GAGTGGGAGG CTCCCCTGCC CTCCTTCTCC TTAGGAGTGG AGGAGATGTG 4980
TGTTCTGCTC CTCTACGTCA TGGAAAAGAT TGAGGCTCTT GGGGGTCACT GCTCTGCTGC 5040
CCCCTGCAAC CTCCTTCAGG GGCCTCTGGC ACCAGACATT TGCAGTCTGG ACCAGTGTGA 5100 55 CCTTACGATG TICCCTAGGC CACAAGAGAG GCCCCCCATC CTCACACCTA ACCTGCATGG 5160
GGCTTCGCCC ACAACCATTC TGTACCCCTT CCCCAGCCTG GGCCTTGACC GTCCAGCATT
5220 CACTGGCCGG CCAGCTGTGT CCACAGCAGT TTTTGATAAA GGTGTTCTTT GCTTTTTTGT 5280 GTGGTCAGTG GGAGGGGGTG GAACTGCAGG GAACTTCTCT GCTCCTCCTT GTCTTTGTAA 5340 AAAGGGACCA CCTCCCTGGG GCAGGGCTTG GGCTGACCTG TAGGATGTAA CCCCTGTGTT 5400 60 TCTTTGGTGG TAGCTTTCTT TGGAAGAGAC AAACAAGATA AGATTTGATT ATTTTCCAAA 5460 GTGTATGTGA AAAGAAACTT TCTTTTGGAG GGTGTAAAAT CTTAGTCTCT TATGTCAAAA 5520 AGAAGGGGGC GGGGGAGTTT GAGTATGTAC CTCTAAGACA AATCTCTCGG GCCTTTTATT 5580 TTTTCCTGGC AATGTCCTTA AAAGCTCCCA CCCTGGGACA GCATGCCACT GAGCAAGGAG 5640
AGATGGGTGA GCCTGAAGAT GGTCCCTTTG GTTTCTGGGG CAAATAGAGC ACCAGCTTTG 5700
TGCATAATTT GGATGTCCAA ATTTGAACTC CTTCCTAAAG AAACCCAGCA GCCACCTTGA 5760 65 AAAAGGCCAT TGTGGAGCCC ATTATACTTT GATTTAAAAT AGGCCAAGAG AATCAGGCCT 5820
GGAGATCTAG GGTCTTGTCC AAAGTGTGAG TGAGTCAATG AGAGGGAACC AACATTTGCT 5880
AAGTCTCTAC TGTATGCCAG GGATCATGCT TGGCACTTTC CATAGGACAT TTCACACAGT 5940 AAGICICIA (GLAIGA GAATACHE I GAGACHIC CATAGAI TICACATTICA TCATCATA TCATCICCIC 6000 CCATGAACC CCCAGGAGAG AGCTACTGAC TIGTTATCAT CTCCATTICA TCATCICCIC 6000 CAATGAGGAA ACCACGCAC CTTCCTTAGT AATGAAATCC TGGGTTCCAA AGGGGCAGGT 6060 AATGGCAATG AGACTTCTCC GTGCTGTTTT CTTCATCTTC TCTAAGCCAA GCAATTATTT 6120 TATGGAGGGA AAATAAGGGC AGAACTTCT GAGCAGATAA CTCCACAAAT GGAAATTTAG 6180 TACTTTCTTC CTGATGCCAG TTCTTCTGGG AAGCGCAGAA TTTCAGATAT ATTTTAGTAA 6240 70 CACATTCCCA GCTCCCCAGG AAAGCCAGTC TCATCTAATT TCTTAGTCAG TAAAAACAAT 6300
TCCCTGTTCC TTCAGGCTAT GAATGGACCA GCCAGGGAAA CTCTCGACCT TGATCTCTAG 6360
CCAGTGCTTA GGCCCAATAT CTGACAGCCT CAGGTGGGCT GGGACCTAGG AAGCTCCATC 6420 75

TTGAAGGCTG GTCTAGCCCC AGACAGGGCA TGAGGGGCAG AGAATTCAAG AAGGTACAGC 6480 TTTGGCCCTC AAGAGCCCAC TGTATGCTGG GGAAATGGAA CCATGGTGCA GTAGTGTGGA 6540 GTGGATGAGT GTTCCATGAG CCTAGGAGCA AGAAAGTCTC TTCGGCCTCG GGCTTCCTGG 6600 AGAAGGGAC GTCCATTCCT GCTGGGTCTT AACAGCATA AAAAGGAAAA AAAGGAAACT 6660 CAGGCAAAGG GATCCATATG TGCAATGGCA AAGAAATGTG AAAAGGCATT GGGAGAAGCA 6720 GTCTGGGGGA GGCCAGCCCA GTGCGGGCAC AGCACAACAC GGGGAGCAGC AAGAGATGAG 6780 5 CCAGGGTCCA GGAGACAGAT GCCCATCGCG AGTACAGACT TTGTCCTATT GGCAACAAGG 6840 AGTCCATGGA GCTTTAGAGA GATGCACTCA GCTTCGTGTT GGCCAAGACT CCTTCTGGGC 6900 CAATGGGGCT GCCTCTTTTC CTTTCATCAG ACACTGTGAA AACATTCCCT TAAGCGTGCA 6960 10 CTTITTAATA TCACATCTAT TITGTCTGTCT GCTCATTGTT TTGTTGCTGG AACTAAATAT 7020
GCAATGGATC ATGAGACTCA GATTCTATGA GAAACCCAGG GTCTCTGCTT TACCACGGAG 7080
CAGGGTCACC AACCCAGATC TCCAGGCCCA TGAGGATGGA ACATGAAAGG AGCCGACAAA 7140 AGTTGCTTCC ATTGGCATGG GCTCTGGAGC TGTCCAGAAG TCCAGGGACA CCAGACTTGA 7200
TCAAGGAAGG GCTGTCACTT TAGAGGTTCA AAAGGAAGTG CCTCAAAGCA AAGGCAAGCA 7260
AAGGAACCCC ACGATGAACT TGCTCTTTTC CTTTGATGAG CCTCTCCCCA GGTGTATTTC 7320 15 AGCAGACCCC GGGGACCCAC CCCCACTGGG CCTGCTGGCC TCCCTCGGCT CCAGCCCAAT 7380
GCCCCAGCTG GCCTTCCCCA GCCTGCAAGG AGCCTGTAGC ATGGCAAATC TGCCTGCTGT 7440 ATGCTATTTT CTTAGATCTT GGTACATCCA GACAGGATGA GGGTGGAGGG AGAGCTATTT 7500 AACACAAATC CTAAGATTIT TITCTGCTCA GGAAGGGGTG AAATAGCTGG CAGATACAAA 7560
AGACAGTGGC TITTATCATT TTAAATGGTA GGAATTTAAG GTGTGACTTC AGGGAGAAAC 7620
AAACTIGCAA AAAAAAAAA TCTCAGGCCA TGTTGGGGTA ACCCAGCAAG GGCCAGTGAT 7680
GATTITCCCC AGCTCCATCCC CTTATTTTCC CACAACCCAA CCATTCTCTA AAGCAGGACA 7740
GTGAATAGGT CTTAGGCCAG TGCACACAGG AAGAAATTGA GGCTTATGGA TGGGGATGAC 7800
TICCCTAAGA TCCCATGGGA CAAGGATGTG GCAAGCCTTAGGATGG GGCACCAGTG 7860 20 25 CCCAGGAATT TGAACATTTT CCTTTACCCA GGAAATCTCC GGAGCCAACA CCACCACCCC 7920 CAGGGGGTCT CCCCACCCCA CCCCATTTAC AGGGTGAGCT CAGCCTGTCA TGAGCAGAGG 7980 AAAATATTAT TAATGCTCTC TGAGTCTTTA CAACAGGAGC TCTTACCTCA TAGATGTGGG 8040
CTCTGTTTGG GGAAGATGCA AGGAAGTAAT GAGAAGCCCA GGAAATTTCT CCACCTGTGT 8100
TTATGGCCTA AATAGCTTCA GGATGTATCT TAGCTGCACT CCAACATTGC ATCCTTTCTG 8160 30 GGGTGAAGAA TCTGGGCCAA CCAGGGGTCC TTGGGCCTCT AGAAGGCCAC AGTAGGCCTC 8220 TCTTTGTGGG AATGGAAGGG GACAGTTTGC TTTTAGTGCT GGCCTCTCT GTGGGTGTGG 8280 CCTGCAAAGG AACCAACAGA CCCTATGCTG GGGACTCTAA CATGTGAGCT CATTAAATTC 8340 TTCCAGCATT CTAAAGGAGG GTTTGTGATT GTCACCATTT ACTGATGAGG AAACTAAGGC 8400 TCCTAGGGGA GAAATCACTT GCCCACAGTT CCACAGCTAG TGAGTGAATG AACCAGGATT 8460 TAAACCGGTT TTTTCTCACT ACAGAGACAA TATTTTTCCA CCATTGTATC TCACATTTTT 8520 35 CCCAGGAGGT TACCCATAAC AGAAGAGACT AGAGTGGAAC AGATACGTCA GTGGATAAAG 8580 CTCAAAGCAA ACAACAGTAA GCTTAAAATT CCTTCATAGT CTCATGTTTT ACGTTCACAA 8640 TTCATGCAAA ATTTGCATTC CACTITCTGA TTTAGCCTTG TTGGTTTTAA TATGACTCTA 8700 40 CTAGGCAGCT CCTTTGGTGT GTGGGTGCTC TGACCTCACT GTTCATGAGG GGACCTCAAC 8940
TAAGGCATCT TCCAGTTGGG TGCTGGAAGG AACCCATTAA CTCACACTAG AATGATGAGG 9000
ATTTGCTCAT CTGGCGTGGA GAAGGATGAG CCCACAAAAC CCTAAAGGGA AAAGAGAAGC 9060 45 TGGACACAGC TGTACTCAGC AGATTCCTGA ATGCTAGGCT GGAAAGTGGT GCCTGTTGTC 9120 CAAGTGGAGT CACATGGTTG CTAATGTGGG CAAGTCTGAG GACACACTTC ATGAGCAGCT 9180 GGGGTCTGGA AGGCTCCTCA CTTTACCCTA GCCACACATA ATTACTGGGT GCCTACAGCA 9240 CCTAGCACCT TGGAGGGGGC ACTATTAGGA AATCGAGATT ACTATGGCAC AATTAATTCC 9300 TGGGTAAGGC ATGGGGTTGT GGTGGACAGA GCTCAGTCTT TAGTTTGAAC GAAAACATAC 9360 50 ATACATGAAA AACATACATG AAAAAAGGAC CCTCATCAAC ATTAGAAGGG GTAGATTTGG 9420 AGCACTTTAG GCAGGAAAAC AGGAACGCAA GGCCAGGAAA CTGGAACCCA GTGAATACTC 9480 AGAACCGAGG ATGCAGATGA CTTATTTAGC AAAATGGTCA CTTCTGTGAC ATAGCTGGAG 9540 AAAGGATGGG TAACAGCTTG CCAGAGCCAC TTGGAACAAG GGCAAATCTC AGTGTCTGGG 9600 GCAAAAGATG ATGCATTTCC CTCTGACCCA TCATGTTTAT TCATCCTCCA CTCCCCATTG 9660 CCACACTAGC TCTTGCTGTA AGTCCTCACC AGGATCTACA TTTCCTCGTC GCTGGTGGGA 9720 55 ACCCCTTAGA GTACATAGAG GTATCAGTCC AGTAAGACTG CTCTACACAA CAGAAGTGAG 9780 GCCCAGGGAG TAGCAGCCAG GCCCTTATCC TGTTACCTCT GCAGGAGTGA CTGCCCAACC 9840 CAGATCCAGA GACATTGAAG GAAATGATAA TTCCTTGGTA CCTCACTGCC TTGGGACAAA 9900 ATGAAGAAG CCACCCTTCC TTAGGCTGCA GCTTGCCACT CCTGGGCTGG GTAAACAGGT 9960 CATCAGCACC AGGCTCAACC AGGAGTAACA TTCTGGAAGA CATGGGTGAG CCCAAGAGGA 10020 AGCATGAACA GGACGCTGTT CCTAAGTCAT GTCAACAGGT TGTGCTGGGC CAGGATCCCC 10080 60 AGGGAAAAAA ATGGTCAACC CAACTGGAGG GTAGGTTAGA AGAAAAAAAA CATAAACGTG 10140 GATAGTCATG TCATCTCAAA TCCCTGACTT GGCTTCCCCA TTACTTGACA GTCTGAGCTC 10200 CTTCTTAGCC TGTGACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260 CITCTTAGCC TGTGACCAGC TTCAAATCAC AGCCAAGTAA AACAAGGAAA TAGGAAAAGT 10260
AAATCCAACT AGAAGAGACA AGCTGAGATT CAGATTTGTT TACTCCTCCC ATGCAAAGTT 10320
TCCTGTTGG AGGTTTTCCA TGTATACATG TCTAGAAGTG ATAGAATGCA AGGCCTTGGC 10380
TTTGTCTTGC AGGGATCTGC CTTTGAGGTC ATAGACTGA CAGCAGGGAG AGAGGTTAGT 10440
GGTGGAGTGT GGGGGGAGCT GTTCTAGCTC CAGTTTCTTC TGACACATTT TTCAGGATCA 10500
TGGATCTGAT CCTCCGAAGC ACACAGAGA TATCTAGCC ATATTTGTGC ACATGAGCAG 10560
ACTCTTCTAG TTTTTTAGTA ACCAGGGATG GGCTTTTGCA TGGCACTGAC TATAGAGATG 10620
TCTTGTAGAG ATCAAGCCAG TCTTTTTGCAT CCCACCTGCC CACCTCCAGA AGAGATGGGA 10680
AAAGGTCATC AAAGGGCATT CACCAACTGA AATCCACCACTCA TGAAATGTTAG GTCTCTAAAA 10740
GGAGGCATCA ACACTCACAA TGGTAGCCTC CAAAACCTAGC ATCCCACGTA TCTAAGAGCT 10800
CAGGGGTTGGT CCACTGGGGC AGATACAAGG GAAGTGCCAA GGCTCAAGAAAT 10860
CAGGGGATGGA CGACTTTTTAGC GCCCTTGATCA TTATAGGGAT GAAAAGAAAT 10860 65 70 75 CTATTGGGAA GAGTTTTAGG GGCTTGATCA TTATGGGGCT TCCTTCTATA TCTGAGAACT 10920
GCTCTGGGTG GTGAGATGTG GACTCTGATC CTTAATTGGA ATGTTCGGAG AATGAGTGTC 10980
TGGTGGCCTT GAAGTGTTGG ACAGAAAAGT ATCAGTATAA AAGCCTGGAG CTCAGGGTAA 11040

PCT/US02/02242

WO 02/059377



TTCCCTTCAA CTCTTCGTAC ATTCAATGCA TGGATCAATC AGTGTGATTA GCTTTCTCAG 660 CAGACATTGT GCCATATGTA TCAAATGACA AATCTTTATT GAATGGTTTT GCTCAGCACC 720 ACCITITAAT ATATIGGCAG TACITATIAT ATAAAAGGTA AACCAGCATI CICACIGIGA 780 ΑΛΑ ΛΑΛΑΑΑΑ ΑΑΛΑΑΑΑΑΑΑΑΑ 5 Seq ID NO: 100 <u>Protein sequence:</u>
Protein Accession #: NP_002979.1 10 LLTKRGRQIC ADPNKKWVQK YISDLKLNA Seq ID NO: 101 DNA sequence 15 Nucleic Acid Accession #: NM 015507.2 Coding sequence: 241-1902 (underlined sequences correspond to start and stop codons) 31 20 CCGCAGAGGA GCCTCGGCCA GGCTAGCCAG GGCGCCCCA GCCCCTCCCC AGGCCGCGAG 60 CGCCCCTGCC GCGGTGCCTG GCCTCCCCTC CCAGACTGCA GGGACAGCAC CCGGTAACTG 120 CGAGTGGAGC GGAGGACCCG AGCGGCTGAG GAGAGAGGAG GCGGCGGCTT AGCTGCTACG 180 GGGTCCGGCC GGCGCCCTCC CGAGGGGGGC TCAGGAGGAG GAAGGAGGAC CCGTGCGAGA 240

ATGCCTCTGC CCTGGAGCCT TGCGCTCCCG CTGCTGCTCT CCTGGGTGGC AGGTGGTTTC 300

GGGAACGCGG CCAGTGCAAG GCATCACGGG TTGTTAGCAT CGGCACGTCA GCCTGGGGTC 360 25 TGTCACTATG GAACTAAACT GGCCTGCTGC TACGGCTGGA GCAAGAACAG CAAGGAAGTC 420
TGTGAAGCTA CATGCGAACC TGGATGTAAG TTTGGTGAGT GCCTGGGACC AAACAAATGC 480
AGATGCTTTC CAGGATACAC CGGGAAAACC TGCAGTCAAG ATGTGAATG AGTGTGGAATG
AAACCCCGGC CATGCCAACA CAGATGTGTG AATACACACC GAAGCTACAA GTGCTTTTGC 600
CTCAGTGGCC ACATGCTCAT GCCAGATGCT ACGTGTGTGA ACTCTAGGAC ATGTCCATC 700
ATAAACTGTC AGTACAGCTG TGAAGACACA GAAGAAGAGGGC CACAGTGCCT GTGTCCATCC 720 30 TCAGGACTICC GCCTGGCCCC AAATGGAAGA GACTGTCTAG ATATTGATGA ATGTGCCTCT 780
GGTAAAGTCA TCTGTCCCTA CAATCGAAGA TGTGTGAACA CATTTGGAG CTACTACTGC 840
AAATGTCACA TTGGTTTCGA ACTGCAATAT ATCAGTGGAC GATATTGATG TATAGATATA AAATGTCACA TATGGATGA CCAATAT ATCAGTGCAC GATATTGCTT CAATACCCAA 960
GGGTCCTTCA AGTGTAAATG CCAACGCGGA TATAAAAGGCA ATGGACTTC GATACCCAA 960 35 ATCCCTGAAA ATTCTGTGAA GGAAGTCCTC AGAGCACCTG GTACCATCAA AGACAGAATC 1080 AAGAAGTTGC TTGCTCACAA AAACAGCATG AAAAAGAAGG CAAAAATTAA AAATGTTACC 1140 CCAGAACCCA CCAGGACTCC TACCCCTAAG GTGAACTTGC AGCCCTTCAA CTATGAAGAG 1200 40 ATAGTTTCCA GAGGCGGGAA CTCTCATGGA GGTAAAAAAG GGAATGAAGA GAAAATGAAA 1260 GAGGGGCTTG AGGATGAGAA AAGAGAAGAG AAAGCCCTGA AGAATGACAT AGAGGAGCGA 1320 AGCCTGCGAG GAGATGTGTT TTTCCCTAAG GTGAATGAAG CAGGTGAATT CGGCCTGATT 1380 CTGGTCCAAA GGAAAGCGCT AACTTCCAAA CTGGAACATA AAGATTTAAA TATCTCGGTT 1440 GACTGCAGCT TCAATCATGG GATCTGTGAC TGGAAACAGG ATAGAGAAGA TGATTTTGAC 1500 TGGAATCCTG CTGATCGAGA TAATGCTATT GGCTTCTATA TGGCAGTTCC GGCCTTGGCA 1560 45 GGTCACAAGA AAGACATTGG CCGATTGAAA CTTCTCCTAC CTGACCTGCA ACCCCAAAGC 1620 AACTTCTGTT TGCTCTTTGA TTACCGGCTG GCCGGAGACA AAGTCGGGAA ACTTCGAGTG 1680 TTTGTGAAAA ACAGTAACAA TGCCCTGGCA TGGGAGAAGA CCACGAGTGA GGATGAAAAG 1740 TGGAAGACAG GGAAAATTCA GTTGTATCAA GGAACTGATG CTACCAAAAG CATCATTTTT 1800 GAAGCAGAAC GTGGCAAGGG CAAAACCGGC GAAATCGCAG TGGATGGCGT CTTGCTTGTT 1860 50 TCAGGCTTAT GTCCAGATAG CCTTTTATCT GTGGATGACT GAATGTTACT ATCTTTATAT 1920
TTGACTTTGT ATGTCAGTTC CCTGGTTTTT TTGATATTTGC ATCATAGGAC CTCTGGCATT 1980
TTAGAATTAC TAGCTGAAAA ATTGTAATGT ACCAACAGAA ATATTATTGT AAGATGCCTT 2040 TCTTGTATAA GATATGCCAA TATTTGCTTT AAATATCATA TCACTGTATC TTCTCAGTCA 2100
TTTCTGAATC TTTCCACATT ATATTATAAA ATATGGAAAT GTCAGTTTAT CTCCCCTCCT 2160
CAGTATATCT GATTTGTATA AGTAAGTTGA TGAGCTTCT CTCTACAACAT TTCTAGAAAA 2220 55 TAGAAAAAA AGCACAGAGA AATGTTTAAC TGTTTGACTC TTATGATACT TCTTGGAAAC 2280
TATGACATCA AAGATAGACT TTTGCCTAAG TGGCTTAGCT GGGTCTTTCA TAGCCAAACT 2340 60 Seq ID NO: 102 <u>Protein sequence:</u> Protein Accession #: NP_056322.2 41 21 31 65

MPLPWSLAJP LLLSWVAGGF GNAASARHHG LLASARQPGV CHYGTKLACC YGWRRNSKGV 60
CEATCEPGCK FGECVGPNKC RCFFGYTGKT CSQDVNECGM KPRPCQHRCV NTHGSYKCFC 120
LSGHMLMPDA TCVNSRTCAM INCQYSCEDT EEGPQCLCPS SGLRLAPNGR DCLDIDECAS 180
GKVICPYNRR CVNTFGSYYC KCHIGFELQY ISGRYDCIDI NECTMBUSHTC SHIANCFNTQ 240
GSFKCKCKQG YKGNGLRCSA IPENSVKEVL RAPGTIKDRI KKLLAHKNSM KKKAKIKNVT 300

OSFACKORO I KONOLOS I ELEVATO NATU KANTANIA MALLAHRAN KAKALINI 1 300
PEPTRITITE VNLQPENYEE IVSRGONSHG GKKGNEEKMK EGLEDEKREE KALKNDIEER 360
SLRGDVFFFK VNEAGEFGLI LVQRKALTSK LEHKDLNISV DCSFNHGICD WKQDREDDFD 420
WNPADRDNAI GFYMAVPALA GHKKDIGRLK LLLPDLQPQS NFCLLFDYRL AGDKVGKLRV 480
FVKNSNNALA WEKTTSEDEK WKTGKIQLYQ GTDATKSIIF EAERGKGKTG EIAVDGVLLV 540
SGLCPDSLLS VDD

Seq ID NO: 103 DNA sequence

70

PCT/US02/02242

WO 02/059377

Nucleic Acid Accession #:

75

31 41 51 GAGACATTCC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC 60 GAGACATTCC TCAATTGCTT AGACATATIC TGAGCUIACA GCAGAGGAC CICLAGUICIC 60
AGCACCATGA ATCAAACTGC GATTCTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC 120
ATTCAAGGAG TACCTCTCTC TAGAACCGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA 180
CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA 240
CGTGTTGAGA TCATTGCTAC AATGAAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA 300 10 TCGAAGGCCA TCAAGAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT 360 TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGGACCAC ACAGAGGCTG 420 CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAATTGTTC TTAGTTTGCA 480 GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAATCAGC TGCTACTACT CCTGTAGGAA 540
GGTTAATGTT CATCATCCTA AGCTATTCAG TAATAACTCT ACCCTGGCAC TATAATGTAA 600
GCTCTACTGA GGTGCTATGT TCTTAGTGGA TGTTCTGACC CTGCTTCAAA TATTTCCCTC 660 15 ACCTITCCCA TCTTCCAAGG GTACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC 720 TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAAATCTG CITTITAAAG AATGCTCTTT 780
ACTTCATGGA CTTCCACTGC CATCCTCCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA 840 CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTATT 900
CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATTGT 960
TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA 1020 20 TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG 1080 TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG 25 Seq ID NO: 104 Protein sequence:
Postein Accession #: NP_001556.1 30 MNQTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV 60 EIIATMKKKG EKRCLNPESK AIKNLLKAVS KEMSKRSP Seg ID NO: 105 DNA sequence 35 NM 015068.1 Nucleic Acid Accession # Coding sequence: 1170-2243 (underlined sequences correspond to start and stop codons) 31 51 40 GTAACAACCG TCACCCTGGG TCCCGACTGC CCACCTCCTC CTCCTCCCCC TCCCCCCAAC 60
AACAACAACA ACAACAACTC CAAGCACACC GGCCATAAGA GTGCGTGTGT CCCCAACATG 120
ACCGAACGAA GAAGGGACGA GCTCTCTGAA GAGATCAACA ACTTAAGAGA GAAGGTCATG 180 AGCAGTCGG AGGAGAACAA CAACCTGCAG AGCCAGGTGC AGAAGCTCAC AGAGGAGAAC 240
ACCACCCTTC GAGAGCAAGT GGAACCCACC CCTGAGGATG AGGATGATGA CATCGAGCTC 300
CGCGGTGCTG CAGCAGCTGC TGCCCCACCC CCTCCAATAG AGGAAGAGTG CCCAGAAGAC 360 45 CTCCCAGACA AGTTCGATGG CAACCCAGAC ATGCTGGCTC CTTTCATGGC CCAGTGCCAG 420
ATCTTCATGG AAAAGAGCAC CAGGGATTTC TCAGTTGATC GTGTCCGTG TCTCCTTCGTG 480
ACAAGCATGA TGACCGGCCG TGCTGCCCGT TGGGCCTCAG CAAAGCTGGA GCGCTCCCAC 540 50 55 60 65 70

NM 001565.1

Coding sequence: 67-363 (underlined sequences correspond to start and stop codons)

TTTATTCCTG TTCAGCTTCT CAATCAGTGA CTGTGTGCTA AATTITAGGC TACTGTATCT 2340 TCAGGCCACC TGAGGCACAT CCTCTCTGAA ACGGCTATGG AAGGTTAGGG CCACTCTGGA 2400 CTGGCACACA TCCTAAAGCA CCAAAAGACC TTCAACATTT TCTGAGAGCA ACAGAGTATT 2460 TGCCAATAAA TGATCTCTCA TTTTTCCACC TTGACTGCCA ATCTAACTAA AATAATTAAT 2520 AAGTITACTT TCCAGCCAGT CCTGGAAGTC TGGGTTTTAC CTGCCAAAAC CTCCATCACC 2580 ATCTAAATTA TAGGCTGCCA AATTTGCTGT TTAACATTA CAGAGAAGCT GATACAAACG 2640 CAGGAAATGC TGATTTCTTT ATGGAGGGGG AGACGAGGAG GAGGAGGACA TGACTTTTCT 2700 TGCGGTTTCG GTACCCTCTT TTTAAATCAC TGGAGGACTG AGGCCTTATT AAGGAAGCCA 2760 AAATTATCGG TGCAGTGTGG AAAGGCTTCC GTGATCCTCT CGCTGCACCC TTAGAAACTT 2820 10 CACCOTCTIC AAACTCCATT TCCATGGTTC TGTTAATTCT CAAGGAGCAG CAACTCGACT 2880
GGTTCTCCCA GGAGCAGGAA AAACCCTTGT GACATGAAAC ATCTCAGGCC TGAAAAGAAA 2940
GTGCTCTCTC AGATGGACTC TTGCATGTTA AGACTATGATC TCACATCAT GGTGCAAAAC 3040
ACATGTACCC AATGACTCCG GCTTTGACAC AACACCTTAC CATCATCATC GCATGATGGC 3060
TTCCACAAAG CATTAAACCT GGTAACCAGA GATTACTGGT GGCTCCAGCG TTGTTAGATG 3120 15 TTCATGAAAT GTGACCACCT CTCAATCACC TTTGAGGGCT AAAGAGTAGC ACATCAAAAG 3180
GACTCCAAAA TCCCATACCC AACTCTTAAG AGATTTGTCC TGGTACTTCA GAAAGAATTT 3240
TCATGAGTGT TCTTAATTGG CTGGAAAAGC ACCAGCTGAC GTTTTGGAAG AATCTATCCA 3300 TGTGTCTGCC TCCATATGCA TCTGGGCATT TCATCTTCAG TCCCCTCATT AGACTGTAGC 3360 ATTAGGATGT GTGGAGAGAG GAGAAATGAT TTAGCACCCA GATTCACACT CCTATGCCTG 3420 GAAGGGGGAC ATCTTTGAAG AAGAGGAATT AGGGCTGTGG ACACTGTCTT GAGGATGTGG 3480 20 ACTTCCTTAG TGAGCTCCAC ATTACTTGAT GGTAACCACT TCAAAAGGAT CAGAATCCAC 3540 GTAATGAAAA AGGTCCCTCT AGAGGATGGA GCTGATGTGA AGCTGCCAAT GGATGAAAAG 3600 CCTCAGAAAG CAACTCAAAG GACTCAAAGC AACGGACAAC ACAAGAGTTG TCTTCAGCCC 3660 AGTGACACCT CTGATGTCCC CTGGAAGCTT TGTGCTAACC TGGGACTGCC TGACTTCCTT 3720
TAGCCTGGTC CCTTGCTACT ACCTTGAACT GTTTTATCTA ACCTCTCTTT TTCTGTTTAA 3780
TTCTTTGCTA CTGCCATTGA CCCTGCTGCA GGATTTGTGT CATTTTCCTG CCTGGTTGCT 3840 25 GAGACTCCAT TTTGCTGCCA CACACAGAGA TGTAAGAGGC AGGCTTTAAT TGCCAAAGCA 3900 CAGTTTGAGC AGTAGAAAAC AACATGGTGT ATATCTCAAA TTGCCTGACA TGAAGAGGGA 3960 TCTAACGGTG AAGTTTCACT TTTCATCAGC ATCATCTTTC ACATGTTCAT TACATCCGC 4020
TCTTATTCTT GCATGTTTAA ACACTTAAAA TTTTTAGTAT AATTTTTAGT GTGTTTTGAA 4080
GTGGTGACTA GGCTTTCAAA AACTTCCATT GAATTACAAA GCACTATCCA GTTCTTATTG 4140 30 TTAAACTAAG TAAAAATGAT AAGTAACATA GTGTAAAATA TTCCTTTACT GTGAACTTCT 4200 TACAATGCTG TGAATGAGAG GCTCCTCAGA ACTGGAGCAT TTGTATAATA ATTCATCCTG 4260 TTCATCTTCA ATTITAACAT CATATATAAT TTCAATTCTA TCAATTGGGC CTTTAAAAAT 4320 35 CATATAAAAG GATATAAAAT ITGAAAAGAG AAACCTAATT GGCTATTTAA TCCAAAACAA 4380 CTTTTTTTTT TCCTTCAATG GAATCAGAAA GCTTGTCAAT CACTCATGTG TTTTAGAGTA 4440 40 GGCATGTGCA CACGGACATT TGCCACCACT GCAAGCAAAA GTCTGGAGAA GTTCACCAAC 4680 GACAAGAACG ATTAGGGAAA ATATGCTGCT GTGGGTTAAC AACTCAGAAA GTCCCTGATC. 4740 CACATTTGGC TGTTTACTAA AGCTTGTGAT TAACTTTTTG GCAGTGTGTA CTATGCTCTA 4800 CACATTIGGC TGTTTACTAA AGCTTGTGAT TAACTTTTTG GCAGTGTGTA CTATGCTCTA 4800
TTGCTAATAA TGCTAATCTAA AAATGTAGAT GTTAAAGATA AGTAATTCTAA AAATTTAATTAT 4860
TCTATAGTTT TGAAGTTTGG TTAAGTTTCC TTTCACTCAA TTGATTTATT TTGTTGTTAA 4920
TCAAATTTAT GTTAATTGGA TCCTTTAAAT TTTTTTTGGC ATTTTCCAAC AAAAATGGCT 4980
TTATTCATAA GAAAGGAAAA AAATCAATGG AATTTGATAT CTAAAGAAAGT TAGAAAGGGA 5040
GCAAAATAAA AAACATAAAG GAGATAGATG AATTAGTAAG CAAATCAGTA GTCGAGTTTT 5100
TCAAACTGGC AAAATTAATT AATTGACTTTT TAGCCCCAAAT TTACATTGTT AATTAAATCA 5160
AGAAGGAAGA AGATCTAAGA GCTCCCATTG ATAGGCAAGC CTAGAGAGAA CTAGCTAAAT 5220
TTATCATGCT AGGATATT GTTTAGTGCG AAAAA AGGAG AAATTAATGAACT ATTAAATTCA 45 50 GTTTGGACAG TGAGGTATTT GTCTTAGTGG AAAAAAGGAG AATTAGTCTG ATCAAATCGT 5340 GAAGTAATAC AGTGAACTTG CAGGTGCACA AAATAAGAGG GCCACATCTA TATGGTGCAG 5400 TCTGGAATTC TGTTTAAGTT TGTAGGTACC TCTTGGACTT CTGAATTGAT CCAGTTGTCA 5460 TCCACCACAG ACATCTCACA TCAGATACAG ACAGTTCCAA GATTGACAAC AGAGAACAAC 5520 CTGCTGGAAA GACCTGGGCA GAAATGGAGA GCCCTGCGGG AACCATGCTA CATTTTCATC 5580 55 TAAAGAGAGA ATGCACATCT GATGAGACTG AAAGTTCTTT GTTGTTTTAG ATTGTAGAAT 5640 GGTATTGAAT TGGTCTGTGG AAAATTGCAT TGCTTTTATT TCTTTTGTGTA ATCAAGTTTA 5700 AGTAATAGGG GATATATAAT CATAAGCATT TTAGGGTGGG AGGGACTATT AAGTAATTTT 5760 AAGTGGGTGG GGTTATTTAG AATGTTAGAA TAATATTATG TATTAGATAT CGCTATAAGT 5820 GGACATGCGT ACTTACTTGT AACCCTTTAC CCTATAATTG CTATCCTTAA AGATTTCAAA 5880 TAAACTCGGA GGGAACTGCA GGGAGACCAA CTTATTTAGA GCGAATTGGA CATGGATAAA 5940 60 AACCCCAGTG GGAGAAAGTT CAAAGGTGAT TAGATTAATA ATTTAATAGA GGATGAGTGA 6000 CCTCTGATAA ATTACTGCTA GAATGAACTT GTCAATGATG GATGGTAAAT TTTCATGGAA 6060 GTTATAAAAG TGATAAATAA AAACCCTTGC TTTTACCCCT GTCAGTAGCC CTCCTCAC 6120 65 CACTGAACCC CATTGCCCCT ACCCCTCCTT CTAACTTTAT TGCTGTATTC TCTTCACTCT 6180 ATATTTCTCT CTATTTGCTA ATATTGCATT GCTGTTACAA TAAAAAATTCA ATAAAGATTT 6240 AGTGGTTAAG TGC

70 Seq ID NO: 106 Protein sequence:
Protein Accession #: NP_055883.1

j 11 21 · 31 41 51

⁷⁵ MTERRRDELS EEINNLREKV MKQSEENNNL QSQVQKLTEE NTTLREQVEP TPEDEDDDIE 60
LRGAAAAAP PPPIEEECPE DLPEKFDGNP DMLAFFMAQC QIFMEKSTRD FSVDRVRVCF 120
VTSMMTGRAA RWASAKLERS HYLMHNYPAF MMEMKHVFED PQRREVAKRK IRRLRQGMGS 180
VIDYSNAFQM IAQDLDWNEP ALIDQYHEGL SDHIQEELSH LEVAKSLSAL IQQCHIERR 240

LARAAAARKP RSPPRALVLP HIASHHQVDP TEPVGGARMR LTQEEKERRR KLNLCLYCGT 300 GGHYADNCPA KASKSSPAGN SPAPL

5 Seq ID NO: 107 DNA sequence
Nucleic Acid Accession #: NM_003679.1
Coding sequence: 47-1507(underlined sequences correspond to start and stop codons)

31 GGCACGAGCA GAAGCAACAA TAATTGTGAA AAATACTTCA GCAGTT<u>ATG</u>G ACTCATCTGT 60 CATTCAAAGG AAAAAAGTAG CTGTCATTGG TGGTGGCTTG GTTGGCTCAT TACAAGCATG 120 10 CTTTCTTGCA AAGAGGAATT TCCAGATTGA TGTATATGAA GCTAGGGAAG ATACTCGAGT 180
GGCTACCTTC ACACGTGGAA GAAGCATTAA CTTAGCCCTT TCTCATAGAG GACGACAAGC 240
CTTGAAAGGT GTTGGCCTGG AAGATCAGAT TGTATCCCAA GGTATTCCCA TGAGAGCAAG 300 15 20 CAGTCAGCAG TACATTCCTC ATGGGTACAT GGAGTTGACT ATTCCACCTA AGAACGGAGA 660 TATGCCATG GAACCTAATT ATCTGCATAT TTGGCCTAGA AATACCTTTA TGATGATIGG 720
ACTTCCTAAC ATGAACAAAT CATTCACATG TACTTTGTTC ATGCCCTTTG AAGACGTTTG 780
AAAACTTCTA ACCAGTAATG ATGTGTAGA TTTCTTCCAG AAATACTTTC CGGATGCCAT 840
CCCTCTAATT GGAGGAAAC TCCTAGTGGA AGATTCTTC CTGTTGCCTG CCCAGCCCAT 900
GATATCTGTA AAGTGCTCTT CATTTCACTT TAAATCTCAC TGTGTACTGC TGGGAGATGC 960 25 AGCTCATGCT ATAGTGCCGT TTTTTGGGCA AGGAATGAAT GCGGGCTTTG AAGACTGCTT 1020
GGTATTTGAT GAGTTAATGG ATAAATTCAG TAACGACCTT AGTTTGTTC TTCCTGTGTT 1080
CTCAAGATTG AGAATCCCAG ATGATCACGC GATTTCAGAC CTATCCATGT ACAATTACAT 1140 AGAGATGCGA GCACATGTCA ACTCAAGCTG GTTCATTTTT CAGAAGAACA TGGAGAGATT 1200
TCTTCATGCG ATTATGCCAT CGACCTTTAT CCCTCTCTAT ACAATGGTCA CTTTTTCCAG 1260
AATAAGATAC CATGAGGCTG TGCAGCGTTG GCATTGGCAA AAAAAGGTGA TAAACAAAGG 1320 30 ACTORITHTIC TIGGGATCAC TGATAGCCAT CAGCAGGACA AAAAAGUTGA TAACAAAGG 132
GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TGGATAGCT ACCTACTTA TACACTACAT 1380
GTCACCACGA TCTTTCCTCT GCTTGAGAAG ACCATGGAAC TGGATAGCT ACCTTCCGGAA 1440
TACAACATGT TTCCCCGCAA AGGCCGTGGA CTCCCTTAGAA CAAATTTCCA ATCTCATTAG 1500
CAGGTGATAG AAAGGTTTTG TGGTAGCAAA TGCATGATTTCTCTGTGACC AAAATTAAGC 1560
ATGAAAAAAA TGTTTCCATT GCCATATTTG ATCACTAGT GGAAGATAGT GTTCTGCTTA 1620
TAATTAAAACT GAATGTAGAG TATCTCTGTA TGTTAATTGC AATTACTGGT TGGGGGTGC 1680 35 ATTITIAAAAG ATGAAACATG CAGCTTCCCT ACATTACACA CACTCAGGTT GAGTCATTCT 1740 AACTATAAAA GTGCAATGAC TAAGATCCTT CACTTCTCTG AAAGTAAGGC CCTAGATGCC 1800 40 TCAGGGAAGA CAGTAATCAT GCCTTTTCTT TAAAAGACAC AATAGGACTC GCAACAGCAT 1860 TGACTCAACA CCTAGGACTA AAAATCACAA CTTAACTAGC ATGTTAACTG CACTTTTCAT 1920 TACGTGAATG GAACTTACCT AACCACAGGG CTCAGACTTA CTAGATAAAA CCAGAAATGG 1980 AAATAAGGAA TTCAGGGGAG TTCCAGAGAC TTACAAAATG AACTCATTTT ATTTTCCCAC 2040 45 GCTCACAGC CAGCCCAGGC TACATGAAG GACAGCAAG GGTTTATTC ATAAATTAAA 2520

AAAAGGCTAT TAATATCATA CTAAGTGAAG GACAGGAAG GGTTTTATTC ATAAATTAAA 2520 50 TGTCTACATG TGCCAGAATG GAAAGGAAAC AAGGGGACAC AACTTTTATA GAAATACAAA 2580 GCCATTACTT TATTCAATTT CAGACCCTCA GAAGCAATTT ACTAATTTAT TCTTCGACTA 2640 CATACTGCAG CAGAACCAGC AATACACTTG ATTTTTAAAA GCACATTTAG TGAAATGTTT 2700 55 60 GGAGTTTGCC TTGTAGATTC CTCTGGTGGT GGTCTCCAGG CTGACAAGGA TTCAAAGTTG 3240 TCTCTGAAAC TCCTCTTTGT CATACTGCAC ATATAAAACG TCTTTTGTTT CCAACAAGAG 3300 GATTTCTTTT TCATTCTAGA ATTATCTCCT TGATAACTTG ATCAGATATA GGACATGACA 3360 CTGAATAGAG TCCAACAGTA CAAAAAAAAT TCAGTATGTT CTAGCTACTT CACACATGTG 3420 65 TACGCGACAG TTATTTTTAC AGTAAGGTAT TTTCGAGAAA AATGCATTAC GTGTTTTGGA 3480 AAATAGAGTA ATTTAAAAAA TATATTTGAA ATGAAAATCT CCAACACATT AGAAGATGAT 3540 GATGITAGAT GCCCATCGTG TGCCACAAGT GGTTTTTTCA TTATGITAAG CACCCGTTGA 3600 ATTAAAAGAA TITGITTTTG TTCAACCTCT TCCTGAGGCC CAAGAGCATA TGGGCAATTC 3660 GGATTTCCTG CTGGACCACA AGGTTCTGTT GATATTACAT AGAAACGGGT ATTCCAGACA 3720 70 GGATTICCIG CIGGACCACA AGGTICTGIT GATATIACAI AGAAACGGGT ATTCCAGACA 3/20
CTICTTATTGA TGAAAAGTCCA AAAGTGGCAT CCAATTTAAG GCCCCATCTT TCGTTGCCAT 3780
TCTTCATTCC TACAAAGGAC GAACTTGGAT TACATCAACT TTGGACCCAT TGGTTTTTGT 3840
GCTGTCGTCA ACTGACAGTG ATTCACCACT GGTGATGATA AAAATGATGG AAGAAGAGTT 3900
GAAAGTCACT TTTTTCTTTG GCCTGTCCCC ATCTTTCTTG GACATCACAA TGGGTCTGAT 3960
CTGCATTTCA CTTCCAGCTG CTGGTAGGTC TTTAGCAGGC CTCTGGCACC TCAGCAGTCG 4020
GAGGCACAGA AGCTGCAAAA GGGATCTTCG AAACTGGGCA GAGAAAAAAT AAAGTGGAAT 4080 75

ATTAAGTAAA AGTTGGGCAC TAATCTGGAT TAACATTCGA GGAAATCAGT TGAGCTGATT 4140 TAAGTTGTTT TITGTTTGTT AGCAGGTGTG GATGTGGGGT TATGTGGTCA TGCTCAGATC 4200 TACCTAAATC ACCCCAGAGC TITATGTCTT TTATTCATTC TAAATCTTAT TAACCGGAAT 4260 ATGTAGGACC ATTTCAATAC CTTGTAATCC TCCAAGCTTC AATCTGCACA CACTTTCTAT 4320 GAGGGCAGGT ACAACTATTA AGAGATTTTG AACATTAAGT TAGTCACACA ATATTCAGTG 4380
GGCATCTACT AGGTGACAGC CACTGTGCTA TAATTAAGTAAGT TAATCAAGTAA
AAACAGATAA GGCTCTTCCT GGCAGAGTTT ACAGCCTGGT GTACTTGCTA ATGTCTCTTT 4500 AATTAGGTGA AGAATTTTTT TTTTCTATCG AAATTACTAA TCAGTTGGGG AAAAAAATAC 4560 TATAGCAGAC AGCACTAATG TCATCAACAA ACATTGTTCT TCTCCGTGTC CTGGGTACAA 4620 CATCGAATAA TATTTCTTGG CCTCCTTTCC GCTTCTCCTC TCTGCTGTTC CTCTCTACAA 4680 10 GAACCTGGGA GGCCAACGCC TAAAGATCAT AATATCACAA TGGAAGGAAC CTAGATTCCT 4740
AAATGACTGC ATAGGACAGA TCCCATCTCC TCCACCCAAT ACATTATTAG ACTGAACTGT 4800
GACCTGAAAT GAGCAATAAA CTCTGTATTA ATTCACTGAA ATOTTGGGGT TGCTTGTTAT 4860 AGTAGTCGGT CCATCATGAC CAGTAAAACA TAAATCAAAA GTTAATGTAA TTGTTATCCC 4920 15 ATTATTTAGA GCGAAATAAA TGTTGAATAT ATGGACTTTC TCAGATTAGG AAATACCAAT 4980 TAAAAATATA ATAAATAGCT Seq ID NO: 108 <u>Protein sequence:</u>
Protein Accession #: NP_003670.1 20 41 MDSSVIQRKK VAVIGGGLVG SLQACFLAKR NFQIDVYEAR EDTRVATFTR GRSINLALSH 60 RGRQALKAVG LEDQIVSQGI PMRARMIHSL SGKKSAIPYG TKSQYILSVS RENLNKDLLT 120 AAEKYPNYKM HENHRLLKCN PEEGMITYLG SDKYPKDYTC DLIVGCDGAY STYRSHLMKK 180
PRPDYSQQYI PHGYMELTIP PKNGDY AMEP NYLHIWPRNT FMMIALPNMN KSFTCTLFMP 240
FEEFEKLLTS NDVYDFFQKY FPDAIPLIGE KLLVQDFFLL PAQPMISYKC SSFHFKSHCV 300 25 LLGDAAHAIV PFFGQGMNAG FEDCLVFDEL MDKFSNDLSL CLPVFSRLRI PDDHAISDLS 360 MYNYIEMRAH VNSSWFIFQK NMERFLHAIM PSTFIPLYTM VTFSRIRYHE AVQRWHWQKK 420 VINKGLFFLG SLIAISSTYL LIHYMSPRSF LCLRRPWNWI AHFRNTTCFP AKAVDSLEQI 480 30 Seq ID NO: 109 DNA sequence Nucleic Acid Accession # NM 006115.1 35 Coding sequence: 236-1765 (underlined sequences correspond to start and stop codons) 21 31 41 GCTTCAGGGT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCCTC AGCACCGCTC 60
CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA 120
ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT 180 40 GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAAATTGGA 240
ACGAAGGCGT TTGTGGGGTT CCATTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG 300 CCCACGGAGA CTTGTGGAGC TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT 360
TGCCGCCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA 420
CGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC 480 45 TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA 540 TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGCT 600
GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGGAA ACAGGGCCAG 660
TCTGTACTCA TTTCCAGGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720
TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT 780
CCTCAAGGAA GGTGCCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA 840 50

GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900
TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTTGG AAGTGACTTG 960
TACCTGGAAG CTACCCACCT TGGCGAAAATT TTCTCCTTAC CTGGGCCAGA TGATTAATCT 1020

GCGTAGACTC CTCCTCTCCC ACATCCATGC ATCTTCCTAC ATTTCCCCGG AGAAGGAAGA 1080
GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCTA 1140
TGTGGACTCT TTATTTTTCC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGATGAA 1200

CCCCTTGGAA ACCCTCTCAA TAACTAACTG CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260 GTCCCAGAGT CCCAGCGTCA GTCAGCTAAG TGTCCTGAGT CTAAGTGGGG TCATGCTGAC 1320 CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA 1380

CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTTGCCCTCC TGCCTTCCCT 1440
GAGCCACTGC TCCCAGCTTA CAACCTTAAG CTTCTACGGG AATTCCATCT CCATATCTGC 1500
CTTGCAGAGT CTCCTGCAGC ACCTCACTCGG GCTGAGCAAT CTGACCCACG TGCTGTTCC 1560
TGTCCCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620
TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCCAGCA TGGTCTGGCT 1680

Seq ID NO: 110 Protein sequence:
Protein Accession #: NP 006106.1

55

60

65

MERRILWGSI QSRYISMSVW TSPRRLVELA GQSLLKDEAL AIAALELLPR ELFPPLFMAA 5 FDGRHSQTLK AMVQAWPFTC LPLGVLMKGQ HLHLETFKAV LDGLDVLLAQ EVRPRRWKLQ 120 VLDLRKNSHQ DFWTVWSGNR ASLYSFPEPE AAQPMTKKRK VDGLSTEAEQ PFIPVEVLVD 180 LFLKEGACDE LFSYLIEKVK RKKNVLRLCC KKLKIFAMPM QDIKMILKMV QLDSIEDLEV 240 TCTWKLPTLA KFSPYLGQMI NLRRLLLSHI HASSYISPEK EEQYIAQFTS QFLSLQCLQA 300 LYVDSLFFLR GRLDQLLRHV MNPLETLSIT NCRLSEGDVM HLSQSPSVSQ LSVLSLSGVM 360 10 LTDVSPEPLQ ALLERASATL QDLVFDECGI TDDQLLALLP SLSHCSQLTT LSFYGNSISI 420 SALQSLLQHL IGLSNLTHVL YPVPLESYED IHGTLHLERL AYLHARLREL LCELGRPSMV 480 WLSANPCPHC GDRTFYDPEP ILCPCFMPN 15 Seq ID NO: 111 DNA sequence Nucleic Acid Accession NM 003815 Coding sequence: 8-2452 (underlined sequences correspond to start and stop codons) 51 41 20 CGCTGCCATG CGCCTGCCCC TGCTCTGGGC CCTGGGGCTC CTGGGCGCGG GCAGCCCTCT 60 GCCTTCCTGG CCGCTCCCAA ATATAGGTGG CACTGAGGAG CAGCAGGCAG AGTCAGAGAA 120 GGCCCCGAGG GAGCCCTTGG AGCCCCAGGT CCTTCAGGAC GATCTCCCAA TTAGCCTCAA 180 AAAGGTGCTT CAGACCAGTC TGCCTGAGCC CCTGAGGATC AAGTTGGAGC TGGACGGTGA 25 CAGTCATATC CTGGAGCTGC TACAGAATAG GGAGTTGGTC CCAGGCCGC CAACCCTGGT 300 GTGGTACCAG CCCGATGGCA CTCGGGTGGT CAGTGAGGGA CACACTTTGG AGAACTGCTG 360 CTACCAGGGA AGAGTGCGGG GATATGCAGG CTCCTGGGTG TCCATCTGCA CCTGCTCTGG 420 GCTCAGAGGC TTGGTGGTCC TGACCCCAGA GAGAAGCTAT ACCCTGGAGC AGGGGCCTGG 480
GGACCTTCAG GGTCCTCCCA TTATTTCGCG AATCCAAGAT CTCCACCTGC CAGGCCACAC 540 30 CTGTGCCCTG AGCTGGCGGG AATCTGTACA CACTCAGACG CCACCAGAGC ACCCCCTGGG 600 ACAGCGCCAC ATTCGCCGGA GGCGGGATGT GGTAACAGAG ACCAAGACTG TGGAGTTGGT 660
GATTGTGGCT GATCACTCGG AGGCCCAGAA ATACCGGGAC TTCCAGCACC TGCTAAACCG 720 CACACTGGAA GTGGCCCTCT TGCTGGACAC ATTCTTCCGG CCCCTGAATG TACGAGTGGC 780 ACTAGTGGGC CTGGAGGCCT GGACCCAGCG TGACCTGGTG GAGATCAGCC CAAACCCAGC 840
TGTCACCCTC GAAAACTTCC TCCACTGGCG CAGGGCACAT TTGCTGCCTC GATTGCCCCA 900
TGACAGTGCC CAGCTGGTGA CTGGTACTTC ATTCTCTGGG CCTACGGTGG GCATGGCCAT 960 35 TCAGAACTCC ATCIGNTED CIGGITACTIC ATTRICTORGG CCTACUTIG GCATGGCCAT 900
CATCCTGGGA GTCGCCTCCT CCATAGCCCA TGAGTTGGGC CACACGCCCA ACTCCACCAG 1020
CATCCTGGGA GTCGCCTCCT CCATAGCCCA TGAGTTGGGC CACAGCCTGG GCCTGGACCA 1080
TGATTTGCCT GGGAATAGCT GCCCCTGTCC AGGTCCAGCC CCAGCCAAGA CCTGCATCAT 1140
GGAGGCCTCC ACAGACTTCC TACCAGGCCT GAACTTCCAGC AACTGCAGCC GACGGGCCT 1200
GGAGAAAGCC CTCCTGGATG GAATGGGCAG CTGCCTCTTC GAACGGCTGC CTAGCCTACC 1260
CCCTATGGCT GCTTTCTGCG GAAATATGTT TGTGGAGCCG GGCGAGCAGT GTGACTGTGG 1320
CTTCCTGGAT GACTGCGTCG ATCCCTGCTG TGATTCTTTG ACCTGCCAGC TGAGGCCAGG 1380 40 TGCACAGTGT GCATCTGACG GACCCTGTTG TCAAAATTGC CAGCTGCGCC CGTCTGGCTG 1440 45 GCAGTGTCCT CCTACCAGAG GGGATTGTGA CTTGCCTGAA TTCTGCCCAG GAGACAGCTC 1500 CCAGTGTCCC CCTGATGTCA GCCTAGGGGA TGGCGAGCCC TGCGCTGGCG GGCAAGCTGT 1560 GTGCATGCAC GGGCGTTGTG CCTCCTATGC CCAGCAGTGC CAGTCACTTT GGGGACCTGG 1620 AGCCCAGCCC GCTGCGCCAC TTTGCCTCCA GACAGCTAAT ACTCGGGGAA ATGCTTTTGG 1680
GAGCTGTGGG CGCAACCCCA GTGGCAGTTA TGTGTCCTGC ACCCCTAGAG ATGCCATTTG 1740 50 TGGGCAGCTC CAGTGCCAGA CAGGTAGGAC CCAGCCTCTG CTGGGCTCCA TCCGGGATCT 1800 ACTCTGGGAG ACAATAGATG TGAATGGGAC TGAGCTGAAC TGCAGCTGGG TGCACCTGGA 1860
CCTGGGCAGT GATGTGGCCC AGCCCCTCCT GACTCTGCCT GGCACAGCCT GTGGCCCTGG 1920 CCTGGTGTGT ATAGACCATC GATGCCAGGG TGTGGATCTC CTGGGGGGCAC AGGAATGTCG 1980
AAGCAAATGC CATGGACATG GGGTCTGTGA CAGCAACAGG CACTGCTACT GTGAGGAGGG 2040
CTGGGCACCC CCTGACTGCA CCACTCAGCT CAAAGCAACC AGCTCCCTGA CCACAGGGCT 2100 55 GCTCCTCAGC CTCCTGGTCT TATTGGTCCT GGTGATGCTT GGTGCCGGCT ACTGGTACCG 2160
TGCCCGCCTG CACCAGCGAC TCTGCCAGCT CAAGGGACCC ACCTGCCAGT ACAGGGCAGC 2220
CCAATCTGGT CCCTCTGAAC GGCCAGGACC TCCGCAGAGG GCCCTGCTGG CACGAGGCAC 2280 TAAGTCTCAG GGGCCAGCCA AGCCCCCACC CCCAAGGAAG CCACTGCCTG CCCACCCCCA 2340
GGGCCGGTGC CCATCGGGTG ACCTGCCCGG CCCAGGGGCT GGAATCCCGC CCCTAGTGGT 2400
ACCCTCCAGA CCAGCGCCAC CGCCTCCGAC AGTGTCCTCG CTCTACCTC<u>T GA</u>CCTCTCCG 2460 60 GAGGTTCCGC TGCCTCCAAG CCGGACTTAG GGCTTCAAGA GGCGGGCGTG CCCTCTGGAG 2520
TCCCCTACCA TGACTGAAGG CGCCAGAGAC TGGCGGTGTC TTAAGACTCC GGGCACCGCC 2580
ACGCGCTGTC AAGCAACACT CTGCGGACCT GCCGGCGTAG TTGCAGCGGG GGCTTGGGGA 2640 65 GGGGCTGGGG GTTGGACGGG ATTGAGGAAG GTCCGCACAG CCTGTCTCTG CTCAGTTGCA 2700 ATAAACGTGA CATCTTGGGA GCGTTAAAAA AAAAAAAAA Seq ID NO: 112 Protein sequence:
Protein Accession #: NP_003806.2 70 MRIALLWALG LIGAGSPLPS WPLPNIGGTE EQQAESEKAP REPLEPQVLQ DDLPISLKKV 60
LQTSLPEPLR IKLELDGDSH ILELLQNREL VPGRPTLVWY QPDGTRVVSE GHTLENCCYQ 120
GRVRGYAGSW VSICTCSGLR GLVVLTPERS YTLEQGPGDL QGPPIISRIQ DLHLPGHTCA 180 75 LSWRESVHTQ TPPEHPLGQR HIRRRRDVVT ETKTVELVIV ADHSEAQKYR DFQHLLNRTL 240 EVALLLDTFF RPLNVRVALV GLEAWTQRDL VEISPNPAVT LENFLHWRRA HLLPRLPHDS 300

11 21 31

51

AQLVTGTSFS GPTVGMAIQN SICSPDFSGG VNMDHSTSIL GVASSIAHEL GHSLGLDHDL 360 PGNSCPCPGP APAKTCIMEA STDFLPGLNF SNCSRRALEK ALLDGMGSCL FERLPSLPPM 420 AAFCGNMFVE PGGCCDGFL DDCVDPCCDS LTCQLRPGAQ CASDGPCCQN CQLRPSGWQC 480
RPTRGDCDLP EFCPGDSSQC PPDVSLGDGE PCAGGQAVCM HGRCASYAQQ CQSLWGPGAQ 540
PAAPLCLQTA NTRGNAFGSC GRNPSGSYVS CTPRDAICGQ LQCQTGRTQP LLGSIRDLLW 600 ETIDVNGTEL NCSWVHLDLG SDVAQPLLTL PGTACGPGLV CIDHRCQRVD LLGAGYWYRAR 720 CHGHGVCDSN RHCYCEEGWA PPDCTTQLKA TSSLTTGLLL SLLVLLVLVM LGAGYWYRAR 720 LHQRLCQLKG PTCQYRAAQS GPSERPGPPQ RALLARGTKS QGPAKPPPPR KPLPADPQGR 780 CPSGDLPGPG AGIPPLVVPS RPAPPPPTVS SLYL 10 Seg ID NO: 113 DNA sequence Nucleic Acid Accession #: NM_002416 Coding sequence: 40-417 (underlined sequences correspond to start and stop codons) 15 41 31 51 ATCCAATACA GGAGTGACTT GGAACTCCAT TCTATCACT<u>A TG</u>AAGAAAAG TGGTGTTCTT 60 TTCCTCTTGG GCATCATCTT GCTGGTTCTG ATTGGAGTGC AAGGAACCCC AGTAGTGAGA 120 AAGGGTCGCT GTTCCTGCAT CAGCACCAAC CAAGGGACTA TCCACCTACA ATCCTTGAAA 180 GACCTTAAAC AATTIGCCCC AAGCCCTTCC TGCGAGAAAA TTGAAATCAT TGCTACACTG 240
AAGAATGGAG TTCAAACATG TCTAAACCCA GATTCAGCAG ATGTGAAGGA ACTGATTAAA 300
AAGTGGGAGA AACAGGTCAG CCAAAAGAAA AAGCAAAAGA ATGGGAAAAA AACATCAAAAA 360 20 AAGAAAGTTC TGAAAGTTCG AAAATCTCAA CGTTCTCGTC AAAAGAAGAC TACA<u>TAA</u>GAG 420 ACCACTTCAC CAATAAGTAT TCTGTGTTAA AAATGTTCTA TTTTAATTAT ACCGCTATCA 480 TTCCAAAGGA GGATGGCATA TAATACAAAG GCTTATTAAT TTGACTAGAA AATTTAAAAC 540 25 ATTACTCTGA AATTGTAACT AAAGTTAGAA AGTTGATTTT AAGAATCCAA ACGTTAAGAA 600
TTGTTAAAGG CTATGATTGT CTTTGTTCTT CTACCACCCA CCAGTTGAAT TTCATCATGC 660
TTAAGGCCAT GATTTTAGCA ATACCCATGT CTACCACAGAT GTTCACCAA CCACATCCCA 720 TIAAUGUCAI GAITHAGCA AIACUCAIGT CTACACAGAT GTICACCCAA CCACATCCCA 720
CTCACAACAG CTGCCTGGAA GAGCAGCCCT AGGCTTCCAC GTACTGCAGC CTCCAGAGAG 780
TATCTGAGGC ACATGTCAGC AAGTCCTAAG CCTGTTAGCA TGCTGGTGAG CCAAGCAGT 840
TGAAATTGAG CTGGACCTCA CCAAGCTGCT GTGGCCATCA ACCTCTGTAT TTGAATCAGC 900
CTACAGGCCT CACACACAT GTGTCTGAGA GATTCATGCT GATTGTTATT GGGTATCACC 960
ACTGGAGATC ACCACTGTGT GGCTTTCAGA GCCTCCTTTC TGGCTTTGGA AGCCATGTGA 1020 30 TTCCATCTTG CCCGCTCAGG CTGACCACTT TATTTCTTTT TGTTCCCCTT TGCTTCATTC 1080 AGTCAGCTC TTCTCCATCC TACCACACT LATTICTTT TGTTCCCCTT TGCTTCATTC 1080
AAGTCAGCTC TTCTCCATCC TACCACATG CAGTGCCTTT CTTCTCCCA GTGCACCTGT 1140
CATATGCTCT GATTTATCTG AGTCAACTCC TTTCTCATCT TGTCCCCAAC ACCCCACAGA 1200
AGTGCTTTCT TCTCCCAATT CATCCTCACT CAGTCCAGCT TAGTTCAAGT CCTGCCTCTT 1260
AAATAAACCT TTTTGGACAC ACAAATTATC TTAAAACTCC TGTTTCACTT GGTTCAGTAC 1320
CACATGGGTG AACACTCAAT GGTTAACTAA TTCTTGGGTG TTTATCCTAT CTCTCAACC 1380 35 CACATGGGTG AACACTCAAT GGTTAACTAA TICTIGGGIG TITALCULAT CICICUAACU 1880
AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTAATATT CCCTGTTTCT TCCACAGTGC 1440
CTAATAATAC TGTGGAACTA GGTTTTAATA ATTITTTAAT TGATGGTTGTT ATTGGCAGGA 1500
TGGCAACCAG ACCATTGTCT CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTIGG 1560
CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG GACCAGGGAT 1620
GATGCAACAT CCTTGTCTTT TTATGACAGG ATGTTTGCTC AGCTTCCCA ACAATAAGAA 1680
GCACGTGGTA AAACACTTTGC GGATATTCTG GACCGTTTTTT AAAAAAATATAA CAGTTTACCG 1740 40 45 AAAATCATAT AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC 1800
CCAACCATAC AAAAATTCCT TTTCCCGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT 1860
TCTAAGATCT AACAAGATAG CCACCGAGAT CCTTATCGAA ACTCATTTTA GGCAAATATG 1920 50 55 AAACAGTATT GACTTGTATA CCTTGTAATT TGAAATATTT TCTTTGTTAA AATAGAATGG 2520 TATCAATAAA TAGACCATTA ATCAG 60 Seq ID NO: 114 Protein sequence:
Protein Accession #: NP_002407 41 21 31 65 MKKSGVLFLL GIILLVLIGV QGTPVVRKGR CSCISTNQGT IHLQSLKDLK QFAPSPSCEK 60 IEIIATLKNG VQTCLNPDSA DVKELIKKWE KQVSQKKKQK NGKKHQKKKV LKVRKSQRSR 120 70 Seq ID NO: 115 DNA sequence NM_003238.1 Nucleic Acid Accession #: Coding sequence: 182-1426 (underlined sequences correspond to start and stop codons) 31 41 21 75 CAAGCAGGAT ACGTTTTTCT GTTGGGCATT GACTAGATTG TTTGCAAAAG TTTCGCATCA 60 AAAACAAACA ACAACAACAA AAAACCAAAC AACTCTCCTT GATCTATACT TTGAGAATTG 120

TTGATTTCTT TTTTTTATT CTGACTTTTA AAAACAACTT TTTTTTCCAC TTTTTTAAAA 180 AATGCACTAC TOTGTGCTGA GCGCTTTTCT GATCCTGCAT CTGGACTCACG 240
CCTGTCTACC TGCAGCACAC TCGATATGGA CCAGTTCATG CGCAAGAGGA TCGAGGCGAT 300
CCGCGGGCAG ATCCTGAGCA AGCTGAAGCT CACCAGTCCC CCAGAAGACT ATCCTGAGCC 360
CGAGGAAGTC CCCCCGGAGG TGATTTCCAT CTACAACAGC ACCAGGGACT TGCTCAGGA 420
GAAGGCGAGC CGGAGGGCGG CCGCCTGCGA GCGCGAGAGG AGCAGCAAG AGTACTACGC 480
CAAGGAGGTT TACAAAAATAG ACATGCCGCC CTTCTTCCCC TCCGAAAATG CCATCCCGC 540 CACTITICTAC AGACCCTACT TCAGAATTGT TCGATTTGAC GTCTCAGCAA TGGAGAAGAA 600
TGCTTCCAAT TTGGTGAAAG CAGAGTTCAG AGTCTTTCGT TTGCAGAACC CAAAAGCCAG 660
AGTGCCTGAA CAACGGATTG AGCTATATCA GATTCTCAAG TCCAAAGATT TAACATCTCC 720 10 AACCCAGCGC TACATCGACA GCAAAGTTGT GAAAACAAGA GCAGAAGGCG AATGGCTCTC 780 CTTCGATGTA ACTGATGCTG TTCATGAATG GCTTCACCAT AAAGACAGGA ACCTGGGATT 840
TAAAATAAGC TTACACTGTC CCTGCTGCAC TTTTGTACCA TCTAATAATT ACATCATCCC 900 AAATAAAAGT GAAGAACTAG AAGCAAGATT TGCAGGTATT GATGGCACCT CCACATATAC 960 15 CAGTGGTGAT CAGAAAACTA TAAAGTCCAC TAGGAAAAAA AACAGTGGGA AGACCCCACA 1020 TCTCCTGCTA ATGTTATTGC CCTCCTACAG ACTTGAGTCA CAACAGACCA ACCGGCGGAA 1080 GAAGCGTGCT TTGGATGCGG CCTATTGCTT TAGAAATGTG CAGGATAATT GCTGCCTACG 1140 TCCACTITAC ATTGATTICA AGAGGGATCT AGGGTGGAAA TGGATACACG AACCCAAAGG 1200 GTACAATGCC AACTTCTGTG CTGGAGCATG CCCGTATTTA TGGAGTTCAG ACACTCAGCA 1260 GRACATIGCE AACH ICHGIG CHIGAGUCATC CCCHAFTHA IGAGUT ICAG ACACLAGUA ISO
CAGCAGGGTC CTGAGCTTAT ATAATACCAT AAATCCAGAA GCATCTGCTT CTCCTTGCTG 1320
CGTGTCCCAA GATTTAGAAC CTCTAACCAT TCTCTACTAC ATTGGCAAAA CACCCAAGAT 1380
TGAACAGCTT TCTAATATGA TTGTAAAGTC TTGCAAATGC AGCTAAAATT CTTGGAAAAG 1440
TGGCAAGACC AAAATGACAA TGATGATGAT AATGATGATG ACGACGACAA CGATGATGCT 1500
TGTAACAAGA AAACATAAGA GAGCCTTGGT TCATCAGTGT TAAAAAATTT TTGAAAAGGC 1560
GGTACTAGTT CAGACACCTTT GGAAGTTTGT GTTCTGTTTG TTAAAAACTGG CATCTGACAC 1620 20 25 AAAAAAAGTT GAAGGCCTTA TTCTACATTT CACCTACTTT GTAAGTGAGA GAGACAAGAA 1680 GCAAATTTTT TTAAA Seq ID NO: 116 Protein sequence:
Protein Accession #: NP_003229.1 30 MHYCVLSAFL ILHLVTVALS LSTCSTLDMD QFMRKRIEAI RGQILSKLKL TSPPEDYPEP 60 35 EEVPPEVISI YNSTROLLQE KASRRAAACE RERSDEEYYA KEVYKIDMPP FFPSENAIPP 120
TFYRPYFRIV RFDVSAMEKN ASNLVKAEFR VFRLONPKAR VPEQRIELYQ ILKSKOLTSP 180 TORYIDSKVV KTRAEGEWLS FOVTDAVHEW LHIKDRNLGF KISLHCPCCT FVPSNNYIIP 240
NKSEELEARF AGIDGTSTYT SGDQKTIKST RKKNSGKTPH LLLMLLPSYR LESQQTNRRK 300
KRALDAAYCF RNVQDNCCLR PLYIDFKRDL GWKWIHEPKG YNANFCAGAC PYLWSSDTQH 360 40 SRVLSLYNTI NPEASASPCC VSQDLEPLTI LYYIGKTPKI EQLSNMIVKS CKCS Seq ID NO: 117 DNA sequence Nucleic Acid Accession # NM_000095.1 Coding sequence: 26-2299 (underlined sequences correspond to start and stop codons) 45 CAGCACCCAG CTCCCCGCCA CCGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60
CCTGGCTGCC CTCGGCGCGT CCGGACAGGG CCAGAGCCCG TTGGGCTCAG ACCTGGGCCC 120
GCAGATGCTT CGGGAACTGC AGGAAACCAA CGCGGCGCTG CAGGACGTGC GGGACTGGCT 180
GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGGAGT GTGACGCGTG 240 50 GCGGCAGCAG GTCAGGGAGA TCACGTTCCT GAAAAACACG GTGATGAGT GTGACGCGTG 240
CGGGATGCAG CAGTCAGTAC GCACCGGCCT ACCCAGCGTG CGGCCCCTGC TCCACTGGCC 300
GCCGGCTTC TGCTTCCCCG GCGGTGGCCTG CATCCAGACG GAGAGCGCCG GCCGCTGGCG 360
CCCCTGCCC GCGGGGTTCA CGGGCAACGG CTCGCACTGC ACCGACGTA ACGAGTGCAA 420
CGCCCACCCC TGCTTCCCCC GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA 480
GGCTAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGGT TCCGCTGCA 440
GGCCAACAAG CAGGTTTGCA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAACTGCGT 600
CCCCAACTCC GTGTGCATCA ACACCCGGGG CTCCTTCCAG TGCGGCCCGT GCCAGCCCG 660
CTTCGTGGGC GACCAGGCGT CCGGCTGCCA GCGCGGCAC AGACGCGTTCT GCCCCCCGACGG 720
CTCGCCCAGCG GAGTGCCACG AGCATGCAGA CTGCGTCTTA GAGCGCGATG GCTCGCCGGTC 780
GGGCGACCGCGCACGAGAA AGCTGCCGCACCG CAGTGCCGA ACGACTCC GAGCGCTCC CGCACGG CACTGCACCT 840
AGACGGCTTC CCGGACGAGA AGCTGCCGC CCCGGACGC CAGTGCCGA AGACTGCACCT 840
CGTGACTTC CCCGACGGG ACGCGGCACA CGGACCG CAGTGCCCTA AGACACCCT 960
CGATCCGGAT GCCACCACACAGACACGCGCACACGAGACACCCC GATGGCATCA GAGACCCTG 960
CGATCCGGAT GCCGACGGGG ACGGGGTCCC CAATGAAAAAG GACAACTGCC CGCTGGTGGC 1020
GAACCAGAC CAGCGCAACA CGGACGAGAC CAAGGAGAC CAGCGCGATGCCG ACACTGCCG 1080
GTCCCCAGAAG AACGACCACA CGGACGACA AGACCAGGAC GAGCGCGATGCGGA ATGCTGCCG 1080
GTCCCCAGAAG AACGACCACACACGACCA AAAGGACACAGGAC GACCGAGACCACCCC AAAAGGACACAGGACCACACCCCGATTCGCGA 1140 55 60 65 70 TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGCG ACGACGACGA 1440
CGACAATGAC GGAGTCCCTG ACAGTCGGGA CAACTGCCGC CTGGTGCCTA ACCCCGGCCA 1500
GGAGGACGC GACAGGGACG GCGTGGGCCA CGTGTGCCAG GACGACTTTG ATGCAGACAA 1560 GGTGGTAGAC AAGATCGACG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTCAG 1620
GGCCTTCCAG ACAGTCGTGC TGGACCCGGA GGGTGACGCG CAGATTGACC CCAACTGGGT 1680
GGTGCTCAAC CAGGGAAGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTGT 1740 75 GGGTTACACT GCCTTCAATG GCGTGGACTT CGAGGGCACG TTCCATGTGA ACACGGTCAC 1800

PCT/US02/02242 WO 02/059377

GGATGACGAC TATGCGGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860 CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCCGA 1920
GCCTGGCATC CAACTCAAGG CTGTGAAGTC TTCCACAGGC CCCGGGGAAC AGCTGCGGAA 1980
CGCTCTGTGG CATACAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGA AGGACCCGCG 2040 AAACCTGGGT TGGAAGGACA AGAAGTCCTA TCGTTGGTTC CTGCAGCACC GGCCCCAAGT 2100
GGGCTACATC AGGGTGCGAT TCTATGAGGG CCCTGAGCTG GTGGCCGACA GCAACGTGGT 2160
CTTGGACACA ACCATGCGGG GTGGCCGCCT GGGGGTCTTC TGCTTCTCCC AGGAGAACAT 2220 CATCTGGGCC AACCTGCGTT ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280
TCAGCTGCGG CAAGCCTAGG GACCAGGGTG AGGACCCGCC GGATGACAGC CACCCTCACC 2340
GCGGCTGGAT GGGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCCTGAGG GGGAAGTGAG 2400 AAGGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGGG

Seq ID NO: 118 Protein sequence:
Protein Accession #: NP_000036.1

5

10

15

35

75

31 41

MVPDTACVLL LTLAALGASG QGQSPLGSDL GPQMLRELQE TNAALQDVRD WLRQQVREIT 60 MYPDTACVIL ITLAALDASG QGGPLGSDLGFYGNILKEUS INAALDAVEN WESQVEET 120

NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD 180

NECETGQEN CVPNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH 240

ADCVLERDGS RSCVCRVGWA GNGILCGRDT DLDGFPDEKL RCPPPQCRKD NCVTVPNSGQ 300

EDVDRDGIGD ACDPDADGDG VPNEKDNCPL VRNPDQRNTD EDKWGDACDN CRSQKNDDQK 360

DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD 420 20 DTDQDGRGDA CDDDIDGDRI RNQADNCPRV PNSDQKDSDG DGIGDACDNC PQKSNPDQAD 420 VDHDFVGDAC DSDQDQDGDG HQDSRDNCPT VPNSAQEDSD HDGQGDACDD DDDDDGVPDS 480 RDNCRLVPNP GQEDADRDGV GDVCQDDFDA DKVVDKIDVC PENAEVTLTD FRAFQTVVLD 540 PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNGV DFEGTFHVNT VTDDDYAGFI 660 FGYQDSSSFY VVMWKQMEQT YWQANPFRAV AEPGIQLKAV KSSTGPGEQL RNALWHTGDT 660 ESQVRLLWKD PRNVGWKDKK SYRWFLQHRP QVGYTRVRFY EGPELVADSN VVLDTTMRGG 720 RLGVFCFSQE NIIWANLRYR CNDTIPEDYE THQLRQA 25 30

Seq ID NO: 119 DNA sequence NM_014211 Nucleic Acid Accession #: Coding sequence: 157-1479 (underlined sequences correspond to start and stop codons)

31 21 GGGACAGGGC TGAGGATGAG GAGAACCCTG GGGACCCAGA AGACCGTGCC TTGCCCGGAA 60

GGGACAGGGC TGAGGATGAG GAGAACCCTG GGGACCCAGA AGACCGTGCC TTGCCCGGAA 60
GTCCTGCCTG TAGGCCTGAA GGACTTGCCC TAACAGAGCC TCAACAACTA CCTGGTGATT 120
CCTACTTCAG CCCCTTGGTG TGAGCAGGTT CTCAACATGA ACTACAGCC CCACTTGGCC 180
TTCGTGTGTC TGAGTCTCTT CACTGAGAGG ATGTGCATCC AGGGGAGTCA GTTCAACGTC 240
GAGGTCGGCA GAAGTGACAA GCTTTCCCTG CCTGGCTTTG AGAACCTCAC AGCAGGATAT 300
AACAAATTTC TCAGGGCCAA TTTTGGTGGA GAACCCGTAC AGATAGCGCT GACTCTGGAC 360
ATTGCAAGTA TCTCTAGGAT TTCAGAGAGT AACATGGACT ACACAGCCAC CATATACCTC 420
CGACAGCGCT GGATGGACCA GCGGCTGGTG TTTGAAGGCA ACAAGACGTT CACTCTGGAT 480
GCCCGCCTCG TGGAGTTCCCT CTGGGTGCCA GATACTTACA TTGTGGAGTC CAAGAAGTCC 540
TTCCTCCATG AAGTCACTGT GGGAAACAGG GTCATCCGCC TCTTCTCCAA TGGCACGCTC 600 40 45 GCCGCCTCG IGGAGTTCCT CTGGGTGCA GATACTTACA TTGTGAGTGCA TAGGCACGGTC 600
CTGTATGCCC TCAGAATCAC GACAACTGTT GCATGTAACA TGGACCGCTC TAAATACCCC 660
ATGGACACAC AGACATGCAA GTTGCAGCTG GAAAGCTGGG GCTATGATGG AAATGCATGTG 720
GAGTTCACCT GGCTGAGAGG GAACGACTCT GTGCGTGGAACACCT GCGGCTTGCT 780
CAGTACACCA TAGAGCGGTA TTTCACCTTA GTCACCAGAT CGCAGCAGGA GACAGGAAAT 840
TACACTAGAT TGGTCTTACA GTTTGAGCTT CGGAGGAGTATTTCATTTTGGAA 900 50 ACCTACGTTC CTTCCACTTT CCTGGTGGTG TTGTCCTGGG TTTCATTTTG GATCTCTCTC 960
GATTCAGTCC CTGCAAGAAC CTGCATTGGA GTGACGACCG TGTTATCAAT GACCACACTG 1020
ATGATCGGGT CCCGCACTTC TCTTCCCAAC ACCACTGCT TCATCCAAGGC CATCGATGTG 1080 55 ATGATOGGGT CCGCACTTC TCTTCCCAAC ACCACTGCT TCATCAAGGC CATCGATGTG 1080
TACCTGGGGA TCTGCTTTAG CTTTGTGTTT GGGGCCTTGC TAGAATATGC AGTTGCTCAC 1140
TACAGTTCCT TACAGCAGAT GGCAGCCAAA GATAGGGGGA CAACAAAGGA AGTAGAAGAA 1200
GTCAGTATTA CTAATATCAT CAACAGCTCC ATCTCCAGCT TTAAACGGAA GATCAGCTTT 1260
GCCAGCATTG AAATTTCCAG CGACAACGTT GACTACAGTG ACTTGACAAT GAAAACCAGC 1320
GACAAGTTCA AGTTTGTCTT CCGAGAAAAG ATGGGCAGGA TTGTTGATTATTACACATT 1380
CAAAACCCCA GTAATGTTGA TCACTATTCC AAACTACTGT TTCCTTTGAT TTTTATGCTA 1440
GCCAATGTAT TTTACTGGGC ATACTACATG TATTTTTGAG TCAATGTTAA ATTTCTTGCA 1500
TGCCATAGGT CTTCAACAGG ACAAGATAAT GATGTAAATG GTATTTTTAG CCACAAGA 1620 60 ACCACATCC AATGGTGCTA CAAGTGACTG AAATAATATT TGAGTCTTTC TGCTCAAAGA 1620
ATGAAGCTCC AACCATTGTT CTAAGCTGT TAGAAGTCCT AGCATTATAG GATCTTGTAA 1680
TAGAAACATC AGTCCATTCC TCTTTCATCT TAATCAAGGA CATTCCCATG GAGCCCAAGA 1740 65 TAGAAACATC AGTCCATTCC TCTTTCATCT TAATCAAGGA CATTCCCATG GAGCCCAAGA 1740
TTACAAATGT ACTCAGGGGT GTTTATTCGG TGGGTCCCTG GTTTGCATTT ACCTCATATA 1800
AAGAATGGGA AGGAGCCAT TGGGTAACCC TCAAGTGTCA GAAGTTGTTT CAAAAATAA 1860
TATACATGTT TTTTACTAAA TCTCTGCAGT GCTTATAAAA TACATGTTG CCTATTTAGG 1920
GAGTAACATT TTCTAGTTTT TGTTTCTGGT TAAAATGAAA TATGGGCTTA TGTCAATTCA 1980
TTGGAAGTCA ATGCACTAAC TCAATACCAA GATGAGTTTT TAAAATAATGA ATATTATTTA 2040
AATACCACAAC AGAATTATCC CCAATTTCCA ATAAGTCCTA TCATTGAAAA TTCAAATATA 2100
AGTGAAGAAA AAATTAGTAG ATCAACAATC TAAACAAATC CCTCGGTTCT AAGATACAAT 2160
GGATTCCCCA TACTGGAAGG ACTCTGAGGC TTTATTCCC CCACTATTCCAT ATCTTATACAT 2220
TTTATTATTA TACACACCATC CATCCTAAAC TATACTAAAG CCCTTTTCCC ATGCATGGAT 2280
GGAAATGGAA GATTTTTTTG TAACTTGTTC TAGAAGTCTT AATATGGGCT GTTGCCATGA 2340
AGGCTTGCAG AATTGAGTCC ATTTTCTAGC TGCCTTTATTT CACATAGTAT TGGGGTACTA 2400 70

AAAGTACTGG GTTGACTCAG AGAGTCGCTG TCATTCTGTC ATTGCTGCTA CTCTAACACT 2460 GAGCAACACT CTCCCAGTGG CAGATCCCCT GTATCATTCC AAGAGGAGCA TTCATCCCTT 2520 TGCTCTAATG ATCAGGAATG ATGCTTATTA GAAAACAAAC TGCTTGACCC AGGAACAAGT 2580
GGCTTAGCTT AAGTAAACTT GGCTTTGCTC AGATCCCTGA TCCTTCCAGC TGGTCTGCTC 2640
TGAGTGGCTT ATCCCGCATG AGCAGGAGCG TGCTGGCCCT GAGTACTGAA CTTTCTGAGT 2700 5 AACAATGAGA CACGTTACAG AACCTATGTT CAGGTTGCGG GTGAGCTGCC CTCTCCAAAT 2760
CCAGCCAGAG ATGCACATTC CTCGGCCAGT CTCAGCCAAC AGTACCAAAA GTGATTTTTG 2820
AGTGTGCCAG GGTAAAGGCT TCCAGTTCAG CCTCAGTTAT TTTAGACAAT CTCGCCATCT 2880 THANTITETT AGETTECTGT TETAATAAAT GEACGGETTT ACCTITECTG TEAGAAATAA 2940 ACCAAGGCTC TAAAAGATGA TITECCTTCT GTAACTCCCT AGAGCCACAG GTTCTCATTC 3000 CITTTCCCAT TATACTTCTC ACAATTCAGT TTCTATGAGT TTGATCACCT GATTTTTTTA 3060 10 ACAAAATATT TCTAACGGGA ATGGGTGGGA GTGCTGGTGA AAAGAGATGA AATGTGGTTG 3120
TATGAGCCAA TCATATTTGT GATTTTTAA AAAAAGTTTA AAAGGAAATA TCTGTTCTGA 3180
AACCCCACTT AAGCATTGTT TTTATATAAA AACAATGATA AAGATGTGAA CTGTGAAATA 3240 15 AATATACCAT ATTAGCTACC CACC Seq ID NO: 120 Protein sequence:
Protein Accession #: NP_055026.1 20 31 11 21 MNYSLHLAFV CLSLFTERMC IQGSQFNVEV GRSDKLSLPG FENLTAGYNK FLRPNFGGEP 60 VQIALTLDIA SISSISESNM DYTATIYLRQ RWMDQRLVFE GNKSFTLDAR LVEFLWVPDT 120 YIVESKKSFL HEVTVGNRLI RLFSNGTVLY ALRITITVAC MMDLSKYPMD TQTCKLQLES 180 WGYDGNDVEF TWLRGNDSVR GLEHLRLAQY TIERYFTLVT RSQQETGNYT RLVLQFELRR 240 NVLYFILETY VPSTFLVVLS WVSFWISLDS VPARTCIGVT TVLSMTTLMI GSRTSLPNTN 300 25 CFIKAIDVYL GICFSFVFGA LLEYAVAHYS SLQQMAAKDR GTTKEVEEVS ITNIINSSIS 360 SFKRKISFAS IEISSDNVDY SDLTMKTSDK FKFVFREKMG RIVDYFTIQN PSNVDHYSKL 420 LFPLIFMLAN VFYWAYYMYF 30 Seq ID NO: 121 DNA sequence Nucleic Acid Accession # NM_001854 Coding sequence: 163-5582 (underlined sequences correspond to start and stop codons) 35 ACCATCACA TITAGAAGAA AAAGCCCTTT GACTITTTCC CCCTCTCCCT CCCCAATGGC 60
TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120
TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGACCG TGGTCCTCTA 180
GGTGGAAAC GAAACGGTGG CTCTGGGATT TCACCGTAC AACCCTCGCA TTGACCTTCC 240
TCTCCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGTACTAAAA GCACTAGATT 300
TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT 360
CTAAAGGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACTCAGT GCCCCAACAA 420
AACAGTTATT TCCAGGTGGA ACTTTCCCCAG AAGACTTTTC AATACTATTT ACAGTAAAAC 480
CAAAAAAAGG AATTCAGTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAAA 540
TTGGTGTTGA GGTTGGGAGA TCACCTGTTT TCTTTTTGA AGACCACACT GGAAAAACCTG 600
CCCCAGAAGA CTATCCCCTC TTCAGAACTGTTTACATTGA AGACCACACT GGAAAAACCTG 600
CCCCAGAAGA CTATCCCCTC TTCAGAACTGTTTACATTTT TGATTGTAAG AAGAAAACCTG 600
CCCCAGAAGA CTATTCCCCTC TTCAGAACTGTTTACATTTT TGATTGTAAG AAGAAAACCA 720
CGAAACCACT TGATTAGAAGT GAGAGAACATTTTTC AGGGGGAAT TCAGCAATTTTTTG AGGGGGACAT TCAGCAGTTTTTTTG ATGCACAG 840
GTGATCCCAA GGCAGCATAT GACAACTTTTT GAGGGGACAT TCAGCAGTTT TTTTTTTTT AGACACAG 840
CTGAATAGA CTATTGGATGAA GAACTTCTTTG AGGAGACAT TAAGAATC CAATTGAATTAA 960
CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAATAAG GTATGCACCA AGAGAATTAA 960
CCCCAGATATTAGAACT CAGGGAACCTC AGATAAAAAG GGCTGAAACGT GTAACAGAGG 1020
CACCCAAGGC TGCTCAAGGC CAGGGAACCAC AGACAATAAAAGA GCACCACTTT GATGAATTAT GAGGAACACACACTT GATGAATTAA 960
CGAACAACACTATAGAGTAT GGGGAAACACAACACACACACTT GATGAATTTTC 1080
AAGAATACAA CTATGGAGACA AACATTACACA CACACGAGGAC CAACACTCTT GATGATTTTC 1080
AAGAATACAA CTATGGAGACA ATGGAAACTT ACCAGACAGA AGCCTCAAGG CAACACTCTTCTG 1140 AACCATCAAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCTCTCCCT CCCCAATGGC 60 40 45 50 AAGAATACAA CTATGGAACA ATGGAAAGTT ACCAGACAGA AGCTCCTAGG CATGITTCTG 1140 GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG 1200 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260 55 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACC 1260
GCAGGGATTC TGATCTTCTG GTAGATGAGG ATTACACTATA TGAAAACAAA GAAATAGACC 1260
GCAGGGATTC TGATCTTCTG GTAGATGAGG ATTTAGGCGA ATATGATTTT TATGAATATA 1320
AAGAAATAGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG 1380
CAGAAACTGA TATTACAGAA ACAAGCATAA ATGGCCATGG TGCATATGGA GAGAAAAGGAC 1440
AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAAGGACCA CCAGGAACCAG 1590
CAGGACCTGC AGGTATTATG GGTCCTCCAG GTCTACAAGG CCCCCTGGAC CCCCCTGGTG 1560
ACCCTGGCGA TACTATGTTG ATGTTACCGT TCGGTTACC AGGGGCTGAT GGTCTACCTG 1620
GTCCTCCTG TACTATGTTG ATGTTACCGT TCCGTTATGG TGGTGATGGT TCCAAAGGAC 1680
CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740
TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCCTTG GGGGGGCCTG 1800
GTTCATCTGG GGCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTC 1860
AGGGTCCCCC TGGTCCAACG GGAAAACCTG GAAAAAGGGG TCCTCAGTG CAAGTGGAT 1920
AAGAGGGAAT GCCAGGAGAA CCTTGGGCCAA AGGGGATTCCAGT GAGGTTTGAT GGACTTCCCGG 1980 60 65 GAAGAGGAAT GCCAGGAGAA CCTGGGGCAA AGGGAGATCG AGGGTTTGAT GGACTTCCGG 1980 GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACGAGGTCC TCAAGGTCCT CCAGGTCCTC 2040 CTGGTGATGA TGGAATGAGG GGAGAAGATG GAGAAATTGG ACCAAGAGGT CTTCCAGGTG 2100 70

75

CAGATGGTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAAA GGGTGAAGAT GGTTTTCCAG 2520 GATTCAAAGG TGACATGGGT CTAAAAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580 GAGGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGG CCCAACTGGA GACCCAGGTC 2640 CTTCAGGTCA AGCAGGAGAA AAGGGAAAAC TTGGAGTTCC AGGATTACCA GGATATCCAG 2700 GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA 2760 AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGGG TCAGCGTGGT CCAACGGGTC 2820 CTCGAGGTTC AAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAAG GGCACTTCAG 2880 5 GTGGCGATGG CCCTCCTGGC CCTCCAGGTG AAAGAGGTCC TCAAGGACCT CAGGGTCCAG 2940
TTGGATTCCC TGGACCAAAA GGCCCTCCTG GACCACCAGG AAGGATGGGC TGCCCAGGAC 3000
ACCCTGGGCA ACGTGGGGAG ACTGGATTC AAGGCAAGAC CGGCCCTCCT GGGCCAGGGG 3060 10 GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120 CTGGTCCTCC TGGCCCTCCT GGTGAGCAAG GTCTTCCTGG TGCTGCAGGA AAAGAAGGTG 3180 CAAAGGGTGA TCCAGGTCCT CAAGGTATCT CAGGGAAAGA TGGACCAGCA GGATTACGTG 3240 GTTTCCCAGG GGAAAGAGGT CTTCCTGGAG CTCAGGGTGC ACCTGGACTG AAAGGAGGGG 3300 AAGGTCCCCA GGGCCCACCA GGTCCAGTTG GCTCACCAGG AGAACGTGGG TCAGCAGGTA 3360 CAGCTGGCCC AATTGGTTTA CGAGGGCGCC CGGGACCTCA GGGTCCTCCT GGTCCAGCTG 3420 15 GAGAGAAAGG TGCTCCTGGA GAAAAAGGTC CCCAAGGGCC TGCAGGGAGA GATGGAGTTC 3480 AAGGTCCTGT TGGTCTCCCA GGGCCAGCTG GTCCTGCCGG CTCCCCTGGG GAAGACGGAG 3540 ACAAGGGTGA AATTGGTGAG CCGGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600 GCCCTCCCGG TCCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCCTGGAATT GCTGGAGGTG 3660 ATGGTGAACC AGGTCCTAGA GGACAGCAGG GGATGTTTGG GCAAAAAGGT GATGAGGGTG 3720 CCAGAGGCTT CCCTGGACCT CCTGGTCCAA TAGGTCTTCA GGGTCTGCCA GGCCCACCTG 3780 20 GTGAAAAAGG TGAAAATGGG GATGTTGGTC CATGGGGGCC ACCTGGTCCT CCAGGCCCAA 3840 GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCACAAGG ACCCCCAGGT TCTGTTGGTT 3900 CAGTTGGTGG TGTTGGAGAA AAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG 3960 25 GGGAAGCAGG TGTAGGCGGT CCCAAAGGAG AAAAGAGGAGA GAAAGGGGAA GCTGGTCCAC 4020
CTGGAGCTGC TGGACCTCCA GGTGCCAAGG GGCCGCCAGG TGATGATGGC CCTAAGGGTA 4080
ACCCGGGTCC TGTTGGTTTT CCTGGAGATC CTGGTCCTCC TGGGGAACTT GGCCCTGCAG 4140
GTCAAGATGG TGTTGGTGGT GACAAGGGTG AAGATGGAGA TCCTGGTCAA CCGGGTCCTC 4200
CTGGCCCATC TGGTGAGGCT GGCCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG 4260 30 CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGGAAGCA GGTGCAGAAG 4320 GTCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG 4380 AAGGTCTTCG GGGCATCCCT GGTCCTGTGG GAGAACAAGG TCTCCCTGGA GCTGCAGGCC 4440 AAGATGGACC ACCTGGTCCT ATGGGACCTC CTGGCTTACC TGGTCTCAAA GGTGACCCTG 4500
GCTCCAAGGG TGAAAAGGGA CATCCTGGTT TAATTGGCCT GATTGGTCCT CCAGGAGAAC 4560 35 AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAGG ATCTCCAGGA GCAAAAGGGG 4620 ATGGGGGAAT TCCTGGTCCT GCTGGTCCCT TAGGTCCACC TGGTCCTCCA GGCTTACCAG 4680 GTCCTCAAGG CCCAAAGGGT AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA 4740 GTGGTCTTCC AGGGCCTCCT GGGCCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC 4800
CAATCTTGTC CTCCAAAAAA ACGAGAAGAC ATACTGAAGG CATGCAAGCA GATGCAGATG 4860
ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCCTC AATTCCCTGA 4920 40 AACAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCGAACTT 4980
GTAAAGACCT GCAACTCAGC CATCCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA 5040
ACCAAGGTTG CTCAGGAGAT TCCTTCAAAG TTTACTGTAA TTTCACATCT GGTGGTGAGA 5100 45 CTTGCATTTA TCCAGACAAA AAATCTGAGG GAGTAAGAAT TTCATCATGG CCAAAGGAGA 5160 AACCAGGAAG TTGGTTTAGT GAATTTAAGA GGGGAAAACT GCTTTCATAC TTAGATGTTG 5220 AAGGAAATTC CATCAATATG GTGCAAATGA CATTCCTGAA ACTTCTGACT GCCTCTGCTC 5280 AAGGAAATTC CATCAATATG GTGCAAATGA CATTCCTGAA ACTTCTGACT GCCTCTGCTC 5280
GGCAAAATTT CACCTACCAC TGTCATCAGT CAGCAGCCTG GTATGATGTG TCATCAGGAA 5340
GTTATGACAA AGCACTTCGC TTCCTGGGAT CAAATGATGA GGAGATGTCC TATGACAATA 5400
ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCCAG AAAAGGCTAT GAAAAAACTG 5460
TCATTGAAAT CAATACACCA AAAATTGATC AAGTACCTAT TGTTGATGTC ATGATCAGTG 5520
ACTTTGGTGA TCAGAATCAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT 5580
AAGATTAAGA CAAAGAACAT ATCAAATCAA CAGAAAATGA ACCTTGGTGC CACCAACCCA 5640
TTTTTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACCGTG CATATACAGC 5700 50 TTTTGTGCCA CATGCAAGTT TTGAATAAGG ATGTATGGAA AACAACGCTG CATATACAGG 5700
TACCATTTAG GAAATACCGA TGCCTTTGTG GGGGCAGAAT CACAGACAAA AGCTTTGAAA 5760
ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA 5820 55 ATCATANAGA TATAAGTITG TIGGIGGTAGA ATGATAGA AGGATAT ATTAGAGAA 5880

AATATATAT CATAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAAAAA 5880

AATATATAT CATAAAAAAT ATGGTGCTCA TTCTCATCCA TCCAGGATGT ACTAAAAACAG 5940

TGTGTTTAAT AAATTGTAAT TATTTTGTGT ACAGTTCTAT ACTGTTATCT GTGTCCATTT 6000

GATGGCAATA ATATTATGTAT TATGAAAATG AAGTTATGAT TTCCGATGAC CCTAAGTCCC 6120 60 TTICTITGGT TAATGATGAA ATTCCTTTGT GTGTGTTT

Seq ID NO: 122 Protein sequence:
Protein Accession #: NP_001845

1 11 21 31 41 51

⁷⁰ MEPWSSRWKT KRWLWDFTVT TLALTFLFQA REVRGAAPVD VLKALDFHNS PEGISKTTGF 60
CTNRKNSKGS DTAYRVSKQA QLSAPTKQLF PGGTFPEDFS ILFTVKPKKG IQSFLLSIVN 120
EHGIQQIGVE VGRSPVFLFE DHTGKPAPED YPLFRTVNIA DGKWHRVAIS VEKKTVTIMIV 180
DCKKKTTKPL DRSERAIVDT NGITVFGTRI LDEEVFEGDI QQFLITGDPK AAYDYCEHYS 240
PDCDSSAPKA AQAQEPQIDE YAPEDIIEYD YEYGEAEYKE AESVTEGPTV TEETIAQTEA 300
NIVDDFQEYN YGTMESYQTE APRHVSGTNE PNPVEEIFTE EYLTGEDYDS QRKNSEDTLY 360
ENKEIDGRDS DLLVDGDLGE YDFYEYKEYE DKPTSPPNEE FGPGVPAETD ITETSINGHG 420
AYGEKGQKGE PAVVEPGMLV EGPPGPAGPA GIMGPPGLQG PTGPPGDPGD RGPPGRPGLP 480

PCT/US02/02242


WO 02/059377

GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAIL QQARIALRGP PGPMGLTGRP 540
GPVGGPGSSG AKGESGDPGP QGPRGVQGPP GPTGKPGKRG RPGADGGRGM PGEPGAKGDR 600
GFDGLPGLPG DKGHRGERGP QGPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGPRGTP 660
GAPGQPGMAG VDGPPGPKGN MGPQGEPGPP GQQGNPGPQG LPGPQGPIGP PGEKGPQGKP 720
GLAGLPGADG PPGHPGKEGG SGEKGALGPP GPQGPIGNPG LPGPQGPIGP PGEKGPQGKP 720
GLAGLPGADG PPGHPGKEGG SGEKGALGPP GPGPGPGGNPGP RGVKGADGV RGLKGSKGEK 780
GEDGFPGFKG DMGLKGDRGE VGQIGPRGXD GPEGPKGRAG PTGDPGPSGQ AGEKGKLGVP 840
GLPGYPGRQG PKGSTGFPGF PGANGEKGAR GVAGKFGPRG QRGPTGPRGS RGARGPTGKP 900
GPKGTSGGDG PPGPPGERGP QGPQGPVGPP GFKGPPGPPG RMGCPGHPGQ RGETGFQGKT 960
GPKGTSGGDG PPGPPGERGP QGPQGPVGPP GFKGPPGPPG RMGCPGHPGQ RGETGFQGKT 960
GPPGPAGCWG PQGPTGETGP IGERGYPGPP GPRGPPGPGP RAGCPGHPGQ RGETGFQGKT 960
GPPGPAGEKG APGEKGPQGP AGRDGVQGPV GLPGPAGPAG SPGEDDGKGE IGEPGQKGSK 1140
GGKGENGPPG PPGLQGPVGA PGIAGGDGEP GPRGPVGSPG ERGSAGTAGP IGLRGRPGPQ 1080
GLPGPPGEKG ENGDVGPWGP PGPPGPRGPQ GPNGADGPG PRGSVSVGG VGEKGEPGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAPAG SPGEDDGKGE IGEPGQKGSK 1140
GGKGENGPPG PFGLQGPVGA PGIAGGDGEP GPRGVGPPG PRGSVSVGG VGEKGEPGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKKNPGP VFFGDPGCPP 11200
GLPGPAGDGG VGGDKGEDD PGQPGPPGPS GEAGPPGP RFGSVSVGG VGEKGEPGEA 1260
GNPGPPGEAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKKNPGP VFFGDPGCPP 11200
GELGPAGQDG VGGDKGEDD PGQPGPPGPS GEAGPPGPG RFGRAGDGGI PGPAGPPGLP 1440
GLKGDPGSKG EKGIPGLIGL IGPPGEPGER GDRGLPGTQG SPGAKGDGGI PGPAGPPGLP 1500
GPPGLPGPQ PKGNKGSTGP AGQKGDSGLP GPPGPPGPPG EVQPLPILS SKKTRHTEG 1560
MQADADDNIL DYSDGMEEIF GSLNSLKQDI EHMKFPMGTQ TNPARTCKDL QLSHPDFPDG 1620
EYWIDPNQGC SGDSFKVYCN FTSGGETCIY PDKKSEGVRI SSWPKEKPGS WFSEFKRGKL 1680
LSYLDVEGNS INMVQMTFLK LLTASARQNF TYHCHQSAAW YDVSSGSYDK ALRFLGSNDE 1740
EMSYDNNPFI KTLYDGCTSR KGYEKTVIEI NTPKIDQVPI VDVMISDFGD QNQKFGFEVG 1800
PVCFLG GADGLPGPPG TMLMLPFRYG GDGSKGPTIS AQEAQAQAIL QQARIALRGP PGPMGLTGRP 540 10 15 **PVCFLG** 25 Seq ID NO: 123 DNA sequence NM_015886 Nucleic Acid Accession # Coding sequence: 485-1261 (underlined sequences correspond to start and stop codons) GAATTCCCCC CCCCCCCC TCACTIGGTG TGTCTATATG TCTGGCAGAC ATTATCAGCA 60 CATTCTCTGT TGTTACCTGT GATTCATTIT TTCTTCACTC TCCAGGTGAA TTTCAATTGC 120 TGAAAATTTC CCACTGAAAA TATGCAGTAA TATATTTTGT GGTTCAGACA TTTGGGGGCAA 180 30 35 40 45 50 AGTATTCCTT TGTATAAATT AGTGTTTGTC TAGCATGTTT GTTTAATCCT TTGGGAATTC 55 Seq ID NO: 124 Protein sequence:
Protein Accession #: NP_056970.1 41 21 60 MIAISAVSSA LLFSLLCEAS TVVLLNSTDS SPPTNNFTDI EAALKAQLDS ADIPKARRKR MIAIDAYDDA LLFDLLCEAS TVYLLNSTDS SPPTNNFTDI EAALKAQLDS ADIPKARRKR 60
YISQNDMIAI LDYHNQVRGK VFPPAANMEY MVWDENLAKS AEAWAATCIW DHGPSYLLFF 120
LGQNLSVRTG RYRSILQLVK PWYDEVKDYA FPYPQDCNPR CPMRCFGPMC THYTQMVWAT 180
SNRIGCAIHA CQNMNVWGSV WRRAVYLVCN YAPKGNWIGE APYKVGVPCS SCPPSYGGSC 240
TDNLCFPGVT SNYLYWFK 65 Seq ID NO: 125 DNA sequence Nucleic Acid Accession # NM 001793 Coding sequence: 54-2543 (underlined sequences correspond to start and stop codons) 70 21 31 GGGAACACC GGCCCGCCGT CGCGGCAGCT GCTTCACCCC TCTCTCTGCA GCCATGGGGC 60 TCCCTCGTGG ACCTCTCGCG TCTCTCCTCC TTCTCCAGGT TTGCTGGCTG CACTGCGCGG 120 CCTCCGAGCC GTGCCGGGCG GTCTTCAGGG AGGCTGAAGT GACCTTGGAG GCGGAGGCG 180 CGGAGCAGGA GCCCGGCCAG GCGCTGGGGA AAGTATTCAT GGGCTGCCCT GGGCAAGAGC 240 75

	CAGCTCTGTT TAGCACTGAT AATGATGACT TCACTGTGCG GAATGCCAGG ACAGTCCAGG 300
	AAAGAAGGTC ACTGAAGGAA AGGAATCCAT TGAAGATCTT CCCATCCAAA CGTATCTTAC 360
	GAAGACACAA GAGAGATTGG GTGGTTGCTC CAATATCTGT CCCTGAAAAT GGCAAGGGTC 420
-	CCTTCCCCCA GAGACTGAAT CAGCTCAAGT CTAATAAAGA TAGAGACACC AAGATTTTCT 480
5	ACAGCATCAC GGGGCCGGGG GCAGACAGCC CCCCTGAGGG TGTCTTCGCT GTAGAGAAGG 54
	AGACAGGCTG GTTGTTGTTG AATAAGCCAC TGGACCGGGA GGAGATTGCC AAGTATGAGC 600
	TCTTTGGCCA CGCTGTGTCA GAGAATGGTG CCTCAGTGGA GGACCCCATG AACATCTCCA 660
	TCATCGTGAC CGACCAGAAT GACCACAAGC CCAAGTTTAC CCAGGACACC TTCCGAGGGA 720
	GTGTCTTAGA GGGAGTCCTA CCAGGTACTT CTGTGATGCA GGTGACAGCC ACAGATGAGG 780
10	ATGATGCCAT CTACACCTAC AATGGGGTGG TTGCTTACTC CATCCATAGC CAAGAACCAA 840
	AGGACCCACA CGACCTCATG TTCACAATTC ACCGGAGCAC AGGCACCATC AGCGTCATCT 900
	CCAGTGGCCT GGACCGGGAA AAAGTCCCTG AGTACACACT GACCATCCAG GCCACAGACA 966
	TGGATGGGGA CGGCTCCACC ACCACGGCAG TGGCAGTAGT GGAGATCCTT GATGCCAATG 102
	ACAATGCTCC CATGTTTGAC CCCCAGAAGT ACGAGGCCCA TGTGCCTGAG AATGCAGTGG 1080
15	GCCATGAGGT GCAGAGGCTG ACGGTCACTG ATCTGGACGC CCCCAACTCA CCAGCGTGGC 114
10	GTGCCACCTA CCTTATCATG GGCGGTGACG ACGGGGACCA TTTTACCATC ACCACCCACC 1200
	CTGAGAGCAA CCAGGGCATC CTGACAACCA GGAAGGGTTT GGATTTTGAG GCCAAAAACC 126
	AGCACACCCT GTACGTTGAA GTGACCAACG AGGCCCCTTT TGTGCTGAAG CTCCCAACCT 1320
	CCACAGCCAC CATAGTGGTC CACGTGGAGG ATGTGAATGA GGCACCTGTG TTTGTCCCAC 1380
20	CCACAGECAC CATAGORGE CACGORGA TOGGARATOR GCACGORGA TATAGORGA CACGORGA TOGGARATOR GCACGORGA TO
20	CCTCCAAAGT CGTTGAGGTC CAGGAGGGCA TCCCCACTGG GGAGCCTGTG TGTGTCTACA 1440
	CTGCAGAAGA CCCTGACAAG GAGAATCAAA AGATCAGCTA CCGCATCCTG AGAGACCCAG 150
	CAGGGTGGCT AGCCATGGAC CCAGACAGTG GGCAGGTCAC AGCTGTGGGC ACCCTCGACC 156
	GTGAGGATGA GCAGTTTGTG AGGAACAACA TCTATGAAGT CATGGTCTTG GCCATGGACA 1620
0.5	ATGGAAGCCC TCCCACCACT GGCACGGGAA CCCTTCTGCT AACACTGATT GATGTCAACG 1680
25	ACCATGGCCC AGTCCCTGAG CCCCGTCAGA TCACCATCTG CAACCAAAGC CCTGTGCGCC 1740
	ACGTGCTGAA CATCACGGAC AAGGACCTGT CTCCCCACAC CTCCCCTTTC CAGGCCCAGC 1800
	TCACAGATGA CTCAGACATC TACTGGACGG CAGAGGTCAA CGAGGAAGGT GACACAGTGG 18
	TCTTGTCCCT GAAGAAGTTC CTGAAGCAGG ATACATATGA CGTGCACCTT TCTCTGTCTG 1920
	ACCATGGCAA CAAAGAGCAG CTGACGGTGA TCAGGGCCAC TGTGTGCGAC TGCCATGGCC 198
30	ATGTCGAAAC CTGCCTGGA CCCTGGAAAG GAGGTTTCAT CCTCCCTGTG CTGGGGGCTG 2040
	TCCTGGCTCT GCTGTTCCTC CTGCTGGTGC TGCTTTTGTT GGTGAGAAAG AAGCGGAAGA 2100
	TCAAGGAGCC CCTCCTACTC CCAGAAGATG ACACCCGTGA CAACGTCTTC TACTATGGCG 2160
	AAGAGGGGG TGGCGAAGAG GACCAGGACT ATGACATCAC CCAGCTCCAC CGAGGTCTGG 22
	AGGCCAGGCC GGAGGTGGTT CTCCGCAATG ACGTGGCACC AACCATCATC CCGACACCCA 228
35	TGTACCGTCC TAGGCCAGCC AACCCAGATG AAATCGGCAA CTTTATAATT GAGAACCTGA 2340
	AGGCGGCTAA CACAGACCCC ACAGCCCCGC CCTACGACAC CCTCTTGGTG TTCGACTATG 2400
	AGGGCAGCGG CTCCGACGCC GCGTCCCTGA GCTCCCTCAC CTCCTCCGCC TCCGACCAAG 2460
	ACCAAGATTA CGATTATCTG AACGAGTGGG GCAGCCGCTT CAAGAAGCTG GCAGACATGT 252
	ACGGTGGCGG GGAGGACGAC TAGGCGGCCT GCCTGCAGGG CTGGGGACCA AACGTCAGGC 25
40	CACAGAGCAT CTCCAAGGGG TCTCAGTTCC CCCTTCAGCT GAGGACTTCG GAGCTTGTCA 2640
	GGAAGTGGCC GTAGCAACTT GGCGGAGACA GGCTATGAGT CTGACGTTAG AGTGGTTGCT 270
	TCCTTAGCCT TTCAGGATGG AGGAATGTGG GCAGTTTGAC TTCAGCACTG AAAACCTCTC 2760
	CACCTGGGCC AGGGTTGCCT CAGAGGCCAA GTTTCCAGAA GCCTCTTACC TGCCGTAAAA 2820
	TGCTCAACCC TGTGTCCTGG GCCTGGGCCT GCTGTGACTG ACCTACAGTG GACTTTCTCT 2880
45	CTGGAATGGA ACCTTCTTAG GCCTCCTGGT GCAACTTAAT TITTITTTT AATGCTATCT 2940
	TCAAAACGTT AGAGAAAGTT CTTCAAAAGT GCAGCCCAGA GCTGCTGGGC CCACTGGCCG 300
	TCCTGCATTT CTGGTTTCCA GACCCCAATG CCTCCCATTC GGATGGATCT CTGCGTTTTT 3060
	ATACTGAGTG TGCCTAGGTT GCCCCTTATT TTTTATTTTC CCTGTTGCGT TGCTATAGAT 3120
	GAAGGGTGAG GACAATCGTG TATATGTACT AGAACTITTT TATTAAAGAA A
50	GANGGIAN GACATEGIA IATAGIAET AGARETITI IATAGIAET
50	Seq ID NO: 126 Protein sequence:
	Protein Accession #: NP_001784
	1 11 21 31 41 51
55	
75	
	OEPALFSTDN DDFTVRNGET VQERRSLKER NPLKIFPSKR ILRRHKRDWV VAPISVPENG 120
	QEPALESTON DUFT VANGET VOERASLAER NELEMITISM LEARNERD V VALISVIENG 120
	KGPFPQRLNQ LKSNKDRDTK IFYSITGPGA DSPPEGVFAV EKETGWLLLN KPLDREEIAK 180
4 0	YELFGHAVSE NGASVEDPMN ISIIVTDQND HKPKFTQDTF RGSVLEGVLP GTSVMQVTAT 240
60	DEDDAIYTYN GVVAYSIHSQ EPKDPHDLMF TIHRSTGTIS VISSGLDREK VPEYTLTIQA 300
	TDMDGDGSTT TAVAVVEILD ANDNAPMFDP QKYEAHVPEN AVGHEVQRLT VTDLDAPNSP 360
	AWRATYLIMG GDDGDHFTIT THPESNQGIL TTRKGLDFEA KNQHTLYVEV TNEAPFVLKL 420
	PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ EGIPTGEPVC VYTAEDPDKE NQKISYRILR 480
~ ~	DPAGWLAMDP DSGQVTAVGT LDREDEQFVR NNIYEVMVLA MDNGSPPTTG TGTLLLTLID 540
65	VNDHGPVPEP RQITICNQSP VRHVLNITDK DLSPHTSPFQ AQLTDDSDIY WTAEVNEEGD 600
	TVVLSLKKFL KQDTYDVHLS LSDHGNKEQL TVIRATVCDC HGHVETCPGP WKGGFILPVL 660
	GAVLALLFLL LVLLLLVRKK RKIKEPLILP EDDTRDNVFY YGEEGGGEED QDYDITQLHR 720
	GLEARPEVVL RNDVAPTIIP TPMYRPRPAN PDEIGNFIIE NLKAANTDPT APPYDTLLVF 780
	DYEGSGSDAA SLSSLTSSAS DQDQDYDYLN EWGSRFKKLA DMYGGGEDD .
70	- · ·
• •	Seq ID NO: 127 DNA sequence
	Nucleic Acid Accession #: NM 003256.1
	Coding sequence: 60-734 (underlined sequences correspond to start and stop codons)
-	
75	1 11 21 31 41 51
	CONTROL OF THE PROPERTY OF THE

PCT/US02/02242

WO 02/059377



MEYNKSHIQG AVHINCADKI SRRRLQQGKI TVLDLISCRE GKDSFKRIFS KEIIVYDENT 240
NEPSRVMPSQ PLHIVLESLK REGKEPLVLK GGLSSFKQNH ENLCDNSLQL QECREVGGGA 300
SAASSLLPQP IPTTPDIENA ELTPILPFLF LGNEQDAQDL DTMQRLNIGY VINVTHLPLL 360
YHYEKGLFNY KRLPATDSNK QNLRQYFEEA FEFIEEAHQC GKGLLIHCQA GVSRSATIVI 420
AYLMKHTRMT MTDAYKFVKG KRPIISPNLN FMGQLLEFEE DLNNGVTPRI LTPKLMGVET 480

Seq ID NO: 131 DNA sequence Nucleic Acid Accession #: NM_005409.3 10 Coding sequence: 94-378 (underlined sequences correspond to start and stop codons) TTCCTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60 CAACAGCACC AGCAGCAACA GCAAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120
TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180
TGTCTTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAGTGG CAGATATTGA GAAAGCCTCC 240 15 ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAT 300 AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GCCTTATAAT CAAAAAAGTT 360 GAAAGAAAGA ATTTT<u>TAA</u>AA ATATCAAAAC ATÄTGAAGTC CTGGAAAAGG GCATCTGAAA 420 20 GAAAGAAAGA ATTTITAAAA ATATCAAAAC ATAIGAAGIU CIUGAAAAAG GCAICHGAAA 420
AACCTAGAAC AAGTTTAACT GTGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG 480
AGACTTTTCT ATGGTTTTGT GACTTTCAAC TITTGTACAG TATTGTAAG GATGAAAAGGT 540
GGGTGAAAGG ACCAAAAACA GAAATACAGT CTTCCTGAAT GAATGACAAT CAGAATTCCA 600
CTGCCCAAAG GAGTCCAGCA ATTAAATGGA TTTCTAGGAA AAGCTACCTT AAGAAAGGCT 660
GGTTACCATC GGAGTTTACA AAGTGCTTTC ACGTTCTTAC TTGTTATAT ATACATTCAT 720
GCATTTCTAG GCTAGAGGAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT 780
GAGAACATTT CTGTCCTCAG AAGTTATCTG TCTGTAATTGA TCTTTATGCT ATATTACTAT 840
CTGTGGTTAC AGTGGAGACA TTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG 900 25 CATCTATOTG TCGTAAAGCA TTCCTCAAAC ATTTTTCAT GCAAATACAC ACTTCTTTCC 960 CCAAATATCA TGTAGCACAT CAATATGTAG GGAAACATTC TTATGCATCA TTTGGTTTGT 1020 TTTATAACCA ATTCATTAAA TGTAATTCAT AAAATGTACT ATGAAAAAAA TTATACGCTA 1080 30 TGGGATACTG GCAACAGTGC ACATATTTCA TAACCAAATT AGCAGCACCG GTCTTAATTT 1140 GATGTTTTTC AACTTTTATT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTTAC 1200 TGTACTTTTT GTTTTGATCC GTTTGTATAA ATGATAGCAA TATCTTGGAC ACATTTGAAA 1260 TACAAAATGT TITTTOTCTAC CAAAGAAAAA TGTTGAAAAA TAAGCAAATG TATACCTAGC 1320 AATCACTITT ACTITTTGTA ATTCTGTCTC TTAGAAAAAT ACATAATCTA ATCAATTTCT 1380 TTGTTCATGC CTATATACTG TAAAATTTAG GTATACTCAA GACTAGTTTA AAGAATCAAA 1440 35 40 Seq ID NO: 132 Protein sequence: NP_005400.1 21

Seq ID NO: 133 DNA sequence

50

5

45 MSVKGMAIAL AVILCATVVQ GFPMFKRGRC LCIGPGVKAV KVADIEKASI MYPSNNCDKI 60 EVIITLKENK GORCLNPKSK QARLIIKKVE RKNF

Nucleic Acid Accession # NM_012342 Coding sequence: 373-1155 (underlined sequences correspond to start and stop codons) 41

CTGGCGCGGG CGGGAGCTGC GGCGGATACC CTTGCGTGCT GTGGAGACCC TACTCTCTTC 60 GCTGAGAACG GCCGCTAGCG GGGACTGAAG GCCGGGAGCC CACTCCCGAC CCGGGGCTAG 120 CGTGCGTCCC TAGAGTCGAG CGGGGCAAGG GAGCCAGTGG CCGCCGACGG GGGACCGGGA 180 55 60 65 GTGCCCATTG CTGGAGGGCT GATTTTAGTG TTGCTTATTA TGTTTGGCCCT GAGGATGCTT 900
CGAAGTGAAA ATAAGAGGCT GCAGGATCAG CGGCAACAGA TGCTCCCCG TTTGCACTAC 960
AGCTTTCACG GACACCATTC CAAAAAGGGG CAGGTTGCAA AGTTAGACTT GGAATGCATG 1020 70 AGCTTTCACG GACACCATTC CAAAAAGGGG CAGGTTGCAA AGTTAGACTI GGAATGCATG 1020
GTGCCCGGTCA GTGGGCACGA GAACTGCTGT CTGACCTGTG ATAAAATGAG ACAAGCAGAC 1080
CTCAGCAACG ATAAGATCCT CTCGCTTGTT CACTGGGGCA TGTACCAGTGG GCACGGGAAG 1140
CTGGAATTCG TATGACGGGA TCTTATCTGA ACTACACTTA CTGAACAGCT TGAAGGCCTT 1200
TTGAGTTCTG CTGGACAGGA GCACTTTATC TGAAGACAAA CTCATTTAAT CATTTTTTGG 1260
AGACAAAATG ACCTCTGCAA ACAGAATCTT GGATATTTCT TCTGAAGGAT TATTTGCACA 1320
GACTTAAATA CAGTTAAATG TGTTATTTGC TTTTAAAATT ATAAAAAGCA AAGAGAAGAC 1380
TTTGTACACA CTGTCACCAG GGTTATTTGC ATCCAAGGGA GCTGGAATTG AGTACCTAAA 1440 75

TAAACAAAAA TGTGCCCTAT GTAAGCTTCT ACATCTTGAT TTATTGTAAA GATTTAAAAG 1500 AAATATATAT ATTTTGTCTG A

Seq ID NO: 134 Protein sequence:
Protein Accession #: NP_036474.1 21 31 41 MDRHSSYIFI WLQLELCAMA VLLTKGEIRC YCDAAHCVAT GYMCKSELSA CFSRLLDPQN 60 SNSPLTHGCL DSLASTTDIC QAKQARNHSG TTIPTLECCH EDMCNYRGLH DVLSPPRGEA 120 SGQGNRYQHD GSRNLITKVQ ELTSSKELWF RAAVIAVPIA GGLILVLLIM LALRMLRSEN 180 10 KRLQDQRQOM LSRLHYSFHG HHSKKGQVAK LDLECMVPVS GHENCCLTCD KMRQADLSND 240 KILSLVHWGM YSGHGKLEFV 15 Seq ID NO: 135 DNA sequence NM 001627.1 Nucleic Acid Accession Coding sequence: 64-1815 (underlined sequences correspond to start and stop codons) 20 CGGGACGACG CCCCCCCCTG CGGCGTGGAC TCCGTCAGTG GCCCACCAAG AAGGAGGAGG 60 AATATGGAAT CCAAGGGGGC CAGTTCCTGC CGTCTGCTCT TCTGCCTCTT GATCTCCGCC 120 ACCOTCTICA GGCCAGGCCT TGGATGGTAT ACTGTAAATT CAGCATATGG AGATACCATT 180
ATCATACCTT GCCGACTTGA CGTACCTCAG AATCTCATGT TTGGCAAATG GAAATATGAA 240
AAGCCCGATG GCTCCCCAGT ATTTATTGCC TTCAGATCCT CTACAAAGAA AAGTGTGCAG 300 25 TACGACGATG TACCAGAATA CAAAGACAGA TTGAACCTCT CAGAAAACTA CACTTTGTCT 360
ATCAGTAATG CAAGGATCAG TGATGAAAAG AGATTTGTGT GCATGCTAGT AACTGAGGAC 420
AACGTGTTTG AGGCACCTAC AATAGTCAAG GTGTTCAAGC AACCATCTAA ACCTGAAATT 480 GTAAGCAAAG CACTGTTTCT CGAAACAGAG CAGCTAAAAA AGTTGGGTGA CTGCATTTCA 540
GAAGACAGTT ATCCAGATGG CAATATCACA TGGTACAGAG ATGGAAAAAG CTGCATTTCA 540
CTTGAAGGAG CGGTGGTCAT AATTTTTAAA AAGGAAATGG ACCCAGGACT CCACCCTGGA GTACAAGACA ACCAATGGCACATCACC 720
TGCTCGGTGA CATATTATGG ACCATCTGGC CAGAAAACAA TTCATTCTGA ACAGGCAGTA 780 30 TTTGATATTT ACTATCCTAC AGAGCAGGTG ACAATACAAG TGCTGCCACC AAAAAATGCC 840 ATCAAAGAAG GGGATAACAT CACTCTTAAA TGCTTAGGGA ATGGCAACCC TCCCCCAGAG 900 GAATTTTTGT TTTACTTACC AGGACAGCCC GAAGGAATAA GAAGCTCAAA TACTTACACA 960 35 GAATITITGT TITACTTACC AGGACAGCCC GAAGGAATAA GAAGCTCAAA TACTTACACA 960
CTGATGGATG TGAGGCGCAA TGCAACAGGA GACTACAAGT GTTCCCTGAT AGACCAAAAAA 1020
AGCATGATTG CTTCAACAGC CATCACAGTT CACTATTTGG ATTTGTCCTT AAACCCAAGT 1080
GGAGAAGTGA CTAGACAGAT TGGTGATGCC CTACCCGTGT CATGCACAAT ATCTGCTAGC 1140
AGGAATGCAA CTGTGGTATG GATGAAAGAT AACATCAGGC TTCGATCTAG CCCGTCATTT 1200
TCTAGTCTTC ATTATCAGGA TGCTGGAAAC TATGTCTGCG AAACTGCTCT GCAGGAGGTT 1260
GAAGGACTAA AGAAAGAGA GTCATTGACT CTCATTGTAG AAGCCAACC TCAAATAAAA 1320
ATGACAAAGA AAACTGATCC CAGTGGACTA TCTAAAACAA TAATCTGCCA TGTGGAAGGT 1380
TTTCCAAAGC CAGCCATTCA GTGGACAATT ACTGGCAGTG GAAGCGTCAT AAACCAAACA 1440
GAGGAATCT CTTATATTAA TGGCAGGTAT TATAGTAAAA TTATCATTTC CCCTGAAAGA 1500
AATGTTACAT TAACTTGCAC AGCAGAAAAC CAACTGGAGG AGACAGTAAA CTCCTTGAAT 1560 40 45 AATGITACAT TAACTTGCAC AGCAGAAAAC CAACTGGAGA GAACAGTAAA CTCCTTGAAT 1560 GTCTCTGCTA TAAGTATTCC AGAACACGAT GAGGCAGACG AGATAAGTGA TGAAAACAGA 1620 GAAAAGGTGA ATGACCAGGC AAAACTAATT GTGGGAATCG TTGTTGGTCT CCTCCTTGCT 1680 GCCCTTGTTG CTGGTGTCGT CTACTGGCTG TACATGAAGA AGTCAAAGAC TGCATCATACA 1740
CATGTAAACA AGGACCTCGG TAATATGGAA GAAAACAAAA AGTTAGAAGA AAACAATCAC 1800
AAAACTGAAG CC<u>TAA</u>GAGAG AAACTGTCCT AGTTGTCCAG AGATAAAAAT CATATAGACC 1860
AATTGAAGCA TGAACGTGGA TTGTATTTAA GACATAAACA AAGACATTGA CAGCAATTCA 1920
TGGTTCAAGT ATTAAGCAGT TCATTCTACC AAGCTGTCAC AGGTTTTAGA AGAACTATCT 1980 50 55 CCCTAATTAA AAACTGTGAT TTTTATCACA AGGGAGGGA GGCCGAGAGT CAGACTGATA 2400
GACACCATAG GAGCCGACTC TTTGATATGC CACCAGCGAA CTCTCAGAAA TAAATCACAG 2460
ATGCATATAG ACACACATAC ATAATGGTAC TCCCAAACTG ACAATTTTAC CTATTCTGAA 2520 60 AAAGACATAA AACAGAATT Seq ID NO: 136 Protein sequence: 65 NP_001618.1 Protein Accession #: 31 21 70 MESKGASSCR LLFCLLISAT VFRPGLGWYT VNSAYGDTII IPCRLDVPQN LMFGKWKYEK 60 MESKASSCK LEFELLIAT VFROGUNTI VASATOJIH TEKLEVIZI SAMISDEK FVCMLVTEDN 120
VFEAPTIVKV FKQPSKPEIV SKALFLETEQ LKKLGDCISE DSYPDGNITW YRNGKVLHPL 180
EGAVVIFFK EMDPVTQLYT MTSTLEYKTT KADIQMPFTC SVTYYGPSGQ KTHISEQAVF 240
DIYYPTEQVT IQVLPPKNAI KEGDNITLKC LGNGNPPPEPE FLFYLPGOPE GIRSSNTYTL 300
MDVRRNATGD YKCSLIDKKS MIASTAITVH YLDLSLNPSG EVTRQIGDAL PVSCTISASR 360
NATVVWMKDN IRLRSSPSFS SLHYQDAGNY VCETALQEVE GLKKRESLTL IVEGKPQKM 420 75 TKKTDPSGLS KTIICHVEGF PKPAIQWTIT GSGSVINQTE ESPYINGRYY SKIIISPEEN 480

WO 02/059377

45

PCT/US02/02242

VTLTCTAENQ LERTVNSLNV SAISIPEHDE ADEISDENRE KVNDQAKLIV GIVVGLLLAA 540 LVAGVVYWLY MKKSKTASKH VNKDLGNMEE NKKLEENNHK TEA

5 Seq ID NO: 137 DNA sequence XM_030559 Nucleic Acid Accession #: Coding sequence: 1-119 (underlined sequences correspond to start and stop codons) 31 21 I I I I I I I CATGACCAC GCACCGGGCA CGGGGCGGCA AGCGGCTGCC TGGGCACTAT GGAGGTGAAG 60
AGCAAGTTTG GAGCTGAATT TCGTCGGTTT TCGCTGGAAA GATCAAAACC TGGAAAATTT 120
AGCAAGTTTT ATGGATTACT ACAACATGTT CATAAGATCC CCAATGTTGA CGTTTTGGTA 180
GGCTATGCAG ACATCCATGG AGACTTACTA CCTATAAATA ATGATGATAA TTATCACAAA 240
GCTGTTTCAA CGGCCAATCC ACTGCTTAGG ATATTATAC AAAAGAAGGA AGAAGCAGAC 300
TACAGTGCCT TTGGTACAGA CACGCTAATA AAGAAGAAGA ATGTTTTAAC CAACGTATTG 360
CGTCCTGACA ACCATAGAAA AAAGCCACAT ATAGTCATTA GTATGCCCCA AGACTITAGA 420
CCTGTGTCTT CTATTATAGA CGTGGATATT CTCCCAGAAA CGCATCGTAG GGTACGTCTT 480
GTAACAACCAC ATGGCTTAGA AAAGGTTCCA GGGATCTTTTA TATCCAGGCT TGTCCCAGGA 600
GGTCTGGCTC AAAGTACAGG ACTATTAGCT GTTAATGATG AAGTTTAATGGC 660
GGTCTGGCTC AAAGTACAGG ACTATTAGCT GTTAATGATG AAGTTTAGAC GGTACGTCT 720
AACCTCATCA TAACAGTGAG ACCGGCAAAC CAGAGGAATA ATGTTGTGAG GAAACAGCTTTAGAAAGACACATGATGAGGATCGT 780
ACTTCTGGCA GTTCCGGTCA GTCTACTGAT AACAGACA TGATGATTGC AAATTAGCAGTCG 780
AACAGAAGTTCAGGCAGA GGATGAAGAC ACCGCAAGAAGAA ATGACATTAT CATGAAGAC 900
AATGGAAGCT TTCAGCCAGA GGATGAAGAC AGCCAGAAGAA ATGACATTAT CATGAAGAC 900
AATGGAAGCT TCAGCCAGA GGATGAAGAC AGCCAAGAAA ATGACCTTAT CATGAAGAC 900
AATGGAAGCAAGCT TTGAGCCAGA GGATGAAGAC AGCCAAGAAA ATGACCATTAT CATGAAGAC 900
AATGGAAGTAG AGCTAAGCTT TGAGTCTGGA CAGAATAGCCT TAATGAAGAC 1080
AACCTCATCA TAACAGTAGAT TCCAAAAGCT GTTCCTTATA CTGGAGACCT TAATGAAGTG 1020
AACCTCATCA TAACAGCTT TGAGTCTGGA CAGAATTGGAAACACTTAT CATGAAGAGT 1020
AACCTCATCA GAGAAGATGA AACAATCATA ACATTATGA 10 ATGAACCGCA GCCACCGGCA CGGGGCGGCC AGCGGCTGCC TGGGCACTAT GGAGGTGAAG 60 15 20 25 30 Seq ID NO: 138 Protein sequence:
Protein Accession #: XP_030559 41 31 35 40

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

PCT/US02/02242 WO 02/059377

WHAT IS CLAIMED IS:

1

l	1.	A method of detecting a breast cancer-associated transcript in a cell
2	from a patient, the me	ethod comprising contacting a biological sample from the patient with a
3	polynucleotide that se	electively hybridizes to a sequence at least 80% identical to a sequence
4	as shown in Tables 1	-25.
i	2.	The method of claim 1, wherein the biological sample comprises
2	isolated nucleic acids	s.
l	3.	The method of claim 2, wherein the nucleic acids are mRNA.
1	4.	The method of claim 2, further comprising the step of amplifying
2	nucleic acids before t	he step of contacting the biological sample with the polynucleotide.
1	5.	The method of claim 1, wherein the polynucleotide comprises a
2	sequence as shown in	Tables 1-25.
1	6.	The method of claim 1, wherein the polynucleotide is immobilized on
2	a solid surface.	The meaner of commercial markets are projections of the meaner of the me
_	a sona surface.	
1	7.	The method of claim 1, wherein the patient is undergoing a therapeutic
2	regimen to treat breas	st cancer.
1	8.	The method of claim 1, wherein the patient is suspected of having
2	breast cancer.	
1	9.	An isolated nucleic acid molecule consisting of a polynucleotide
2	sequence as shown in	
_		
1	10.	The nucleic acid molecule of claim 9, which is labeled.
1	11.	An expression vector comprising the nucleic acid of claim 9.
1	12.	A host cell comprising the expression vector of claim 11.

1	13.	An isolated polypeptide which is encoded by a nucleic acid molecule			
2	having polynucleotide sequence as shown in Tables 1-25.				
1	14.	An antibody that specifically binds a polypeptide of claim 13.			
1	15.	The antibody of claim 14, further conjugated to an effector component.			
1	16.	The antibody of claim 15, wherein the effector component is a			
2	fluorescent label.				
1	17.	The antibody of claim 15, wherein the effector component is a			
2	radioisotope or a cyt	totoxic chemical.			
1	18.	The antibody of claim 15, which is an antibody fragment.			
1	19.	The antibody of claim 15, which is a humanized antibody			
1	20.	A method of detecting a breast cancer cell in a biological sample from			
2	a patient, the method	d comprising contacting the biological sample with an antibody of claim			
3	14.				
1	21.	The method of claim 20, wherein the antibody is further conjugated to			
2	an effector compone	ent.			
1	22.	The method of claim 21, wherein the effector component is a			
2	fluorescent label.				
1	23.	A method for identifying a compound that modulates a breast cancer-			
2	associated polypepti	de, the method comprising the steps of:			
3	(i) co	ntacting the compound with a breast cancer-associated polypeptide, the			
4	polypeptide encoded	by a polynucleotide that selectively hybridizes to a sequence at least			
5	80% identical to a sequence as shown in Tables 1-25; and				
6	(ii) d	etermining the functional effect of the compound upon the polypeptide.			
1	24.	A drug screening assay comprising the steps of			

2	(i) administering a test compound to a mammal having breast cancer or a cell
3	isolated therefrom;
4	(ii) comparing the level of gene expression of a polynucleotide that selectively
5	hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1-25 in a
6	treated cell or mammal with the level of gene expression of the polynucleotide in a control
7	cell or mammal, wherein a test compound that modulates the level of expression of the
8	polynucleotide is a candidate for the treatment of breast cancer.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
☐ FADED TEXT OR DRAWING		
BLURRED OR ILLEGIBLE TEXT OR DRAWING		
☐ SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
GRAY SCALE DOCUMENTS		
☐ LINES OR MARKS ON ORIGINAL DOCUMENT		
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		
OTHER:		

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)